

SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2012

ALL FEMALES

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	RISK 0-74	LR 0-74
Breast	8203	8203	21.79	30.52	35.12	34.35	35.88	3.86	26
BCC	6691	6694	17.78	24.91	28.58	27.89	29.27	3.09	32
Cervix	5785	5785	15.37	21.53	24.17	23.54	24.80	2.58	39
SCC of skin	2609	2612	6.94	9.72	10.88	10.46	11.30	1.02	98
Primary site unknown	1843	1847	4.91	6.87	7.97	7.60	8.34	0.94	106
Colorectal	1558	1558	4.14	5.80	6.68	6.35	7.02	0.74	135
Uterus	1199	1199	3.19	4.46	5.32	5.01	5.62	0.68	147
Lung	814	814	2.16	3.03	3.56	3.31	3.80	0.43	232
Oesophagus	702	702	1.86	2.61	3.10	2.86	3.33	0.37	271
Melanoma	741	741	1.97	2.76	3.12	2.89	3.35	0.33	305
Non Hodgkin lymphoma	797	797	2.12	2.97	3.18	2.96	3.41	0.32	311
Kaposi Sarcoma	885	885	2.35	3.29	3.15	2.94	3.36	0.26	382
Ovary	493	493	1.31	1.83	2.12	1.93	2.31	0.26	391
Stomach	427	427	1.13	1.59	1.82	1.64	1.99	0.20	488
Thyroid	407	407	1.08	1.51	1.66	1.49	1.82	0.18	556
Bladder	332	332	0.88	1.24	1.43	1.27	1.58	0.17	591
Eye	400	400	1.06	1.49	1.50	1.35	1.65	0.13	779
Vulva	323	323	0.86	1.20	1.29	1.14	1.43	0.13	781
Connective tissue	285	285	0.76	1.06	1.16	1.03	1.30	0.12	838
Kidney	249	249	0.66	0.93	1.05	0.92	1.18	0.11	952
Leukaemia	285	285	0.76	1.06	1.13	1.00	1.26	0.10	955
Liver & Bile duct	218	218	0.58	0.81	0.92	0.79	1.04	0.10	997
Skin other	233	233	0.62	0.87	0.95	0.83	1.08	0.10	1006
Mouth	198	198	0.53	0.74	0.86	0.74	0.98	0.10	1009
Myeloma	164	164	0.44	0.61	0.74	0.62	0.85	0.10	1024
Tongue	168	168	0.45	0.63	0.73	0.62	0.84	0.08	1190
Pancreas	148	148	0.39	0.55	0.65	0.54	0.75	0.08	1211
Vagina	162	162	0.43	0.60	0.68	0.58	0.79	0.08	1281
Hogkin lymphoma	216	216	0.57	0.80	0.80	0.69	0.90	0.07	1504
Other specified	129	129	0.34	0.48	0.56	0.46	0.66	0.06	1539
Naso-Oropharynx	133	133	0.35	0.49	0.56	0.47	0.66	0.06	1558
Brain, CNS	151	151	0.40	0.56	0.62	0.52	0.72	0.06	1564
Anus	120	120	0.32	0.45	0.49	0.40	0.57	0.05	2105
Larynx	74	74	0.20	0.28	0.33	0.25	0.40	0.04	2519
Small intestine	62	62	0.16	0.23	0.27	0.20	0.33	0.03	3391
Salivary gland	74	74	0.20	0.28	0.30	0.23	0.37	0.03	3667
Bone	79	79	0.21	0.29	0.30	0.23	0.37	0.02	4050
Mesothelioma	43	43	0.11	0.16	0.19	0.13	0.25	0.02	4071
Burkitt lymphoma	63	63	0.17	0.23	0.23	0.17	0.29	0.02	5279
Lip	41	41	0.11	0.15	0.16	0.11	0.22	0.02	6220
Gum	21	21	0.06	0.08	0.09	0.05	0.13	0.01	7709
Placenta	43	43	0.11	0.16	0.15	0.11	0.20	0.01	8649
Haematology other	28	28	0.07	0.10	0.11	0.07	0.15	0.01	11084
Endocrine	26	26	0.07	0.10	0.10	0.06	0.14	0.01	14357
Ill defined	10	10	0.03	0.04	0.04	0.02	0.07	0.01	17417
TotalS*	37632	37643	100.00	105.44*	119.35*	117.94*	120.76*	12.37*	8*

NOTES:

- N(OBS) Number of new cases with sex known
- N(ADJ) Number of new cases adjusted for those with sex unknown
- % Percentage of all cancers (after adjustment)
- CRUDE Adjusted cases/100 000/year
- ASR Age standardised incidence rates per 100 000 (World Standard Population)  
The ASR calculation incorporates an adjustment for the proportion of cases age unknown.
- 95% L/UCL Lower/Upper 95% confidence intervals for the ASRs
- RISK 0-74 Cumulative lifetime risk (0-74 years)
- LR 0-74 Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of
- \*TOTALS The rates calculated for the totals exclude BCC and SCC of the skin

SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2012

ALL MALES

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	RISK 0-74	LR 0-74
BCC	9109	9112	24.70	35.55	59.18	57.92	60.44	5.84	17
Prostate	6807	6807	18.45	26.56	46.53	45.40	47.66	5.14	19
SCC of skin	3843	3847	10.43	15.01	27.02	26.14	27.91	2.39	42
Lung	1743	1743	4.72	6.80	10.78	10.26	11.29	1.26	79
Colorectal	1838	1839	4.98	7.17	11.67	11.11	12.22	1.24	81
Primary site unknown	1703	1707	4.63	6.66	10.16	9.66	10.66	1.20	83
Oesophagus	1122	1122	3.04	4.38	6.85	6.43	7.26	0.81	124
Bladder	1005	1005	2.72	3.92	6.94	6.50	7.38	0.67	148
Stomach	796	796	2.16	3.11	5.02	4.66	5.38	0.57	177
Non Hodgkin lymphoma	933	933	2.53	3.64	4.84	4.51	5.17	0.48	206
Melanoma	733	733	1.99	2.86	4.47	4.14	4.81	0.46	216
Kaposi Sarcoma	1225	1225	3.32	4.78	5.01	4.72	5.30	0.44	227
Larynx	499	499	1.35	1.95	3.06	2.78	3.33	0.40	253
Mouth	406	406	1.10	1.58	2.37	2.14	2.61	0.29	346
Kidney	414	414	1.12	1.62	2.31	2.08	2.54	0.27	373
Naso-Oropharynx	366	366	0.99	1.43	2.09	1.87	2.31	0.26	388
Tongue	330	330	0.89	1.29	1.96	1.74	2.18	0.25	399
Leukaemia	380	381	1.03	1.48	1.93	1.73	2.14	0.20	502
Liver & Bile duct	296	296	0.80	1.15	1.70	1.50	1.90	0.18	561
Connective tissue	285	285	0.77	1.11	1.49	1.31	1.67	0.15	674
Pancreas	191	191	0.52	0.75	1.20	1.02	1.38	0.14	698
Skin other	241	241	0.65	0.94	1.44	1.24	1.63	0.14	736
Brain, CNS	256	256	0.69	1.00	1.26	1.10	1.43	0.14	738
Breast	212	212	0.57	0.83	1.31	1.12	1.49	0.14	738
Eye	330	330	0.89	1.29	1.42	1.26	1.58	0.13	771
Other specified	144	144	0.39	0.56	0.83	0.69	0.97	0.10	999
Mesothelioma	121	121	0.33	0.47	0.80	0.66	0.95	0.10	1042
Myeloma	150	150	0.41	0.59	0.90	0.75	1.05	0.09	1112
Penis	141	141	0.38	0.55	0.74	0.61	0.87	0.09	1137
Salivary gland	133	134	0.36	0.52	0.78	0.64	0.92	0.08	1238
Hodgkin lymphoma	231	231	0.63	0.90	0.92	0.80	1.05	0.07	1342
Thyroid	126	126	0.34	0.49	0.67	0.55	0.79	0.07	1344
Lip	85	85	0.23	0.33	0.49	0.38	0.60	0.06	1757
Anus	99	99	0.27	0.39	0.58	0.46	0.70	0.06	1781
Small intestine	78	78	0.21	0.30	0.44	0.34	0.54	0.05	1924
Testis	170	170	0.46	0.66	0.63	0.53	0.73	0.05	1950
Bone	100	100	0.27	0.39	0.39	0.31	0.47	0.03	2864
Burkitt lymphoma	107	107	0.29	0.42	0.43	0.34	0.51	0.03	3013
Haematology other	65	65	0.18	0.25	0.29	0.21	0.36	0.02	4058
Gum	28	28	0.08	0.11	0.18	0.11	0.25	0.02	4753
Endocrine	37	37	0.10	0.14	0.16	0.11	0.22	0.02	6570
Ill defined	9	9	0.02	0.04	0.05	0.02	0.09	0.01	13932
Totals*	36887	36900	100.00	93.40*	145.11*	143.19*	147.02*	14.85*	7*

NOTES:

- N(OBS) Number of new cases with sex known
- N(ADJ) Number of new cases adjusted for those with sex unknown
- % Percentage of all cancers (after adjustment)
- CRUDE Adjusted cases/100 000/year
- ASR Age standardised incidence rates per 100 000 (World Standard Population)  
The ASR calculation incorporates an adjustment for the proportion of cases age unknown.
- 95% L/UCL Lower/Upper 95% confidence intervals for the ASRs
- RISK 0-74 Cumulative lifetime risk (0-74 years)
- LR 0-74 Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of
- \*TOTALS The rates calculated for the totals exclude BCC and SCC of the skin

SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2012

ASIAN FEMALES

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	RISK 0-74	LR 0-74
Breast	439	446	41.07	68.56	57.92	52.52	63.32	6.38	16
Uterus	71	74	6.85	11.44	9.87	7.62	12.12	1.31	76
Primary site unknown	72	76	7.03	11.73	9.95	7.71	12.20	1.24	81
Cervix	72	72	6.67	11.14	9.35	7.19	11.51	1.12	90
Colorectal	70	74	6.82	11.38	9.56	7.37	11.74	1.03	98
BCC	33	34	3.13	5.23	4.35	2.88	5.82	0.45	224
Lung	22	23	2.16	3.60	3.01	1.78	4.23	0.39	257
Ovary	25	26	2.44	4.07	3.46	2.14	4.79	0.38	261
Thyroid	24	26	2.43	4.05	3.38	2.08	4.68	0.33	308
Stomach	26	27	2.46	4.11	3.32	2.05	4.58	0.32	311
SCC of skin	26	26	2.40	4.01	3.43	2.10	4.75	0.31	323
Non Hodgkin lymphoma	21	21	1.96	3.28	2.70	1.55	3.85	0.30	333
Bladder	16	16	1.51	2.52	2.14	1.10	3.18	0.27	366
Kidney	11	11	1.03	1.71	1.50	0.62	2.38	0.19	528
Tongue	9	10	0.88	1.47	1.28	0.47	2.10	0.18	571
Mouth	11	12	1.10	1.84	1.54	0.66	2.42	0.16	637
Oesophagus	12	12	1.11	1.85	1.55	0.67	2.44	0.16	645
Connective tissue	11	12	1.07	1.78	1.60	0.65	2.56	0.15	680
Brain, CNS	7	8	0.72	1.20	1.16	0.31	2.00	0.11	879
Liver & Bile duct	7	7	0.68	1.13	0.99	0.27	1.70	0.11	882
Skin other	7	7	0.69	1.15	1.02	0.29	1.75	0.07	1370
Hogkin lymphoma	7	7	0.65	1.08	0.91	0.23	1.59	0.07	1393
Vulva	6	6	0.56	0.93	0.74	0.15	1.34	0.07	1427
Kaposi Sarcoma	6	6	0.55	0.93	0.79	0.16	1.41	0.07	1454
Vagina	4	4	0.37	0.62	0.52	0.01	1.03	0.06	1628
Other specified	5	5	0.48	0.79	0.67	0.09	1.25	0.06	1631
Leukaemia	5	5	0.47	0.78	0.65	0.08	1.23	0.06	1777
Melanoma	5	5	0.46	0.77	0.66	0.08	1.24	0.05	1832
Anus	4	4	0.41	0.68	0.60	0.04	1.16	0.05	1938
Pancreas	3	3	0.29	0.48	0.39	-0.04	0.83	0.05	2034
Naso-Oropharynx	2	2	0.19	0.32	0.29	-0.10	0.69	0.05	2089
Eye	3	3	0.30	0.50	0.55	-0.08	1.17	0.05	2148
Small intestine	2	2	0.20	0.33	0.30	-0.10	0.70	0.04	2634
Gum	1	1	0.10	0.16	0.14	-0.13	0.41	0.03	2914
Mesothelioma	1	1	0.09	0.15	0.13	-0.13	0.40	0.03	2990
Myeloma	3	3	0.29	0.49	0.37	-0.04	0.77	0.03	3003
Salivary gland	2	2	0.19	0.32	0.26	-0.09	0.62	0.02	4207
Burkitt lymphoma	1	1	0.10	0.16	0.22	-0.21	0.65	0.01	8814
Larynx	1	1	0.09	0.16	0.11	-0.10	0.32	0.00	141427
Bone	0	0	0.00	0.00	0.00	0.00	0.00	0.00	
Endocrine	0	0	0.00	0.00	0.00	0.00	0.00	0.00	
Haematology other	0	0	0.00	0.00	0.00	0.00	0.00	0.00	
Ill defined	0	0	0.00	0.00	0.00	0.00	0.00	0.00	
Lip	0	0	0.00	0.00	0.00	0.00	0.00	0.00	
Placenta	0	0	0.00	0.00	0.00	0.00	0.00	0.00	
Totals*	1053	1085	100.00	157.69*	133.59*	125.37*	141.82*	14.14*	7*

NOTES:

- N(OBS) Number of new cases with sex and population group known
- N(ADJ) Number of new cases adjusted for those with sex and/or population group
- % % of all cancers (after adjustment)
- CRUDE Adjusted cases/100 000/year
- ASR Age standardised incidence rates per 100 000 (World Standard Population)  
The ASR calculation incorporates an adjustment for the proportion of cases age unknown.
- 95% L/UCL Lower/Upper 95% confidence intervals for the ASRs
- RISK 0-74 Cumulative lifetime risk (0-74 years)
- LR 0-74 Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of
- \*TOTALS The rates calculated for the totals exclude BCC and SCC of the skin

SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2012

ASIAN MALES

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	RISK 0-74	LR
Prostate	148	155	18.45	23.75	31.31	26.20	36.42	3.14	32
Colorectal	92	98	11.61	14.94	17.43	13.81	21.05	1.90	53
Lung	82	85	10.14	13.05	14.37	11.25	17.49	1.74	57
Primary site unknown	47	50	5.92	7.63	8.39	5.94	10.85	0.99	101
Stomach	45	46	5.49	7.06	7.79	5.47	10.12	0.94	106
Bladder	46	47	5.53	7.11	9.04	6.29	11.79	0.80	124
BCC	48	49	5.85	7.53	9.11	6.41	11.80	0.80	125
Non Hodgkin lymphoma	28	29	3.39	4.37	4.81	2.95	6.67	0.45	222
Larynx	18	18	2.16	2.78	2.94	1.57	4.30	0.41	241
Naso-Oropharynx	16	17	1.96	2.53	2.52	1.27	3.77	0.38	264
Kidney	22	22	2.66	3.42	3.68	2.12	5.24	0.36	275
Breast	12	12	1.44	1.85	2.10	0.91	3.30	0.33	307
SCC of skin	23	23	2.73	3.52	4.50	2.55	6.45	0.32	313
Tongue	10	11	1.25	1.61	1.87	0.72	3.01	0.31	318
Mouth	15	16	1.87	2.40	2.83	1.35	4.31	0.30	331
Brain, CNS	17	18	2.16	2.78	3.19	1.65	4.72	0.30	337
Oesophagus	16	16	1.92	2.47	2.84	1.40	4.28	0.27	374
Liver & Bile duct	10	11	1.26	1.62	1.92	0.71	3.12	0.20	504
Leukaemia	11	11	1.34	1.72	2.28	0.88	3.67	0.15	666
Pancreas	7	7	0.88	1.13	1.13	0.30	1.96	0.14	695
Hodgkin lymphoma	12	12	1.43	1.84	1.73	0.68	2.79	0.14	735
Melanoma	8	8	0.96	1.23	1.32	0.33	2.31	0.13	745
Connective tissue	11	12	1.38	1.78	1.85	0.76	2.94	0.12	828
Anus	6	6	0.74	0.96	1.15	0.19	2.10	0.12	838
Kaposi Sarcoma	12	12	1.43	1.84	1.38	0.59	2.17	0.11	896
Other specified	4	4	0.50	0.64	0.67	0.01	1.32	0.11	901
Testis	12	12	1.45	1.87	1.38	0.60	2.16	0.11	938
Penis	5	5	0.59	0.76	0.80	0.09	1.52	0.08	1206
Thyroid	6	6	0.75	0.96	0.81	0.17	1.46	0.08	1274
Eye	4	4	0.51	0.66	0.62	0.02	1.22	0.04	2284
Skin other	3	3	0.37	0.47	0.69	-0.11	1.50	0.04	2373
Lip	2	2	0.25	0.32	0.30	-0.11	0.72	0.04	2618
Burkitt lymphoma	3	3	0.38	0.49	0.53	-0.08	1.15	0.03	3016
Mesothelioma	1	1	0.12	0.15	0.18	-0.17	0.53	0.03	3327
Small intestine	3	3	0.39	0.50	0.49	-0.05	1.03	0.03	3742
Endocrine	1	1	0.13	0.17	0.18	-0.16	0.51	0.02	4447
Haematology other	2	2	0.26	0.34	0.36	-0.12	0.83	0.02	4604
Bone	2	2	0.26	0.33	0.29	-0.10	0.67	0.02	4817
Myeloma	1	1	0.12	0.16	0.33	-0.30	0.96	0.00	112393
Gum	0	0	0.00	0.00	0.00	0.00	0.00	0.00	
Ill defined	0	0	0.00	0.00	0.00	0.00	0.00	0.00	
Salivary gland	0	0	0.00	0.00	0.00	0.00	0.00	0.00	
Totals*	811	843	100.00	117.69*	135.48*	125.46*	145.49*	13.50*	7*

NOTES:

- N(OBS) Number of new cases with sex and population group known
- N(ADJ) Number of new cases adjusted for those with sex and/or population group
- % % of all cancers (after adjustment)
- CRUDE Adjusted cases/100 000/year
- ASR Age standardised incidence rates per 100 000 (World Standard Population)  
The ASR calculation incorporates an adjustment for the proportion of cases age unknown.
- 95% L/UCL Lower/Upper 95% confidence intervals for the ASRs
- RISK 0-74 Cumulative lifetime risk (0-74 years)
- LR 0-74 Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of
- \*TOTALS The rates calculated for the totals exclude BCC and SCC of the skin

SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2012

BLACK FEMALES

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	RISK 0-74	LR 0-74
Cervix	4864	4891	29.62	22.80	29.10	28.27	29.93	3.11	32
Breast	3365	3415	20.68	15.92	20.65	19.95	21.36	2.21	45
Primary site unknown	1007	1060	6.42	4.94	6.63	6.22	7.04	0.78	129
Uterus	682	714	4.32	3.33	4.80	4.44	5.15	0.62	160
Oesophagus	542	544	3.30	2.54	3.59	3.28	3.89	0.42	239
Kaposi Sarcoma	816	819	4.96	3.82	3.81	3.54	4.07	0.32	313
Colorectal	419	440	2.67	2.05	2.71	2.45	2.96	0.30	330
Non Hodgkin lymphoma	493	500	3.03	2.33	2.65	2.41	2.89	0.25	401
BCC	324	334	2.02	1.56	2.07	1.84	2.30	0.21	472
SCC of skin	373	374	2.27	1.75	2.21	1.99	2.44	0.21	483
Lung	220	234	1.42	1.09	1.50	1.31	1.70	0.18	558
Eye	342	373	2.26	1.74	1.85	1.66	2.05	0.16	630
Ovary	191	202	1.22	0.94	1.23	1.06	1.41	0.14	702
Stomach	176	181	1.09	0.84	1.11	0.95	1.28	0.13	788
Vulva	219	222	1.34	1.03	1.18	1.02	1.34	0.12	854
Melanoma	174	175	1.06	0.81	1.09	0.93	1.26	0.12	868
Connective tissue	176	185	1.12	0.86	1.04	0.88	1.19	0.11	907
Liver & Bile duct	119	125	0.76	0.58	0.75	0.62	0.89	0.09	1139
Bladder	96	98	0.60	0.46	0.62	0.50	0.75	0.09	1162
Vagina	121	122	0.74	0.57	0.72	0.59	0.85	0.08	1227
Myeloma	88	93	0.56	0.43	0.61	0.48	0.73	0.08	1266
Thyroid	115	126	0.76	0.59	0.72	0.59	0.85	0.08	1305
Leukaemia	157	160	0.97	0.74	0.81	0.68	0.94	0.07	1409
Skin other	103	110	0.66	0.51	0.60	0.48	0.71	0.06	1686
Hogkin lymphoma	137	138	0.83	0.64	0.67	0.56	0.79	0.06	1721
Other specified	71	73	0.44	0.34	0.46	0.35	0.57	0.05	1873
Kidney	102	103	0.63	0.48	0.54	0.44	0.65	0.05	2077
Mouth	69	75	0.45	0.35	0.48	0.37	0.59	0.05	2080
Tongue	51	54	0.33	0.25	0.35	0.26	0.44	0.04	2323
Naso-Oropharynx	65	69	0.42	0.32	0.39	0.29	0.48	0.04	2412
Anus	63	69	0.42	0.32	0.39	0.29	0.48	0.03	2893
Pancreas	44	46	0.28	0.21	0.28	0.20	0.36	0.03	3133
Salivary gland	54	57	0.34	0.26	0.32	0.23	0.40	0.03	3540
Brain, CNS	45	50	0.30	0.23	0.26	0.19	0.34	0.02	4358
Larynx	29	30	0.18	0.14	0.19	0.12	0.26	0.02	4592
Burkitt lymphoma	50	53	0.32	0.24	0.24	0.18	0.31	0.02	5086
Small intestine	28	30	0.18	0.14	0.19	0.12	0.26	0.02	5107
Bone	47	48	0.29	0.22	0.22	0.15	0.28	0.02	6457
Placenta	37	37	0.22	0.17	0.16	0.11	0.22	0.01	7957
Mesothelioma	16	16	0.10	0.07	0.10	0.05	0.15	0.01	8949
Haematology other	17	18	0.11	0.09	0.09	0.05	0.14	0.01	12298
Lip	17	17	0.11	0.08	0.09	0.05	0.13	0.01	13750
Gum	8	8	0.05	0.04	0.05	0.02	0.09	0.01	14183
Endocrine	16	17	0.10	0.08	0.08	0.04	0.12	0.01	18807
Ill defined	7	7	0.04	0.03	0.04	0.01	0.07	0.00	30785
Totals*	16155	16514	100.00	73.67*	93.37*	91.88*	94.85*	9.63*	10*

NOTES:

- N(OBS) Number of new cases with sex and population group known
- N(ADJ) Number of new cases with sex and population group known
- % Number of new cases adjusted for those with sex and/or population group
- CRUDE % of all cancers (after adjustment)
- ASR Age standardised incidence rates per 100 000 (World Standard Population)
- The ASR calculation incorporates an adjustment for the proportion of cases age unknown.
- 95% L/UCL Lower/Upper 95% confidence intervals for the ASRs
- RISK 0-74 Cumulative lifetime risk (0-74 years)
- LR 0-74 Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of
- \*TOTALS The rates calculated for the totals exclude BCC and SCC of the skin

SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2012

BLACK MALES

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	RISK 0-74	LR 0-74
Prostate	2631	2763	23.68	13.49	30.51	29.32	31.69	3.29	30
Primary site unknown	874	923	7.91	4.51	8.20	7.64	8.76	0.98	102
Oesophagus	799	808	6.92	3.94	7.69	7.14	8.25	0.88	113
Lung	663	691	5.92	3.37	6.27	5.78	6.75	0.76	131
Kaposi Sarcoma	1099	1104	9.47	5.39	6.14	5.76	6.53	0.55	183
Colorectal	450	475	4.07	2.32	4.08	3.69	4.48	0.44	229
BCC	347	357	3.06	1.74	3.52	3.14	3.91	0.38	263
SCC of skin	416	417	3.58	2.04	3.96	3.55	4.37	0.37	269
Non Hodgkin lymphoma	544	555	4.76	2.71	3.66	3.33	3.99	0.37	274
Larynx	285	288	2.47	1.41	2.73	2.41	3.06	0.36	281
Stomach	286	294	2.52	1.43	2.68	2.36	3.00	0.31	318
Mouth	207	217	1.86	1.06	1.90	1.63	2.16	0.24	423
Naso-Oropharynx	182	188	1.61	0.92	1.64	1.39	1.89	0.20	500
Tongue	146	153	1.32	0.75	1.36	1.14	1.58	0.17	573
Bladder	150	152	1.30	0.74	1.54	1.28	1.80	0.17	597
Liver & Bile duct	174	185	1.58	0.90	1.50	1.26	1.73	0.17	600
Eye	272	292	2.51	1.43	1.73	1.52	1.94	0.16	619
Leukaemia	196	201	1.73	0.98	1.24	1.05	1.43	0.13	762
Connective tissue	146	155	1.33	0.76	1.09	0.90	1.28	0.11	914
Penis	106	106	0.91	0.52	0.77	0.62	0.93	0.09	1072
Breast	102	103	0.88	0.50	0.95	0.75	1.15	0.09	1081
Kidney	120	122	1.05	0.60	0.81	0.65	0.96	0.08	1187
Other specified	73	76	0.65	0.37	0.64	0.49	0.79	0.08	1220
Melanoma	85	86	0.73	0.42	0.80	0.61	0.98	0.08	1271
Pancreas	63	66	0.57	0.32	0.60	0.45	0.74	0.07	1345
Skin other	90	92	0.79	0.45	0.69	0.53	0.84	0.07	1404
Hodgkin lymphoma	147	148	1.27	0.72	0.75	0.63	0.88	0.06	1634
Salivary gland	62	67	0.57	0.33	0.55	0.40	0.69	0.06	1672
Myeloma	69	72	0.62	0.35	0.59	0.45	0.74	0.06	1737
Mesothelioma	45	45	0.39	0.22	0.42	0.29	0.54	0.05	1898
Anus	57	59	0.51	0.29	0.50	0.36	0.64	0.05	2081
Brain, CNS	79	85	0.73	0.41	0.48	0.37	0.59	0.05	2113
Burkitt lymphoma	75	80	0.69	0.39	0.42	0.32	0.52	0.03	3075
Small intestine	28	30	0.26	0.15	0.25	0.16	0.34	0.03	3155
Bone	55	60	0.51	0.29	0.27	0.20	0.35	0.02	4628
Thyroid	21	22	0.19	0.11	0.18	0.10	0.26	0.02	5274
Lip	19	20	0.17	0.10	0.14	0.07	0.20	0.02	6094
Testis	32	33	0.28	0.16	0.17	0.10	0.24	0.01	7123
Gum	14	14	0.12	0.07	0.13	0.06	0.20	0.01	7430
Haematology other	31	34	0.29	0.17	0.16	0.11	0.22	0.01	7976
Endocrine	19	21	0.18	0.10	0.11	0.06	0.16	0.01	10550
Ill defined	5	6	0.06	0.03	0.06	0.01	0.11	0.01	10898
Totals*	11264	11666	100.00	53.17*	94.41*	92.51*	96.32*	9.91*	10*

NOTES:

- N(OBS) Number of new cases with sex and population group known
- N(ADJ) Number of new cases with sex and population group known
- % Number of new cases adjusted for those with sex and/or population group
- CRUDE % of all cancers (after adjustment)
- ASR Age standardised incidence rates per 100 000 (World Standard Population)  
The ASR calculation incorporates an adjustment for the proportion of cases age unknown.
- 95% L/UCL Lower/Upper 95% confidence intervals for the ASRs
- RISK 0-74 Cumulative lifetime risk (0-74 years)
- LR 0-74 Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of
- \*TOTALS The rates calculated for the totals exclude BCC and SCC of the skin

SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2012

COLOURED FEMALES

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	RISK 0-74	LR
Breast	1141	1158	27.76	47.96	53.83	50.87	56.79	5.98	17
BCC	696	717	17.17	29.67	35.86	33.54	38.18	3.71	27
Cervix	348	350	8.39	14.49	14.98	13.42	16.54	1.63	61
Primary site unknown	210	221	5.29	9.13	10.87	9.48	12.26	1.38	73
Colorectal	225	236	5.67	9.79	11.53	10.20	12.86	1.17	86
SCC of skin	242	242	5.81	10.03	12.50	11.24	13.76	1.08	92
Lung	159	169	4.06	7.01	8.29	7.06	9.53	1.05	96
Uterus	123	129	3.09	5.33	6.55	5.49	7.62	0.80	125
Oesophagus	67	67	1.61	2.79	3.35	2.57	4.13	0.46	217
Ovary	53	56	1.34	2.32	2.72	2.01	3.43	0.38	266
Non Hodgkin lymphoma	69	70	1.68	2.90	3.24	2.51	3.96	0.37	272
Stomach	68	70	1.67	2.89	3.33	2.62	4.05	0.35	284
Melanoma	68	68	1.64	2.83	3.17	2.45	3.88	0.34	296
Mouth	37	40	0.96	1.67	2.06	1.43	2.69	0.30	338
Thyroid	44	48	1.16	2.00	2.08	1.50	2.66	0.24	423
Bladder	42	43	1.03	1.78	2.20	1.63	2.77	0.23	432
Leukaemia	48	49	1.17	2.02	2.35	1.73	2.97	0.23	440
Kidney	38	38	0.92	1.59	1.82	1.24	2.40	0.19	519
Tongue	29	31	0.74	1.28	1.54	1.03	2.05	0.18	558
Myeloma	23	24	0.58	1.01	1.28	0.79	1.77	0.17	586
Connective tissue	31	33	0.78	1.35	1.51	1.02	2.01	0.16	633
Pancreas	17	18	0.42	0.73	0.92	0.50	1.33	0.15	657
Vulva	32	32	0.78	1.34	1.38	0.92	1.83	0.14	737
Anus	19	21	0.50	0.87	0.97	0.55	1.40	0.13	752
Liver & Bile duct	22	23	0.56	0.96	1.07	0.65	1.50	0.12	844
Naso-Oropharynx	21	22	0.53	0.92	1.03	0.62	1.44	0.12	859
Brain, CNS	21	23	0.56	0.97	1.05	0.63	1.47	0.11	937
Larynx	16	16	0.39	0.68	0.85	0.48	1.22	0.10	979
Kaposi Sarcoma	32	32	0.77	1.33	1.22	0.81	1.63	0.09	1063
Hogkin lymphoma	20	20	0.48	0.83	0.82	0.45	1.19	0.08	1332
Vagina	15	15	0.36	0.63	0.69	0.36	1.03	0.07	1371
Other specified	14	14	0.35	0.60	0.65	0.33	0.97	0.07	1502
Skin other	18	19	0.46	0.79	0.88	0.55	1.21	0.07	1511
Bone	8	8	0.20	0.34	0.35	0.11	0.60	0.04	2384
Small intestine	7	7	0.18	0.31	0.35	0.10	0.61	0.04	2651
Mesothelioma	7	7	0.17	0.29	0.35	0.11	0.58	0.04	2707
Eye	8	9	0.21	0.36	0.32	0.10	0.53	0.03	3611
Gum	4	4	0.10	0.17	0.18	0.00	0.36	0.02	4468
Lip	3	3	0.07	0.13	0.14	-0.02	0.30	0.02	4761
Burkitt lymphoma	3	3	0.08	0.13	0.13	-0.02	0.27	0.01	7705
Placenta	4	4	0.10	0.17	0.15	0.00	0.30	0.01	8636
Salivary gland	3	3	0.07	0.13	0.12	-0.01	0.26	0.01	18293
Haematology other	4	4	0.10	0.18	0.22	0.09	0.35	0.00	20385
Endocrine	2	2	0.05	0.09	0.09	-0.03	0.22	0.00	20861
Ill defined	0	0	0.00	0.00	0.00	0.00	0.00	0.00	
Totals*	4061	4172	100.00	133.06*	150.64*	145.64*	155.64*	15.87*	6*

NOTES:

N(OBS)

Number of new cases with sex and population group known

N(ADJ)

Number of new cases with sex and population group known

%

Number of new cases adjusted for those with sex and/or population group

CRUDE

% of all cancers (after adjustment)

ASR

Age standardised incidence rates per 100 000 (World Standard Population)

The ASR calculation incorporates an adjustment for the proportion of cases

age unknown.

95% L/UCL

Lower/Upper 95% confidence intervals for the ASRs

RISK 0-74

Cumulative lifetime risk (0-74 years)

LR 0-74

Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of

\*TOTALS

The rates calculated for the totals exclude BCC and SCC of the skin

**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2012**  
**COLOURED MALES**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	RISK 0-74	LR 0-74
Prostate	833	875	20.17	38.78	73.63	68.48	78.79	8.01	12
BCC	868	891	20.55	39.50	72.91	67.68	78.13	6.83	15
Lung	341	355	8.19	15.75	25.32	22.52	28.12	2.94	34
SCC of skin	353	353	8.15	15.66	32.11	28.50	35.72	2.87	35
Colorectal	241	255	5.87	11.29	19.61	17.00	22.22	2.18	46
Primary site unknown	244	257	5.93	11.40	17.55	15.26	19.83	2.17	46
Bladder	147	149	3.43	6.60	12.41	10.27	14.56	1.39	72
Stomach	139	143	3.29	6.33	10.92	8.99	12.85	1.29	77
Oesophagus	104	105	2.42	4.66	7.03	5.62	8.44	0.89	112
Tongue	62	65	1.50	2.89	4.32	3.20	5.44	0.57	176
Kidney	59	60	1.38	2.66	4.13	3.00	5.26	0.52	194
Larynx	61	62	1.42	2.73	4.17	3.05	5.28	0.51	195
Melanoma	73	74	1.70	3.26	5.57	4.15	6.99	0.51	197
Non Hodgkin lymphoma	77	79	1.81	3.48	4.98	3.74	6.22	0.47	212
Naso-Oropharynx	60	62	1.43	2.75	3.89	2.85	4.93	0.45	224
Mouth	56	59	1.35	2.60	4.11	2.98	5.25	0.44	227
Connective tissue	34	36	0.83	1.60	2.23	1.44	3.02	0.27	367
Pancreas	20	21	0.49	0.94	1.65	0.89	2.42	0.22	444
Leukaemia	41	42	0.97	1.86	2.83	1.87	3.79	0.22	452
Skin other	29	30	0.69	1.32	2.13	1.28	2.97	0.22	462
Kaposi Sarcoma	53	53	1.23	2.36	2.38	1.68	3.08	0.21	484
Breast	28	28	0.65	1.25	2.28	1.36	3.20	0.19	514
Brain, CNS	27	29	0.67	1.28	1.88	1.12	2.65	0.18	563
Mesothelioma	14	14	0.32	0.62	1.25	0.56	1.95	0.17	603
Myeloma	18	19	0.44	0.84	1.40	0.71	2.10	0.16	638
Penis	14	14	0.32	0.62	0.90	0.40	1.40	0.15	663
Other specified	17	18	0.41	0.79	1.23	0.64	1.82	0.14	709
Liver & Bile duct	19	20	0.46	0.89	1.25	0.67	1.83	0.14	729
Thyroid	18	19	0.44	0.84	0.93	0.49	1.38	0.11	944
Lip	8	8	0.19	0.37	0.70	0.20	1.21	0.09	1053
Small intestine	14	15	0.35	0.67	0.82	0.38	1.26	0.09	1099
Anus	11	11	0.26	0.51	0.81	0.30	1.33	0.09	1109
Salivary gland	15	16	0.37	0.71	1.09	0.52	1.66	0.09	1131
Gum	6	6	0.14	0.27	0.45	0.08	0.82	0.08	1192
Hodgkin lymphoma	21	21	0.49	0.94	0.84	0.48	1.21	0.07	1490
Bone	9	10	0.23	0.43	0.48	0.16	0.81	0.06	1761
Haematology other	13	14	0.33	0.63	0.98	0.40	1.56	0.05	1848
Testis	17	17	0.40	0.77	0.68	0.36	1.01	0.05	2058
Eye	14	15	0.35	0.67	0.63	0.31	0.96	0.04	2297
Burkitt lymphoma	10	11	0.25	0.47	0.47	0.19	0.75	0.03	3016
Endocrine	4	4	0.10	0.19	0.19	0.01	0.38	0.02	6286
Ill defined	1	1	0.03	0.06	0.10	-0.08	0.28	0.00	66083
Totals*	4193	4336	100.00	137.07*	228.28*	219.59*	236.96*	22.85*	4*

NOTES:

- N(OBS) Number of new cases with sex and population group known
- N(ADJ) Number of new cases with sex and population group known
- % Number of new cases adjusted for those with sex and/or population group
- CRUDE % of all cancers (after adjustment)
- ASR Age standardised incidence rates per 100 000 (World Standard Population)
- The ASR calculation incorporates an adjustment for the proportion of cases age unknown.
- 95% L/UCL Lower/Upper 95% confidence intervals for the ASRs
- RISK 0-74 Cumulative lifetime risk (0-74 years)
- LR 0-74 Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of
- \*TOTALS The rates calculated for the totals exclude BCC and SCC of the skin

SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2012

WHITE FEMALES

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	RISK 0-74	LR
BCC	5446	5609	35.34	238.06	129.61	126.00	133.23	13.37	7
Breast	3137	3184	20.06	135.14	79.31	76.41	82.21	8.52	12
SCC of skin	1965	1969	12.41	83.58	37.43	35.67	39.19	3.78	26
Colorectal	769	808	5.09	34.29	17.26	16.01	18.52	1.97	51
Cervix	469	472	2.97	20.02	14.57	13.20	15.95	1.43	70
Melanoma	491	493	3.11	20.92	13.05	11.81	14.29	1.32	76
Primary site unknown	466	490	3.09	20.80	11.07	10.04	12.10	1.27	79
Lung	364	387	2.44	16.44	8.52	7.63	9.41	1.03	98
Uterus	269	282	1.77	11.96	6.52	5.72	7.31	0.77	130
Thyroid	188	206	1.30	8.75	6.73	5.75	7.70	0.66	153
Ovary	197	208	1.31	8.85	5.08	4.36	5.80	0.60	166
Non Hodgkin lymphoma	203	206	1.30	8.74	5.23	4.45	6.01	0.56	179
Bladder	170	174	1.10	7.39	3.43	2.90	3.97	0.40	253
Stomach	146	150	0.94	6.36	3.25	2.70	3.80	0.38	261
Kidney	95	96	0.61	4.08	2.67	2.05	3.29	0.27	373
Skin other	91	97	0.61	4.11	2.32	1.82	2.82	0.27	377
Pancreas	78	81	0.51	3.45	1.80	1.39	2.20	0.23	433
Brain, CNS	63	70	0.44	2.97	2.32	1.70	2.93	0.22	453
Leukaemia	71	72	0.45	3.06	2.44	1.76	3.11	0.21	480
Oesophagus	78	78	0.49	3.32	1.70	1.31	2.09	0.21	481
Mouth	65	71	0.45	3.00	1.63	1.22	2.04	0.18	542
Tongue	69	73	0.46	3.11	1.74	1.32	2.15	0.18	544
Connective tissue	53	56	0.35	2.37	1.92	1.31	2.52	0.16	627
Vulva	62	63	0.40	2.66	1.45	1.07	1.82	0.15	654
Hogkin lymphoma	51	51	0.32	2.17	2.06	1.45	2.67	0.15	669
Liver & Bile duct	59	62	0.39	2.64	1.42	1.03	1.80	0.14	716
Myeloma	41	43	0.27	1.84	0.94	0.65	1.23	0.13	752
Naso-Oropharynx	38	40	0.25	1.70	1.03	0.69	1.37	0.12	823
Other specified	35	36	0.23	1.53	0.88	0.59	1.18	0.11	928
Kaposi Sarcoma	28	28	0.18	1.19	1.17	0.73	1.61	0.09	1087
Larynx	26	27	0.17	1.13	0.68	0.42	0.94	0.08	1185
Bone	22	23	0.14	0.96	0.79	0.44	1.14	0.07	1494
Vagina	21	21	0.13	0.90	0.53	0.30	0.76	0.07	1517
Mesothelioma	19	19	0.12	0.81	0.46	0.24	0.68	0.06	1627
Small intestine	21	22	0.14	0.95	0.50	0.28	0.72	0.06	1678
Anus	23	25	0.16	1.07	0.61	0.35	0.87	0.06	1774
Lip	20	21	0.13	0.87	0.47	0.25	0.69	0.05	1990
Eye	14	15	0.10	0.65	0.52	0.22	0.83	0.04	2315
Salivary gland	12	13	0.08	0.53	0.28	0.11	0.45	0.03	3279
Gum	7	7	0.05	0.31	0.17	0.04	0.29	0.02	4241
Burkitt lymphoma	6	6	0.04	0.27	0.28	0.05	0.52	0.02	4719
Haematology other	5	5	0.03	0.23	0.21	0.02	0.41	0.02	4985
Endocrine	6	7	0.04	0.28	0.23	0.04	0.41	0.02	5113
Ill defined	3	3	0.02	0.13	0.06	-0.01	0.13	0.02	6656
Placenta	2	2	0.01	0.08	0.07	-0.03	0.18	0.01	16201
Totals*	15464	15872	100.00	352.03*	207.36*	202.58*	212.15*	20.39*	5*

NOTES:

- N(OBS) Number of new cases with sex and population group known
- N(ADJ) Number of new cases adjusted for those with sex and/or population group
- % % of all cancers (after adjustment)
- CRUDE Adjusted cases/100 000/year
- ASR Age standardised incidence rates per 100 000 (World Standard Population)  
The ASR calculation incorporates an adjustment for the proportion of cases age unknown.
- 95% L/UCL Lower/Upper 95% confidence intervals for the ASRs
- RISK 0-74 Cumulative lifetime risk (0-74 years)
- LR 0-74 Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of
- \*TOTALS The rates calculated for the totals exclude BCC and SCC of the skin

SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2012

WHITE MALES

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	RISK 0-74	LR 0-74
BCC	7611	7815	38.97	349.43	220.36	215.41	225.32	20.66	5
Prostate	2870	3014	15.03	134.75	79.62	76.77	82.47	9.07	11
SCC of skin	3049	3054	15.23	136.53	83.16	80.18	86.13	7.69	13
Colorectal	957	1011	5.04	45.20	27.94	26.20	29.68	2.99	33
Lung	587	612	3.05	27.34	16.55	15.23	17.87	1.88	53
Melanoma	562	566	2.82	25.30	16.74	15.32	18.15	1.73	58
Bladder	650	658	3.28	29.41	17.83	16.45	19.21	1.73	58
Primary site unknown	452	477	2.38	21.31	13.37	12.15	14.59	1.52	66
Stomach	305	313	1.56	14.01	8.62	7.66	9.58	0.94	106
Non Hodgkin lymphoma	265	271	1.35	12.09	8.11	7.11	9.11	0.83	121
Kidney	206	210	1.04	9.37	6.30	5.40	7.21	0.71	140
Oesophagus	191	193	0.96	8.63	5.23	4.48	5.97	0.65	154
Larynx	130	131	0.65	5.87	3.57	2.96	4.18	0.46	219
Brain, CNS	116	124	0.62	5.56	4.41	3.57	5.26	0.43	231
Leukaemia	123	126	0.63	5.63	4.34	3.51	5.16	0.43	232
Mouth	109	114	0.57	5.11	3.19	2.60	3.78	0.39	256
Testis	106	108	0.54	4.82	4.67	3.76	5.58	0.36	279
Naso-Oropharynx	96	99	0.49	4.44	3.01	2.39	3.63	0.35	287
Tongue	96	101	0.50	4.51	2.87	2.30	3.43	0.34	291
Skin other	113	116	0.58	5.18	3.38	2.75	4.01	0.31	319
Pancreas	91	96	0.48	4.29	2.63	2.10	3.16	0.30	328
Thyroid	75	79	0.39	3.52	2.52	1.94	3.09	0.26	380
Connective tissue	78	83	0.41	3.69	2.54	1.97	3.11	0.24	419
Liver & Bile duct	76	81	0.40	3.61	2.35	1.82	2.87	0.23	434
Breast	68	69	0.34	3.07	1.93	1.47	2.39	0.21	476
Mesothelioma	61	61	0.30	2.73	1.62	1.21	2.03	0.19	527
Kaposi Sarcoma	55	55	0.28	2.47	2.14	1.56	2.72	0.18	567
Lip	52	55	0.27	2.44	1.58	1.16	2.01	0.17	574
Myeloma	55	58	0.29	2.58	1.63	1.20	2.05	0.17	591
Hodgkin lymphoma	50	50	0.25	2.25	2.18	1.55	2.80	0.16	616
Salivary gland	47	50	0.25	2.25	1.49	1.06	1.92	0.15	658
Other specified	44	46	0.23	2.05	1.35	0.95	1.76	0.14	691
Small intestine	27	29	0.15	1.31	0.84	0.53	1.15	0.10	997
Bone	26	28	0.14	1.26	1.27	0.77	1.77	0.10	1002
Eye	17	18	0.09	0.82	0.79	0.39	1.18	0.06	1557
Anus	21	22	0.11	0.98	0.62	0.36	0.88	0.06	1733
Haematology other	13	14	0.07	0.64	0.54	0.23	0.85	0.05	1841
Penis	16	16	0.08	0.72	0.47	0.24	0.70	0.05	2091
Burkitt lymphoma	12	13	0.06	0.57	0.59	0.24	0.93	0.04	2337
Endocrine	10	11	0.05	0.49	0.41	0.14	0.69	0.04	2694
Gum	8	8	0.04	0.36	0.22	0.07	0.37	0.02	4444
Ill defined	1	1	0.01	0.06	0.03	-0.02	0.09	0.01	19200
Totals*	19497	20055	100.00	410.69*	259.47*	254.03*	264.92*	24.91*	4*

NOTES:

- N(OBS) Number of new cases with sex and population group known
- N(ADJ) Number of new cases with sex and population group known
- % Number of new cases adjusted for those with sex and/or population group
- CRUDE % of all cancers (after adjustment)
- ASR Age standardised incidence rates per 100 000 (World Standard Population)  
The ASR calculation incorporates an adjustment for the proportion of cases age unknown.
- 95% L/UCL Lower/Upper 95% confidence intervals for the ASRs
- RISK 0-74 Cumulative lifetime risk (0-74 years)
- LR 0-74 Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of
- \*TOTALS The rates calculated for the totals exclude BCC and SCC of the skin

FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2012

ALL FEMALES																					
SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	U/K	Total	
Anus	0	0	0	0	1	4	7	13	9	14	10	12	8	10	7	11	8	3	3	120	
BCC	1	2	1	1	10	41	98	196	289	402	519	649	720	934	836	700	559	619	114	6691	
Bladder	1	0	0	0	0	0	5	4	10	12	17	35	38	43	60	35	32	31	9	332	
Bone	0	1	10	13	7	6	5	5	4	7	5	4	6	0	2	1	1	1	1	79	
Brain, CNS	5	9	12	3	4	2	11	10	7	18	10	10	16	18	7	5	4	0	0	151	
Breast	0	0	0	4	7	52	213	433	704	863	1017	941	972	901	736	553	364	311	132	8203	
Burkitt lymphoma	1	6	2	3	2	3	9	10	16	4	2	2	2	1	0	0	0	0	0	63	
Cervix	0	0	0	1	5	80	288	523	716	754	743	683	570	377	362	219	147	110	207	5785	
Colorectal	0	0	0	0	5	14	30	42	58	92	123	173	215	199	186	162	138	106	15	1558	
Connective tissue	18	9	5	12	9	13	11	16	18	15	32	27	23	21	23	12	9	7	5	285	
Endocrine	4	5	2	4	0	1	2	0	2	1	1	1	1	1	0	1	0	0	0	26	
Eye	15	5	0	0	5	27	60	78	63	55	35	12	9	4	4	1	6	2	19	400	
Gum	0	0	0	0	0	0	0	1	0	1	3	2	2	5	4	2	1	0	0	21	
Haematology other	3	0	2	3	1	3	0	2	0	1	2	1	1	0	3	3	2	0	1	28	
Hodgkin lymphoma	0	5	3	18	17	31	26	24	16	20	13	11	10	6	2	7	0	3	4	216	
Ill defined	0	0	0	0	0	1	1	0	0	1	2	0	1	0	3	1	0	0	0	10	
Kaposi Sarcoma	3	1	3	7	47	123	166	174	108	82	48	28	18	5	4	1	5	8	54	885	
Kidney	25	21	10	2	2	4	4	9	13	16	11	30	32	22	17	20	4	5	2	249	
Larynx	0	0	1	0	0	0	1	0	3	6	10	10	16	6	9	6	3	1	2	74	
Leukaemia	12	24	18	9	18	14	11	13	24	10	20	22	18	19	18	13	13	7	2	285	
Lip	0	0	1	0	0	2	2	5	3	3	4	4	1	4	3	1	4	3	1	41	
Liver & Bile duct	2	1	0	1	2	5	13	8	10	17	20	21	21	30	21	14	14	15	3	218	
Lung	0	0	0	1	1	2	7	8	18	37	73	140	113	136	102	97	52	23	4	814	
Melanoma	1	0	4	3	2	15	22	38	42	73	78	61	80	65	80	60	59	47	11	741	
Mesothelioma	0	0	0	0	0	1	0	0	2	2	3	10	6	7	6	3	2	1	0	43	
Mouth	0	0	0	3	0	1	2	4	1	11	23	23	27	31	22	16	18	11	5	198	
Myeloma	0	0	0	0	0	1	1	5	4	9	12	16	34	31	26	13	7	4	1	164	
Naso-Oropharynx	0	0	1	3	2	7	4	8	8	11	15	15	14	20	10	5	6	3	1	133	
Non Hodgkin lymphoma	0	3	6	8	15	35	64	80	111	77	65	76	54	52	48	44	21	23	15	797	
Oesophagus	0	0	0	0	2	3	2	5	6	31	85	90	111	105	84	64	43	40	31	702	
Other specified	2	1	1	0	1	1	2	5	8	6	14	17	21	19	11	9	7	3	1	129	
Ovary	0	0	5	3	9	5	16	13	21	33	62	54	68	65	61	37	21	14	6	493	
Pancreas	0	0	0	3	0	2	4	2	1	6	12	19	23	26	23	16	11	0	0	148	
Placenta	0	0	0	1	5	14	4	5	6	4	4	0	0	0	0	0	0	0	0	43	
Primary site unknown	2	0	1	5	5	17	36	64	94	107	169	240	249	236	216	157	100	67	78	1843	
SCC of skin	1	2	0	1	4	18	29	31	51	85	140	190	217	288	352	371	321	464	44	2609	
Salivary gland	0	1	1	4	3	4	4	4	2	6	10	11	7	4	1	4	3	4	1	74	
Skin other	0	2	2	1	5	15	13	15	13	25	14	19	17	22	22	7	17	16	8	233	
Small intestine	0	0	0	0	0	1	1	2	1	6	6	7	10	5	8	8	4	3	0	62	
Stomach	0	0	0	1	1	4	14	15	22	26	32	35	52	57	53	47	29	25	14	427	
Thyroid	0	0	0	3	9	25	34	31	58	43	40	42	40	25	30	11	6	7	3	407	
Tongue	1	0	0	0	0	2	2	4	2	7	25	24	31	16	18	17	10	6	3	168	
Uterus	0	1	0	1	2	5	8	7	21	34	87	119	209	216	207	126	102	39	15	1199	
Vagina	0	0	0	1	1	1	7	13	14	20	19	19	17	12	17	10	4	3	4	162	
Vulva	0	0	1	0	1	11	36	40	44	35	35	32	26	14	14	13	8	7	6	323	
Total	97	99	92	123	210	616	1275	1965	2623	3088	3670	3937	4126	4058	3718	2903	2165	2042	825	37632	
DATA INCLUDE:																					
SEX KNOWN (FEMALES), POPULATION GROUP UNKNOWN	3	3	1	5	3	14	32	38	54	85	84	99	102	100	98	70	51	46	11	899	
DATA EXCLUDE:																					
POPULATION GROUP KNOWN, SEX UNKNOWN	0	0	0	0	0	0	0	0	0	1	1	0	0	2	0	1	1	0	17	23	
SEX AND POPULATION GROUP UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	

FEQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2012

SITE	ALL MALES																			U/K	Total
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			
Anus	0	0	0	2	0	0	2	7	6	14	11	11	13	7	8	5	7	4	2	99	
BCC	0	0	3	5	7	31	89	186	379	513	758	1006	1106	1371	1179	1044	701	596	135	9109	
Bladder	3	0	0	1	0	0	2	10	22	34	54	95	111	163	163	152	117	71	7	1005	
Bone	1	3	9	18	21	14	4	2	4	5	4	6	0	2	5	1	0	0	1	100	
Brain, CNS	10	18	11	12	11	8	12	12	14	16	27	26	21	18	21	10	5	1	3	256	
Breast	0	0	0	2	0	1	4	7	8	12	29	19	32	28	19	17	9	13	12	212	
Burkitt lymphoma	3	13	7	5	3	7	12	13	17	5	9	6	2	1	0	1	0	1	2	107	
Colorectal	0	1	1	0	7	14	44	34	76	104	146	214	228	262	261	203	142	80	21	1838	
Connective tissue	10	8	7	8	10	5	17	9	23	23	26	30	29	18	21	19	8	6	8	285	
Endocrine	4	1	2	1	5	3	1	2	1	5	5	1	1	3	1	1	0	0	0	37	
Eye	20	14	1	4	1	7	24	63	60	44	30	18	12	6	6	2	0	2	16	330	
Gum	0	0	0	0	0	0	0	0	2	2	3	3	5	3	5	2	3	0	0	28	
Haematology other	3	5	1	11	9	4	3	3	3	2	6	2	4	2	3	2	2	0	0	65	
Hodgkin lymphoma	1	17	14	14	15	17	29	25	32	29	18	6	4	5	0	0	2	0	3	231	
Ill defined	0	0	0	0	0	0	0	0	0	0	2	1	0	1	2	2	0	0	1	9	
Kaposi Sarcoma	3	3	8	7	20	88	188	236	215	155	95	61	23	19	8	6	4	8	78	1225	
Kidney	21	33	5	0	2	3	5	11	14	32	38	52	50	55	45	30	9	4	5	414	
Larynx	0	0	0	0	0	1	2	2	10	26	54	83	111	91	61	28	18	5	7	499	
Leukaemia	19	24	25	20	10	19	22	16	20	22	23	27	29	25	39	15	13	7	5	380	
Lip	0	0	0	0	0	2	6	2	4	10	5	14	9	8	12	6	4	2	1	85	
Liver & Bile duct	3	3	0	3	5	6	9	13	26	27	24	26	39	36	24	15	13	12	12	296	
Lung	0	1	0	0	2	4	7	8	38	104	204	281	308	263	216	173	84	33	17	1743	
Melanoma	0	0	0	0	3	10	17	37	45	54	61	79	76	94	87	72	45	35	18	733	
Mesothelioma	0	0	0	0	0	0	0	0	2	1	10	20	18	17	24	11	9	7	2	121	
Mouth	0	0	0	1	1	3	1	8	14	39	46	79	71	56	39	23	7	9	9	406	
Myeloma	0	0	0	0	0	0	3	8	7	12	19	24	20	16	12	11	15	2	1	150	
Naso-Oropharynx	1	0	3	4	5	5	9	18	30	38	54	66	69	26	14	7	5	7	366		
Non Hodgkin lymphoma	4	7	8	13	14	32	47	87	110	98	108	91	78	68	58	47	31	18	14	933	
Oesophagus	0	0	0	0	1	1	4	12	23	64	134	190	195	163	117	83	43	25	67	1122	
Other specified	1	0	0	1	2	3	4	7	3	9	13	19	24	20	15	10	4	2	7	144	
Pancreas	0	0	0	0	0	0	3	1	4	16	17	26	33	35	24	12	13	4	3	191	
Penis	0	0	0	0	0	0	5	11	25	15	15	18	4	17	13	5	2	2	9	141	
Primary site unknown	4	0	1	4	7	9	25	42	82	91	200	249	280	238	190	123	59	37	62	1703	
Prostate	0	0	0	3	2	1	3	3	21	82	294	729	1098	1356	1219	1018	527	351	100	6807	
SCC of skin	0	0	2	3	0	10	35	44	64	137	217	294	442	568	568	559	458	396	46	3843	
Salivary gland	2	0	3	1	1	2	4	9	5	10	7	17	14	15	15	17	4	6	1	133	
Skin other	0	0	1	6	5	5	10	13	17	14	16	25	21	25	25	20	23	10	5	241	
Small intestine	0	0	0	0	0	1	2	4	6	5	8	11	15	7	7	5	1	1	5	78	
Stomach	0	0	0	0	1	3	7	14	30	49	73	112	107	114	113	69	47	39	18	796	
Testis	1	5	0	6	18	30	34	25	21	15	4	5	1	1	2	1	1	0	0	170	
Thyroid	0	0	1	0	3	3	8	9	10	9	22	14	14	8	3	5	1	2	126		
Tongue	0	1	0	0	0	0	0	2	12	23	51	53	71	47	36	14	8	4	8	330	
<b>Total</b>	<b>114</b>	<b>157</b>	<b>113</b>	<b>155</b>	<b>191</b>	<b>352</b>	<b>699</b>	<b>1006</b>	<b>1493</b>	<b>1957</b>	<b>2924</b>	<b>4097</b>	<b>4785</b>	<b>5327</b>	<b>4697</b>	<b>3851</b>	<b>2450</b>	<b>1799</b>	<b>720</b>	<b>36887</b>	
DATA INCLUDE:																					
SEX KNOWN (FEMALES), POPULATION GROUP	8	5	7	7	8	8	27	29	46	61	74	100	129	185	159	118	74	52	25	1122	
DATA EXCLUDE:																					
POPULATION GROUP KNOWN, SEX UNKNOWN	0	0	0	0	0	0	0	0	0	1	1	0	0	2	0	1	1	0	17	23	
SEX AND POPULATION GROUP UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	

FEQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2012

ASIAN FEMALES

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	U/K	Total	
Anus	0	0	0	0	0	1	0	0	0	1	2	0	0	0	0	0	0	0	0	0	4
BCC	0	0	0	0	0	0	0	1	3	1	4	2	2	7	3	5	2	3	0	33	33
Bladder	0	0	0	0	0	0	0	1	1	1	0	2	5	0	3	1	0	1	1	16	16
Bone	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brain, CNS	1	0	0	0	1	0	1	1	0	0	0	0	1	2	0	0	0	0	0	7	7
Breast	0	0	0	0	2	4	14	18	27	43	60	41	60	56	38	33	15	6	22	439	439
Burkitt lymphoma	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Cervix	0	0	0	0	0	0	1	9	3	11	9	8	6	3	11	4	2	0	5	72	72
Colorectal	0	0	0	0	0	0	1	4	6	5	10	14	7	6	8	4	3	2	70	70	
Connective tissue	1	0	0	0	0	0	0	0	2	3	3	0	1	0	1	0	0	0	11	11	
Endocrine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Eye	1	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	3	3	3
Gum	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	1
Haematology other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hodgkin lymphoma	0	0	0	0	0	3	1	1	1	0	0	1	0	0	0	0	0	0	7	7	7
Ill defined	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Kaposi Sarcoma	0	0	0	0	0	1	0	2	1	0	0	0	1	0	0	0	0	0	1	6	6
Kidney	0	0	0	0	0	0	0	0	2	1	2	2	2	3	0	0	0	1	11	11	11
Larynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	1
Leukaemia	0	0	0	0	0	1	1	0	1	1	0	1	0	0	0	0	0	0	5	5	5
Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Liver & Bile duct	0	0	0	0	0	0	1	0	0	2	1	0	1	2	0	0	0	0	7	7	7
Lung	0	0	0	0	0	0	0	1	1	0	1	4	5	1	5	2	1	1	22	22	22
Melanoma	0	0	0	0	0	0	0	0	2	1	0	1	0	0	0	1	0	0	5	5	5
Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	1
Mouth	0	0	0	0	0	0	0	0	0	0	1	1	2	3	0	2	1	0	11	11	11
Myeloma	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	1	0	0	3	3	3
Naso-Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	2	2	2
Non Hodgkin lymphoma	0	0	0	0	0	1	1	2	2	2	2	4	3	0	2	2	0	2	21	21	21
Oesophagus	0	0	0	0	1	0	0	0	1	2	1	0	2	1	2	0	1	1	12	12	12
Other specified	0	0	0	0	0	0	0	1	0	1	0	2	0	0	1	0	0	0	5	5	5
Ovary	0	0	0	1	0	0	1	0	0	1	6	4	3	3	1	1	0	1	3	25	25
Pancreas	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0	0	0	3	3	3
Placenta	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Primary site unknown	0	0	1	0	0	1	0	3	4	4	5	13	9	9	10	4	3	1	5	72	72
SCC of skin	0	0	0	1	1	0	0	0	1	2	3	2	5	1	2	3	3	2	26	26	26
Salivary gland	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	2	2	2
Skin other	0	0	0	0	1	0	0	0	3	0	0	0	1	0	0	1	1	0	7	7	7
Small intestine	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	2	2	2
Stomach	0	0	0	0	0	0	2	1	2	2	5	4	0	2	5	1	0	2	26	26	26
Thyroid	0	0	0	0	1	3	4	5	0	2	1	2	4	0	1	0	0	1	24	24	24
Tongue	0	0	0	0	0	1	0	0	0	4	0	1	1	2	0	0	0	0	9	9	9
Uterus	0	0	0	0	0	2	1	0	2	4	6	9	13	15	11	1	4	2	1	71	71
Vagina	0	0	0	0	0	0	0	1	0	0	0	1	0	1	0	1	0	0	4	4	4
Vulva	0	0	0	0	0	0	0	0	1	1	3	0	0	0	1	0	0	0	6	6	6
Total	3	1	1	2	7	17	26	49	52	94	121	123	143	125	100	78	38	24	49	1053	1053
DATA EXCLUDE:																					
POPULATION GROUP KNOWN (ASIAN), SEX UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	2
SEX AND POPULATION GROUP UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1
SEX KNOWN (FEMALE), POPULATION GROUP UNKNOWN	3	3	1	5	3	14	32	38	54	85	84	99	102	100	98	70	51	46	11	899	899

FEQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2012

SITE	ASIAN MALES																	U/K	Total	
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84			85+
Anus	0	0	0	0	0	0	0	0	0	1	1	0	2	0	1	0	1	0	0	6
BCC	0	0	0	1	0	0	1	2	1	3	3	5	7	4	6	7	3	4	1	48
Bladder	1	0	0	0	0	0	0	1	0	3	4	5	4	7	5	4	6	2	4	46
Bone	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	2
Brain, CNS	1	2	0	0	1	1	1	0	0	0	0	4	2	0	2	1	1	0	1	17
Breast	0	0	0	0	0	0	0	0	0	0	1	1	1	4	2	1	0	0	2	12
Burkitt lymphoma	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	3
Colorectal	0	0	0	0	0	0	0	1	3	4	9	12	13	20	10	8	7	2	3	92
Connective tissue	0	1	0	0	0	1	0	0	1	1	2	1	0	1	0	3	0	0	0	11
Endocrine	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
Eye	0	0	0	1	0	0	0	0	1	1	0	0	0	0	0	0	0	0	1	4
Gum	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Haematology other	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
Hodgkin lymphoma	0	0	0	0	0	2	2	1	1	2	1	0	1	1	0	0	1	0	0	12
Ill defined	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Kaposi Sarcoma	0	0	0	0	1	0	3	1	3	2	0	0	0	0	0	0	0	0	2	12
Kidney	1	0	0	0	0	0	0	0	0	4	2	3	3	4	1	4	0	0	0	22
Larynx	0	0	0	0	0	0	0	0	0	1	2	3	3	4	2	1	0	0	2	18
Leukaemia	1	0	1	1	0	1	0	0	0	0	0	1	2	0	1	1	2	0	0	11
Lip	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	2
Liver & Bile duct	0	0	0	0	0	0	0	0	1	1	0	0	2	2	1	1	0	1	1	10
Lung	0	0	0	0	0	0	0	0	3	2	11	9	17	16	10	11	2	0	1	82
Melanoma	0	0	0	0	0	0	1	0	1	2	1	0	0	1	1	0	1	0	0	8
Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
Mouth	0	0	0	0	0	1	0	0	0	1	1	2	2	3	1	0	1	1	2	15
Myeloma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
Naso-Oropharynx	0	0	0	0	0	0	1	1	1	1	1	3	1	5	2	0	0	0	0	16
Non Hodgkin lymphoma	1	0	0	0	0	0	0	2	1	3	4	3	1	4	2	3	2	0	2	28
Oesophagus	0	0	0	0	0	0	0	1	0	1	1	1	2	3	1	3	0	1	2	16
Other specified	0	0	0	0	0	0	0	0	1	0	0	0	1	0	1	0	0	0	1	4
Pancreas	0	0	0	0	0	0	0	0	0	3	1	0	2	0	1	0	0	0	0	7
Penis	0	0	0	0	0	0	0	0	1	0	1	0	0	2	0	1	0	0	0	5
Primary site unknown	0	0	0	0	0	1	2	2	3	4	3	3	10	4	7	1	3	1	3	47
Prostate	0	0	0	0	0	0	0	0	0	2	6	7	18	38	25	12	12	3	148	
SCC of skin	0	0	0	0	0	1	0	0	0	2	2	2	3	4	1	3	3	2	0	23
Salivary gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Skin other	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	3
Small intestine	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	0	0	3
Stomach	0	0	0	0	0	0	0	0	3	4	4	6	5	7	7	5	1	1	2	45
Testis	0	0	0	0	0	3	2	4	2	1	0	0	0	0	0	0	0	0	0	12
Thyroid	0	0	0	0	0	0	0	1	2	1	0	1	1	0	0	0	0	0	0	6
Tongue	0	1	0	0	0	0	0	0	0	0	1	1	1	2	3	0	0	0	1	10
<b>Total</b>	<b>5</b>	<b>5</b>	<b>1</b>	<b>5</b>	<b>3</b>	<b>12</b>	<b>13</b>	<b>17</b>	<b>30</b>	<b>52</b>	<b>63</b>	<b>74</b>	<b>106</b>	<b>138</b>	<b>93</b>	<b>84</b>	<b>48</b>	<b>27</b>	<b>35</b>	<b>811</b>
DATA EXCLUDE:																				
POPULATION GROUP KNOWN (ASIAN), SEX UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2
SEX AND POPULATION GROUP UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
SEX KNOWN (FEMALE), POPULATION GROUP UNKNOWN	8	5	7	7	8	8	27	29	46	61	74	100	129	185	159	118	74	52	25	1122

FEQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2012

BLACK FEMALES																				
SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	U/K	Total
Anus	0	0	0	0	1	2	5	8	7	7	5	6	4	3	2	5	4	2	2	63
BCC	1	1	0	0	2	7	15	15	17	20	21	25	33	39	35	27	28	34	4	324
Bladder	1	0	0	0	0	0	5	1	7	3	9	14	11	7	21	3	6	1	7	96
Bone	0	1	6	12	7	5	4	3	2	1	2	0	3	0	0	0	0	1	0	47
Brain, CNS	1	6	9	1	0	1	4	4	2	6	6	0	4	1	0	0	0	0	0	45
Breast	0	0	0	3	4	33	136	241	374	430	444	398	335	260	240	171	105	108	83	3365
Burkitt lymphoma	1	4	1	3	2	3	7	9	13	2	2	2	1	0	0	0	0	0	0	50
Cervix	0	0	0	1	4	64	247	428	605	627	616	547	492	313	311	190	133	93	193	4864
Colorectal	0	0	0	0	4	10	21	21	26	37	49	58	57	39	33	21	26	7	10	419
Connective tissue	11	6	4	7	5	10	9	11	12	9	21	16	16	9	15	5	4	2	4	176
Endocrine	4	4	2	2	0	1	0	0	1	1	0	0	0	1	0	0	0	0	0	16
Eye	11	5	0	0	4	24	53	70	54	48	28	8	8	3	3	1	4	1	17	342
Gum	0	0	0	0	0	0	0	0	0	0	2	1	0	1	2	1	1	0	0	8
Haematology other	3	0	1	2	1	1	0	2	0	0	2	0	1	0	1	2	0	0	1	17
Hodgkin lymphoma	0	4	2	10	8	19	16	15	13	16	10	7	5	2	2	3	0	1	4	137
Ill defined	0	0	0	0	0	1	1	0	0	1	2	0	1	0	0	1	0	0	0	7
Kaposi Sarcoma	3	1	3	7	44	111	154	159	100	73	42	27	17	5	4	1	5	7	53	816
Kidney	20	18	7	2	1	3	3	5	7	5	3	9	8	2	5	2	0	1	1	102
Larynx	0	0	1	0	0	0	1	0	1	4	4	3	4	2	3	3	1	0	2	29
Leukaemia	6	13	14	7	14	10	8	11	16	5	11	11	3	8	6	6	4	2	2	157
Lip	0	0	1	0	0	2	1	3	3	1	2	1	1	0	0	0	1	0	1	17
Liver & Bile duct	2	0	0	1	1	3	9	7	7	9	8	15	13	11	15	5	6	4	3	119
Lung	0	0	0	0	0	1	6	2	6	12	27	45	38	25	22	20	9	4	3	220
Melanoma	0	0	4	2	0	5	1	6	8	9	14	11	21	15	24	20	13	15	6	174
Mesothelioma	0	0	0	0	0	0	0	0	1	1	3	6	1	1	1	1	1	0	0	16
Mouth	0	0	0	1	0	1	1	2	1	7	6	8	8	8	6	5	6	7	2	69
Myeloma	0	0	0	0	0	1	1	5	3	6	9	11	19	12	11	5	2	2	1	88
Naso-Oropharynx	0	0	1	3	1	6	4	7	7	6	3	6	3	8	4	0	4	1	1	65
Non Hodgkin lymphoma	0	1	4	6	12	27	53	67	96	60	43	38	22	15	12	15	7	3	12	493
Oesophagus	0	0	0	0	1	3	1	5	3	25	61	69	86	84	60	50	37	30	27	542
Other specified	2	1	1	0	1	1	1	3	4	2	7	8	9	13	6	4	4	3	1	71
Ovary	0	0	5	2	7	4	7	8	10	13	27	14	25	25	19	12	7	4	2	191
Pancreas	0	0	0	3	0	2	2	2	1	2	5	4	8	6	3	5	1	0	0	44
Placenta	0	0	0	1	4	13	4	4	4	4	3	0	0	0	0	0	0	0	0	37
Primary site unknown	1	0	0	4	5	14	28	42	62	60	108	126	127	115	105	78	42	27	63	1007
SCC of skin	1	0	0	0	3	14	24	25	20	26	38	30	28	22	34	32	32	34	10	373
Salivary gland	0	1	1	3	3	2	3	2	1	6	8	11	5	1	0	2	2	2	1	54
Skin other	0	1	2	1	3	12	11	12	7	10	7	4	9	6	6	3	4	2	3	103
Small intestine	0	0	0	0	0	1	0	1	1	4	3	5	6	1	1	2	3	0	0	28
Stomach	0	0	0	1	1	3	8	6	14	16	15	11	22	18	21	17	8	4	11	176
Thyroid	0	0	0	1	2	4	13	7	16	15	11	15	11	5	6	2	3	2	2	115
Tongue	1	0	0	0	0	1	0	2	0	3	7	7	10	4	7	3	3	0	3	51
Uterus	0	1	0	1	2	2	3	4	6	15	38	55	125	133	130	70	63	20	14	682
Vagina	0	0	0	0	1	1	7	12	12	14	16	13	11	5	13	9	3	0	4	121
Vulva	0	0	1	0	1	9	32	38	36	27	19	19	15	3	8	3	2	1	5	219
<b>Total</b>	<b>69</b>	<b>68</b>	<b>70</b>	<b>87</b>	<b>149</b>	<b>437</b>	<b>909</b>	<b>1275</b>	<b>1586</b>	<b>1648</b>	<b>1767</b>	<b>1664</b>	<b>1626</b>	<b>1231</b>	<b>1197</b>	<b>805</b>	<b>584</b>	<b>425</b>	<b>558</b>	<b>16155</b>
DATA EXCLUDE:																				
POPULATION GROUP KNOWN (BLACK), SEX UNKNOWN	0	0	0	0	0	0	0	0	0	1	1	0	0	2	0	1	0	0	5	10
SEX AND POPULATION GROUP UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
SEX KNOWN (FEMALE), POPULATION GROUP UNKNOWN	3	3	1	5	3	14	32	38	54	85	84	99	102	100	98	70	51	46	11	899

FEQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2012

SITE	BLACK MALES																		U/K	Total	
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			
Anus	0	0	0	2	0	0	2	5	5	8	8	6	5	3	4	1	4	2	2	57	
BCC	0	0	0	1	0	0	1	16	19	20	26	47	56	43	43	31	20	15	9	347	
Bladder	1	0	0	1	0	0	1	0	9	8	15	16	18	26	20	16	10	6	3	150	
Bone	0	1	7	14	10	9	2	0	3	1	3	3	0	0	1	0	0	0	1	55	
Brain, CNS	5	10	10	4	7	3	4	4	5	6	5	5	3	4	2	0	0	0	2	79	
Breast	0	0	0	2	0	1	3	6	8	3	12	13	14	11	7	6	5	6	5	102	
Burkitt lymphoma	1	9	3	4	1	5	12	11	11	2	7	4	2	0	0	1	0	1	1	75	
Colorectal	0	1	1	0	4	8	25	16	35	36	48	75	63	41	33	28	17	7	12	450	
Connective tissue	7	6	4	7	4	3	12	7	14	9	12	18	17	5	7	2	3	3	6	146	
Endocrine	3	1	2	1	4	2	0	0	0	2	3	1	0	0	0	0	0	0	0	19	
Eye	13	9	1	3	0	3	20	57	50	38	24	16	9	6	5	2	0	1	15	272	
Gum	0	0	0	0	0	0	0	0	2	2	0	2	4	1	1	1	1	0	0	14	
Haematology other	1	2	1	8	5	3	2	1	3	0	4	1	0	0	0	0	0	0	0	31	
Hodgkin lymphoma	1	14	12	10	5	7	20	17	24	18	12	2	1	2	0	0	0	0	2	147	
Ill defined	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	1	0	0	1	5	
Kaposi Sarcoma	3	3	8	7	19	79	162	219	193	134	88	52	19	18	7	4	4	6	74	1099	
Kidney	14	28	3	0	1	3	2	4	4	5	12	15	11	8	5	3	0	0	2	120	
Larynx	0	0	0	0	0	1	2	2	4	14	31	49	69	56	30	14	8	2	3	285	
Leukaemia	12	18	18	19	7	14	15	10	10	10	9	11	13	10	12	1	3	0	4	196	
Lip	0	0	0	0	0	2	2	2	1	3	1	3	1	0	2	1	0	0	1	19	
Liver & Bile duct	3	3	0	3	3	4	5	10	18	16	19	17	19	15	15	3	6	4	11	174	
Lung	0	0	0	0	1	2	3	5	20	55	92	134	135	92	55	32	16	8	13	663	
Melanoma	0	0	0	0	0	2	3	5	4	6	11	10	10	8	7	3	5	5	6	85	
Mesothelioma	0	0	0	0	0	0	0	0	1	1	8	10	12	2	6	2	2	0	1	45	
Mouth	0	0	0	1	1	2	1	6	5	19	33	41	36	22	19	10	1	5	5	207	
Myeloma	0	0	0	0	0	0	3	6	3	9	12	12	10	4	2	5	3	0	0	69	
Naso-Oropharynx	0	0	2	2	5	3	2	2	6	16	21	32	31	28	13	6	3	3	7	182	
Non Hodgkin lymphoma	2	6	6	10	10	23	43	65	88	70	69	58	31	22	14	8	4	5	10	544	
Oesophagus	0	0	0	0	0	1	3	8	21	50	108	131	132	106	75	51	30	23	60	799	
Other specified	1	0	0	0	2	1	2	4	2	6	10	10	13	12	5	1	2	0	2	73	
Pancreas	0	0	0	0	0	0	1	0	4	6	10	9	10	10	6	4	1	0	2	63	
Penis	0	0	0	0	0	0	5	11	23	8	13	13	1	9	9	4	1	0	9	106	
Primary site unknown	3	0	1	3	6	6	18	25	47	48	123	144	134	111	81	43	21	17	43	874	
Prostate	0	0	0	1	1	1	2	1	12	38	123	299	477	482	431	365	192	136	70	2631	
SCC of skin	0	0	2	2	0	6	15	22	20	31	49	37	47	47	36	40	19	28	15	416	
Salivary gland	1	0	1	0	1	1	3	5	3	7	4	14	4	5	6	5	1	1	0	62	
Skin other	0	0	1	2	3	3	8	9	10	8	5	10	8	7	4	3	3	1	5	90	
Small intestine	0	0	0	0	0	0	2	0	1	1	5	5	3	4	2	0	1	0	4	28	
Stomach	0	0	0	0	1	2	4	8	16	20	33	50	39	31	33	20	8	8	13	286	
Testis	0	5	0	4	5	2	6	1	4	1	0	1	0	1	0	1	0	0	0	32	
Thyroid	0	0	0	0	0	1	1	2	0	0	6	1	4	3	0	0	1	0	2	21	
Tongue	0	0	0	0	0	0	0	1	6	11	22	31	31	19	11	7	2	0	5	146	
<b>Total</b>	<b>71</b>	<b>116</b>	<b>83</b>	<b>111</b>	<b>106</b>	<b>203</b>	<b>417</b>	<b>573</b>	<b>714</b>	<b>746</b>	<b>1097</b>	<b>1408</b>	<b>1492</b>	<b>1274</b>	<b>1012</b>	<b>724</b>	<b>398</b>	<b>293</b>	<b>426</b>	<b>11264</b>	
DATA EXCLUDE:																					
POPULATION GROUP KNOWN (BLACK), SEX UNKNOWN	0	0	0	0	0	0	0	0	0	1	1	0	0	2	0	1	0	0	5	10	
SEX AND POPULATION GROUP UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	
SEX KNOWN (MALE), POPULATION GROUP UNKNOWN	8	5	7	7	8	8	27	29	46	61	74	100	129	185	159	118	74	52	25	1122	

FEQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2012

COLOURED FEMALES																				
SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	U/K	Total
Anus	0	0	0	0	0	0	1	1	0	2	1	4	1	4	3	2	0	0	0	19
BCC	0	0	1	0	1	5	11	20	28	30	56	71	84	93	85	65	65	66	15	696
Bladder	0	0	0	0	0	0	0	1	0	1	5	3	4	5	7	6	4	5	1	42
Bone	0	0	1	0	0	1	0	0	0	2	0	2	0	0	1	0	0	0	1	8
Brain, CNS	0	1	2	0	0	1	3	2	0	0	1	2	2	3	1	2	1	0	0	21
Breast	0	0	0	1	1	3	22	52	107	109	157	139	151	118	113	67	59	38	4	1141
Burkitt lymphoma	0	0	0	0	0	0	0	0	0	2	0	0	0	1	0	0	0	0	0	3
Cervix	0	0	0	0	0	4	18	30	37	48	46	62	35	30	12	9	5	7	5	348
Colorectal	0	0	0	0	1	2	3	7	8	15	24	24	32	26	21	27	17	17	1	225
Connective tissue	2	0	0	3	3	0	0	2	4	2	1	1	2	3	4	1	1	2	0	31
Endocrine	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
Eye	0	0	0	0	0	1	1	2	1	1	1	1	0	0	0	0	0	0	0	8
Gum	0	0	0	0	0	0	0	1	0	1	0	1	0	1	0	0	0	0	0	4
Haematology other	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	4
Hodgkin lymphoma	0	0	0	4	2	2	3	3	1	1	0	0	2	2	0	0	0	0	0	20
Ill defined	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Kaposi Sarcoma	0	0	0	0	1	8	3	5	3	5	5	1	0	0	0	0	0	1	0	32
Kidney	2	1	2	0	1	1	0	0	2	2	2	5	8	3	3	6	0	0	0	38
Larynx	0	0	0	0	0	0	0	0	1	0	2	2	4	2	2	0	2	1	0	16
Leukaemia	1	7	1	1	3	1	2	1	1	2	2	3	7	6	3	2	4	1	0	48
Lip	0	0	0	0	0	0	0	0	0	2	0	0	0	0	1	0	0	0	0	3
Liver & Bile duct	0	0	0	0	0	1	0	0	2	4	5	0	2	3	2	2	0	1	0	22
Lung	0	0	0	0	1	0	1	2	3	6	16	36	23	32	16	17	6	0	0	159
Melanoma	0	0	0	0	1	1	2	5	5	7	7	4	11	5	7	3	3	3	0	68
Mesothelioma	0	0	0	0	0	0	0	0	1	0	0	2	2	1	0	0	0	1	0	7
Mouth	0	0	0	0	0	0	0	0	0	0	8	5	7	9	6	1	1	0	0	37
Myeloma	0	0	0	0	0	0	0	0	0	1	2	2	5	6	3	2	1	1	0	23
Naso-Oropharynx	0	0	0	0	0	0	0	0	1	2	6	3	2	2	2	1	1	1	0	21
Non Hodgkin lymphoma	0	1	0	1	0	3	6	2	6	8	3	6	5	8	9	5	3	3	0	69
Oesophagus	0	0	0	0	0	0	1	0	3	2	13	7	13	10	11	2	1	3	1	67
Other specified	0	0	0	0	0	0	0	1	1	2	3	1	3	0	1	1	1	0	0	14
Ovary	0	0	0	0	1	0	1	1	2	3	5	9	6	9	10	5	1	0	0	53
Pancreas	0	0	0	0	0	0	1	0	0	1	0	3	0	4	6	1	1	0	0	17
Placenta	0	0	0	0	1	1	0	1	0	0	1	0	0	0	0	0	0	0	0	4
Primary site unknown	1	0	0	1	0	2	2	6	6	11	20	33	40	30	28	13	11	4	2	210
SCC of skin	0	1	0	0	0	0	1	1	7	10	17	19	15	30	30	33	29	43	6	242
Salivary gland	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	1	0	0	0	3
Skin other	0	0	0	0	0	2	1	1	2	2	1	0	1	1	1	1	3	1	1	18
Small intestine	0	0	0	0	0	0	0	0	0	0	1	1	0	1	1	3	0	0	0	7
Stomach	0	0	0	0	0	0	3	2	5	3	7	8	8	8	7	7	4	5	1	68
Thyroid	0	0	0	1	1	0	5	4	4	5	7	3	4	3	4	1	1	1	0	44
Tongue	0	0	0	0	0	0	0	0	0	0	5	4	5	4	4	4	1	2	0	29
Uterus	0	0	0	0	0	0	0	1	0	3	18	14	20	20	19	15	5	8	0	123
Vagina	0	0	0	1	0	0	0	0	1	4	0	3	2	1	1	1	0	1	0	15
Vulva	0	0	0	0	0	2	3	2	5	2	5	4	3	3	0	0	2	0	1	32
<b>Total</b>	<b>6</b>	<b>12</b>	<b>8</b>	<b>14</b>	<b>18</b>	<b>42</b>	<b>94</b>	<b>157</b>	<b>249</b>	<b>299</b>	<b>453</b>	<b>488</b>	<b>510</b>	<b>486</b>	<b>424</b>	<b>311</b>	<b>233</b>	<b>218</b>	<b>39</b>	<b>4061</b>
DATA EXCLUDE:																				
POPULATION GROUP KNOWN (COLOURED), SEX UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SEX AND POPULATION GROUP UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
SEX KNOWN (FEMALE), POPULATION GROUP UNKNOWN	3	3	1	5	3	14	32	38	54	85	84	99	102	100	98	70	51	46	11	899

FEQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2012

SITE	COLOURED MALES																			U/K	Total
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			
Anus	0	0	0	0	0	0	0	1	0	2	0	2	2	0	2	1	0	1	0	11	
BCC	0	0	1	0	1	3	7	14	37	50	71	92	116	129	115	85	67	68	12	868	
Bladder	0	0	0	0	0	0	0	3	1	5	9	22	19	32	24	11	15	6	0	147	
Bone	0	0	0	2	4	0	0	1	0	0	0	0	1	1	0	0	0	0	0	9	
Brain, CNS	0	1	0	1	2	0	2	0	2	2	2	3	3	1	3	3	1	1	0	27	
Breast	0	0	0	0	0	0	0	1	0	2	6	0	3	1	4	4	3	1	3	28	
Burkitt lymphoma	1	2	0	0	1	2	0	0	1	2	0	1	0	0	0	0	0	0	0	10	
Colorectal	0	0	0	0	2	3	3	8	6	15	23	24	28	38	40	26	13	10	2	241	
Connective tissue	2	1	0	0	1	1	2	0	3	4	2	3	5	4	4	1	1	0	0	34	
Endocrine	0	0	0	0	1	1	0	0	1	1	0	0	0	0	0	0	0	0	0	4	
Eye	2	1	0	0	1	2	1	1	3	3	0	0	0	0	0	0	0	0	0	14	
Gum	0	0	0	0	0	0	0	0	0	0	2	0	0	2	2	0	0	0	0	6	
Haematology other	1	1	0	2	3	0	0	0	0	0	0	0	2	1	0	1	2	0	0	13	
Hodgkin lymphoma	0	1	1	2	0	2	3	3	3	3	2	1	0	0	0	0	0	0	0	21	
Ill defined	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	
Kaposi Sarcoma	0	0	0	0	0	3	13	7	8	7	1	7	3	1	0	1	0	1	1	53	
Kidney	3	1	0	0	0	0	1	2	3	3	6	7	9	11	7	2	3	0	1	59	
Larynx	0	0	0	0	0	0	0	0	6	4	7	10	13	12	4	1	3	0	1	61	
Leukaemia	2	2	2	0	0	2	2	3	1	0	5	3	4	2	3	5	3	1	1	41	
Lip	0	0	0	0	0	0	0	0	0	0	0	2	0	4	1	0	1	0	0	8	
Liver & Bile duct	0	0	0	0	0	2	1	0	2	2	1	2	2	2	2	3	0	0	0	19	
Lung	0	1	0	0	0	0	1	0	7	24	43	57	66	48	40	37	10	6	1	341	
Melanoma	0	0	0	0	0	0	1	3	7	3	6	12	4	10	7	7	5	5	3	73	
Mesothelioma	0	0	0	0	0	0	0	0	0	0	3	0	3	4	1	0	2	1	1	14	
Mouth	0	0	0	0	0	0	0	0	2	9	3	10	12	8	3	4	3	1	1	56	
Myeloma	0	0	0	0	0	0	0	1	0	0	1	6	2	3	2	1	1	1	0	18	
Naso-Oropharynx	0	0	0	1	0	1	0	4	0	8	9	10	13	7	3	2	2	0	0	60	
Non Hodgkin lymphoma	1	0	2	0	1	4	4	5	7	5	9	9	6	6	6	5	3	3	1	77	
Oesophagus	0	0	0	0	0	0	0	1	1	4	12	25	27	17	7	6	2	0	2	104	
Other specified	0	0	0	0	0	1	0	0	0	2	0	3	2	4	1	3	0	0	1	17	
Pancreas	0	0	0	0	0	0	1	1	0	0	2	2	3	5	4	0	1	1	0	20	
Penis	0	0	0	0	0	0	0	0	1	3	0	4	0	3	3	0	0	0	0	14	
Primary site unknown	0	0	0	0	0	0	3	6	12	11	33	39	42	40	27	19	4	4	4	244	
Prostate	0	0	0	1	1	0	0	0	1	14	42	110	127	169	151	126	65	23	3	833	
SCC of skin	0	0	0	0	0	6	2	6	14	21	25	41	62	56	40	44	33	3	353		
Salivary gland	0	0	1	0	0	0	0	3	0	0	0	2	1	2	1	5	0	0	0	15	
Skin other	0	0	0	1	2	0	1	1	2	1	2	3	3	6	2	2	2	1	0	29	
Small intestine	0	0	0	0	0	0	0	2	1	2	2	1	3	0	1	1	0	0	1	14	
Stomach	0	0	0	0	0	1	1	1	4	13	15	13	20	26	22	10	7	6	0	139	
Testis	1	0	0	0	3	4	5	1	1	2	0	0	0	0	0	0	0	0	0	17	
Thyroid	0	0	0	0	0	0	2	0	3	2	6	2	2	0	1	0	0	0	0	18	
Tongue	0	0	0	0	0	0	0	0	1	5	13	12	10	10	6	2	1	1	1	62	
<b>Total</b>	<b>13</b>	<b>11</b>	<b>7</b>	<b>10</b>	<b>23</b>	<b>32</b>	<b>60</b>	<b>75</b>	<b>133</b>	<b>227</b>	<b>356</b>	<b>527</b>	<b>593</b>	<b>670</b>	<b>559</b>	<b>416</b>	<b>262</b>	<b>176</b>	<b>43</b>	<b>4193</b>	
DATA EXCLUDE:																					
POPULATION GROUP KNOWN (COLOURED), SEX UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
SEX AND POPULATION GROUP UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	
SEX KNOWN (MALE), POPULATION GROUP UNKNOWN	8	5	7	7	8	8	27	29	46	61	74	100	129	185	159	118	74	52	25	1122	

FEQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2012

SITE	WHITE FEMALES																		U/K	Total	
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+			
Anus	0	0	0	0	0	1	1	0	1	1	1	1	2	3	2	4	4	1	1	23	
BCC	0	1	0	1	7	29	70	157	232	332	419	536	579	767	689	583	451	499	94	5446	
Bladder	0	0	0	0	0	0	0	0	1	7	3	15	16	31	27	25	22	23	0	170	
Bone	0	0	3	1	0	0	0	2	2	3	3	2	3	0	1	1	1	0	0	22	
Brain, CNS	3	1	0	1	3	0	2	2	5	10	3	6	7	10	5	2	3	0	0	63	
Breast	0	0	0	0	0	10	37	118	186	267	341	348	413	453	334	276	181	153	20	3137	
Burkitt lymphoma	0	1	1	0	0	0	0	1	0	2	0	0	0	1	0	0	0	0	0	6	
Cervix	0	0	0	0	1	12	22	52	68	60	67	59	36	31	24	16	7	10	4	469	
Colorectal	0	0	0	0	0	1	4	10	18	29	37	72	102	117	117	100	84	76	2	769	
Connective tissue	4	2	1	1	1	2	2	2	1	1	6	5	4	7	4	3	4	3	0	53	
Endocrine	0	0	0	1	0	0	1	0	1	0	1	1	1	0	0	0	0	0	0	6	
Eye	1	0	0	0	0	0	1	1	2	1	3	1	0	0	1	0	2	0	1	14	
Gum	0	0	0	0	0	0	0	0	0	0	1	0	1	3	1	1	0	0	0	7	
Haematology other	0	0	0	0	0	2	0	0	0	1	0	1	0	0	1	0	0	0	0	5	
Hodgkin lymphoma	0	1	1	4	7	7	6	4	1	3	3	3	3	2	0	4	0	2	0	51	
Ill defined	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	3	
Kaposi Sarcoma	0	0	0	0	2	3	9	7	3	3	1	0	0	0	0	0	0	0	0	28	
Kidney	3	2	1	0	0	0	1	4	4	7	4	12	14	14	9	12	4	4	0	95	
Larynx	0	0	0	0	0	0	0	0	1	2	4	5	7	2	3	2	0	0	0	26	
Leukaemia	4	4	3	1	1	2	0	1	5	1	7	7	7	5	9	5	5	4	0	71	
Lip	0	0	0	0	0	0	1	2	0	0	2	3	0	4	2	1	3	2	0	20	
Liver & Bile duct	0	0	0	0	1	1	2	1	1	2	5	4	5	13	3	5	7	9	0	59	
Lung	0	0	0	1	0	1	0	3	7	12	26	49	41	70	54	51	30	18	1	364	
Melanoma	1	0	0	1	1	9	19	27	29	55	56	46	47	44	47	32	43	29	5	491	
Mesothelioma	0	0	0	0	0	1	0	0	0	1	0	2	3	5	4	2	1	0	0	19	
Mouth	0	0	0	1	0	0	1	2	0	3	5	8	8	9	9	7	7	3	2	65	
Myeloma	0	0	0	0	0	0	0	0	0	2	1	0	9	11	9	4	4	1	0	41	
Naso-Oropharynx	0	0	0	0	1	1	0	1	0	2	4	4	9	7	4	3	1	1	0	38	
Non Hodgkin lymphoma	0	1	2	1	3	5	4	9	7	5	15	28	22	27	25	22	11	15	1	203	
Oesophagus	0	0	0	0	0	0	0	0	0	2	9	13	11	9	12	9	5	6	2	78	
Other specified	0	0	0	0	0	0	1	0	1	2	3	8	6	5	4	3	2	0	0	35	
Ovary	0	0	0	0	0	0	4	4	6	13	22	25	32	27	29	17	13	5	0	197	
Pancreas	0	0	0	0	0	0	1	0	0	3	6	8	14	15	13	10	8	0	0	78	
Placenta	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	2	
Primary site unknown	0	0	0	0	0	0	2	9	19	25	25	56	61	72	62	56	40	34	5	466	
SCC of skin	0	1	0	0	0	4	3	5	24	48	83	138	172	230	287	304	256	384	26	1965	
Salivary gland	0	0	0	0	0	0	0	0	1	0	1	0	2	3	1	1	1	2	0	12	
Skin other	0	1	0	0	1	0	0	1	3	9	6	13	6	13	14	2	11	8	3	91	
Small intestine	0	0	0	0	0	0	1	1	0	1	1	1	3	1	5	3	1	3	0	21	
Stomach	0	0	0	0	0	1	2	4	1	5	7	11	16	30	23	16	14	16	0	146	
Thyroid	0	0	0	1	4	14	11	12	32	21	18	19	17	13	15	7	1	2	1	188	
Tongue	0	0	0	0	0	0	2	2	1	3	9	8	14	7	5	9	6	3	0	69	
Uterus	0	0	0	0	0	0	3	2	13	12	24	36	43	42	34	32	22	6	0	269	
Vagina	0	0	0	0	0	0	0	0	1	2	3	3	3	5	2	0	0	2	0	21	
Vulva	0	0	0	0	0	0	1	0	3	4	10	6	6	8	6	9	4	5	0	62	
Total	16	15	12	15	33	106	214	446	682	962	1245	1563	1745	2116	1899	1639	1259	1329	168	15464	
DATA EXCLUDE:																					
POPULATION GROUP KNOWN (WHITE), SEX UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	
SEX AND POPULATION GROUP UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	
SEX KNOWN (FEMALE), POPULATION GROUP UNKNOWN	3	3	1	5	3	14	32	38	54	85	84	99	102	100	98	70	51	46	11	899	

FEQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2012

WHITE MALES																					
SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	U/K	Total	
Anus	0	0	0	0	0	0	0	0	1	2	2	3	3	3	1	3	2	1	0	21	
BCC	0	0	2	3	6	28	77	149	311	429	648	843	908	1154	971	895	589	492	106	7611	
Bladder	1	0	0	0	0	0	1	6	12	17	26	49	69	94	113	121	84	57	0	650	
Bone	1	2	1	1	5	3	0	0	1	3	1	3	0	1	3	1	0	0	0	26	
Brain, CNS	3	4	1	3	1	3	5	8	7	5	19	13	12	11	13	5	3	0	0	116	
Breast	0	0	0	0	0	0	1	0	0	7	9	5	14	11	6	6	1	6	2	68	
Burkitt lymphoma	1	0	2	1	1	0	0	1	2	0	2	1	0	1	0	0	0	0	0	12	
Colorectal	0	0	0	0	0	2	11	8	29	46	56	94	114	140	171	133	94	56	3	957	
Connective tissue	0	0	2	1	1	0	2	2	4	7	9	7	7	7	9	12	4	3	1	78	
Endocrine	1	0	0	0	0	0	1	2	0	2	1	0	0	1	1	1	0	0	0	10	
Eye	1	3	0	0	0	0	0	2	1	2	2	2	3	0	1	0	0	0	0	17	
Gum	0	0	0	0	0	0	0	0	0	0	1	1	1	0	2	1	2	0	0	8	
Haematology other	1	0	0	0	0	1	0	1	0	2	2	1	0	1	3	1	0	0	0	13	
Hodgkin lymphoma	0	2	1	2	10	6	4	3	4	6	3	3	2	2	0	0	1	0	1	50	
Ill defined	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	
Kaposi Sarcoma	0	0	0	0	0	6	8	9	11	9	5	2	1	0	1	1	0	1	1	55	
Kidney	2	4	1	0	1	0	1	5	7	18	18	27	27	31	32	21	5	4	2	206	
Larynx	0	0	0	0	0	0	0	0	0	7	14	21	25	17	25	10	7	3	1	130	
Leukaemia	4	4	4	0	3	2	4	2	8	10	8	10	10	13	22	8	5	6	0	123	
Lip	0	0	0	0	0	0	3	0	3	6	3	8	7	4	8	5	3	2	0	52	
Liver & Bile duct	0	0	0	0	2	0	2	1	2	5	3	6	13	17	5	6	7	7	0	76	
Lung	0	0	0	0	1	1	1	3	5	18	49	73	81	95	101	86	53	18	2	587	
Melanoma	0	0	0	0	3	8	12	29	32	43	43	57	62	75	70	62	33	24	9	562	
Mesothelioma	0	0	0	0	0	0	0	0	1	0	2	7	6	11	14	8	7	5	0	61	
Mouth	0	0	0	0	0	0	2	5	8	8	8	24	17	19	12	9	2	2	1	109	
Myeloma	0	0	0	0	0	0	1	3	2	4	6	8	8	7	5	9	1	1	1	55	
Naso-Oropharynx	1	0	1	1	0	1	2	2	9	5	7	9	17	25	8	5	2	1	0	96	
Non Hodgkin lymphoma	0	1	0	3	3	5	0	12	13	17	24	20	39	35	34	28	21	10	0	265	
Oesophagus	0	0	0	0	1	0	1	1	1	9	11	32	32	34	31	23	11	1	3	191	
Other specified	0	0	0	1	0	1	2	2	0	1	2	6	6	3	7	6	2	2	3	44	
Pancreas	0	0	0	0	0	0	1	0	0	6	3	13	16	19	12	8	9	3	1	91	
Penis	0	0	0	0	0	0	0	0	0	4	1	1	3	3	1	0	1	2	0	16	
Primary site unknown	1	0	0	0	1	2	1	6	16	22	34	54	80	71	63	49	30	13	9	452	
Prostate	0	0	0	1	0	0	1	7	24	111	279	434	608	554	448	231	158	14	2870		
SCC of skin	0	0	0	1	0	3	14	20	38	89	145	229	351	455	475	476	392	333	28	3049	
Salivary gland	0	0	0	0	0	1	1	1	1	2	3	1	8	8	7	7	3	3	1	47	
Skin other	0	0	0	2	0	2	1	3	5	4	8	11	10	10	17	15	17	8	0	113	
Small intestine	0	0	0	0	0	0	0	1	1	1	0	4	9	3	4	3	0	1	0	27	
Stomach	0	0	0	0	0	0	1	4	6	10	21	40	41	46	49	32	30	24	1	305	
Testis	0	0	0	2	9	21	20	18	14	11	4	4	1	0	1	1	0	0	0	106	
Thyroid	0	0	0	0	3	1	5	6	5	5	9	10	6	11	7	3	3	1	0	75	
Tongue	0	0	0	0	0	0	0	1	5	7	13	9	22	12	13	5	5	3	1	96	
<b>Total</b>	<b>17</b>	<b>20</b>	<b>15</b>	<b>22</b>	<b>51</b>	<b>97</b>	<b>182</b>	<b>312</b>	<b>570</b>	<b>871</b>	<b>1334</b>	<b>1988</b>	<b>2465</b>	<b>3060</b>	<b>2874</b>	<b>2509</b>	<b>1668</b>	<b>1251</b>	<b>191</b>	<b>19497</b>	
DATA EXCLUDE:																					
POPULATION GROUP KNOWN (WHITE), SEX UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	
SEX AND POPULATION GROUP UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	
SEX KNOWN (MALE), POPULATION GROUP UNKNOWN	8	5	7	7	8	8	27	29	46	61	74	100	129	185	159	118	74	52	25	1122	

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2012: FEMALES

(Calculations performed using the numbers of tumours at each site, by age and sex, after adjusting for tumours with missing information about age, sex, and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.04	0.17	0.34	0.75	0.60	1.08	0.89	1.26	1.06	1.69	1.62	3.92	4.35
BCC	0.04	0.08	0.04	0.04	0.38	1.73	4.70	11.15	19.10	30.86	45.95	68.20	94.48	157.73	193.23	246.89	457.66
Bladder	0.04	0.00	0.00	0.00	0.00	0.00	0.25	0.23	0.69	0.93	1.55	3.75	5.07	7.24	14.09	12.28	24.37
Bone	0.00	0.04	0.42	0.50	0.26	0.25	0.24	0.28	0.26	0.55	0.44	0.44	0.77	0.00	0.49	0.35	0.76
Brain, CNS	0.17	0.34	0.50	0.12	0.15	0.08	0.52	0.56	0.45	1.36	0.87	1.03	2.06	2.99	1.59	1.73	1.53
Breast	0.00	0.00	0.00	0.16	0.27	2.21	10.25	24.66	46.55	66.27	90.00	98.74	127.28	151.64	169.64	194.53	261.22
Burkitt lymphoma	0.03	0.23	0.08	0.12	0.07	0.12	0.42	0.56	1.04	0.30	0.17	0.21	0.26	0.17	0.00	0.00	0.00
Cervix	0.00	0.00	0.00	0.04	0.19	3.44	14.07	30.32	48.21	58.99	67.03	73.07	76.27	64.82	85.42	78.80	101.83
Colorectal	0.00	0.00	0.00	0.00	0.19	0.59	1.44	2.38	3.82	7.03	10.84	18.07	28.02	33.28	42.57	56.56	93.78
Connective tissue	0.64	0.35	0.21	0.47	0.34	0.55	0.53	0.91	1.19	1.15	2.84	2.84	3.02	3.53	5.32	4.22	6.18
Endocrine	0.14	0.19	0.08	0.16	0.00	0.04	0.09	0.00	0.13	0.08	0.09	0.10	0.13	0.17	0.00	0.35	0.00
Eye	0.55	0.20	0.00	0.00	0.19	1.18	2.97	4.57	4.30	4.36	3.20	1.30	1.22	0.69	0.96	0.36	3.23
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.00	0.08	0.26	0.21	0.26	0.83	0.91	0.69	0.38
Haematology other	0.11	0.00	0.09	0.12	0.04	0.13	0.00	0.12	0.00	0.08	0.18	0.10	0.14	0.00	0.70	1.08	0.76
Hodgkin lymphoma	0.00	0.19	0.13	0.71	0.64	1.31	1.25	1.37	1.06	1.54	1.16	1.16	1.31	1.01	0.47	2.46	1.16
Ill defined	0.00	0.00	0.00	0.00	0.00	0.04	0.05	0.00	0.00	0.08	0.17	0.00	0.13	0.00	0.68	0.35	0.00
Kaposi Sarcoma	0.11	0.04	0.13	0.29	1.85	5.43	8.32	10.37	7.48	6.57	4.43	3.08	2.50	0.89	0.97	0.37	5.28
Kidney	0.88	0.80	0.42	0.08	0.07	0.17	0.19	0.51	0.85	1.23	0.97	3.13	4.16	3.70	3.87	6.94	3.44
Larynx	0.00	0.00	0.04	0.00	0.00	0.00	0.05	0.00	0.20	0.47	0.90	1.05	2.10	1.02	2.10	2.15	1.55
Leukaemia	0.42	0.92	0.75	0.35	0.67	0.59	0.52	0.74	1.58	0.76	1.75	2.29	2.33	3.17	4.11	4.54	7.67
Lip	0.00	0.00	0.04	0.00	0.00	0.09	0.10	0.29	0.21	0.23	0.36	0.42	0.14	0.66	0.68	0.35	2.71
Liver & Bile duct	0.07	0.04	0.00	0.04	0.07	0.21	0.62	0.46	0.66	1.30	1.76	2.21	2.75	5.02	4.86	4.90	11.18
Lung	0.00	0.00	0.00	0.04	0.04	0.08	0.33	0.45	1.18	2.81	6.39	14.53	14.65	22.65	23.27	33.77	28.76
Melanoma	0.04	0.00	0.17	0.12	0.07	0.63	1.05	2.15	2.77	5.57	6.88	6.39	10.47	10.95	18.48	21.16	41.13
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.13	0.15	0.26	1.03	0.77	1.16	1.36	1.04	1.15
Mouth	0.00	0.00	0.00	0.12	0.00	0.04	0.10	0.23	0.07	0.85	2.04	2.43	3.57	5.28	5.10	5.74	11.39
Myeloma	0.00	0.00	0.00	0.00	0.00	0.04	0.05	0.28	0.26	0.68	1.05	1.66	4.41	5.17	5.94	4.53	4.22
Naso-Oropharynx	0.00	0.00	0.04	0.12	0.07	0.29	0.19	0.45	0.53	0.84	1.31	1.56	1.81	3.34	2.28	1.74	3.46
Non Hodgkin lymphoma	0.00	0.12	0.25	0.32	0.57	1.48	3.08	4.57	7.38	5.94	5.77	8.00	7.09	8.71	11.04	15.49	16.95
Oesophagus	0.00	0.00	0.00	0.00	0.08	0.13	0.10	0.29	0.40	2.45	7.73	9.72	14.96	18.24	19.92	23.26	33.19
Other specified	0.07	0.04	0.04	0.00	0.04	0.04	0.09	0.28	0.52	0.45	1.23	1.77	2.72	3.18	2.52	3.14	3.85
Ovary	0.00	0.00	0.21	0.12	0.34	0.21	0.77	0.73	1.38	2.52	5.50	5.66	8.87	10.91	13.96	12.94	13.50
Pancreas	0.00	0.00	0.00	0.12	0.00	0.08	0.19	0.11	0.06	0.45	1.04	1.96	2.97	4.31	5.22	5.55	4.20
Placenta	0.00	0.00	0.00	0.04	0.19	0.58	0.19	0.28	0.39	0.30	0.35	0.00	0.00	0.00	0.00	0.00	0.00
Primary site unknown	0.07	0.00	0.04	0.20	0.20	0.75	1.79	3.77	6.42	8.50	15.50	25.92	33.51	40.90	51.19	56.91	66.14
SCC of skin	0.04	0.08	0.00	0.04	0.15	0.77	1.40	1.78	3.39	6.55	12.43	19.99	28.47	48.62	81.30	130.76	304.95
Salivary gland	0.00	0.04	0.04	0.16	0.11	0.17	0.19	0.23	0.13	0.46	0.88	1.16	0.91	0.75	0.23	1.40	2.70
Skin other	0.00	0.08	0.09	0.04	0.19	0.65	0.63	0.87	0.88	1.95	1.26	2.03	2.27	3.78	5.18	2.52	13.06
Small intestine	0.00	0.00	0.00	0.00	0.00	0.04	0.05	0.11	0.06	0.45	0.52	0.72	1.29	0.83	1.82	2.77	2.67
Stomach	0.00	0.00	0.00	0.04	0.04	0.17	0.69	0.87	1.50	2.05	2.89	3.74	6.95	9.67	12.41	16.87	21.02
Thyroid	0.00	0.00	0.00	0.12	0.34	1.04	1.61	1.74	3.80	3.27	3.51	4.37	5.19	4.18	6.86	3.84	5.00
Tongue	0.04	0.00	0.00	0.00	0.00	0.09	0.09	0.23	0.13	0.54	2.21	2.53	4.07	2.69	4.18	5.96	6.18
Uterus	0.00	0.04	0.00	0.04	0.08	0.21	0.38	0.40	1.37	2.59	7.64	12.42	27.31	36.31	47.68	44.20	54.55
Vagina	0.00	0.00	0.00	0.04	0.04	0.04	0.34	0.75	0.94	1.54	1.70	2.01	2.24	2.02	3.96	3.57	2.71
Vulva	0.00	0.00	0.04	0.00	0.04	0.47	1.74	2.29	2.92	2.69	3.10	3.36	3.41	2.35	3.22	4.53	5.78

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2012: MALES

(Calculations performed using the numbers of tumours at each site, by age and sex, after adjusting for tumours with missing information about age, sex, and/or population group)

SITE	0-4	5-9	10-14	15-19	20-	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.08	0	0.00	0.10	0.41	0.42	1.16	1.10	1.35	2.08	1.60	2.92	3.34	11.24
BCC	0.00	0.00	0.12	0.20	0	1.35	4.44	10.89	26.25	42.43	75.23	123.05	177.39	312.52	428.85	704.07	1320.
Bladder	0.11	0.00	0.00	0.04	0	0.00	0.10	0.58	1.51	2.81	5.35	11.54	17.65	36.86	58.71	101.43	189.6
Bone	0.03	0.11	0.37	0.71	0	0.61	0.20	0.12	0.28	0.41	0.40	0.73	0.00	0.45	1.80	0.66	0.00
Brain, CNS	0.35	0.68	0.46	0.47	0	0.35	0.60	0.70	0.96	1.32	2.65	3.18	3.35	4.07	7.59	6.69	6.08
Breast	0.00	0.00	0.00	0.08	0	0.05	0.21	0.43	0.57	1.03	3.02	2.41	5.32	6.70	7.31	12.06	23.32
Burkitt lymphoma	0.10	0.51	0.29	0.20	0	0.30	0.60	0.76	1.20	0.41	0.89	0.73	0.32	0.22	0.00	0.67	1.02
Colorectal	0.00	0.04	0.04	0.00	0	0.61	2.20	1.99	5.27	8.59	14.48	26.15	36.47	59.46	94.32	136.06	224.5
Connective tissue	0.35	0.31	0.30	0.32	0	0.22	0.87	0.54	1.62	1.92	2.61	3.73	4.72	4.12	7.70	12.83	14.42
Endocrine	0.14	0.04	0.08	0.04	0	0.13	0.05	0.12	0.07	0.41	0.49	0.12	0.16	0.67	0.36	0.66	0.00
Eye	0.71	0.54	0.04	0.17	0	0.31	1.24	3.82	4.31	3.78	3.08	2.27	1.97	1.42	2.25	1.40	2.11
Gum	0.00	0.00	0.00	0.00	0	0.00	0.00	0.00	0.14	0.16	0.29	0.36	0.79	0.67	1.79	1.33	3.01
Haematology other	0.10	0.19	0.04	0.43	0	0.17	0.15	0.17	0.20	0.16	0.59	0.24	0.63	0.45	1.07	1.33	2.01
Hodgkin lymphoma	0.03	0.64	0.58	0.55	0	0.74	1.44	1.46	2.21	2.39	1.78	0.73	0.64	1.14	0.00	0.00	2.03
Ill defined	0.00	0.00	0.00	0.00	0	0.00	0.00	0.00	0.00	0.23	0.14	0.00	0.22	0.85	1.45	0.00	0.00
Kaposi Sarcoma	0.11	0.12	0.35	0.29	0	4.02	9.88	14.54	15.67	13.48	9.92	7.82	3.86	4.56	3.05	4.20	12.79
Kidney	0.72	1.25	0.21	0.00	0	0.13	0.25	0.64	0.97	2.63	3.76	6.34	7.99	12.49	16.30	20.12	13.19
Larynx	0.00	0.00	0.00	0.00	0	0.04	0.10	0.12	0.69	2.15	5.36	10.14	17.77	20.75	22.15	18.86	23.30
Leukaemia	0.66	0.91	1.04	0.79	0	0.83	1.10	0.94	1.38	1.81	2.28	3.30	4.64	5.67	14.10	10.06	20.23
Lip	0.00	0.00	0.00	0.00	0	0.09	0.30	0.12	0.28	0.83	0.50	1.71	1.43	1.80	4.34	4.02	6.02
Liver & Bile duct	0.11	0.12	0.00	0.12	0	0.27	0.46	0.79	1.87	2.30	2.47	3.27	6.40	8.34	8.99	10.22	25.82
Lung	0.00	0.04	0.00	0.00	0	0.17	0.35	0.47	2.62	8.57	20.16	34.23	49.17	59.59	77.99	115.71	118.1
Melanoma	0.00	0.00	0.00	0.00	0	0.44	0.86	2.19	3.15	4.50	6.14	9.78	12.31	21.60	31.89	48.84	82.40
Mesothelioma	0.00	0.00	0.00	0.00	0	0.00	0.00	0.00	0.14	0.08	1.00	2.46	2.89	3.88	8.76	7.39	16.25
Mouth	0.00	0.00	0.00	0.04	0	0.14	0.05	0.47	0.97	3.25	4.60	9.72	11.47	12.87	14.27	15.53	16.59
Myeloma	0.00	0.00	0.00	0.00	0	0.00	0.15	0.46	0.48	0.98	1.87	2.90	3.18	3.62	4.35	7.37	17.24
Naso-Oropharynx	0.03	0.00	0.13	0.16	0	0.22	0.25	0.52	1.25	2.49	3.79	6.65	10.63	15.75	9.49	9.47	12.29
Non Hodgkin lymphoma	0.14	0.27	0.33	0.51	0	1.39	2.36	5.10	7.63	8.12	10.74	11.14	12.45	15.46	20.98	31.57	49.61
Oesophagus	0.00	0.00	0.00	0.00	0	0.05	0.21	0.74	1.69	5.57	14.01	24.30	32.70	38.83	44.41	58.45	72.85
Other specified	0.03	0.00	0.00	0.04	0	0.14	0.21	0.42	0.23	0.76	1.32	2.39	4.00	4.67	5.75	7.06	6.35
Pancreas	0.00	0.00	0.00	0.00	0	0.00	0.15	0.06	0.28	1.33	1.70	3.19	5.29	7.97	8.72	8.11	17.24
Penis	0.00	0.00	0.00	0.00	0	0.00	0.27	0.69	1.85	1.28	1.58	2.31	0.65	4.00	4.96	3.57	4.11
Primary site unknown	0.14	0.00	0.04	0.16	0	0.40	1.29	2.53	5.82	7.75	20.40	31.19	45.92	55.51	70.60	84.78	99.79
Prostate	0.00	0.00	0.00	0.12	0	0.04	0.15	0.18	1.46	6.79	29.19	89.16	176.17	308.72	442.93	686.01	893.8
SCC of skin	0.00	0.00	0.09	0.12	0	0.44	1.76	2.60	4.45	11.35	21.56	35.90	70.72	129.05	205.88	375.78	867.1
Salivary gland	0.07	0.00	0.12	0.04	0	0.09	0.20	0.52	0.34	0.82	0.69	2.05	2.24	3.52	5.43	11.39	10.17
Skin other	0.00	0.00	0.04	0.24	0	0.22	0.51	0.78	1.20	1.18	1.59	3.08	3.39	5.71	9.05	13.40	33.33
Small intestine	0.00	0.00	0.00	0.00	0	0.05	0.11	0.24	0.44	0.43	0.87	1.43	2.47	1.71	2.64	3.37	2.16
Stomach	0.00	0.00	0.00	0.00	0	0.13	0.36	0.83	2.11	4.10	7.33	13.86	17.29	26.10	41.32	46.81	87.52
Testis	0.03	0.19	0.00	0.23	0	1.28	1.67	1.44	1.43	1.22	0.39	0.60	0.16	0.22	0.72	0.66	1.00
Thyroid	0.00	0.00	0.04	0.00	0	0.13	0.40	0.53	0.68	0.73	2.21	1.70	2.28	3.21	2.87	1.99	6.14
Tongue	0.00	0.04	0.00	0.00	0	0.00	0.00	0.12	0.84	1.92	5.11	6.56	11.48	10.82	13.25	9.51	12.22

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2012: ASIAN FEMALES

(Calculations performed using the numbers of tumours at each site, by age and sex, after adjusting for tumours with missing information about age, sex, and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.00	1.79	0.00	0.29	0.08	2.61	5.32	0.11	0.13	0.00	0.00	0.00	0.00
BCC	0.00	0.00	0.00	0.00	0.00	0.00	0.02	2.02	6.64	2.57	10.70	6.15	7.37	33.17	20.89	53.80	64.96
Bladder	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.22	2.44	2.50	0.00	6.47	18.96	0.00	22.08	11.23	14.09
Bone	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Brain, CNS	2.09	0.11	0.11	0.10	1.87	0.00	1.89	2.09	0.00	0.24	0.00	0.31	3.85	9.77	0.34	0.54	0.00
Breast	0.00	0.00	0.00	0.00	3.93	7.73	26.94	38.11	63.16	108.13	167.11	130.39	223.02	277.41	271.77	369.81	285.7
Burkitt lymphoma	0.00	2.17	0.00	0.00	0.00	0.00	0.06	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Cervix	0.00	0.00	0.00	0.00	0.00	0.00	1.93	19.33	7.11	28.00	25.42	25.74	22.55	14.97	79.42	45.31	27.08
Colorectal	0.00	0.00	0.00	0.00	0.00	0.09	0.18	2.35	9.23	15.14	14.52	31.95	52.25	35.89	44.47	90.33	97.43
Connective tissue	2.10	0.09	0.00	0.08	0.00	0.07	0.00	0.08	0.09	4.81	7.97	9.16	0.14	4.85	0.00	11.44	0.00
Endocrine	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Eye	2.13	0.00	0.00	0.00	0.02	0.03	0.07	2.06	0.11	0.10	0.06	0.05	0.03	4.66	0.00	0.00	0.10
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.00	6.69	0.00	0.00
Haematology other	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Hodgkin lymphoma	0.00	0.00	0.00	0.00	0.00	5.36	1.80	2.05	2.18	0.00	0.00	2.96	0.00	0.00	0.00	0.00	0.00
Ill defined	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Kaposi Sarcoma	0.00	0.00	0.00	0.00	0.00	2.14	0.00	4.78	2.63	0.02	0.00	0.00	4.19	0.00	0.00	0.00	0.00
Kidney	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.16	3.00	6.80	7.67	15.31	0.00	0.00	0.00
Larynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.00	0.09	10.54	0.00
Leukaemia	0.04	0.00	0.00	0.00	0.00	1.79	1.80	0.00	2.22	2.39	0.00	2.96	0.06	0.00	0.00	0.00	0.00
Lip	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Liver & Bile duct	0.00	0.07	0.00	0.00	0.00	0.00	1.86	0.00	0.00	4.70	2.70	0.20	3.49	9.45	0.23	0.71	0.85
Lung	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.99	2.24	0.47	2.84	12.36	18.06	5.71	34.42	23.21	27.39
Melanoma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.70	2.61	0.00	3.49	0.03	0.09	10.54	0.00
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.69	0.00	0.00
Mouth	0.00	0.00	0.00	0.13	0.00	0.00	0.00	0.00	0.00	0.15	3.37	3.43	8.08	15.82	0.44	23.71	17.08
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	5.98	0.07	0.18	0.39	10.75	0.00
Naso-Oropharynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.08	0.09	0.00	9.36	0.00	0.17	0.00
Non Hodgkin lymphoma	0.00	0.00	0.00	0.00	0.00	0.00	1.99	2.25	4.81	5.32	5.92	13.08	11.76	0.27	14.77	23.28	0.74
Oesophagus	0.00	0.00	0.00	0.00	2.03	0.00	0.00	0.00	0.00	2.60	5.69	3.23	0.07	10.13	7.30	23.20	13.75
Other specified	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	2.27	0.00	2.61	0.00	7.12	0.19	0.00	10.54	0.00
Ovary	0.00	0.00	0.00	2.21	0.11	0.11	2.36	0.00	0.40	3.08	18.03	13.76	12.26	16.03	8.38	13.20	17.31
Pancreas	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	6.05	3.49	0.10	0.14	0.00	0.27
Placenta	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Primary site unknown	0.00	0.00	2.33	0.00	0.00	1.93	0.32	6.80	9.72	10.89	15.40	43.24	35.84	47.36	75.63	48.43	57.34
SCC of skin	0.00	0.00	0.00	2.11	2.02	0.00	0.02	0.00	0.00	2.54	5.66	9.63	7.56	25.20	7.25	22.84	82.07
Salivary gland	0.00	0.00	0.00	0.05	0.00	0.05	0.05	1.99	0.00	0.00	2.61	0.00	0.00	0.00	0.00	0.00	0.00
Skin other	0.00	0.00	0.00	0.00	1.87	0.06	0.06	0.06	0.07	7.15	0.00	0.19	0.11	4.81	0.21	0.34	26.13
Small intestine	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.35	0.09	0.00	0.12	4.80	0.23	0.00	0.00
Stomach	0.00	0.00	0.00	0.00	0.00	0.00	0.12	4.43	2.50	5.08	5.82	16.02	15.57	0.31	14.47	58.42	15.33
Thyroid	0.00	0.00	0.00	0.00	1.99	5.82	7.32	10.33	0.85	4.70	3.12	6.50	14.87	1.20	8.42	0.68	14.24
Tongue	0.00	0.00	0.00	0.00	0.00	1.79	0.00	0.00	0.12	0.13	10.44	0.84	3.69	4.64	13.38	0.60	0.72
Uterus	0.00	0.00	0.00	0.00	0.00	3.74	1.94	0.00	4.42	9.52	16.04	27.96	47.76	72.36	80.07	15.99	85.38
Vagina	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.99	0.00	0.00	0.00	0.00	3.49	0.12	6.69	0.00	12.61
Vulva	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.39	2.61	8.89	0.13	0.00	0.00	10.54	0.24

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2012: ASIAN MALES

(Calculations performed using the numbers of tumours at each site, by age and sex, after adjusting for tumours with missing information about age, sex, and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.00	2.36	2.61	0.00	8.39	0.38	10.04	0.00	31.95
BCC	0.00	0.00	0.00	2.02	0.00	0.00	1.61	3.55	2.11	6.94	8.15	16.52	29.51	25.93	63.98	141.06	235.3
Bladder	2.30	0.00	0.00	0.00	0.00	0.00	0.00	1.87	0.00	7.40	11.42	17.82	18.00	47.27	55.43	84.62	282.8
Bone	0.00	0.00	0.05	0.04	0.08	1.66	0.07	0.04	0.00	2.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Brain, CNS	2.38	4.79	0.00	0.60	1.94	1.84	1.65	0.00	0.00	0.50	0.20	13.65	8.91	0.91	22.00	21.92	33.81
Breast	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.31	3.80	4.87	29.22	24.05	23.16	0.00
Burkitt lymphoma	0.00	3.27	0.19	0.00	0.00	0.00	0.00	0.07	3.00	0.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Colorectal	0.00	0.00	0.00	0.00	0.10	0.09	0.43	1.87	6.40	9.59	25.84	41.07	57.15	132.53	108.16	169.20	326.8
Connective tissue	0.09	2.19	0.09	0.00	0.30	1.63	0.06	0.00	2.04	2.41	5.35	3.31	0.00	6.28	0.41	59.01	0.00
Endocrine	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.00	0.00	4.07	0.35	0.00	0.00	0.00
Eye	0.14	0.04	0.00	2.58	0.00	0.06	0.08	0.09	2.71	2.89	0.18	0.00	0.00	0.00	0.00	0.00	0.54
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Haematology other	0.00	0.15	0.00	1.98	1.83	0.00	0.05	0.06	0.00	0.00	0.00	0.00	0.28	0.00	0.00	0.00	0.00
Hodgkin lymphoma	0.00	0.00	0.00	0.00	0.00	3.25	3.11	1.80	1.95	4.44	2.61	0.00	4.07	6.01	0.00	0.00	31.95
Ill defined	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Kaposi Sarcoma	0.00	0.00	0.00	0.00	2.19	0.00	5.63	2.05	7.02	5.40	0.03	0.00	0.00	0.00	0.00	0.00	0.00
Kidney	2.21	0.00	0.12	0.00	0.00	0.00	0.08	0.00	0.00	9.12	5.22	9.51	12.20	24.38	10.04	77.35	1.73
Larynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.49	5.87	10.68	13.88	27.52	22.56	23.31	0.00
Leukaemia	2.10	0.00	2.18	1.98	0.00	1.62	0.05	0.05	0.06	0.13	0.08	3.36	8.13	0.00	10.34	19.34	63.91
Lip	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.05	0.06	3.17	4.07	0.00	0.25	0.00	0.00
Liver & Bile duct	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.14	2.39	2.71	0.10	0.13	9.46	13.28	11.48	22.88	35.28
Lung	0.00	0.00	0.00	0.00	0.00	0.08	0.15	0.00	6.21	5.04	30.22	30.12	71.77	100.93	106.58	221.96	71.00
Melanoma	0.00	0.00	0.00	0.00	0.00	0.00	1.56	0.00	1.97	4.44	2.61	0.00	0.00	6.01	10.26	0.00	32.66
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.01	0.00	0.00	0.00
Mouth	0.00	0.00	0.00	0.00	0.00	1.86	0.00	0.00	0.17	2.74	3.11	7.54	10.04	21.73	13.29	0.00	73.21
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.04	0.00	0.00	0.04	0.07	0.00	32.18
Naso-Oropharynx	0.00	0.00	0.00	0.00	0.00	0.00	1.56	1.71	2.13	2.22	2.61	9.51	4.80	31.15	20.08	0.87	1.44
Non Hodgkin lymphoma	2.26	0.00	0.00	0.00	0.00	0.00	0.00	3.86	2.16	7.39	11.41	10.34	4.51	26.09	22.28	64.37	69.85
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.98	0.00	2.53	3.07	3.67	9.42	20.88	11.95	66.20	36.46
Other specified	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	2.57	0.00	0.10	0.00	5.66	0.23	13.59	0.00	0.00
Pancreas	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.75	2.71	0.25	8.45	0.23	10.43	0.00	2.47
Penis	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.95	0.00	2.61	0.00	0.00	12.03	0.00	19.34	0.00
Primary site unknown	0.00	0.00	0.00	0.06	0.00	1.74	3.39	3.85	6.54	9.96	8.99	11.12	45.51	28.17	79.34	27.47	140.4
Prostate	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.04	0.05	4.74	16.73	25.17	78.74	241.62	269.93	518.06	819.6
SCC of skin	0.00	0.00	0.00	0.00	0.00	1.62	0.00	0.00	0.00	4.45	5.22	6.36	12.20	24.05	10.04	58.02	159.7
Salivary gland	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Skin other	0.00	0.00	0.00	1.98	0.00	0.00	0.00	0.00	0.00	0.03	0.03	0.04	0.00	6.09	0.26	0.00	31.95
Small intestine	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.07	0.24	2.22	2.61	0.13	0.00	0.00	0.00	19.34	0.00
Stomach	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.10	6.25	9.58	10.94	20.50	21.81	45.58	74.88	103.69	68.92
Testis	0.00	0.00	0.00	0.00	0.13	4.87	3.22	6.98	3.90	2.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Thyroid	0.00	0.00	0.11	0.00	0.00	0.08	0.00	1.71	3.90	2.33	0.13	3.17	4.27	0.00	0.00	0.00	1.60
Tongue	0.00	2.41	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.07	3.50	5.50	14.14	34.35	0.00	0.00

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2012: BLACK FEMALES

(Calculations performed using the numbers of tumours at each site, by age and sex, after adjusting for tumours with missing information about age, sex, and/or population group)

SITE	0-	5-9	10-14	15-19	20-24	25-29	30	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.	0.00	0.00	0.00	0.04	0.10	0.3	0.76	0.68	0.94	0.71	1.00	0.90	0.78	0.71	2.74	3.96
BCC	0.	0.05	0.00	0.00	0.09	0.35	0.8	1.10	1.53	2.21	2.74	3.86	6.61	10.39	12.60	15.09	41.17
Bladder	0.	0.00	0.00	0.00	0.00	0.00	0.3	0.10	0.68	0.34	1.19	2.28	2.39	1.89	8.00	1.72	5.03
Bone	0.	0.04	0.30	0.56	0.31	0.25	0.2	0.21	0.17	0.17	0.25	0.00	0.57	0.00	0.00	0.00	0.64
Brain, CNS	0.	0.28	0.46	0.06	0.00	0.05	0.2	0.31	0.17	0.69	0.74	0.10	0.89	0.42	0.11	0.18	0.00
Breast	0.	0.00	0.00	0.14	0.18	1.71	8.2	17.81	33.57	46.50	56.92	61.33	66.84	68.43	86.25	94.70	142.61
Burkitt lymphoma	0.	0.18	0.05	0.14	0.09	0.15	0.5	0.64	1.20	0.21	0.25	0.30	0.19	0.00	0.00	0.00	0.00
Cervix	0.	0.00	0.00	0.05	0.18	3.28	14.	32.14	54.75	68.66	79.62	85.18	98.26	81.81	112.58	105.31	150.70
Colorectal	0.	0.00	0.00	0.00	0.18	0.52	1.2	1.60	2.35	4.09	6.47	9.17	11.72	10.74	12.51	12.36	23.48
Connective tissue	0.	0.31	0.20	0.36	0.22	0.54	0.5	0.86	1.12	1.03	2.74	2.63	3.27	2.48	5.29	3.44	3.94
Endocrine	0.	0.18	0.10	0.09	0.00	0.05	0.0	0.00	0.09	0.10	0.00	0.00	0.00	0.25	0.00	0.35	0.00
Eye	0.	0.24	0.00	0.00	0.23	1.34	3.5	5.54	5.42	5.76	3.99	1.53	1.80	0.79	1.08	0.56	3.99
Gum	0.	0.00	0.00	0.00	0.00	0.00	0.0	0.00	0.00	0.00	0.25	0.15	0.08	0.25	0.69	0.53	0.64
Haematology other	0.	0.00	0.05	0.13	0.05	0.05	0.0	0.15	0.00	0.00	0.26	0.00	0.20	0.00	0.60	1.13	0.00
Hodgkin lymphoma	0.	0.18	0.10	0.48	0.36	0.96	0.9	1.15	1.16	1.71	1.27	1.07	0.99	0.52	0.71	1.64	0.66
Ill defined	0.	0.00	0.00	0.00	0.00	0.05	0.0	0.00	0.00	0.10	0.25	0.00	0.19	0.00	0.00	0.53	0.00
Kaposi Sarcoma	0.	0.05	0.16	0.35	2.06	5.85	9.5	12.24	9.34	8.23	5.54	4.27	3.48	1.34	1.47	0.57	8.22
Kidney	0.	0.82	0.35	0.09	0.04	0.15	0.1	0.36	0.61	0.53	0.43	1.47	1.55	0.51	1.74	1.08	0.65
Larynx	0.	0.00	0.05	0.00	0.00	0.00	0.0	0.00	0.09	0.45	0.53	0.48	0.90	0.54	1.25	1.71	0.69
Leukaemia	0.	0.59	0.71	0.33	0.62	0.50	0.4	0.80	1.46	0.59	1.38	1.65	0.69	2.04	2.10	3.24	3.90
Lip	0.	0.00	0.05	0.00	0.00	0.10	0.0	0.23	0.28	0.11	0.26	0.16	0.20	0.00	0.00	0.00	0.97
Liver & Bile duct	0.	0.03	0.00	0.05	0.04	0.15	0.5	0.51	0.62	0.96	1.08	2.45	2.55	2.98	5.49	3.35	7.32
Lung	0.	0.00	0.00	0.00	0.00	0.05	0.3	0.15	0.55	1.48	3.48	7.00	7.71	6.94	8.17	11.87	9.55
Melanoma	0.	0.00	0.21	0.10	0.00	0.26	0.0	0.44	0.72	0.97	1.79	1.69	4.16	3.96	8.72	11.03	18.57
Mesothelioma	0.	0.00	0.00	0.00	0.00	0.00	0.0	0.00	0.09	0.10	0.37	0.89	0.19	0.25	0.34	0.53	0.64
Mouth	0.	0.00	0.00	0.07	0.00	0.05	0.0	0.15	0.09	0.79	0.90	1.27	1.72	2.26	2.25	2.94	9.55
Myeloma	0.	0.00	0.00	0.00	0.00	0.05	0.0	0.36	0.31	0.63	1.12	1.73	3.79	3.33	4.42	3.00	2.59
Naso-Oropharynx	0.	0.00	0.05	0.14	0.04	0.30	0.2	0.51	0.61	0.69	0.50	1.06	0.58	2.17	1.40	0.28	3.25
Non Hodgkin lymphoma	0.	0.05	0.20	0.29	0.54	1.36	3.1	4.96	8.52	6.53	5.59	5.76	4.56	4.18	4.23	8.18	7.39
Oesophagus	0.	0.00	0.00	0.00	0.05	0.16	0.0	0.38	0.27	2.82	7.91	10.74	17.48	22.19	21.72	28.44	45.15
Other specified	0.	0.05	0.05	0.00	0.04	0.05	0.0	0.26	0.40	0.21	0.88	1.20	1.86	3.45	2.09	2.16	4.55
Ovary	0.	0.00	0.25	0.09	0.33	0.22	0.4	0.58	0.98	1.50	3.47	2.22	5.00	6.46	6.90	6.91	8.19
Pancreas	0.	0.00	0.00	0.14	0.00	0.10	0.1	0.14	0.09	0.21	0.65	0.68	1.53	1.58	1.14	2.66	0.84
Placenta	0.	0.00	0.00	0.05	0.17	0.64	0.2	0.29	0.35	0.42	0.37	0.00	0.00	0.00	0.00	0.00	0.00
Primary site unknown	0.	0.00	0.00	0.20	0.23	0.74	1.8	3.38	5.88	7.16	15.10	20.97	27.34	32.39	40.82	46.53	49.08
SCC of skin	0.	0.00	0.00	0.00	0.14	0.71	1.4	1.84	1.78	2.79	4.83	4.57	5.52	5.73	12.05	17.55	43.64
Salivary gland	0.	0.05	0.05	0.18	0.13	0.14	0.2	0.15	0.09	0.64	1.00	1.66	0.97	0.38	0.00	1.08	2.61
Skin other	0.	0.05	0.10	0.05	0.14	0.63	0.6	0.92	0.67	1.13	0.89	0.76	1.87	1.68	2.30	1.91	4.59
Small intestine	0.	0.00	0.00	0.00	0.00	0.05	0.0	0.07	0.09	0.42	0.43	0.74	1.24	0.37	0.51	1.06	1.92
Stomach	0.	0.00	0.00	0.05	0.05	0.16	0.5	0.49	1.33	1.77	2.03	1.73	4.66	4.93	7.69	10.12	8.76
Thyroid	0.	0.00	0.00	0.05	0.10	0.26	0.7	0.58	1.57	1.59	1.49	2.40	2.38	1.59	2.53	1.25	3.66
Tongue	0.	0.00	0.00	0.00	0.00	0.05	0.0	0.15	0.03	0.37	0.91	1.35	2.09	1.06	2.55	1.87	2.25
Uterus	0.	0.05	0.00	0.05	0.09	0.13	0.2	0.29	0.53	1.59	4.85	8.75	25.35	34.97	48.33	40.60	58.50
Vagina	0.	0.00	0.00	0.00	0.05	0.05	0.4	0.89	1.07	1.51	2.04	1.99	2.18	1.49	4.62	4.95	1.99
Vulva	0.	0.00	0.05	0.00	0.04	0.45	1.9	2.78	3.19	2.95	2.40	2.88	3.21	0.77	2.82	1.63	2.42

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2012: BLACK MALES

(Calculations performed using the numbers of tumours at each site, by age and sex, after adjusting for tumours with missing information about age, sex, and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.10	0.00	0.00	0.13	0.43	0.47	1.01	1.17	1.11	1.41	1.34	2.44	1.15	11.12
BCC	0.00	0.00	0.00	0.05	0.00	0.00	0.07	1.23	1.82	2.39	3.84	8.73	14.2	16.6	27.08	36.61	67.19
Bladder	0.04	0.00	0.00	0.05	0.00	0.00	0.06	0.00	0.84	0.95	2.17	2.99	4.51	9.78	12.12	18.18	29.79
Bone	0.00	0.04	0.38	0.69	0.49	0.50	0.20	0.04	0.28	0.12	0.43	0.54	0.00	0.00	0.60	0.00	0.00
Brain, CNS	0.22	0.47	0.50	0.25	0.31	0.17	0.25	0.30	0.47	0.82	0.77	0.97	0.83	1.72	1.41	0.38	0.00
Breast	0.00	0.00	0.00	0.10	0.00	0.05	0.19	0.47	0.77	0.36	1.86	2.43	3.59	4.35	4.34	7.02	20.71
Burkitt lymphoma	0.04	0.43	0.22	0.19	0.04	0.26	0.74	0.88	1.16	0.32	1.00	0.72	0.49	0.00	0.00	1.13	1.81
Colorectal	0.00	0.05	0.05	0.00	0.19	0.43	1.65	1.23	3.36	4.30	7.36	14.14	16.4	17.3	21.07	34.37	51.74
Connective tissue	0.31	0.28	0.23	0.34	0.28	0.16	0.80	0.54	1.39	1.20	1.86	3.45	4.33	2.08	4.65	2.96	11.22
Endocrine	0.12	0.04	0.10	0.05	0.17	0.10	0.00	0.00	0.00	0.23	0.50	0.18	0.00	0.40	0.00	0.00	0.00
Eye	0.69	0.46	0.05	0.15	0.00	0.26	1.46	4.64	5.24	4.57	4.11	3.00	2.31	2.28	3.11	2.35	3.56
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.23	0.00	0.36	0.97	0.36	0.59	1.11	1.79
Haematology other	0.04	0.13	0.05	0.37	0.22	0.15	0.15	0.11	0.27	0.00	0.57	0.18	0.26	0.00	0.00	0.00	0.00
Hodgkin lymphoma	0.04	0.62	0.60	0.47	0.22	0.36	1.24	1.32	2.22	2.08	1.72	0.36	0.25	0.73	0.00	0.00	0.00
Ill defined	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.23	0.00	0.15	0.00	0.00	1.40	1.32	0.00
Kaposi Sarcoma	0.13	0.14	0.42	0.35	0.88	4.32	10.7	17.33	18.91	16.7	13.5	9.93	4.96	6.95	4.42	4.77	19.20
Kidney	0.57	1.25	0.16	0.00	0.04	0.16	0.14	0.30	0.37	0.65	1.73	2.72	2.73	3.04	3.00	3.40	0.54
Larynx	0.00	0.00	0.00	0.00	0.00	0.05	0.12	0.15	0.37	1.61	4.44	8.82	17.1	20.8	17.88	17.05	18.10
Leukaemia	0.49	0.81	0.90	0.91	0.31	0.73	0.97	0.80	0.98	1.29	1.38	2.20	3.24	3.69	7.56	1.14	5.50
Lip	0.00	0.00	0.00	0.00	0.00	0.11	0.14	0.16	0.10	0.39	0.18	0.56	0.26	0.00	1.39	1.17	0.00
Liver & Bile duct	0.13	0.14	0.00	0.15	0.14	0.22	0.37	0.88	1.93	2.17	2.96	3.34	5.41	5.75	9.80	5.03	19.05
Lung	0.00	0.00	0.00	0.00	0.04	0.12	0.24	0.38	1.97	6.62	13.8	24.91	34.4	35.5	35.44	39.47	46.72
Melanoma	0.00	0.00	0.00	0.00	0.00	0.11	0.20	0.40	0.40	0.74	1.68	1.92	2.62	3.10	4.59	3.59	19.72
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.12	1.16	1.82	2.99	0.74	3.62	2.28	3.66
Mouth	0.00	0.00	0.00	0.05	0.04	0.10	0.06	0.45	0.57	2.34	4.86	7.67	9.51	8.90	12.76	11.40	11.00
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.44	0.32	1.08	1.84	2.14	2.44	1.61	1.46	5.57	6.24
Naso-Oropharynx	0.00	0.00	0.10	0.10	0.23	0.16	0.13	0.15	0.67	1.89	3.09	5.92	8.37	11.2	7.96	7.53	12.12
Non Hodgkin lymphoma	0.08	0.27	0.30	0.48	0.44	1.20	2.68	5.03	8.25	8.34	10.1	10.64	7.85	8.30	9.13	11.11	17.52
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.06	0.20	0.70	2.07	6.16	16.7	25.35	35.1	42.0	49.16	61.35	102.57
Other specified	0.04	0.00	0.00	0.00	0.09	0.05	0.13	0.34	0.19	0.70	1.53	1.83	3.52	4.64	3.35	1.14	3.68
Pancreas	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.00	0.38	0.75	1.51	1.78	2.69	3.84	3.86	4.59	3.13
Penis	0.00	0.00	0.00	0.00	0.00	0.00	0.33	0.89	2.30	1.00	2.01	2.53	0.27	3.54	5.80	4.87	1.96
Primary site unknown	0.12	0.00	0.05	0.17	0.27	0.32	1.19	2.07	4.73	6.20	18.9	27.90	36.2	44.6	54.28	57.88	74.67
Prostate	0.00	0.00	0.00	0.05	0.04	0.05	0.15	0.11	1.17	4.64	18.6	57.26	123.	187.	275.4	442.76	640.43
SCC of skin	0.00	0.00	0.10	0.10	0.00	0.32	0.96	1.69	1.90	3.69	7.22	6.88	11.9	17.6	22.08	46.33	87.57
Salivary gland	0.06	0.00	0.07	0.02	0.04	0.05	0.18	0.37	0.32	0.86	0.57	2.49	1.10	1.99	3.83	5.57	5.38
Skin other	0.00	0.00	0.05	0.10	0.14	0.16	0.52	0.70	0.97	1.01	0.81	1.96	2.06	2.81	2.97	3.53	7.58
Small intestine	0.00	0.00	0.00	0.00	0.00	0.02	0.14	0.03	0.23	0.13	0.82	1.11	0.84	1.66	1.36	0.00	2.06
Stomach	0.00	0.00	0.00	0.00	0.05	0.11	0.28	0.65	1.57	2.48	4.91	9.55	10.1	12.2	20.87	24.23	30.76
Testis	0.00	0.22	0.00	0.19	0.22	0.10	0.38	0.09	0.37	0.11	0.00	0.18	0.00	0.36	0.59	0.00	1.79
Thyroid	0.00	0.00	0.01	0.00	0.00	0.07	0.07	0.16	0.00	0.02	0.96	0.20	1.12	1.19	0.00	0.00	2.32
Tongue	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.57	1.30	3.36	5.71	8.63	7.77	7.56	8.06	3.70

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2012: COLOURED FEMALES

(Calculations performed using the numbers of tumours at each site, by age and sex, after adjusting for tumours with missing information about age, sex, and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.00	0.00	0.52	0.86	0.10	1.67	0.93	4.28	1.62	8.02	8.62	8.71	0.00
BCC	0.00	0.00	0.48	0.00	0.51	2.68	5.94	10.49	16.76	21.72	46.8	76.1	121.	196.	257.05	298.54	797.80
Bladder	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.58	0.08	0.68	4.04	3.29	6.03	10.2	21.36	26.74	54.39
Bone	0.00	0.00	0.53	0.00	0.00	0.60	0.06	0.00	0.00	1.59	0.00	2.34	0.00	0.00	3.27	0.00	0.00
Brain, CNS	0.00	0.52	1.01	0.07	0.00	0.52	1.63	1.09	0.00	0.21	0.79	2.37	3.19	6.63	3.32	9.38	5.82
Breast	0.00	0.00	0.00	0.47	0.50	1.73	11.74	26.65	61.63	73.96	126.	145.	212.	241.	330.43	296.45	574.86
Burkitt lymphoma	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.00	1.16	0.00	0.00	0.00	1.38	0.00	0.00	0.00	0.00
Cervix	0.00	0.00	0.00	0.00	0.00	2.13	9.46	15.50	21.36	32.65	37.1	65.0	49.1	61.0	35.69	39.74	70.84
Colorectal	0.00	0.00	0.00	0.00	0.50	1.13	1.72	3.78	4.72	10.51	20.0	26.1	46.5	55.3	64.54	122.00	207.55
Connective tissue	0.86	0.05	0.00	1.45	1.49	0.06	0.00	1.07	2.34	1.41	0.88	1.27	2.93	6.26	11.53	5.37	17.52
Endocrine	0.00	0.45	0.00	0.46	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.36	0.00
Eye	0.02	0.00	0.00	0.00	0.01	0.55	0.58	1.06	0.64	0.74	0.84	1.07	0.03	0.00	0.00	0.00	0.13
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.51	0.00	0.66	0.00	1.03	0.28	2.00	0.00	0.00	0.00
Haematology other	0.00	0.00	0.47	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.44	4.35	11.64
Hodgkin lymphoma	0.00	0.00	0.00	1.86	0.99	1.05	1.55	1.56	0.57	0.66	0.00	0.00	2.77	4.01	0.00	0.00	0.00
Ill defined	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Kaposi Sarcoma	0.00	0.00	0.00	0.00	0.50	4.20	1.55	2.54	1.72	3.34	3.95	1.03	0.00	0.00	0.00	0.00	5.82
Kidney	0.86	0.45	0.94	0.00	0.50	0.52	0.00	0.00	1.13	1.33	1.70	5.45	11.0	6.01	8.62	26.12	0.00
Larynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.57	0.00	1.58	2.05	5.84	4.01	6.39	0.00	17.46
Leukaemia	0.50	3.16	0.47	0.46	1.49	0.52	1.04	0.51	0.66	1.44	1.58	3.08	9.92	12.0	8.62	8.71	29.10
Lip	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.33	0.00	0.00	0.00	0.00	2.87	0.00	0.44
Liver & Bile duct	0.00	0.05	0.00	0.00	0.00	0.52	0.06	0.00	1.13	2.66	4.03	0.22	2.77	6.23	6.05	9.63	7.06
Lung	0.00	0.00	0.00	0.00	0.50	0.00	0.52	1.01	1.82	4.95	13.1	38.2	33.5	67.4	48.96	80.33	42.17
Melanoma	0.00	0.00	0.00	0.00	0.50	0.52	1.04	2.53	2.83	4.65	5.53	4.11	15.2	10.2	20.64	30.47	34.91
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.57	0.00	0.00	2.05	2.77	2.00	0.00	0.00	5.82
Mouth	0.00	0.00	0.00	0.09	0.00	0.00	0.00	0.00	0.00	0.13	6.80	5.34	10.2	18.8	17.83	5.24	10.55
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.66	1.58	2.21	7.12	12.6	9.90	9.35	11.64
Naso-Oropharynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.57	1.44	5.00	3.42	2.77	4.34	5.75	5.08	11.64
Non Hodgkin lymphoma	0.00	0.45	0.00	0.46	0.00	1.57	3.11	1.05	3.40	5.43	2.51	6.16	7.16	16.3	25.86	21.76	35.94
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.00	0.53	0.00	1.72	1.41	10.4	7.29	18.3	20.3	32.09	9.26	23.63
Other specified	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.56	0.63	1.33	2.37	1.03	4.30	0.22	2.87	4.35	5.82
Ovary	0.00	0.00	0.00	0.00	0.55	0.06	0.70	0.51	1.33	2.22	4.14	9.49	8.63	18.3	29.45	22.80	8.48
Pancreas	0.00	0.00	0.00	0.00	0.00	0.00	0.52	0.00	0.00	0.66	0.09	3.33	0.00	8.26	17.59	4.35	6.52
Placenta	0.00	0.00	0.00	0.00	0.50	0.52	0.00	0.51	0.00	0.00	0.79	0.00	0.00	0.00	0.00	0.00	0.00
Primary site unknown	0.43	0.00	0.00	0.47	0.00	1.06	1.30	3.31	3.64	7.94	17.0	35.7	57.9	63.3	85.14	60.35	91.74
SCC of skin	0.00	0.46	0.00	0.00	0.00	0.00	0.58	0.52	4.07	6.81	13.7	20.0	21.2	61.8	88.39	147.29	430.16
Salivary gland	0.00	0.00	0.00	0.02	0.00	0.55	0.02	0.51	0.00	0.00	0.00	0.00	0.00	0.00	4.35	0.00	0.00
Skin other	0.00	0.00	0.00	0.00	0.00	1.16	0.59	0.58	1.25	1.47	0.84	0.18	1.59	2.30	3.30	4.99	25.68
Small intestine	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.89	1.03	0.17	2.25	3.22	13.06	0.00
Stomach	0.00	0.00	0.00	0.00	0.00	0.00	1.66	1.11	2.97	2.02	5.74	8.33	11.6	16.6	20.41	32.36	55.06
Thyroid	0.00	0.00	0.00	0.46	0.56	0.25	2.65	2.20	2.67	3.32	5.81	3.44	6.19	6.96	12.86	4.87	13.02
Tongue	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.12	3.95	5.05	7.17	8.02	11.49	18.21	18.53
Uterus	0.00	0.00	0.00	0.00	0.00	0.06	0.06	0.51	0.00	1.99	14.3	14.9	28.8	41.3	58.61	69.03	82.52
Vagina	0.00	0.00	0.00	0.46	0.00	0.00	0.00	0.00	0.57	2.66	0.00	3.08	2.77	2.19	2.87	4.35	5.82
Vulva	0.00	0.00	0.00	0.00	0.00	1.08	1.60	1.04	2.92	1.44	4.07	4.24	4.57	6.20	0.00	0.00	12.61

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2012: COLOURED MALES

(Calculations performed using the numbers of tumours at each site, by age and sex, after adjusting for tumours with missing information about age, sex, and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.61	0.00	1.58	0.00	2.43	3.72	0.32	9.37	8.73	15.21
BCC	0.00	0.00	0.47	0.00	0.51	1.67	4.11	8.06	24.13	38.61	65.98	115.67	210.33	378.10	567.30	775.62	2141.18
Bladder	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.64	0.62	3.84	8.13	27.27	33.68	91.33	113.19	96.07	323.81
Bone	0.00	0.00	0.05	0.97	2.09	0.05	0.11	0.60	0.00	0.00	0.00	0.00	0.00	2.80	4.69	0.00	0.00
Brain, CNS	0.05	0.50	0.00	0.67	1.00	0.06	1.11	0.00	1.25	1.74	1.91	3.78	5.48	3.44	14.59	27.19	30.41
Breast	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.61	0.00	1.67	6.20	0.00	5.90	3.55	20.98	39.08	68.04
Burkitt lymphoma	0.42	0.94	0.09	0.00	0.50	1.10	0.00	0.05	0.75	1.56	0.00	1.21	0.00	0.00	0.00	0.00	0.00
Colorectal	0.00	0.00	0.00	0.00	1.07	1.74	2.07	4.50	4.04	11.58	22.22	30.93	52.13	116.39	193.67	238.76	386.66
Connective tissue	0.90	0.45	0.06	0.00	0.75	0.55	1.19	0.00	1.96	3.18	1.93	3.81	8.83	11.60	19.41	9.87	15.26
Endocrine	0.00	0.00	0.00	0.00	0.50	0.55	0.00	0.00	0.62	0.75	0.11	0.00	0.00	0.66	0.00	0.00	0.00
Eye	0.93	0.47	0.00	0.00	0.50	1.15	0.63	0.62	2.02	2.24	0.16	0.00	0.00	0.00	0.00	0.00	0.69
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.81	0.00	0.00	5.60	9.37	0.00	0.00
Haematology other	0.42	0.64	0.00	0.93	1.49	0.00	0.12	0.12	0.00	0.00	0.00	0.00	4.29	2.80	0.00	8.73	30.41
Hodgkin lymphoma	0.00	0.45	0.46	0.93	0.00	1.10	1.67	1.69	1.87	2.24	1.81	1.21	0.00	0.00	0.00	0.00	0.00
Ill defined	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.17	0.00	0.00	0.00	0.00	8.73
Kaposi Sarcoma	0.00	0.00	0.00	0.00	0.00	1.68	7.42	3.91	5.09	5.41	0.96	8.67	5.38	2.86	0.00	8.90	15.50
Kidney	1.36	0.45	0.07	0.00	0.00	0.00	0.65	1.12	1.91	2.49	5.51	8.65	16.10	31.76	33.37	17.76	48.63
Larynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.81	3.03	6.43	12.35	23.47	34.88	19.06	11.07	46.37
Leukaemia	0.87	0.91	0.95	0.00	0.00	1.12	1.20	1.75	0.71	0.17	4.73	4.01	7.21	5.74	14.94	44.73	62.30
Lip	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.00	0.07	0.09	2.43	0.00	11.21	5.15	0.00	15.21
Liver & Bile duct	0.00	0.00	0.00	0.00	0.00	1.10	0.59	0.07	1.38	1.64	0.97	2.51	3.88	5.60	9.69	27.39	0.00
Lung	0.00	0.45	0.00	0.00	0.00	0.11	0.78	0.00	4.77	18.70	40.63	71.43	119.67	141.76	197.61	336.56	256.40
Melanoma	0.00	0.00	0.00	0.00	0.00	0.00	0.58	1.71	4.62	2.33	5.65	15.20	7.34	29.21	35.19	63.74	161.70
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.92	0.00	9.05	20.19	9.41	32.75
Mouth	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.46	7.04	2.89	12.72	22.51	24.46	17.07	35.54	61.87
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.55	0.08	0.09	1.13	7.29	3.52	8.76	9.96	8.73	32.32
Naso-Oropharynx	0.00	0.00	0.00	0.46	0.00	0.55	0.00	2.19	0.21	5.96	8.13	12.15	24.06	21.52	14.06	18.95	32.99
Non Hodgkin lymphoma	0.43	0.00	0.94	0.00	0.51	2.22	2.26	2.92	4.49	3.97	8.40	11.19	10.85	17.29	29.32	46.52	93.81
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.61	0.64	3.04	11.23	31.08	48.75	49.36	34.79	53.42	31.00
Other specified	0.00	0.00	0.00	0.00	0.00	0.58	0.00	0.07	0.00	1.58	0.12	3.86	4.19	12.24	5.58	27.77	0.00
Pancreas	0.00	0.00	0.00	0.00	0.00	0.00	0.56	0.55	0.00	0.08	1.91	2.70	5.67	14.32	19.27	0.00	33.77
Penis	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.62	2.24	0.00	4.86	0.00	8.41	14.06	0.00	0.00
Primary site unknown	0.00	0.00	0.00	0.07	0.00	0.00	1.78	3.60	8.01	9.03	31.32	49.89	78.96	119.48	137.41	183.59	130.78
Prostate	0.00	0.00	0.00	0.47	0.50	0.00	0.07	0.07	0.71	10.87	39.54	139.63	234.06	497.26	746.40	1166.79	1440.87
SCC of skin	0.00	0.00	0.00	0.00	0.00	0.00	3.36	1.11	3.78	10.59	19.14	30.74	72.74	175.23	264.74	352.35	1180.84
Salivary gland	0.05	0.00	0.52	0.06	0.00	0.00	0.00	1.64	0.08	0.09	0.00	2.43	1.97	5.60	5.25	43.67	3.66
Skin other	0.00	0.00	0.00	0.46	1.00	0.00	0.56	0.55	1.25	0.84	1.92	3.79	5.28	17.16	10.53	17.47	45.62
Small intestine	0.00	0.00	0.00	0.00	0.00	0.11	0.00	1.29	1.06	1.60	1.93	1.55	5.65	0.00	5.02	9.35	0.00
Stomach	0.00	0.00	0.00	0.00	0.00	0.55	0.66	0.65	2.62	9.98	13.59	16.49	35.90	75.06	105.07	90.70	200.90
Testis	0.42	0.00	0.00	0.00	1.54	2.19	2.84	0.60	0.62	1.49	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Thyroid	0.00	0.00	0.07	0.00	0.00	0.08	1.11	0.00	1.87	1.60	5.56	2.43	3.78	0.00	4.69	0.00	2.28
Tongue	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.63	3.78	12.29	14.81	20.34	30.71	31.38	17.74	30.88

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2012: WHITE FEMALES

(Calculations performed using the numbers of tumours at each site, by age and sex, after adjusting for tumours with missing information about age, sex, and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.00	0.78	0.67	0.61	0.78	0.99	0.73	0.78	1.51	2.35	2.09	6.10	6.45
BCC	0.00	0.75	0.00	0.65	4.52	22.04	46.78	113.33	150.46	206.29	255.10	345.35	398.79	604.06	722.84	894.52	1229.63
Bladder	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.37	0.94	4.08	1.73	9.60	11.18	23.28	28.10	36.64	56.41
Bone	0.00	0.00	2.08	0.64	0.00	0.00	0.18	1.40	1.23	1.91	1.73	1.24	1.97	0.00	1.00	1.47	1.24
Brain, CNS	2.36	1.08	0.32	0.94	1.90	0.00	1.58	1.72	3.09	6.37	1.73	4.29	5.20	8.21	5.47	3.61	3.72
Breast	0.00	0.00	0.00	0.00	0.00	8.10	24.89	84.03	117.99	159.80	201.25	220.36	276.06	346.58	341.13	410.67	421.50
Burkitt lymphoma	0.00	0.74	0.69	0.00	0.00	0.00	0.13	0.70	0.06	1.17	0.00	0.00	0.00	0.75	0.00	0.00	0.00
Cervix	0.00	0.00	0.00	0.00	0.64	9.04	14.23	36.85	42.48	35.64	39.19	37.17	23.87	23.48	24.58	23.65	21.25
Colorectal	0.00	0.00	0.00	0.00	0.00	1.14	3.24	8.09	11.78	18.45	23.78	47.55	70.48	91.99	122.18	151.50	205.20
Connective tissue	3.15	1.63	0.70	0.77	0.64	1.65	1.29	1.54	0.74	0.70	3.58	3.35	2.76	5.42	4.02	4.99	8.70
Endocrine	0.00	0.00	0.00	0.64	0.00	0.00	0.80	0.00	0.62	0.00	0.58	0.62	0.66	0.00	0.00	0.37	0.00
Eye	0.91	0.00	0.00	0.00	0.03	0.06	0.82	0.86	1.48	0.74	1.93	0.71	0.03	0.00	1.07	0.00	2.71
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.58	0.00	0.89	2.25	1.00	1.47	0.00
Haematology other	0.00	0.00	0.00	0.12	0.00	1.49	0.00	0.00	0.00	0.58	0.00	0.62	0.00	0.00	1.19	0.00	0.00
Hodgkin lymphoma	0.00	0.74	0.69	2.57	4.44	5.23	3.85	2.96	0.62	1.75	1.73	1.86	1.97	1.50	0.00	5.86	2.48
Ill defined	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.01	0.00	0.00
Kaposi Sarcoma	0.00	0.00	0.00	0.00	1.27	2.24	5.77	4.91	1.87	1.77	0.58	0.00	0.00	0.00	0.00	0.00	0.00
Kidney	2.36	1.48	0.69	0.00	0.00	0.00	0.64	2.79	2.47	4.08	2.53	7.90	9.18	10.51	9.02	17.59	9.91
Larynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.62	1.17	2.31	3.09	4.83	1.50	3.37	2.93	0.00
Leukaemia	3.34	2.96	2.08	0.64	0.63	1.49	0.00	0.70	3.24	0.73	4.03	4.33	4.76	3.75	9.02	7.33	11.15
Lip	0.00	0.00	0.00	0.00	0.00	0.00	0.64	1.40	0.00	0.00	1.15	1.86	0.00	3.00	2.00	1.47	6.82
Liver & Bile duct	0.00	0.21	0.00	0.00	0.63	0.75	1.47	0.70	0.62	1.17	3.05	2.83	3.28	9.98	3.29	8.16	20.53
Lung	0.00	0.00	0.00	0.64	0.00	0.75	0.00	2.10	4.63	8.96	15.85	32.16	28.84	55.57	56.62	79.84	63.18
Melanoma	0.79	0.00	0.00	0.65	0.64	6.79	12.31	19.04	18.08	32.37	32.61	28.75	31.15	33.89	48.91	47.38	90.14
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.75	0.00	0.00	0.00	0.58	0.00	1.24	1.97	3.75	4.01	2.93	1.24
Mouth	0.00	0.00	0.00	0.90	0.00	0.00	0.66	1.44	0.00	2.01	3.60	5.32	5.88	7.51	9.65	11.10	14.57
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.16	1.17	0.58	0.16	6.08	8.66	9.81	6.25	6.20
Naso-Oropharynx	0.00	0.00	0.00	0.00	0.63	0.75	0.00	0.70	0.00	1.34	2.65	2.85	5.90	5.48	4.01	4.84	2.48
Non Hodgkin lymphoma	0.00	0.74	1.40	0.65	1.91	3.75	2.58	6.50	4.34	3.23	8.99	17.41	14.84	20.77	25.17	32.40	33.02
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.26	5.32	8.25	7.48	6.94	12.34	13.70	13.99
Other specified	0.00	0.00	0.00	0.00	0.00	0.00	0.64	0.20	0.79	1.17	1.73	4.95	4.12	3.97	4.01	4.40	2.48
Ovary	0.00	0.00	0.00	0.00	0.27	0.32	3.39	2.80	4.50	8.33	13.19	16.02	21.59	20.64	29.96	26.21	24.45
Pancreas	0.00	0.00	0.00	0.00	0.00	0.00	0.64	0.00	0.00	1.75	3.78	5.63	9.18	11.68	13.57	14.66	10.59
Placenta	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Primary site unknown	0.00	0.00	0.00	0.00	0.00	0.00	1.99	7.12	12.38	15.85	16.30	37.09	42.65	56.91	65.88	85.51	94.56
SCC of skin	0.00	0.75	0.00	0.00	0.00	3.03	2.44	3.54	15.02	28.36	48.52	86.59	114.43	175.75	291.58	451.90	805.78
Salivary gland	0.00	0.00	0.00	0.11	0.00	0.13	0.11	0.00	0.62	0.00	0.58	0.00	1.31	2.25	1.00	1.47	3.72
Skin other	0.00	0.77	0.00	0.00	0.66	0.32	0.28	1.02	2.19	5.69	3.58	8.87	4.36	10.44	14.97	3.67	25.47
Small intestine	0.00	0.00	0.00	0.00	0.00	0.00	0.64	0.70	0.00	0.58	0.79	0.62	2.21	1.02	5.37	4.40	4.96
Stomach	0.00	0.00	0.00	0.00	0.00	0.75	1.51	3.04	0.83	2.91	4.24	6.81	10.96	22.79	23.04	24.48	38.05
Thyroid	0.00	0.00	0.00	0.65	2.87	12.03	7.42	9.49	21.73	12.30	11.31	12.76	12.54	11.34	17.14	11.06	5.00
Tongue	0.00	0.00	0.00	0.00	0.00	0.00	1.28	1.40	0.89	2.00	5.19	6.30	9.47	5.26	5.01	13.83	11.69
Uterus	0.00	0.00	0.00	0.00	0.00	0.18	2.07	1.40	8.02	6.99	13.97	23.00	29.44	32.60	37.12	49.66	37.90
Vagina	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.62	1.17	1.73	1.86	1.97	3.85	2.00	0.00	2.48
Vulva	0.00	0.00	0.00	0.00	0.00	0.00	0.64	0.00	1.85	2.44	5.76	3.71	4.19	6.01	6.01	13.19	11.39

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2012: WHITE MALES

(Calculations performed using the numbers of tumours at each site, by age and sex, after adjusting for tumours with missing information about age, sex, and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.16	0.62	1.30	1.19	1.94	2.28	2.79	1.28	6.80	8.78
BCC	0.00	0.00	1.37	1.89	3.75	21.64	51.98	111.45	202.31	259.89	395.92	562.57	663.59	1043.56	1307.56	2109.48	3310.19
Bladder	0.76	0.00	0.00	0.00	0.00	0.00	0.64	4.30	7.46	10.31	15.45	32.87	49.27	83.54	145.16	274.17	416.48
Bone	0.76	1.44	0.87	0.80	3.43	2.50	0.36	0.20	0.62	1.75	0.59	1.94	0.00	0.86	3.83	2.27	0.00
Brain, CNS	2.66	3.23	0.67	3.07	0.62	2.65	3.22	5.73	4.35	3.77	11.58	8.70	8.83	10.35	17.22	12.43	8.78
Breast	0.00	0.00	0.00	0.00	0.00	0.00	0.66	0.00	0.00	4.21	5.71	3.32	10.20	10.09	7.89	14.00	21.10
Burkitt lymphoma	0.76	0.09	1.51	0.62	0.62	0.00	0.00	0.80	1.39	0.07	1.19	0.65	0.00	0.86	0.00	0.00	0.00
Colorectal	0.00	0.00	0.00	0.00	0.34	1.95	8.88	6.15	19.13	27.93	36.67	64.05	84.83	132.45	224.10	312.42	466.37
Connective tissue	0.22	0.00	1.57	0.63	1.35	0.00	1.50	1.46	2.71	4.50	5.61	4.78	5.03	6.40	12.05	28.29	20.81
Endocrine	0.76	0.00	0.00	0.00	0.00	0.00	0.64	1.43	0.00	1.17	0.77	0.00	0.00	1.37	1.28	2.27	0.00
Eye	0.93	2.20	0.00	0.00	0.00	0.08	0.11	1.55	0.79	1.17	1.32	1.29	2.12	0.00	1.28	0.00	0.16
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.59	0.65	0.71	0.00	2.55	2.27	5.85
Haematology other	0.76	0.32	0.00	0.00	0.00	0.76	0.14	0.87	0.00	1.17	1.19	0.65	0.31	0.86	3.83	2.27	0.00
Hodgkin lymphoma	0.00	1.47	0.69	1.27	6.29	4.66	2.63	2.35	2.54	3.58	1.82	1.97	1.44	1.76	0.00	0.00	2.99
Ill defined	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.09	0.00	0.86	0.00	0.00	0.00
Kaposi Sarcoma	0.00	0.00	0.00	0.00	0.00	4.65	5.30	6.57	6.97	5.43	3.05	1.31	0.72	0.00	1.30	2.31	2.98
Kidney	1.93	2.91	1.03	0.00	0.62	0.00	0.98	3.62	4.40	11.21	10.80	17.58	19.28	27.50	41.26	48.04	28.09
Larynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.12	8.38	13.65	18.01	15.27	32.17	24.03	29.49
Leukaemia	3.05	2.88	2.70	0.00	1.85	1.52	2.79	1.67	5.18	6.23	4.95	6.88	7.07	11.24	28.52	18.13	32.19
Lip	0.00	0.00	0.00	0.00	0.00	0.00	2.34	0.00	1.87	3.88	2.16	5.16	4.95	3.46	11.04	11.33	14.63
Liver & Bile duct	0.00	0.00	0.00	0.00	1.23	0.00	1.46	1.11	1.75	3.40	1.94	4.05	9.77	14.70	6.73	14.83	40.97
Lung	0.00	0.00	0.00	0.00	0.62	1.03	1.10	2.16	3.78	11.58	31.09	49.06	59.73	86.06	133.91	201.09	212.59
Melanoma	0.00	0.00	0.00	0.00	1.88	6.19	7.85	21.11	20.72	25.52	25.96	37.36	44.57	65.90	92.85	142.75	174.10
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.62	0.00	1.19	4.52	4.24	9.51	17.88	18.13	35.12
Mouth	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.45	3.49	5.05	4.96	15.98	12.94	17.56	16.91	20.57	11.81
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.73	2.14	1.42	2.88	3.94	5.76	7.38	9.60	11.53	30.93
Naso-Oropharynx	0.76	0.00	0.67	0.62	0.00	0.76	1.29	1.43	5.94	2.92	4.16	5.81	12.79	22.55	10.22	11.94	9.57
Non Hodgkin lymphoma	0.00	0.72	0.00	1.87	1.85	3.81	0.00	9.23	8.28	10.45	14.62	13.10	27.82	30.55	44.21	65.48	91.67
Oesophagus	0.00	0.00	0.00	0.00	0.63	0.00	0.65	0.85	0.63	5.34	6.85	21.08	23.24	30.32	40.89	52.94	35.67
Other specified	0.00	0.00	0.00	0.66	0.00	0.81	1.38	1.78	0.00	0.62	1.47	4.14	5.02	3.07	10.00	14.55	12.52
Pancreas	0.00	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.00	3.84	2.10	9.13	12.16	17.04	16.14	18.32	38.46
Penis	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.34	0.59	0.65	2.12	2.59	1.28	0.00	8.78
Primary site unknown	0.78	0.00	0.00	0.18	0.63	1.56	0.84	5.01	10.88	14.13	21.84	37.26	60.67	65.85	86.62	120.60	131.14
Prostate	0.00	0.00	0.00	0.63	0.00	0.00	0.29	1.04	4.66	15.14	69.53	190.85	322.13	551.67	744.91	1075.86	1209.33
SCC of skin	0.00	0.00	0.00	0.63	0.00	2.31	9.10	14.47	23.88	52.97	87.02	149.72	250.79	397.38	612.76	1089.41	2144.93
Salivary gland	0.29	0.00	0.26	0.24	0.00	0.78	0.66	0.73	0.87	1.42	1.82	0.66	6.05	7.06	9.61	16.18	20.17
Skin other	0.00	0.00	0.00	1.24	0.00	1.52	0.64	2.15	3.11	2.62	5.04	7.41	7.07	9.06	22.94	33.99	73.16
Small intestine	0.00	0.00	0.00	0.00	0.00	0.29	0.00	0.99	1.32	0.58	0.00	2.82	6.37	2.59	5.11	6.80	2.93
Stomach	0.00	0.00	0.00	0.00	0.00	0.00	0.90	3.17	4.00	6.34	12.55	26.72	29.73	41.37	63.95	74.72	160.10
Testis	0.00	0.00	0.00	1.24	5.94	15.99	13.28	13.35	8.71	6.42	2.38	2.58	0.71	0.00	1.28	2.27	0.00
Thyroid	0.00	0.00	0.42	0.00	1.85	1.24	3.22	4.30	3.11	3.29	5.72	6.45	4.69	9.51	8.94	6.80	13.54
Tongue	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.72	3.14	4.13	8.17	5.86	17.25	11.55	17.95	11.44	23.65

**APPENDIX I: Information was missing about sex, although population group information was present.**

**POPULATION GROUP: ALL**

SITE	AGE GROUP	45-49	50-54	65-69	75-79	80-8	UK	TOTAL
BCC		0	0	1	0	0	5	6
COLORECTAL		0	0	0	0	0	1	1
LEUKAEMIA		0	0	0	0	0	1	1
PRIMARY SITE UNKNOWN		1	1	1	1	0	4	8
SCC OF SKIN		0	0	0	0	1	6	7
SALIVARY GLAND		0	0	1	0	0	0	1
<b>TOTAL</b>		<b>1</b>	<b>1</b>	<b>3</b>	<b>1</b>	<b>1</b>	<b>17</b>	<b>24</b>

**POPULATION GROUP: ASIAN**

SITE	AGE GROUP	UK	TOTAL
COLORECTAL		1	1
PRIMARY SITE UNKNOWN		1	1
<b>TOTAL</b>		<b>2</b>	<b>2</b>

**POPULATION GROUP: BLACK**

SITE	AGE GROUP	45-49	50-54	65-69	75-79	UK	TOTAL
BCC		0	0	1	0	0	1
LEUKAEMIA		0	0	0	0	1	1
PRIMARY SITE UNKNOWN		1	1	0	1	2	5
SCC OF SKIN		0	0	0	0	2	2
SALIVARY GLAND		0	0	1	0	0	1
<b>TOTAL</b>		<b>1</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>5</b>	<b>10</b>

**POPULATION GROUP:  
COLOURED**

NIL

**POPULATION GROUP: WHITE**

SITE	AGE GROUP	UK	TOTAL
BCC		5	5
PRIMARY SITE UNKNOWN		1	1
SCC OF SKIN		4	5
<b>TOTAL</b>		<b>10</b>	<b>11</b>

**POPULATION GROUP: UNKNOWN**

SITE	65-69	TOTAL
PRIMARY SITE UNKNOWN	1	1
<b>TOTAL</b>	<b>1</b>	<b>1</b>

APPENDIX IIA: Information was missing about population group, although information about sex was present.

FEMALES

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Age U/K	Total
Anus	0	0	0	0	0	0	0	4	1	3	1	1	1	0	0	0	0	0	0	11
BCC	0	0	0	0	0	0	2	3	9	19	19	15	22	28	24	20	13	17	1	192
Bladder	0	0	0	0	0	0	0	1	1	0	0	1	2	0	2	0	0	1	0	8
Bone	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	2
Brain, CNS	0	1	1	1	0	0	1	1	0	2	0	2	2	2	1	1	0	0	0	15
Breast	0	0	0	0	0	2	4	4	10	14	15	13	14	11	6	4	6	3	121	
Burkitt lymphoma	0	0	0	0	0	0	2	0	1	0	0	0	0	0	0	0	0	0	0	3
Cervix	0	0	0	0	0	0	0	4	3	8	5	7	1	0	4	0	0	0	0	32
Colorectal	0	0	0	0	0	1	2	3	2	5	8	9	10	10	9	6	7	3	0	75
Connective tissue	0	1	0	1	0	1	0	1	1	1	1	1	2	1	1	0	2	0	0	14
Endocrine	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	2
Eye	2	0	0	0	1	2	5	4	6	5	3	2	1	0	0	0	0	1	1	33
Gum	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
Haematology other	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2
Hogkin lymphoma	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
Ill defined	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Kaposi Sarcoma	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	3
Kidney	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	3
Larynx	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	2
Leukaemia	1	0	0	0	0	0	0	0	1	1	0	0	1	0	0	0	0	0	0	4
Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
Liver & Bile duct	0	1	0	0	0	0	1	0	0	0	1	2	0	1	1	2	1	1	0	11
Lung	0	0	0	0	0	0	0	0	1	7	3	6	6	8	5	7	6	0	0	49
Melanoma	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0	3
Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Mouth	0	0	0	1	0	0	0	0	0	1	3	1	2	2	1	1	3	1	0	16
Myeloma	0	0	0	0	0	0	0	0	1	0	0	1	1	2	3	1	0	0	0	9
Naso-Oropharynx	0	0	0	0	0	0	0	0	0	1	2	2	0	1	0	1	0	0	0	7
Non Hodgkin lymphoma	0	0	0	0	0	0	0	1	0	2	2	0	2	2	0	0	0	2	0	11
Oesophagus	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1	0	0	0	0	3
Other specified	0	0	0	0	0	0	0	1	1	0	0	0	1	1	0	0	0	0	0	4
Ovary	0	0	0	0	1	1	3	0	3	3	2	2	2	1	2	2	0	4	1	27
Pancreas	0	0	0	0	0	0	0	0	0	0	1	2	0	1	1	0	1	0	0	6
Placenta	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Primary site unknown	0	0	0	0	0	0	4	4	3	7	11	12	12	10	11	6	4	1	3	88
SCC of skin	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	1	0	0	3
Salivary gland	0	0	0	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	3
Skin other	0	0	0	0	0	1	1	1	1	1	0	2	1	1	1	1	0	2	1	14
Small intestine	0	0	0	0	0	0	0	0	0	0	1	0	1	1	1	0	0	0	0	4
Stomach	0	0	0	0	0	0	1	1	1	0	1	0	2	1	0	2	2	0	0	11
Thyroid	0	0	0	0	1	4	1	3	6	0	3	3	4	4	4	1	1	1	0	36
Tongue	0	0	0	0	0	0	0	0	1	1	0	5	1	0	0	1	0	1	0	10
Uterus	0	0	0	0	0	1	1	0	0	0	1	5	8	6	13	8	8	3	0	54
Vagina	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
Vuiva	0	0	0	0	0	0	0	0	0	1	0	0	2	0	0	0	0	1	0	4
Total	3	3	1	5	3	14	32	38	54	85	84	99	102	100	98	70	51	46	11	899

APPENDIX IIB: Information was missing about population group, although information about sex was present.

MALES

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Age U/K	Total
Anus	0	0	0	0	0	0	0	1	0	1	0	0	1	1	0	0	0	0	0	4
BCC	0	0	0	0	0	0	3	5	11	11	10	19	19	41	44	26	22	17	7	235
Bladder	0	0	0	0	0	0	0	0	0	1	0	3	1	4	1	0	2	0	0	12
Bone	0	0	1	1	2	1	2	1	0	0	0	0	0	0	0	0	0	0	0	8
Brain, CNS	1	1	0	4	0	1	0	0	0	3	1	1	1	2	1	1	0	0	0	17
Breast	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	2
Burkitt lymphoma	0	1	2	0	0	0	0	1	2	1	0	0	0	0	0	0	0	0	0	7
Colorectal	0	0	0	0	1	1	5	1	3	3	10	9	10	23	7	8	11	5	1	98
Connective tissue	1	0	1	0	4	0	1	0	1	2	1	1	0	1	1	1	0	0	1	16
Endocrine	0	0	0	0	0	0	0	0	0	0	1	0	0	2	0	0	0	0	0	3
Eye	4	1	0	0	0	2	3	3	5	0	4	0	0	0	0	0	0	1	0	23
Gum	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Haematology other	0	2	0	0	0	0	1	1	0	0	0	0	2	0	0	0	0	0	0	6
Hogkin lymphoma	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
Ill defined	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	2
Kaposi Sarcoma	0	0	0	0	0	0	2	0	0	3	1	0	0	0	0	0	0	0	0	6
Kidney	1	0	1	0	0	0	1	0	0	2	0	0	0	1	0	0	1	0	0	7
Larynx	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	2	0	0	0	5
Leukaemia	0	0	0	0	0	0	1	1	1	2	1	2	0	0	1	0	0	0	0	9
Lip	0	0	0	0	0	0	1	0	0	1	1	0	0	0	1	0	0	0	0	4
Liver & Bile duct	0	0	0	0	0	0	1	2	3	3	1	1	3	0	1	2	0	0	0	17
Lung	0	0	0	0	0	1	2	0	3	5	9	8	9	12	10	7	3	1	0	70
Melanoma	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2	0	1	1	0	5
Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Mouth	0	0	0	0	0	0	0	2	2	1	2	4	4	4	4	0	0	0	0	19
Myeloma	0	0	0	0	0	0	0	0	1	1	2	0	0	1	1	0	1	0	0	7
Naso-Oropharynx	0	0	0	0	0	0	0	0	2	0	0	0	4	4	0	1	0	1	0	12
Non Hodgkin lymphoma	0	0	0	0	0	0	0	3	1	3	2	1	1	1	2	3	1	0	1	19
Oesophagus	0	0	0	0	0	0	0	1	0	0	2	1	2	3	3	0	0	0	0	12
Other specified	0	0	0	0	0	0	0	1	0	0	1	0	2	1	1	0	0	0	0	6
Pancreas	0	0	0	0	0	0	0	0	0	1	1	2	2	1	1	0	2	0	0	10
Penis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Primary site unknown	0	0	0	1	0	0	1	3	4	6	7	9	14	12	12	11	1	2	3	86
Prostate	0	0	0	0	0	0	1	1	1	4	12	34	42	59	58	54	27	22	10	325
SCC of skin	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	2
Salivary gland	1	0	1	1	0	0	0	0	1	1	0	0	1	0	1	0	0	2	0	9
Skin other	0	0	0	0	0	0	0	0	0	1	1	1	0	1	2	0	0	0	0	6
Small intestine	0	0	0	0	0	1	0	1	3	0	0	1	0	0	0	0	0	0	0	6
Stomach	0	0	0	0	0	0	1	1	1	2	0	3	2	4	2	2	1	0	2	21
Testis	0	0	0	0	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0	3
Thyroid	0	0	1	0	0	1	0	0	0	1	1	0	1	0	0	0	1	0	0	6
Tongue	0	0	0	0	0	0	0	0	0	0	2	0	7	4	3	0	0	0	0	16
Total	8	5	7	7	8	8	27	29	46	61	74	100	129	185	159	118	74	52	25	1122