

**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2016**  
**FEMALE - ALL POPULATION GROUPS COMBINED**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Breast	9548	9548	22.58	33.32	35.95	35.23	36.69	4.02	25
Cervix	7327	7327	17.33	25.57	26.96	26.34	27.59	2.85	35
BCC	6154	6160	14.55	21.5	22.97	22.39	23.56	2.67	38
SCC of skin	2671	2673	6.32	9.33	9.39	9.03	9.76	0.96	104
Primary site unknown	1964	1970	4.64	6.87	7.45	7.12	7.8	0.88	114
Colorectal	1819	1819	4.3	6.35	6.81	6.5	7.14	0.79	127
Uterus	1446	1446	3.42	5.05	5.67	5.38	5.98	0.74	135
Lung	1088	1088	2.57	3.8	4.25	3.99	4.51	0.55	182
Non Hodgkin lymphoma	1101	1101	2.6	3.84	3.94	3.71	4.19	0.42	239
Melanoma	950	951	2.25	3.32	3.5	3.27	3.73	0.38	262
Oesophagus	853	853	2.02	2.98	3.26	3.04	3.49	0.39	255
Ovary	661	661	1.56	2.31	2.52	2.33	2.73	0.30	337
Kaposi Sarcoma	716	717	1.69	2.5	2.26	2.09	2.43	0.19	540
Vulva	552	552	1.31	1.93	1.89	1.73	2.06	0.18	543
Thyroid	485	485	1.15	1.69	1.76	1.6	1.92	0.18	550
Stomach	461	461	1.09	1.61	1.73	1.57	1.9	0.20	492
Bladder	366	366	0.87	1.28	1.38	1.24	1.53	0.17	590
Kidney	304	304	0.72	1.06	1.17	1.04	1.31	0.12	806
Connective tissue	286	286	0.68	1	1.04	0.92	1.17	0.10	996
Eye	295	295	0.7	1.03	1	0.89	1.12	0.08	1189
Hodgkin lymphoma	277	277	0.66	0.97	0.92	0.81	1.04	0.08	1269
Other specified	233	233	0.55	0.81	0.88	0.77	1	0.10	988
Leukaemia	227	227	0.54	0.79	0.83	0.73	0.95	0.09	1107
Mouth	217	217	0.51	0.76	0.82	0.72	0.94	0.10	1026
Vagina	214	214	0.51	0.75	0.79	0.69	0.91	0.09	1109
Liver & Bile duct	206	207	0.49	0.72	0.77	0.67	0.88	0.08	1208
Pancreas	192	192	0.45	0.67	0.75	0.65	0.87	0.10	1020
Skin other	200	201	0.47	0.7	0.71	0.61	0.82	0.07	1460
Brain, CNS	188	188	0.44	0.66	0.69	0.59	0.8	0.07	1458
Myeloma	165	166	0.39	0.58	0.65	0.55	0.76	0.08	1302
Anus	182	182	0.43	0.64	0.63	0.54	0.73	0.07	1512
Tongue	160	160	0.38	0.56	0.61	0.52	0.71	0.07	1414
Naso-Oropharynx	128	129	0.3	0.45	0.49	0.41	0.58	0.05	1894
Placenta	113	113	0.27	0.39	0.35	0.29	0.42	0.03	3884
Larynx	84	84	0.2	0.29	0.33	0.26	0.41	0.04	2340
Bone	83	84	0.2	0.29	0.3	0.24	0.38	0.03	3697
Salivary gland	81	81	0.19	0.28	0.3	0.24	0.38	0.03	2986
Small intestine	75	75	0.18	0.26	0.29	0.23	0.36	0.03	2891
Mesothelioma	54	54	0.13	0.19	0.2	0.15	0.27	0.03	3854
Burkitt lymphoma	56	56	0.13	0.2	0.19	0.15	0.25	0.02	6370
Haematology other	45	45	0.11	0.16	0.16	0.12	0.22	0.02	6212
Endocrine	30	30	0.07	0.1	0.11	0.07	0.16	0.01	9853
Gum	15	15	0.04	0.05	0.05	0.03	0.09	0.00	20409
Lip	10	10	0.02	0.03	0.04	0.02	0.07	0.01	16807
Ill defined	6	6	0.01	0.02	0.02	0.01	0.05	0.00	29412
Total	42288	42309	100.02	116.83	124.42	118.06	131.34	13.84	7

**NOTES:**  
 N(OBS) Number of new cases with sex known  
 N(ADJ) Number of new cases adjusted for those with sex unknown  
 % Percentage of all cancers  
 CRUDE Adjusted cases per 100 000/year  
 ASR Age standardised incidence rate per 100 000 (World standard population)  
 The ASR calculation incorporates an adjustment for the proportion of cases with age unknown  
 95% L/UCL Lower/Upper 95% confidence intervals for the ASR  
 CUMRISK 0-74 Cumulative lifetime incidence risk (0-74 years) (per 100 people)  
 LR 0-74 Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people  
**\*TOTALS** The rates calculated for the total exclude BCC and SCC of the skin

**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2016**  
**MALE - ALL POPULATION GROUPS COMBINED**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Prostate	8332	8332	21.33	30.53	47.48	46.46	48.52	5.97	17
BCC	8260	8263	21.15	30.28	44.86	43.88	45.85	5.02	20
SCC of skin	4279	4285	10.95	15.7	24.28	23.55	25.03	2.56	39
Colorectal	2065	2065	5.29	7.57	11.01	10.54	11.51	1.32	76
Lung	1892	1892	4.84	6.93	10.23	9.77	10.71	1.31	77
Primary site unknown	1890	1893	4.84	6.94	9.7	9.26	10.15	1.16	86
Melanoma	1139	1139	2.92	4.17	5.88	5.54	6.24	0.65	153
Non Hodgkin lymphoma	1290	1291	3.3	4.73	5.83	5.5	6.17	0.63	160
Bladder	997	997	2.55	3.65	5.61	5.27	5.98	0.63	158
Oesophagus	964	964	2.47	3.53	5.06	4.74	5.4	0.62	161
Stomach	803	803	2.06	2.94	4.27	3.97	4.58	0.51	195
Kaposi Sarcoma	1114	1115	2.85	4.09	3.95	3.71	4.2	0.35	287
Larynx	475	475	1.22	1.74	2.54	2.32	2.78	0.33	305
Kidney	439	441	1.12	1.62	2.19	1.99	2.41	0.26	381
Mouth	377	377	0.97	1.38	1.92	1.73	2.13	0.23	428
Naso-Oropharynx	381	381	0.98	1.4	1.9	1.71	2.1	0.24	425
Tongue	295	295	0.76	1.08	1.55	1.37	1.73	0.20	507
Liver & Bile duct	306	306	0.78	1.12	1.51	1.34	1.69	0.16	607
Hodgkin lymphoma	366	366	0.94	1.34	1.38	1.24	1.53	0.12	845
Connective tissue	306	306	0.78	1.12	1.37	1.21	1.53	0.13	752
Leukaemia	264	264	0.68	0.97	1.22	1.07	1.38	0.12	801
Brain, CNS	256	256	0.66	0.94	1.14	1	1.3	0.12	835
Pancreas	199	200	0.51	0.73	1.08	0.93	1.24	0.14	708
Eye	271	271	0.69	0.99	1.05	0.93	1.19	0.09	1064
Skin other	206	206	0.53	0.75	1.02	0.88	1.17	0.10	990
Breast	188	188	0.48	0.69	1.01	0.86	1.16	0.12	828
Myeloma	172	172	0.44	0.63	0.92	0.79	1.07	0.11	887
Other specified	180	180	0.46	0.66	0.91	0.78	1.06	0.11	900
Penis	197	197	0.5	0.72	0.9	0.78	1.04	0.10	1050
Testis	240	240	0.61	0.88	0.82	0.72	0.94	0.07	1436
Mesothelioma	140	140	0.36	0.51	0.79	0.66	0.93	0.09	1109
Anus	135	135	0.35	0.49	0.61	0.51	0.72	0.07	1403
Thyroid	126	126	0.32	0.46	0.58	0.48	0.69	0.07	1496
Salivary gland	101	101	0.26	0.37	0.51	0.41	0.62	0.06	1573
Small intestine	89	89	0.23	0.33	0.48	0.38	0.59	0.06	1725
Bone	112	112	0.29	0.41	0.44	0.36	0.53	0.04	2608
Haematology other	60	60	0.15	0.22	0.26	0.2	0.34	0.02	4330
Burkitt lymphoma	72	72	0.18	0.26	0.26	0.2	0.32	0.02	5026
Lip	38	38	0.1	0.14	0.2	0.14	0.28	0.02	4695
Gum	20	20	0.05	0.07	0.11	0.06	0.16	0.01	6897
Endocrine	22	22	0.06	0.08	0.09	0.06	0.14	0.01	11977
III defined	2	2	0.01	0.01	0.01	0	0.03	0.00	200001
Total	39060	39077	100.02	97.19	137.79	129.87	146.26	16.37	6

NOTES:

N(OBS) Number of new cases with sex known  
 N(ADJ) Number of new cases adjusted for those with sex unknown  
 % Percentage of all cancers  
 CRUDE Adjusted cases per 100 000/year  
 ASR Age standardised incidence rate per 100 000 (World standard population)  
 The ASR calculation incorporates an adjustment for the proportion of cases with age unknown  
 95% L/UCL Lower/Upper 95% confidence intervals for the ASR  
 CUMRISK 0-74 Cumulative lifetime incidence risk (0-74 years) (per 100 people)  
 LR 0-74 Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people  
 \*TOTALS The rates calculated for the total exclude BCC and SCC of the skin

**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2016**  
**ASIAN FEMALE**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Breast	458	465	36.82	67.34	50.87	46.31	55.78	5.67	18
Colorectal	101	105	8.12	15.21	11.26	9.19	13.7	1.34	75
Cervix	94	94	7.56	13.61	10.5	8.47	12.9	1.13	89
Uterus	96	96	7.72	13.9	10.35	8.37	12.7	1.39	72
Primary site unknown	59	60	4.74	8.69	6.3	4.79	8.18	0.70	143
Stomach	48	48	3.86	6.95	5.01	3.68	6.7	0.62	162
Ovary	40	40	3.22	5.79	4.42	3.15	6.08	0.46	218
Lung	42	43	3.38	6.23	4.4	3.17	6	0.49	202
Non Hodgkin lymphoma	33	34	2.65	4.92	3.71	2.56	5.24	0.42	238
Thyroid	23	25	1.85	3.62	3.18	2.02	4.77	0.28	356
BCC	30	30	2.41	4.34	2.99	2.01	4.35	0.30	333
Kidney	18	18	1.45	2.61	2.21	1.25	3.61	0.25	399
Mouth	18	18	1.45	2.61	1.93	1.14	3.1	0.24	411
Oesophagus	17	17	1.37	2.46	1.68	0.97	2.78	0.16	628
Bladder	14	14	1.13	2.03	1.55	0.81	2.72	0.18	560
Hodgkin lymphoma	11	11	0.88	1.59	1.53	0.75	2.78	0.12	861
SCC of skin	15	15	1.21	2.17	1.5	0.83	2.56	0.17	599
Vulva	14	14	1.13	2.03	1.41	0.76	2.45	0.19	519
Brain, CNS	12	12	0.96	1.74	1.37	0.71	2.44	0.16	636
Tongue	12	12	0.96	1.74	1.31	0.67	2.35	0.14	717
Leukaemia	9	9	0.72	1.3	1.22	0.54	2.37	0.13	798
Melanoma	8	10	0.64	1.45	1.04	0.49	2	0.10	1006
Connective tissue	8	8	0.64	1.16	1.03	0.41	2.12	0.11	945
Liver & Bile duct	8	8	0.64	1.16	0.85	0.36	1.75	0.09	1127
Other specified	8	8	0.64	1.16	0.82	0.35	1.7	0.09	1072
Small intestine	8	8	0.64	1.16	0.81	0.35	1.68	0.10	1017
Skin other	5	5	0.4	0.72	0.56	0.18	1.37	0.07	1389
Eye	3	3	0.24	0.43	0.5	0.09	1.46	0.03	3211
Endocrine	3	3	0.24	0.43	0.48	0.08	1.42	0.03	2999
Kaposi Sarcoma	3	3	0.24	0.43	0.43	0.09	1.26	0.03	3704
Bone	2	2	0.16	0.29	0.42	0.05	1.38	0.02	4265
Vagina	3	4	0.24	0.58	0.38	0.1	1.1	0.06	1789
Myeloma	3	3	0.24	0.43	0.36	0.07	1.11	0.03	2929
Haematology other	2	2	0.16	0.29	0.35	0.03	1.26	0.02	5320
Pancreas	3	3	0.24	0.43	0.33	0.07	1.04	0.06	1729
Placenta	2	2	0.16	0.29	0.27	0.03	0.99	0.02	5182
Mesothelioma	2	2	0.16	0.29	0.24	0.03	0.92	0.02	4057
Larynx	2	2	0.16	0.29	0.23	0.03	0.91	0.03	3832
Anus	2	2	0.16	0.29	0.22	0.03	0.88	0.04	2513
Salivary gland	2	2	0.16	0.29	0.2	0.02	0.84	0.05	2000
Burkitt lymphoma	1	1	0.08	0.14	0.14	0	0.79	0.01	11561
Gum	1	1	0.08	0.14	0.13	0	0.76	0.01	9390
Naso-Oropharynx	1	1	0.08	0.14	0.08	0	0.65	0.00	
Total	1244	1263	99.99	176.36	134.08	102.17	184.04	15.09	7

**NOTES:**

- N(OBS)** Number of new cases with sex known
- N(ADJ)** Number of new cases adjusted for those with sex unknown
- %** Percentage of all cancers
- CRUDE** Adjusted cases per 100 000/year
- ASR** Age standardised incidence rate per 100 000 (World standard population)
- The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
- 95% L/UCL** Lower/Upper 95% confidence intervals for the ASR
- CUMRISK 0-74** Cumulative lifetime incidence risk (0-74 years) (per 100 people)
- LR 0-74** Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
- \*TOTALS** The rates calculated for the total exclude BCC and SCC of the skin

**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2016**  
**ASIAN MALE**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Prostate	213	217	21.82	30.32	29.66	25.81	33.94	4.11	24
Colorectal	135	135	13.83	18.86	17.5	14.63	20.78	2.04	49
Lung	87	87	8.91	12.16	11.65	9.31	14.41	1.70	59
Primary site unknown	62	62	6.35	8.66	8.2	6.25	10.57	0.98	102
Stomach	55	56	5.64	7.82	7.38	5.55	9.64	0.87	115
Bladder	55	55	5.64	7.68	7.21	5.41	9.42	1.07	94
BCC	37	37	3.79	5.17	5.15	3.61	7.13	0.62	160
Non Hodgkin lymphoma	36	36	3.69	5.03	4.55	3.17	6.35	0.60	168
SCC of skin	30	30	3.07	4.19	4.11	2.73	5.93	0.37	273
Testis	24	24	2.46	3.35	2.66	1.68	4.05	0.20	499
Oesophagus	20	20	2.05	2.79	2.56	1.56	3.99	0.34	292
Kidney	20	20	2.05	2.79	2.51	1.52	3.94	0.33	307
Hodgkin lymphoma	17	17	1.74	2.38	2.02	1.17	3.3	0.20	511
Larynx	15	15	1.54	2.1	1.87	1.04	3.15	0.17	584
Tongue	13	13	1.33	1.82	1.67	0.89	2.9	0.22	456
Brain, CNS	14	14	1.43	1.96	1.66	0.9	2.85	0.16	613
Connective tissue	13	13	1.33	1.82	1.51	0.8	2.66	0.21	475
Leukaemia	10	10	1.02	1.4	1.45	0.67	2.71	0.15	659
Breast	10	10	1.02	1.4	1.27	0.61	2.38	0.15	656
Naso-Oropharynx	10	10	1.02	1.4	1.26	0.6	2.36	0.17	590
Mouth	10	10	1.02	1.4	1.16	0.55	2.2	0.12	846
Thyroid	8	9	0.82	1.26	1.02	0.46	2.01	0.09	1172
Bone	6	6	0.61	0.84	0.97	0.34	2.12	0.09	1168
Melanoma	7	7	0.72	0.98	0.97	0.38	2.03	0.10	984
Haematology other	5	5	0.51	0.7	0.88	0.28	2.02	0.05	1935
Liver & Bile duct	6	6	0.61	0.84	0.86	0.3	1.94	0.09	1167
Other specified	6	6	0.61	0.84	0.8	0.29	1.77	0.10	971
Pancreas	6	6	0.61	0.84	0.79	0.29	1.77	0.13	788
Penis	6	6	0.61	0.84	0.66	0.24	1.53	0.09	1153
Myeloma	5	5	0.51	0.7	0.64	0.21	1.55	0.11	915
Burkitt lymphoma	4	4	0.41	0.56	0.61	0.14	1.63	0.03	2878
Kaposi Sarcoma	6	6	0.61	0.84	0.6	0.22	1.41	0.05	1864
Anus	5	5	0.51	0.7	0.58	0.18	1.44	0.09	1141
Skin other	5	5	0.51	0.7	0.49	0.16	1.27	0.05	2184
Eye	2	2	0.2	0.28	0.42	0.05	1.37	0.02	4556
Small intestine	3	3	0.31	0.42	0.41	0.08	1.22	0.05	1882
Salivary gland	3	3	0.31	0.42	0.39	0.08	1.2	0.04	2671
Mesothelioma	3	3	0.31	0.42	0.38	0.08	1.17	0.03	3035
Lip	2	2	0.2	0.28	0.25	0.03	0.96	0.01	10153
Gum	2	2	0.2	0.28	0.24	0.03	0.95	0.03	3170
Total	976	982	99.93	127.88	119.71	85.96	170.96	15.04	7

**NOTES:**

<b>N(OBS)</b>	Number of new cases with sex known
<b>N(ADJ)</b>	Number of new cases adjusted for those with sex unknown
<b>%</b>	Percentage of all cancers
<b>CRUDE</b>	Adjusted cases per 100 000/year
<b>ASR</b>	Age standardised incidence rate per 100 000 (World standard population)
The ASR calculation incorporates an adjustment for the proportion of cases with age unknown	
<b>95% L/UCL</b>	Lower/Upper 95% confidence intervals for the ASR
<b>CUMRISK 0-74</b>	Cumulative lifetime incidence risk (0-74 years) (per 100 people)
<b>LR 0-74</b>	Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
<b>*TOTALS</b>	The rates calculated for the total exclude BCC and SCC of the skin

**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2016**  
**BLACK FEMALE**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Cervix	6154	6190	31.69	26.83	31.86	31.05	32.68	3.41	29
Breast	4159	4286	21.41	18.58	22.57	21.88	23.27	2.45	41
Primary site unknown	1142	1176	5.88	5.1	6.41	6.04	6.79	0.75	133
Uterus	859	874	4.42	3.79	5.22	4.87	5.58	0.68	148
Oesophagus	658	665	3.39	2.88	3.85	3.56	4.15	0.46	216
Colorectal	583	609	3	2.64	3.32	3.06	3.6	0.38	262
Non Hodgkin lymphoma	640	646	3.3	2.8	3.05	2.81	3.31	0.31	324
Kaposi Sarcoma	646	655	3.33	2.84	2.63	2.42	2.84	0.22	458
SCC of skin	394	395	2.03	1.71	1.97	1.78	2.18	0.20	500
Vulva	416	422	2.14	1.83	1.87	1.69	2.06	0.18	567
BCC	321	325	1.65	1.41	1.78	1.59	1.99	0.22	462
Lung	295	309	1.52	1.34	1.76	1.57	1.97	0.21	467
Ovary	218	225	1.12	0.98	1.2	1.05	1.37	0.14	725
Eye	260	271	1.34	1.17	1.17	1.03	1.32	0.10	1016
Stomach	194	198	1	0.86	1.09	0.94	1.25	0.12	808
Melanoma	166	179	0.85	0.78	0.98	0.84	1.13	0.10	1002
Thyroid	181	192	0.93	0.83	0.94	0.81	1.09	0.09	1061
Connective tissue	186	191	0.96	0.83	0.94	0.81	1.09	0.09	1123
Vagina	168	169	0.87	0.73	0.89	0.76	1.04	0.10	955
Other specified	136	142	0.7	0.62	0.74	0.62	0.87	0.08	1287
Hodgkin lymphoma	170	174	0.88	0.75	0.73	0.63	0.86	0.06	1613
Anus	149	151	0.77	0.65	0.68	0.58	0.81	0.07	1428
Bladder	119	123	0.61	0.53	0.68	0.56	0.81	0.08	1237
Kidney	123	126	0.63	0.55	0.63	0.53	0.76	0.06	1651
Liver & Bile duct	108	112	0.56	0.49	0.59	0.49	0.71	0.06	1546
Leukaemia	115	117	0.59	0.51	0.56	0.46	0.67	0.05	1846
Mouth	97	101	0.5	0.44	0.55	0.45	0.68	0.07	1516
Myeloma	88	92	0.45	0.4	0.53	0.43	0.65	0.07	1535
Skin other	102	103	0.53	0.45	0.5	0.4	0.61	0.05	2062
Pancreas	56	61	0.29	0.26	0.34	0.26	0.44	0.04	2653
Brain, CNS	70	72	0.36	0.31	0.33	0.26	0.42	0.03	3832
Placenta	79	80	0.41	0.35	0.3	0.24	0.38	0.02	4247
Naso-Oropharynx	56	59	0.29	0.26	0.3	0.23	0.39	0.03	3175
Salivary gland	43	46	0.22	0.2	0.23	0.17	0.31	0.03	3993
Larynx	37	39	0.19	0.17	0.23	0.16	0.31	0.03	3408
Tongue	39	41	0.2	0.18	0.22	0.16	0.3	0.02	4041
Bone	47	50	0.24	0.22	0.22	0.16	0.29	0.02	5953
Burkitt lymphoma	47	47	0.24	0.2	0.21	0.15	0.28	0.02	5699
Small intestine	30	30	0.15	0.13	0.17	0.11	0.24	0.02	4890
Haematology other	25	26	0.13	0.11	0.12	0.08	0.18	0.01	7937
Mesothelioma	16	16	0.08	0.07	0.09	0.05	0.15	0.01	10102
Endocrine	14	14	0.07	0.06	0.06	0.03	0.11	0.01	19418
Gum	7	7	0.04	0.03	0.03	0.01	0.07	0.00	29851
Ill defined	5	5	0.03	0.02	0.03	0.01	0.07	0.00	23256
Lip	3	3	0.02	0.01	0.02	0	0.05	0.00	52632
Total	19421	19814	100.01	82.78	98.84	92.42	105.96	10.73	9

**NOTES:**

N(OBS)	Number of new cases with sex known
N(ADJ)	Number of new cases adjusted for those with sex unknown
%	Percentage of all cancers
CRUDE	Adjusted cases per 100 000/year
ASR	Age standardised incidence rate per 100 000 (World standard population)
95% L/UCL	The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
CUMRISK 0-74	Lower/Upper 95% confidence intervals for the ASR
LR 0-74	Cumulative lifetime incidence risk (0-74 years) (per 100 people)
*TOTALS	Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
*TOTALS The rates calculated for the total exclude BCC and SCC of the skin	

**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2016**  
**BLACK MALE**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Prostate	3769	3817	29.34	17.38	37.34	36.12	38.57	4.46	22
Primary site unknown	1043	1064	8.12	4.85	8.34	7.82	8.88	0.98	102
Lung	734	750	5.71	3.42	6.24	5.79	6.72	0.81	123
Oesophagus	660	672	5.14	3.06	5.64	5.21	6.11	0.68	147
Kaposi Sarcoma	996	1004	7.75	4.57	4.78	4.46	5.12	0.42	238
Colorectal	582	605	4.53	2.76	4.72	4.33	5.14	0.58	172
Non Hodgkin lymphoma	740	749	5.76	3.41	4.25	3.93	4.59	0.42	239
SCC of skin	455	456	3.54	2.08	3.61	3.26	3.98	0.40	251
BCC	309	309	2.41	1.41	2.67	2.36	3	0.27	374
Stomach	287	296	2.23	1.35	2.37	2.09	2.67	0.29	350
Larynx	248	251	1.93	1.14	2.16	1.9	2.46	0.29	344
Mouth	205	208	1.6	0.95	1.64	1.41	1.88	0.20	499
Bladder	181	182	1.41	0.83	1.61	1.37	1.88	0.17	590
Naso-Oropharynx	187	191	1.46	0.87	1.41	1.21	1.64	0.17	575
Liver & Bile duct	172	178	1.34	0.81	1.28	1.08	1.5	0.13	756
Eye	240	244	1.87	1.11	1.26	1.1	1.44	0.12	857
Hodgkin lymphoma	238	246	1.85	1.12	1.15	1	1.31	0.10	1049
Tongue	119	124	0.93	0.56	1.04	0.86	1.24	0.13	759
Connective tissue	167	171	1.3	0.78	1.02	0.85	1.2	0.09	1089
Melanoma	118	124	0.92	0.56	1	0.82	1.21	0.11	887
Kidney	135	144	1.05	0.66	0.98	0.82	1.16	0.11	899
Penis	133	136	1.04	0.62	0.91	0.75	1.09	0.09	1077
Breast	102	102	0.79	0.46	0.89	0.72	1.09	0.11	942
Leukaemia	132	135	1.03	0.61	0.79	0.65	0.96	0.08	1233
Other specified	89	92	0.69	0.42	0.7	0.56	0.87	0.08	1185
Skin other	94	96	0.73	0.44	0.67	0.53	0.83	0.06	1561
Pancreas	70	71	0.54	0.32	0.6	0.47	0.76	0.09	1161
Myeloma	74	76	0.58	0.35	0.6	0.47	0.76	0.07	1372
Brain, CNS	96	101	0.75	0.46	0.57	0.46	0.71	0.06	1760
Anus	87	88	0.68	0.4	0.53	0.42	0.67	0.06	1691
Mesothelioma	44	44	0.34	0.2	0.4	0.29	0.54	0.05	2117
Small intestine	43	43	0.33	0.2	0.34	0.24	0.47	0.04	2291
Bone	64	66	0.5	0.3	0.31	0.24	0.41	0.03	3993
Salivary gland	41	41	0.32	0.19	0.29	0.2	0.4	0.04	2700
Thyroid	39	41	0.3	0.19	0.27	0.19	0.37	0.03	3195
Burkitt lymphoma	54	55	0.42	0.25	0.25	0.18	0.33	0.02	4890
Testis	39	44	0.3	0.2	0.19	0.13	0.26	0.01	6897
Haematology other	27	27	0.21	0.12	0.13	0.08	0.21	0.01	15625
Lip	13	13	0.1	0.06	0.1	0.05	0.18	0.01	13514
Gum	9	9	0.07	0.04	0.08	0.03	0.14	0.01	8511
Endocrine	9	9	0.07	0.04	0.04	0.02	0.09	0.00	33899
III defined	2	2	0.02	0.01	0.01	0	0.04	0.00	153847
Total	12846	13076	100	56.07	96.9	88.85	105.9	11.21	9

**NOTES:**  
 N(OBS) Number of new cases with sex known  
 N(ADJ) Number of new cases adjusted for those with sex unknown  
 % Percentage of all cancers  
 CRUDE Adjusted cases per 100 000/year  
 ASR Age standardised incidence rate per 100 000 (World standard population)  
 The ASR calculation incorporates an adjustment for the proportion of cases with age unknown  
 95% L/UCL Lower/Upper 95% confidence intervals for the ASR  
 CUMRISK 0-74 Cumulative lifetime incidence risk (0-74 years) (per 100 people)  
 LR 0-74 Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people  
**\*TOTALS** The rates calculated for the total exclude BCC and SCC of the skin

**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2016**  
**COLOURED FEMALE**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Breast	1320	1355	28.53	53.1	48.81	46.23	51.49	5.31	19
BCC	634	634	13.71	24.84	22.78	21.03	24.64	2.43	41
Cervix	459	470	9.92	18.42	16.81	15.32	18.41	1.72	58
Colorectal	272	277	5.88	10.85	10.05	8.9	11.32	1.21	83
SCC of skin	250	252	5.4	9.87	9.16	8.06	10.38	0.97	103
Primary site unknown	222	230	4.8	9.01	8.4	7.34	9.57	0.99	101
Lung	215	218	4.65	8.54	7.98	6.95	9.13	1.01	99
Uterus	155	159	3.35	6.23	5.98	5.08	6.99	0.82	122
Non Hodgkin lymphoma	108	110	2.33	4.31	3.96	3.25	4.79	0.43	232
Ovary	99	100	2.14	3.92	3.65	2.97	4.45	0.40	247
Stomach	89	89	1.92	3.49	3.28	2.63	4.04	0.42	239
Melanoma	86	86	1.86	3.37	3.08	2.46	3.81	0.33	300
Oesophagus	79	80	1.71	3.13	2.97	2.35	3.7	0.37	269
Bladder	50	50	1.08	1.96	1.89	1.4	2.49	0.27	370
Thyroid	48	50	1.04	1.96	1.78	1.32	2.35	0.17	602
Kidney	43	43	0.93	1.69	1.61	1.16	2.18	0.17	573
Tongue	41	41	0.89	1.61	1.51	1.08	2.06	0.19	530
Naso-Oropharynx	36	37	0.78	1.45	1.35	0.95	1.87	0.14	738
Mouth	36	37	0.78	1.45	1.29	0.91	1.79	0.13	764
Kaposi Sarcoma	33	34	0.71	1.33	1.23	0.85	1.72	0.10	1040
Vulva	31	32	0.67	1.25	1.15	0.78	1.63	0.12	840
Hodgkin lymphoma	26	28	0.56	1.1	1.04	0.69	1.5	0.08	1212
Connective tissue	27	27	0.58	1.06	1.02	0.67	1.49	0.08	1195
Pancreas	26	26	0.56	1.02	0.95	0.62	1.4	0.13	790
Leukaemia	19	21	0.41	0.82	0.81	0.5	1.24	0.12	844
Skin other	22	22	0.48	0.86	0.78	0.48	1.18	0.06	1589
Brain, CNS	18	20	0.39	0.78	0.77	0.47	1.19	0.08	1265
Larynx	21	21	0.45	0.82	0.76	0.47	1.17	0.10	1027
Liver & Bile duct	20	20	0.43	0.78	0.71	0.43	1.1	0.06	1623
Placenta	18	18	0.39	0.71	0.66	0.39	1.05	0.04	2281
Myeloma	18	18	0.39	0.71	0.66	0.39	1.05	0.08	1219
Other specified	17	18	0.37	0.71	0.65	0.38	1.03	0.08	1313
Bone	13	13	0.28	0.51	0.51	0.27	0.88	0.05	1957
Vagina	12	14	0.26	0.55	0.51	0.28	0.85	0.05	1849
Salivary gland	12	12	0.26	0.47	0.44	0.23	0.77	0.05	1863
Small intestine	11	12	0.24	0.47	0.43	0.22	0.76	0.05	2128
Anus	12	12	0.26	0.47	0.43	0.22	0.75	0.05	2104
Haematology other	8	8	0.17	0.31	0.29	0.12	0.58	0.03	3767
Eye	5	6	0.11	0.24	0.22	0.08	0.48	0.02	5556
Burkitt lymphoma	5	5	0.11	0.2	0.19	0.06	0.44	0.02	6473
Mesothelioma	4	4	0.09	0.16	0.14	0.04	0.36	0.02	5465
Endocrine	3	3	0.06	0.12	0.13	0.03	0.36	0.01	11977
Ill defined	1	1	0.02	0.04	0.04	0	0.22	0.00	20001
Lip	1	1	0.02	0.04	0.03	0	0.2	0.00	
Gum	1	1	0.02	0.04	0.03	0	0.2	0.00	25317
Total	4626	4715	99.99	150.06	138.98	118.97	164.04	15.56	6

**NOTES:**

<b>N(OBS)</b>	Number of new cases with sex known
<b>N(ADJ)</b>	Number of new cases adjusted for those with sex unknown
<b>%</b>	Percentage of all cancers
<b>CRUDE</b>	Adjusted cases per 100 000/year
<b>ASR</b>	Age standardised incidence rate per 100 000 (World standard population)
<b>95% L/UCL</b>	The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
<b>CUMRISK 0-74</b>	Lower/Upper 95% confidence intervals for the ASR
<b>Lifetime risk</b>	Cumulative lifetime incidence risk (0-74 years) (per 100 people)
<b>LR 0-74</b>	Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
<b>*TOTALS</b>	The rates calculated for the total exclude BCC and SCC of the skin

**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2016**  
**COLOURED MALE**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Prostate	916	939	19.97	39.14	54.32	50.79	58.02	6.47	15
BCC	830	830	18.09	34.59	46.94	43.67	50.38	4.96	20
SCC of skin	415	415	9.05	17.3	26.37	23.79	29.13	2.35	42
Lung	371	382	8.09	15.92	20.23	18.19	22.43	2.47	40
Colorectal	298	301	6.5	12.55	16.52	14.63	18.57	1.86	54
Primary site unknown	271	276	5.91	11.5	13.95	12.3	15.76	1.64	61
Bladder	179	183	3.9	7.63	11.02	9.42	12.8	1.11	90
Stomach	177	180	3.86	7.5	9.62	8.21	11.19	1.12	90
Melanoma	116	119	2.53	4.96	6.12	5.02	7.38	0.57	175
Non Hodgkin lymphoma	119	121	2.59	5.04	6.01	4.94	7.24	0.66	151
Oesophagus	108	112	2.35	4.67	5.62	4.6	6.79	0.70	144
Larynx	94	97	2.05	4.04	4.9	3.94	6.01	0.61	164
Naso-Oropharynx	72	73	1.57	3.04	3.52	2.74	4.46	0.41	241
Kidney	58	60	1.26	2.5	2.94	2.22	3.81	0.37	270
Mouth	58	60	1.26	2.5	2.88	2.18	3.74	0.36	274
Tongue	50	52	1.09	2.17	2.53	1.87	3.34	0.29	342
Kaposi Sarcoma	58	59	1.26	2.46	2.29	1.73	2.99	0.21	477
Brain, CNS	36	36	0.78	1.5	1.75	1.21	2.45	0.17	599
Connective tissue	29	29	0.63	1.21	1.43	0.94	2.08	0.16	628
Hodgkin lymphoma	35	35	0.76	1.46	1.4	0.96	1.98	0.10	977
Liver & Bile duct	26	26	0.57	1.08	1.3	0.84	1.92	0.16	640
Testis	33	33	0.72	1.38	1.21	0.83	1.72	0.10	1051
Skin other	21	21	0.46	0.88	1.19	0.72	1.84	0.14	697
Mesothelioma	20	20	0.44	0.83	1.15	0.69	1.79	0.13	744
Breast	20	21	0.44	0.88	1.1	0.66	1.7	0.14	735
Pancreas	21	21	0.46	0.88	1.08	0.66	1.66	0.17	601
Other specified	23	23	0.5	0.96	1.01	0.63	1.53	0.12	823
Myeloma	18	18	0.39	0.75	0.96	0.56	1.52	0.14	717
Small intestine	16	16	0.35	0.67	0.88	0.49	1.45	0.10	970
Anus	16	16	0.35	0.67	0.85	0.48	1.38	0.12	866
Leukaemia	15	17	0.33	0.71	0.81	0.46	1.31	0.09	1105
Penis	12	15	0.26	0.63	0.72	0.39	1.19	0.07	1360
Bone	16	16	0.35	0.67	0.65	0.37	1.07	0.05	1849
Thyroid	12	12	0.26	0.5	0.45	0.23	0.8	0.05	2130
Eye	8	8	0.17	0.33	0.37	0.15	0.76	0.02	4515
Salivary gland	6	6	0.13	0.25	0.27	0.09	0.6	0.03	2929
Lip	3	3	0.07	0.13	0.16	0.03	0.46	0.03	3553
Endocrine	4	4	0.09	0.17	0.16	0.04	0.43	0.02	6601
Haematology other	3	3	0.07	0.13	0.15	0.03	0.44	0.02	4193
Burkitt lymphoma	3	3	0.07	0.13	0.11	0.02	0.36	0.01	9901
Gum	2	2	0.04	0.08	0.08	0.01	0.31	0.01	10472
Total	4588	4663	100.02	142.5	181.71	154.27	215.28	21.00	5

**NOTES:**

<b>N(OBS)</b>	Number of new cases with sex known
<b>N(ADJ)</b>	Number of new cases adjusted for those with sex unknown
<b>%</b>	Percentage of all cancers
<b>CRUDE</b>	Adjusted cases per 100 000/year
<b>ASR</b>	Age standardised incidence rate per 100 000 (World standard population)
<b>95% L/UCL</b>	The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
<b>95% UCL</b>	Lower/Upper 95% confidence intervals for the ASR
<b>CUMRISK 0-74</b>	Cumulative lifetime incidence risk (0-74 years) (per 100 people)
<b>LR 0-74</b>	Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
<b>*TOTALS</b>	The rates calculated for the total exclude BCC and SCC of the skin

**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2016**  
**WHITE FEMALE**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
BCC	5166	5171	31.91	220.81	115.51	112.1	119.02	12.41	8
Breast	3330	3442	20.57	146.98	84.58	81.59	87.68	9.18	11
SCC of skin	2009	2011	12.41	85.87	34.53	32.86	36.3	3.69	27
Melanoma	668	676	4.13	28.87	18.27	16.79	19.85	1.86	54
Cervix	545	573	3.37	24.47	17.59	16.12	19.17	1.74	57
Colorectal	808	828	4.99	35.36	17.17	15.91	18.52	1.95	51
Primary site unknown	478	504	2.95	21.52	11.12	10.1	12.25	1.32	76
Lung	500	518	3.09	22.12	10.67	9.72	11.72	1.42	70
Ovary	288	296	1.78	12.64	7.2	6.35	8.16	0.84	119
Non Hodgkin lymphoma	301	311	1.86	13.28	7.1	6.25	8.05	0.79	126
Uterus	304	317	1.88	13.54	6.99	6.2	7.88	0.85	117
Thyroid	212	218	1.31	9.31	6.93	5.99	8	0.67	148
Bladder	176	179	1.09	7.64	3.38	2.86	4	0.41	244
Kidney	114	117	0.7	5	3.28	2.57	4.12	0.33	306
Stomach	120	126	0.74	5.38	2.82	2.3	3.44	0.31	326
Brain, CNS	83	84	0.51	3.59	2.78	2.15	3.54	0.26	384
Hodgkin lymphoma	63	64	0.39	2.73	2.5	1.88	3.27	0.20	493
Pancreas	101	102	0.62	4.36	2.21	1.78	2.74	0.30	338
Vulva	76	84	0.47	3.59	2.07	1.62	2.64	0.22	461
Leukaemia	79	80	0.49	3.42	2.02	1.53	2.64	0.22	465
Connective tissue	60	60	0.37	2.56	1.87	1.33	2.56	0.17	582
Oesophagus	73	91	0.45	3.89	1.85	1.45	2.35	0.22	463
Skin other	67	71	0.41	3.03	1.69	1.27	2.23	0.16	616
Other specified	64	65	0.4	2.78	1.57	1.19	2.06	0.20	507
Tongue	62	66	0.38	2.82	1.53	1.16	2.01	0.17	591
Liver & Bile duct	63	67	0.39	2.86	1.51	1.15	1.98	0.17	594
Mouth	58	61	0.36	2.6	1.51	1.14	1.99	0.18	566
Myeloma	53	53	0.33	2.26	1.16	0.85	1.58	0.13	755
Kaposi Sarcoma	24	25	0.15	1.07	0.93	0.59	1.41	0.08	1295
Naso-Oropharynx	29	32	0.18	1.37	0.9	0.6	1.32	0.10	992
Placenta	13	13	0.08	0.56	0.72	0.38	1.23	0.05	2144
Bone	18	19	0.11	0.81	0.69	0.39	1.13	0.07	1538
Vagina	27	27	0.17	1.15	0.69	0.42	1.07	0.07	1456
Eye	14	15	0.09	0.64	0.61	0.31	1.08	0.05	1977
Mesothelioma	32	32	0.2	1.37	0.57	0.38	0.88	0.08	1260
Larynx	20	22	0.12	0.94	0.55	0.33	0.89	0.07	1466
Small intestine	24	25	0.15	1.07	0.54	0.34	0.86	0.07	1523
Salivary gland	20	21	0.12	0.9	0.5	0.28	0.84	0.05	2041
Anus	16	17	0.1	0.73	0.43	0.24	0.74	0.05	1967
Endocrine	9	10	0.06	0.43	0.43	0.17	0.87	0.04	2841
Haematology other	9	9	0.06	0.38	0.29	0.11	0.62	0.03	3585
Lip	6	6	0.04	0.26	0.14	0.05	0.37	0.02	4396
Burkitt lymphoma	3	3	0.02	0.13	0.12	0.02	0.4	0.01	14085
Gum	5	6	0.03	0.26	0.11	0.03	0.32	0.01	9951
Total	16190	16517	100.03	398.67	229.59	205.89	258.46	25.12	4

**NOTES:**  
**N(OBS)** Number of new cases with sex known  
**N(ADJ)** Number of new cases adjusted for those with sex unknown  
**%** Percentage of all cancers  
**CRUDE** Adjusted cases per 100 000/year  
**ASR** Age standardised incidence rate per 100 000 (World standard population)  
**The ASR calculation incorporates an adjustment for the proportion of cases with age unknown**  
**95% L/UCL** Lower/Upper 95% confidence intervals for the ASR  
**CUMRISK 0-74** Cumulative lifetime incidence risk (0-74 years) (per 100 people)  
**LR 0-74** Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people  
**\*TOTALS** The rates calculated for the total exclude BCC and SCC of the skin

**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2016**  
**WHITE MALE**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
BCC	7083	7087	35.4	319.98	177.73	173.4	182.16	18.66	5
Prostate	3251	3359	16.25	151.66	77.08	74.41	79.85	9.91	10
SCC of skin	3379	3384	16.89	152.79	74.78	72.15	77.5	8.38	12
Colorectal	1002	1024	5.01	46.23	24.89	23.32	26.56	2.99	33
Melanoma	875	889	4.37	40.14	24.06	22.41	25.81	2.61	38
Lung	647	673	3.23	30.39	16.37	15.1	17.73	2.04	49
Primary site unknown	464	491	2.32	22.17	12.9	11.72	14.17	1.52	66
Bladder	555	577	2.77	26.05	12.73	11.66	13.89	1.51	66
Non Hodgkin lymphoma	375	385	1.87	17.38	10.58	9.47	11.8	1.19	84
Stomach	259	271	1.29	12.24	6.58	5.78	7.48	0.79	126
Kidney	210	217	1.05	9.8	6.14	5.29	7.11	0.70	144
Testis	139	139	0.69	6.28	5.88	4.89	7.01	0.46	215
Oesophagus	145	160	0.72	7.22	4.19	3.55	4.94	0.51	195
Brain, CNS	103	105	0.51	4.74	3.76	2.98	4.68	0.35	285
Connective tissue	92	93	0.46	4.2	3.14	2.43	3.99	0.27	367
Naso-Oropharynx	104	107	0.52	4.83	3.09	2.51	3.78	0.37	270
Leukaemia	97	102	0.48	4.61	2.89	2.27	3.64	0.28	354
Tongue	101	106	0.5	4.79	2.87	2.34	3.52	0.36	278
Larynx	107	112	0.53	5.06	2.83	2.31	3.46	0.35	290
Mouth	93	99	0.46	4.47	2.74	2.21	3.37	0.32	313
Hodgkin lymphoma	64	68	0.32	3.07	2.71	2.05	3.51	0.23	441
Pancreas	98	102	0.49	4.61	2.59	2.1	3.2	0.31	324
Liver & Bile duct	89	96	0.44	4.33	2.33	1.84	2.92	0.27	375
Skin other	81	84	0.4	3.79	1.99	1.55	2.53	0.20	497
Thyroid	62	64	0.31	2.89	1.84	1.39	2.4	0.20	494
Kaposi Sarcoma	44	46	0.22	2.08	1.73	1.26	2.34	0.15	659
Mesothelioma	67	73	0.33	3.3	1.65	1.27	2.13	0.19	521
Myeloma	70	73	0.35	3.3	1.63	1.26	2.1	0.20	505
Other specified	58	59	0.29	2.66	1.5	1.12	1.98	0.18	548
Breast	51	55	0.25	2.48	1.35	1	1.8	0.16	624
Salivary gland	49	51	0.24	2.3	1.3	0.95	1.77	0.16	623
Bone	24	24	0.12	1.08	1.14	0.69	1.75	0.09	1138
Penis	38	40	0.19	1.81	1.11	0.78	1.56	0.12	855
Haematology other	25	25	0.12	1.13	0.89	0.52	1.41	0.08	1308
Anus	26	26	0.13	1.17	0.72	0.46	1.1	0.08	1227
Small intestine	27	27	0.13	1.22	0.6	0.39	0.92	0.07	1384
Eye	12	17	0.06	0.77	0.55	0.3	0.92	0.05	2090
Burkitt lymphoma	9	10	0.04	0.45	0.52	0.23	0.99	0.03	3106
Lip	20	20	0.1	0.9	0.48	0.29	0.79	0.06	1714
Endocrine	9	9	0.04	0.41	0.47	0.19	0.94	0.03	2912
Gum	7	7	0.03	0.32	0.18	0.07	0.42	0.02	4406
Total	20011	20356	99.92	446.33	250	224.36	280.27	29.41	3

**NOTES:**  
 N(OBS) Number of new cases with sex known  
 N(ADJ) Number of new cases adjusted for those with sex unknown  
 % Percentage of all cancers  
 CRUDE Adjusted cases per 100 000/year  
 ASR Age standardised incidence rate per 100 000 (World standard population)  
 The ASR calculation incorporates an adjustment for the proportion of cases with age unknown  
 95% L/UCL Lower/Upper 95% confidence intervals for the ASR  
 CUMRISK 0-74 Cumulative lifetime incidence risk (0-74 years) (per 100 people)  
 LR 0-74 Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people  
**\*TOTALS** The rates calculated for the total exclude BCC and SCC of the skin

**FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2016**  
ALL FEMALES

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	2	5	27	36	22	17	19	23	9	7	9	3	3	2	184
BCC	0	0	0	3	16	53	102	171	284	405	536	652	715	828	821	698	876	11	6171
Bladder	1	1	0	0	1	3	10	9	10	19	24	21	61	46	63	46	51	1	367
Bone	1	6	11	10	8	7	3	2	3	11	3	7	1	5	4	0	2	0	84
Brain, CNS	9	16	11	8	3	16	9	11	14	14	10	15	13	15	13	10	1	0	188
Breast	0	1	1	4	32	117	360	564	940	1083	1134	1198	1098	1006	795	606	609	87	9635
Burkitt lymphoma	2	3	2	0	1	6	2	14	9	8	3	3	2	0	0	1	0	0	56
Cervix	0	0	0	10	25	131	508	861	1018	925	1008	826	653	552	343	222	245	65	7392
Colorectal	0	0	0	3	8	18	39	63	88	113	181	221	241	238	198	201	207	12	1831
Connective tissue	24	11	8	7	5	10	18	23	23	18	24	24	22	19	18	15	17	1	287
Endocrine	5	0	0	3	1	2	1	3	3	2	2	4	2	1	1	0	0	0	30
Eye	23	5	1	1	8	18	54	48	52	31	22	9	13	2	3	1	4	9	304
Gum	0	0	0	0	0	0	1	0	2	2	1	1	0	2	1	3	2	1	16
Haematology other	4	2	4	2	2	1	4	3	4	4	1	4	2	2	4	0	2	0	45
Hodgkin lymphoma	1	2	5	18	19	38	43	43	29	22	15	12	12	5	5	6	2	3	280
III defined	0	0	0	0	0	0	0	0	1	0	0	2	2	0	1	0	0	0	6
Kaposi Sarcoma	2	3	5	4	57	139	156	118	84	45	40	19	14	9	5	7	10	11	728
Kidney	40	15	2	0	0	3	9	11	14	23	23	40	35	30	26	23	10	2	306
Larynx	0	0	0	0	1	0	2	0	3	5	16	20	16	9	8	2	2	1	85
Leukaemia	11	7	9	11	10	16	10	7	14	12	12	19	19	18	27	10	15	2	229
Lip	0	0	0	0	0	0	0	0	1	0	3	0	1	1	3	0	1	0	10
Liver & Bile duct	1	1	1	1	2	2	6	10	15	19	21	28	20	26	14	24	16	5	212
Lung	0	0	0	1	3	3	7	19	24	54	96	123	200	184	163	121	90	13	1101
Melanoma	1	1	0	4	14	25	47	47	68	77	92	99	119	98	79	88	92	5	956
Mesothelioma	0	0	0	0	0	1	1	0	1	1	5	7	7	7	10	9	5	0	54
Mouth	0	0	0	0	1	3	7	7	10	18	21	38	34	26	19	13	20	1	218
Myeloma	0	0	0	0	1	1	0	6	9	17	19	19	31	27	12	11	13	0	166
Naso-Oropharynx	0	1	2	8	3	9	3	5	7	16	16	14	18	13	6	3	5	1	130
Non Hodgkin lymphoma	4	3	10	12	23	33	105	124	117	112	98	97	79	90	78	50	66	6	1107
Oesophagus	0	0	0	2	0	1	8	13	25	48	84	128	134	127	96	100	87	6	859
Other specified	3	1	2	0	3	9	8	9	15	21	31	24	26	30	21	16	14	1	234
Ovary	2	2	3	6	11	15	22	28	30	65	74	87	101	76	61	44	34	3	664
Pancreas	0	0	0	3	0	2	2	3	8	7	15	32	32	35	25	22	6	1	193
Placenta	0	0	0	8	33	22	19	14	10	3	3	0	0	0	1	0	0	2	115
Primary site unknown	4	1	1	8	10	33	66	82	112	146	214	231	271	268	199	172	152	56	2026
SCC of skin	0	2	1	2	5	24	45	63	64	96	136	182	242	311	358	385	757	9	2682
Salivary gland	1	0	3	2	2	3	4	5	7	8	7	6	10	8	7	6	2	0	81
Skin other	0	0	3	3	9	7	12	13	21	18	15	13	19	13	13	29	2	203	
Small intestine	0	0	0	0	0	0	1	2	2	9	8	12	12	7	9	6	7	1	76
Stomach	0	0	0	0	1	9	6	17	26	27	57	51	60	57	54	39	57	6	467
Thyroid	1	0	3	9	12	23	46	53	48	64	49	43	47	35	21	22	9	2	487
Tongue	0	0	0	0	0	0	4	4	9	14	22	22	21	26	11	13	14	2	162
Uterus	0	0	0	1	1	4	8	10	33	71	89	196	281	268	206	151	127	11	1457
Vagina	2	0	1	2	3	5	14	17	18	15	26	27	22	26	15	11	10	2	216
Vulva	0	0	0	1	8	30	68	109	85	57	41	50	21	19	24	19	20	7	559
<b>Total</b>	<b>142</b>	<b>84</b>	<b>89</b>	<b>157</b>	<b>344</b>	<b>847</b>	<b>1867</b>	<b>2647</b>	<b>3382</b>	<b>3742</b>	<b>4316</b>	<b>4649</b>	<b>4738</b>	<b>4572</b>	<b>3850</b>	<b>3192</b>	<b>3691</b>	<b>350</b>	<b>42659</b>

**FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2016**  
**ALL MALES**

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	1	0	4	11	15	20	14	7	20	14	9	12	3	5	2	137
BCC	1	1	3	7	14	39	103	161	320	571	706	949	1104	1199	1170	982	933	12	8275
Bladder	2	0	0	0	0	3	12	9	19	43	69	102	128	155	166	125	164	5	1002
Bone	3	6	15	23	12	8	7	4	5	4	5	5	5	6	3	1	0	1	113
Brain, CNS	17	16	8	8	10	8	13	18	7	25	22	31	25	20	14	11	3	1	257
Breast	0	0	0	0	0	0	3	5	8	13	17	27	30	31	22	17	15	2	190
Burkitt lymphoma	8	5	2	4	1	3	10	14	11	3	4	5	0	1	0	1	0	0	72
Colorectal	0	0	1	3	8	27	35	55	86	127	191	255	323	330	265	187	172	10	2075
Connective tissue	22	10	1	9	21	10	21	16	20	30	23	34	21	18	19	14	17	0	306
Endocrine	6	2	2	0	1	0	1	0	2	0	0	3	4	1	0	0	0	0	22
Eye	18	2	2	3	3	9	35	36	59	31	24	21	15	6	1	3	3	4	275
Gum	0	0	0	0	0	0	0	0	1	0	2	6	5	3	2	1	0	0	20
Haematology other	4	7	4	4	3	5	2	5	1	0	1	2	2	5	5	7	3	0	60
Hodgkin lymphoma	2	21	24	26	23	28	38	44	51	34	25	14	12	11	5	6	2	3	369
Ill defined	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	2
Kaposi Sarcoma	2	7	4	7	24	98	237	209	198	129	91	41	25	17	8	7	11	25	1140
Kidney	27	12	1	1	7	2	6	18	20	46	50	59	58	53	45	28	8	1	442
Larynx	1	0	0	0	1	1	1	4	9	30	66	92	96	72	54	28	20	7	482
Leukaemia	14	10	13	19	7	8	9	19	8	12	16	30	15	19	27	26	12	3	267
Lip	0	0	0	0	0	0	0	3	0	5	3	6	6	3	4	3	5	1	39
Liver & Bile duct	6	2	1	1	1	7	11	17	22	18	28	49	26	32	31	35	19	8	314
Lung	0	1	0	0	3	1	9	20	53	120	200	323	352	327	238	141	104	18	1910
Melanoma	0	1	1	3	13	21	28	50	66	86	121	118	139	147	127	111	107	4	1143
Mesothelioma	0	0	0	1	0	0	0	0	0	6	11	15	26	26	18	24	13	2	142
Mouth	0	0	1	1	1	3	4	10	21	40	57	66	68	55	24	14	12	4	381
Myeloma	0	0	0	0	0	0	0	6	5	14	22	20	28	19	27	19	12	0	172
Naso-Oropharynx	2	0	4	6	6	3	5	9	30	33	57	64	73	45	28	11	5	4	385
Non Hodgkin lymphoma	5	15	14	13	23	40	88	120	156	166	143	113	110	92	90	57	46	10	1301
Oesophagus	0	0	0	1	1	3	4	15	34	71	159	181	164	141	89	55	46	13	977
Other specified	2	0	1	1	1	5	1	8	8	15	25	26	28	23	18	14	4	3	183
Pancreas	0	0	0	0	0	0	1	1	4	11	29	30	43	27	29	19	6	2	202
Penis	0	0	1	0	1	3	9	26	16	36	26	22	19	8	13	9	8	2	199
Primary site unknown	5	4	4	7	11	22	33	64	86	175	234	316	303	255	170	110	94	48	1941
Prostate	0	0	1	0	2	4	4	16	54	160	504	1026	1536	1755	1478	1043	749	59	8391
SCC of skin	0	1	1	2	7	12	22	65	107	148	290	361	502	680	676	597	814	9	4294
Salivary gland	1	1	2	2	2	3	4	6	3	3	12	6	16	14	14	7	5	3	104
Skin other	0	0	2	1	8	9	9	9	14	9	20	19	21	18	20	27	20	1	207
Small intestine	0	0	0	0	1	1	0	4	4	6	5	9	17	17	10	7	8	1	90
Stomach	0	0	0	1	4	3	14	15	33	52	95	110	134	122	93	69	58	4	807
Testis	6	6	2	6	24	30	44	42	28	15	15	10	5	3	2	1	1	1	241
Thyroid	1	0	0	0	1	6	11	7	12	9	13	25	11	10	10	4	6	1	127
Tongue	0	1	0	0	1	1	2	6	11	19	47	52	60	50	24	12	9	3	298
Total	155	131	116	161	246	430	847	1151	1613	2329	3435	4663	5569	5825	5051	3836	3519	277	39354

**FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2016**  
**ASIAN FEMALES**

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	2
BCC	0	0	0	0	0	0	1	0	3	2	1	3	3	4	3	4	6	0	30
Bladder	1	0	0	0	0	0	1	0	1	0	1	1	1	2	3	2	1	0	14
Bone	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
Brain, CNS	0	0	0	0	0	1	1	2	0	1	0	1	3	3	0	0	0	0	12
Breast	0	0	0	0	5	7	10	29	31	55	55	60	57	69	40	24	23	2	467
Burkitt lymphoma	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
Cervix	0	0	0	0	0	3	6	4	13	13	14	15	8	9	5	3	1	1	95
Colorectal	0	0	0	0	0	1	2	2	6	11	11	9	17	20	11	9	6	0	105
Connective tissue	0	1	0	1	0	0	0	1	0	0	1	1	0	0	2	1	0	0	8
Endocrine	1	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	3
Eye	1	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	3
Gum	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
Haematology other	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	2
Hodgkin lymphoma	0	0	0	2	2	1	0	3	1	0	0	0	1	1	0	0	0	0	11
Kaposi Sarcoma	0	0	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0	3
Kidney	2	0	0	0	0	0	1	1	0	1	2	3	2	2	3	1	0	0	18
Larynx	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	2
Leukaemia	0	0	1	1	0	0	0	0	0	1	0	2	0	3	0	1	0	0	9
Liver & Bile duct	0	0	0	0	0	0	0	0	0	0	2	0	1	2	0	1	1	0	8
Lung	0	0	0	0	0	0	1	0	1	1	2	4	11	10	2	7	4	0	43
Melanoma	0	0	0	0	0	0	0	2	1	1	2	1	0	0	1	2	0	0	10
Mesothelioma	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	2
Mouth	0	0	0	0	0	0	0	1	0	1	1	2	2	3	4	2	0	2	18
Myeloma	0	0	0	0	0	0	0	0	0	0	2	0	1	0	0	0	0	0	3
Naso-Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
Non Hodgkin lymphoma	0	0	0	0	0	2	3	3	2	2	4	6	4	3	3	2	0	0	34
Oesophagus	0	0	0	0	0	0	1	1	2	0	2	3	0	2	1	2	3	1	18
Other specified	0	0	0	0	0	0	0	0	0	0	0	1	3	2	0	2	0	0	8
Ovary	0	0	0	0	1	2	3	2	3	3	6	1	6	6	2	1	4	1	41
Pancreas	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	3
Placenta	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	2
Primary site unknown	0	0	0	0	0	0	0	0	2	4	5	5	8	13	5	6	9	3	62
SCC of skin	0	0	0	0	0	0	0	0	0	1	3	0	2	1	3	2	3	0	15
Salivary gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	2
Skin other	0	0	0	0	0	0	0	0	1	2	0	0	0	0	1	1	0	0	5
Small intestine	0	0	0	0	0	0	0	0	0	0	0	2	2	1	1	0	2	0	8
Stomach	0	0	0	0	0	0	0	0	1	3	5	4	2	5	10	8	5	5	48
Thyroid	0	0	1	2	1	1	4	0	2	6	0	1	3	3	0	0	1	0	25
Tongue	0	0	0	0	0	0	0	0	0	2	2	2	0	1	2	1	1	1	13
Uterus	0	0	0	0	0	1	0	2	4	7	4	16	18	23	13	6	2	0	96
Vagina	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	1	0	0	4
Vulva	0	0	0	0	0	0	0	0	0	0	2	0	3	1	1	4	3	0	14
<b>Total</b>	<b>6</b>	<b>1</b>	<b>3</b>	<b>7</b>	<b>10</b>	<b>23</b>	<b>36</b>	<b>56</b>	<b>86</b>	<b>126</b>	<b>124</b>	<b>148</b>	<b>173</b>	<b>185</b>	<b>122</b>	<b>88</b>	<b>69</b>	<b>8</b>	<b>1271</b>

**FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2016**  
**ASIAN MALES**

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	0	1	0	0	0	0	2	1	0	1	0	0	0	5
BCC	0	0	0	0	0	0	0	0	0	2	4	2	4	6	9	6	4	0	37
Bladder	0	0	0	0	0	0	0	1	1	2	6	11	8	9	13	2	2	0	55
Bone	0	0	2	1	0	1	0	0	1	0	0	0	0	0	1	0	0	0	6
Brain, CNS	0	0	0	0	3	0	1	2	1	1	2	1	0	1	1	0	0	0	14
Breast	0	0	0	0	0	0	0	0	0	1	1	2	2	3	0	1	0	0	10
Burkitt lymphoma	1	0	0	1	0	0	2	0	0	0	0	0	0	0	0	0	0	0	4
Colorectal	0	0	0	1	0	1	1	3	6	9	20	21	24	19	14	8	8	0	135
Connective tissue	0	0	0	0	0	1	1	2	1	2	0	2	1	0	3	0	0	0	13
Eye	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
Gum	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	2
Haematology other	0	2	0	0	0	1	0	0	0	0	0	0	0	0	1	0	1	0	5
Hodgkin lymphoma	0	0	0	0	3	0	0	3	4	2	0	0	2	1	1	1	0	0	17
Kaposi Sarcoma	0	0	0	0	0	0	2	0	2	0	2	0	0	0	0	0	0	0	6
Kidney	0	0	0	1	0	0	1	2	1	3	2	1	1	4	3	1	0	0	20
Larynx	0	0	0	0	0	0	0	0	0	4	1	5	3	0	0	1	1	0	15
Leukaemia	1	0	0	1	0	0	0	1	0	1	0	1	1	2	1	1	0	0	10
Lip	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	2
Liver & Bile duct	1	0	0	0	0	0	0	0	0	1	0	0	1	1	0	1	0	0	6
Lung	0	0	0	0	0	0	0	1	2	4	9	7	16	26	26	16	3	3	87
Melanoma	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	0	7
Mesothelioma	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	3
Mouth	0	0	0	0	0	0	0	0	2	1	1	0	2	2	1	0	1	0	10
Myeloma	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	2	0	0	5
Naso-Oropharynx	0	0	0	0	0	0	0	0	0	2	0	1	1	4	1	1	0	0	10
Non Hodgkin lymphoma	0	0	0	0	2	1	1	0	5	5	1	5	2	3	8	2	1	0	36
Oesophagus	0	0	0	0	0	0	0	0	1	0	3	3	4	2	4	3	0	0	20
Other specified	0	0	0	0	0	0	0	0	0	0	1	0	0	2	1	1	0	0	6
Pancreas	0	0	0	0	0	0	0	0	0	0	1	1	0	0	3	1	0	0	6
Penis	0	0	0	0	0	0	0	1	2	0	0	1	0	1	0	1	0	0	6
Primary site unknown	0	0	0	0	0	2	0	3	2	5	5	10	6	11	9	3	6	1	63
Prostate	0	0	0	0	0	0	0	0	2	3	11	26	38	43	56	25	13	0	217
SCC of skin	0	0	0	0	0	0	0	3	1	1	3	4	4	1	4	3	6	0	30
Salivary gland	0	0	0	0	1	0	0	0	0	0	1	0	1	0	0	0	0	0	3
Skin other	0	0	0	0	0	0	0	2	0	1	1	0	1	0	0	0	0	0	5
Small intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	3
Stomach	0	0	0	0	0	0	0	1	0	5	5	11	10	8	7	5	4	0	56
Testis	0	0	0	1	3	5	5	4	2	1	3	0	0	0	0	0	0	0	24
Thyroid	0	0	0	0	1	1	0	1	2	1	3	0	0	0	0	0	0	0	9
Tongue	0	0	0	0	0	0	0	0	0	0	2	1	2	4	4	0	0	1	14
Total	3	3	3	6	13	13	18	31	41	60	88	122	145	153	160	73	50	2	984

**FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2016**  
**BLACK FEMALES**

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	2	5	26	34	21	15	15	17	4	3	6	2	1	2	153
BCC	0	0	0	1	5	12	13	20	17	21	30	36	37	42	39	31	21	2	327
Bladder	0	1	0	0	1	2	8	8	7	9	9	9	23	8	17	18	3	1	124
Bone	1	5	6	7	7	5	2	1	2	5	2	4	1	1	0	0	1	0	50
Brain, CNS	9	11	9	4	1	6	2	3	6	2	5	7	3	1	1	2	0	0	72
Breast	0	1	1	4	20	75	241	354	524	567	583	505	418	324	264	196	209	69	4355
Burkitt lymphoma	2	3	1	0	1	5	2	13	6	6	3	3	2	0	0	0	0	0	47
Cervix	0	0	0	9	19	105	424	746	884	775	828	680	550	465	297	188	220	58	6248
Colorectal	0	0	0	2	3	13	25	29	44	56	84	85	68	70	47	50	33	6	615
Connective tissue	19	8	7	4	3	9	12	16	14	15	20	19	12	11	7	10	5	1	192
Endocrine	1	0	0	3	1	2	1	1	1	0	2	1	1	0	0	0	0	0	14
Eye	20	4	1	1	8	18	52	46	48	26	20	8	11	1	2	1	4	7	278
Gum	0	0	0	0	0	0	1	0	2	0	1	0	0	0	1	1	1	1	8
Haematology other	3	1	3	1	2	0	2	3	2	3	0	1	1	0	0	3	0	1	26
Hodgkin lymphoma	1	2	2	9	10	25	32	27	21	18	10	6	8	2	0	1	0	2	176
III defined	0	0	0	0	0	0	0	0	1	0	0	2	1	0	1	0	0	0	5
Kaposi Sarcoma	2	3	4	3	49	128	146	102	80	44	37	17	14	9	3	5	9	11	666
Kidney	27	15	2	0	0	2	8	6	6	10	7	13	13	6	6	4	1	2	128
Larynx	0	0	0	0	0	0	1	0	1	4	8	8	7	4	4	1	1	0	39
Leukaemia	10	7	6	8	9	13	5	6	7	5	7	9	8	5	7	3	2	2	119
Lip	0	0	0	0	0	0	0	0	0	0	2	0	1	0	0	0	0	0	3
Liver & Bile duct	1	1	1	1	2	2	4	9	12	8	11	16	10	12	7	9	6	4	116
Lung	0	0	0	1	2	3	4	14	15	30	41	34	52	36	34	26	17	9	318
Melanoma	1	1	0	1	2	3	8	3	7	14	16	20	28	19	11	23	22	4	183
Mesothelioma	0	0	0	0	0	0	1	0	0	0	1	5	1	3	0	2	0	0	16
Mouth	0	0	0	0	1	3	4	5	5	6	11	18	15	12	8	6	7	1	102
Myeloma	0	0	0	0	0	0	1	0	3	7	11	12	13	19	13	6	5	2	92
Naso-Oropharynx	0	1	2	7	0	5	2	3	4	6	7	6	7	3	3	1	2	1	60
Non Hodgkin lymphoma	4	3	6	11	19	24	89	101	90	85	64	44	31	37	20	7	11	6	652
Oesophagus	0	0	0	1	0	1	5	7	17	39	71	104	107	96	74	75	68	5	670
Other specified	3	1	2	0	2	8	7	9	13	15	21	12	11	15	7	7	9	1	143
Ovary	2	2	1	3	8	6	11	13	17	25	26	32	36	18	13	5	7	2	227
Pancreas	0	0	0	3	0	2	2	1	4	5	14	11	9	1	6	1	1	1	62
Placenta	0	0	0	4	17	17	14	14	9	2	2	0	0	0	1	0	0	1	81
Primary site unknown	4	1	1	6	9	31	52	66	83	104	143	137	132	144	106	77	80	46	1222
SCC of skin	0	1	0	1	5	21	39	42	35	30	27	31	42	28	24	20	49	5	400
Salivary gland	1	0	3	1	2	2	3	4	6	7	4	3	6	1	3	0	0	0	46
Skin other	0	0	2	2	7	5	10	8	14	10	11	6	6	7	4	3	8	2	105
Small intestine	0	0	0	0	0	0	1	1	1	5	5	5	3	3	2	1	1	1	31
Stomach	0	0	0	0	1	7	2	8	18	7	25	25	27	22	18	15	23	4	202
Thyroid	1	0	1	4	5	10	18	28	15	24	22	15	17	13	5	12	2	1	193
Tongue	0	0	0	0	0	0	4	0	2	2	6	8	8	3	2	2	4	0	41
Uterus	0	0	0	1	1	3	5	6	14	36	51	115	175	163	124	94	86	9	883
Vagina	2	0	1	1	2	5	9	16	16	14	19	25	17	18	12	5	7	2	171
Vulva	0	0	0	1	8	30	64	97	74	44	32	28	12	7	11	5	9	5	427
Total	114	72	62	105	234	615	1360	1874	2169	2110	2310	2142	1958	1634	1202	920	933	274	20088

**FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2016**  
**BLACK MALES**

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	1	0	4	8	13	17	11	6	11	9	1	5	0	2	2	90
BCC	1	0	2	1	1	5	7	10	19	18	33	33	48	48	20	38	25	1	310
Bladder	2	0	0	0	0	3	6	5	4	19	21	23	22	22	20	14	21	4	186
Bone	1	4	8	16	12	7	2	1	2	1	4	4	2	2	0	0	0	1	67
Brain, CNS	7	13	6	5	6	5	8	5	2	9	8	8	11	5	2	1	0	0	101
Breast	0	0	0	0	0	0	3	4	5	7	7	17	17	15	12	7	8	2	104
Burkitt lymphoma	6	4	2	2	0	1	8	12	10	3	3	3	0	1	0	0	0	0	55
Colorectal	0	0	1	2	5	19	24	29	42	57	71	87	78	83	57	30	20	8	613
Connective tissue	14	8	0	7	17	6	19	6	15	17	16	16	10	7	4	3	6	0	171
Endocrine	4	2	0	0	0	0	1	0	1	0	0	0	1	0	0	0	0	0	9
Eye	17	1	0	3	3	8	33	35	54	29	22	19	13	4	1	2	0	4	248
Gum	0	0	0	0	0	0	0	0	0	0	1	3	2	2	1	0	0	0	9
Haematology other	3	2	3	3	3	3	2	3	1	0	0	1	0	0	0	2	1	0	27
Hodgkin lymphoma	2	17	18	21	15	18	25	32	43	25	15	7	4	3	1	0	0	1	247
Ill defined	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	2
Kaposi Sarcoma	1	7	4	6	24	92	208	188	178	123	81	34	23	15	5	5	10	23	1027
Kidney	24	9	1	0	4	2	3	6	3	18	16	17	15	16	7	1	2	1	145
Larynx	1	0	0	0	1	0	1	3	3	15	32	53	53	48	25	8	8	6	257
Leukaemia	10	9	10	16	6	5	7	15	4	6	8	10	9	6	8	5	1	3	138
Lip	0	0	0	0	0	0	0	2	0	4	1	2	2	0	0	0	2	1	14
Liver & Bile duct	2	2	1	1	1	6	11	15	18	15	19	27	9	19	10	15	7	7	185
Lung	0	1	0	0	2	1	4	11	24	60	105	160	152	119	65	28	18	15	765
Melanoma	0	1	1	0	3	3	1	6	8	13	21	15	11	11	14	7	9	1	125
Mesothelioma	0	0	0	0	0	0	0	0	0	1	8	9	8	6	5	3	4	2	46
Mouth	0	0	1	1	0	2	4	6	13	22	27	38	41	27	13	9	4	3	211
Myeloma	0	0	0	0	0	0	0	3	4	10	13	14	15	6	6	3	2	0	76
Naso-Oropharynx	2	0	4	3	5	3	5	7	15	19	29	26	32	21	13	4	3	2	193
Non Hodgkin lymphoma	4	13	11	13	12	29	69	105	123	117	102	57	41	27	11	11	4	7	756
Oesophagus	0	0	0	1	0	2	3	11	26	51	123	134	104	90	60	34	33	9	681
Other specified	1	0	1	1	0	3	0	8	6	7	13	15	16	7	8	3	3	2	94
Pancreas	0	0	0	0	0	0	1	0	0	5	8	17	19	6	11	4	0	1	72
Penis	0	0	1	0	1	2	8	17	14	29	19	15	12	6	5	2	5	2	138
Primary site unknown	3	3	3	7	6	17	24	45	57	108	146	183	180	128	71	47	36	42	1106
Prostate	0	0	1	0	2	3	3	8	26	80	284	508	744	743	615	460	340	46	3863
SCC of skin	0	1	1	0	5	6	13	35	45	43	58	46	50	55	39	32	27	2	458
Salivary gland	1	1	2	1	1	1	3	5	2	1	4	2	5	6	4	2	0	2	43
Skin other	0	0	2	0	7	7	5	7	10	6	15	8	8	4	6	4	7	1	97
Small intestine	0	0	0	0	1	1	0	4	2	3	3	6	9	8	3	2	1	1	44
Stomach	0	0	0	0	3	2	9	10	19	18	53	46	47	37	25	17	10	3	299
Testis	2	5	2	2	3	9	9	2	4	2	2	0	1	1	0	0	0	1	45
Thyroid	1	0	0	0	0	2	4	1	6	3	4	12	3	2	2	0	1	1	42
Tongue	0	1	0	0	1	0	1	2	1	11	23	17	29	21	9	5	3	1	125
Total	109	104	87	113	150	277	542	677	827	986	1424	1703	1855	1628	1163	808	623	208	13284

**FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2016**  
**COLOURED FEMALES**

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total	
Anus	0	0	0	0	0	0	1	0	1	1	1	3	2	2	0	0	1	0	12	
BCC	0	0	0	0	1	4	7	19	27	38	56	70	86	66	80	92	88	2	636	
Bladder	0	0	0	0	0	0	1	0	0	2	4	5	10	11	10	3	4	0	50	
Bone	0	1	3	0	1	2	0	0	0	1	0	1	0	1	2	0	1	0	13	
Brain, CNS	0	3	0	1	0	3	2	0	4	2	1	0	1	0	3	0	0	0	20	
Breast	0	0	0	0	1	13	40	70	133	151	158	195	179	129	112	97	77	4	1359	
Burkitt lymphoma	0	0	0	0	0	0	0	1	3	1	0	0	0	0	0	0	0	0	5	
Cervix	0	0	0	0	5	10	31	48	61	64	74	50	51	34	16	17	9	3	473	
Colorectal	0	0	0	1	2	2	3	11	16	18	29	43	38	29	39	26	20	3	280	
Connective tissue	2	1	1	0	0	1	2	2	4	2	1	1	3	3	0	1	3	0	27	
Endocrine	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	3	
Eye	0	1	0	0	0	0	0	1	1	2	0	0	1	0	0	0	0	0	6	
Gum	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	
Haematology other	0	1	1	0	0	0	0	1	0	1	0	1	2	1	0	0	0	0	8	
Hodgkin lymphoma	0	0	1	3	1	6	2	6	3	0	2	0	0	0	1	1	2	0	28	
III defined	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	
Kaposi Sarcoma	0	0	1	0	6	9	4	5	3	1	2	1	0	0	0	1	0	1	34	
Kidney	3	0	0	0	0	0	1	0	0	4	4	5	8	7	7	1	1	2	0	43
Larynx	0	0	0	0	0	0	0	1	0	2	1	3	5	5	3	1	0	0	22	
Leukaemia	0	0	0	1	1	2	0	1	1	2	1	1	2	1	7	1	0	0	21	
Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	
Liver & Bile duct	0	0	0	0	0	0	0	0	0	2	2	3	1	3	3	0	4	2	20	
Lung	0	0	0	0	1	0	1	1	1	9	24	36	40	45	24	22	14	1	219	
Melanoma	0	0	0	0	0	1	2	3	2	10	5	11	12	7	11	7	8	7	0	86
Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	1	0	1	4	
Mouth	0	0	0	0	0	0	0	0	1	1	4	5	7	4	1	4	5	5	37	
Myeloma	0	0	0	0	0	1	0	0	1	1	1	3	1	1	3	3	2	1	18	
Naso-Oropharynx	0	0	0	1	2	3	1	1	1	6	5	4	7	4	0	1	1	0	37	
Non Hodgkin lymphoma	0	0	2	1	3	4	10	6	4	6	12	12	13	13	9	9	6	0	110	
Oesophagus	0	0	0	0	0	0	0	2	2	4	8	7	9	16	15	8	4	5	80	
Other specified	0	0	0	0	0	0	0	0	0	0	2	2	4	2	4	1	1	2	0	18
Ovary	0	0	2	2	2	4	3	4	5	9	9	14	13	14	7	9	3	0	100	
Pancreas	0	0	0	0	0	0	0	0	0	2	0	3	6	5	6	2	2	0	26	
Placenta	0	0	0	2	10	2	3	0	0	0	1	0	0	0	0	0	0	1	19	
Primary site unknown	0	0	0	1	0	0	6	4	10	15	30	30	45	37	19	15	18	1	231	
SCC of skin	0	0	0	0	0	0	0	1	8	10	9	18	31	38	39	37	61	0	252	
Salivary gland	0	0	0	0	0	0	0	1	1	1	0	2	2	2	1	1	0	0	12	
Skin other	0	0	0	1	1	1	1	0	1	1	2	2	1	1	2	3	5	0	22	
Small intestine	0	0	0	0	0	0	0	1	1	1	1	2	1	1	1	1	1	0	12	
Stomach	0	0	0	0	0	0	1	1	3	1	7	10	10	19	13	12	11	1	89	
Thyroid	0	0	1	1	0	1	6	6	6	7	8	3	4	4	0	3	0	0	50	
Tongue	0	0	0	0	0	0	0	0	0	2	6	6	6	3	14	1	1	2	0	41
Uterus	0	0	0	0	0	0	0	1	1	9	5	11	18	33	31	28	12	10	1	160
Vagina	0	0	0	0	1	0	2	0	2	0	3	0	2	3	0	1	0	0	14	
Vulva	0	0	0	0	0	0	1	4	5	5	0	7	1	6	0	2	1	1	33	

Total                    6      7      12      15      40      71      138      204      343      398      504      592      640      556      442      394      353      18      4733

**FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2016**  
**COLOURED MALES**

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total	
Anus	0	0	0	0	0	0	0	0	0	0	1	4	3	4	2	2	0	0	16	
BCC	0	0	0	0	1	4	8	11	37	63	61	106	114	131	113	96	85	1	831	
Bladder	0	0	0	0	0	0	0	1	5	6	13	25	27	26	28	23	29	0	183	
Bone	1	1	2	1	0	0	4	3	1	1	0	0	1	1	0	0	0	0	16	
Brain, CNS	3	2	2	1	0	0	0	1	0	1	5	5	5	3	3	2	1	0	36	
Breast	0	0	0	0	0	0	0	0	0	2	3	3	3	1	2	4	2	1	21	
Burkitt lymphoma	0	0	0	0	0	0	0	0	2	0	0	1	0	0	0	0	0	0	3	
Colorectal	0	0	0	0	2	3	4	8	11	15	25	42	56	50	35	24	26	0	301	
Connective tissue	3	1	0	0	0	0	0	1	2	2	4	2	3	3	3	1	1	0	29	
Endocrine	0	0	1	0	0	0	0	0	0	1	0	0	2	0	0	0	0	0	4	
Eye	1	0	0	0	0	0	1	1	0	2	0	1	1	0	0	0	1	0	8	
Gum	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	2	
Haematology other	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	3	
Hodgkin lymphoma	0	2	2	0	2	6	9	2	0	2	4	2	2	0	0	1	1	0	35	
Kaposi Sarcoma	1	0	0	1	0	1	17	10	12	4	4	4	1	0	2	2	0	1	60	
Kidney	0	2	0	0	1	0	0	4	4	8	9	5	10	7	7	2	1	0	60	
Larynx	0	0	0	0	0	0	0	0	2	8	17	21	19	12	10	4	4	0	97	
Leukaemia	1	0	0	0	0	1	0	1	1	2	1	2	2	0	2	2	0	0	17	
Lip	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	3	
Liver & Bile duct	2	0	0	0	0	0	0	0	0	0	1	0	2	8	5	2	3	0	26	
Lung	0	0	0	0	0	0	0	3	0	15	23	40	70	74	59	48	33	17	1	383
Melanoma	0	0	0	1	2	3	3	6	7	12	14	15	16	12	7	11	10	0	119	
Mesothelioma	0	0	0	0	0	0	0	0	0	0	2	1	3	3	4	3	2	2	0	20
Mouth	0	0	0	0	1	1	0	2	2	6	14	10	8	9	5	0	2	1	61	
Myeloma	0	0	0	0	0	0	0	0	1	0	3	2	1	3	1	5	2	0	18	
Naso-Oropharynx	0	0	0	1	1	0	0	1	6	7	12	13	15	9	4	2	2	1	74	
Non Hodgkin lymphoma	0	1	0	0	2	6	5	7	13	10	14	14	9	10	15	8	7	1	122	
Oesophagus	0	0	0	0	1	0	0	1	4	11	18	17	27	13	11	7	2	2	114	
Other specified	1	0	0	0	0	2	1	0	1	1	8	3	4	0	2	0	0	0	23	
Pancreas	0	0	0	0	0	0	0	0	0	1	1	4	3	4	2	5	1	0	21	
Penis	0	0	0	0	0	1	0	2	0	1	1	3	4	0	1	2	0	0	15	
Primary site unknown	2	0	0	0	2	1	4	6	9	29	32	49	52	38	24	18	10	1	277	
Prostate	0	0	0	0	0	0	1	2	8	24	61	129	177	209	149	101	78	5	944	
SCC of skin	0	0	0	0	1	1	1	5	9	12	29	31	50	67	62	59	88	1	416	
Salivary gland	0	0	0	0	0	0	2	1	0	0	1	0	1	0	1	0	0	1	7	
Skin other	0	0	0	0	1	0	0	0	1	1	1	3	3	3	4	2	2	0	21	
Small intestine	0	0	0	0	0	0	0	0	2	2	1	2	2	3	2	0	2	0	16	
Stomach	0	0	0	0	1	0	2	4	8	11	22	26	33	28	20	12	13	0	180	
Testis	0	0	0	1	4	5	6	9	5	1	1	1	0	0	0	0	0	0	33	
Thyroid	0	0	0	0	0	0	4	1	0	0	2	4	1	0	0	0	0	0	12	
Tongue	0	0	0	0	0	1	0	1	3	2	10	9	13	7	2	3	1	0	52	
<b>Total</b>	<b>15</b>	<b>9</b>	<b>8</b>	<b>6</b>	<b>23</b>	<b>38</b>	<b>77</b>	<b>92</b>	<b>177</b>	<b>280</b>	<b>437</b>	<b>643</b>	<b>745</b>	<b>717</b>	<b>583</b>	<b>426</b>	<b>387</b>	<b>16</b>	<b>4679</b>	

**FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2016**  
**WHITE FEMALES**

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total	
Anus	0	0	0	0	0	0	0	2	0	1	3	3	2	2	2	1	1	0	17	
BCC	0	0	0	2	10	37	81	132	237	344	449	543	589	716	699	571	761	7	5178	
Bladder	0	0	0	0	0	1	0	1	2	8	10	6	27	25	33	23	43	0	179	
Bone	0	0	1	2	0	0	1	1	1	5	1	2	0	3	2	0	0	0	19	
Brain, CNS	0	2	2	3	2	6	4	6	4	9	4	7	6	11	9	8	1	0	84	
Breast	0	0	0	0	6	22	69	111	252	310	338	438	444	484	379	289	300	6	3448	
Burkitt lymphoma	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	3	
Cervix	0	0	0	1	1	13	47	63	60	73	92	81	44	44	25	14	15	2	575	
Colorectal	0	0	0	0	3	2	9	21	22	28	57	84	118	119	101	116	148	2	830	
Connective tissue	3	1	0	2	2	0	4	4	5	1	2	3	7	5	9	3	9	0	60	
Endocrine	2	0	0	0	0	0	0	0	1	0	2	0	2	1	1	1	0	0	10	
Eye	2	0	0	0	0	0	1	1	1	4	2	0	2	1	1	0	0	1	16	
Gum	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	0	1	0	6	
Haematology other	0	0	0	0	1	0	1	0	0	1	1	0	1	0	2	1	0	1	9	
Hodgkin lymphoma	0	0	2	4	6	6	9	7	4	4	3	5	3	2	4	3	2	1	65	
Kaposi Sarcoma	0	0	0	1	1	0	6	11	1	0	1	1	0	0	1	2	0	0	25	
Kidney	8	0	0	0	0	0	0	0	4	4	8	9	16	13	15	16	17	7	0	117
Larynx	0	0	0	0	1	0	0	0	0	0	0	4	7	3	2	3	1	1	22	
Leukaemia	1	0	2	1	0	1	5	0	5	5	2	9	6	12	12	6	13	0	80	
Lip	0	0	0	0	0	0	0	0	1	0	1	0	0	1	3	0	0	0	6	
Liver & Bile duct	0	0	0	0	0	0	0	2	1	1	7	7	10	5	11	6	10	7	1	68
Lung	0	0	0	0	0	0	0	1	4	7	14	29	49	97	93	103	66	55	3	521
Melanoma	0	0	0	3	11	20	36	40	50	57	63	66	84	68	60	55	63	1	677	
Mesothelioma	0	0	0	0	0	0	0	1	0	0	0	0	4	3	4	9	7	4	0	32
Mouth	0	0	0	0	0	0	0	2	1	3	7	3	11	12	9	5	2	6	0	61
Myeloma	0	0	0	0	0	0	0	0	2	1	3	4	4	11	11	3	4	10	0	53
Naso-Oropharynx	0	0	0	0	0	1	1	0	1	2	4	4	4	6	3	1	1	0	32	
Non Hodgkin lymphoma	0	0	2	0	1	3	3	14	21	19	18	35	31	37	46	32	49	0	311	
Oesophagus	0	0	0	0	1	0	0	0	3	2	1	4	12	11	14	13	19	11	0	91
Other specified	0	0	0	0	1	1	1	1	0	2	4	8	7	10	9	13	6	3	0	65
Ovary	0	0	0	0	1	0	3	5	9	5	28	33	40	46	38	39	29	20	0	296
Pancreas	0	0	0	0	0	0	0	0	1	5	3	7	12	15	19	21	14	5	0	102
Placenta	0	0	0	0	2	6	2	2	0	1	0	0	0	0	0	0	0	0	13	
Primary site unknown	0	0	0	1	1	2	8	10	15	22	36	56	81	82	68	71	51	6	510	
SCC of skin	0	1	1	1	0	3	6	20	21	55	97	133	167	244	292	326	644	4	2015	
Salivary gland	0	0	0	1	0	1	0	0	0	0	3	1	2	5	1	5	2	0	21	
Skin other	0	0	1	0	1	1	1	4	4	7	2	5	12	4	6	7	16	0	71	
Small intestine	0	0	0	0	0	0	0	0	0	0	3	1	4	5	2	4	3	0	25	
Stomach	0	0	0	0	0	0	1	3	5	4	8	18	14	9	12	16	8	28	2	128
Thyroid	0	0	0	2	6	11	18	19	25	27	19	24	23	15	16	7	6	1	219	
Tongue	0	0	0	0	0	0	0	0	4	3	4	8	8	9	7	7	9	7	1	67
Uterus	0	0	0	0	0	0	0	2	1	6	23	23	47	55	51	41	39	29	0	317
Vagina	0	0	0	1	0	0	3	1	0	1	4	1	3	4	2	4	3	0	27	
Vulva	0	0	0	0	0	0	3	8	6	6	9	12	7	5	9	9	10	0	84	
<b>Total</b>	<b>16</b>	<b>4</b>	<b>12</b>	<b>30</b>	<b>60</b>	<b>138</b>	<b>333</b>	<b>513</b>	<b>784</b>	<b>1108</b>	<b>1378</b>	<b>1767</b>	<b>1967</b>	<b>2197</b>	<b>2084</b>	<b>1790</b>	<b>2336</b>	<b>38</b>	<b>16555</b>	

**FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2016**  
**WHITE MALES**

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total	
Anus	0	0	0	0	0	2	2	3	0	3	1	4	4	1	3	0	0	26		
BCC	0	1	1	6	12	30	88	140	264	488	608	808	938	1014	1028	842	819	10	7097	
Bladder	0	0	0	0	0	6	2	9	16	29	43	71	98	105	86	112	0	577		
Bone	1	1	3	5	0	0	1	0	1	2	1	1	2	3	2	1	0	0	24	
Brain, CNS	7	1	0	2	1	3	3	11	3	10	7	17	11	11	9	8	1	1	106	
Breast	0	0	0	0	0	0	0	1	1	2	6	5	10	11	6	7	6	0	55	
Burkitt lymphoma	1	1	0	1	1	2	0	0	1	0	0	2	0	0	0	1	0	0	10	
Colorectal	0	0	0	0	1	4	6	15	27	46	75	105	165	178	159	125	118	2	1026	
Connective tissue	5	1	1	2	4	3	0	6	2	7	5	13	7	8	9	10	10	0	93	
Endocrine	2	0	1	0	1	0	0	0	0	0	0	1	3	1	0	0	0	0	9	
Eye	0	0	1	0	0	0	1	1	3	2	1	1	2	2	0	1	2	0	17	
Gum	0	0	0	0	0	0	0	0	0	0	1	1	3	0	1	1	0	0	7	
Haematology other	1	3	0	1	0	1	0	2	0	0	1	0	2	4	4	5	1	0	25	
Hodgkin lymphoma	0	2	4	5	3	4	4	7	4	5	6	5	4	7	3	4	1	1	69	
Kaposi Sarcoma	0	0	0	0	0	5	10	11	6	2	4	3	1	2	1	0	1	0	46	
Kidney	3	1	0	0	2	0	2	6	12	17	23	36	32	26	28	24	5	0	217	
Larynx	0	0	0	0	0	1	0	1	4	3	16	13	21	12	19	15	7	1	113	
Leukaemia	2	1	3	2	0	3	1	2	2	4	6	17	5	9	16	18	11	0	102	
Lip	0	0	0	0	0	0	0	1	0	0	2	3	3	3	3	2	3	0	20	
Liver & Bile duct	1	0	0	0	0	1	0	2	2	3	7	13	11	11	17	16	12	1	97	
Lung	0	0	0	0	0	1	0	2	8	12	33	46	86	110	123	109	77	66	2	675
Melanoma	0	0	0	2	8	15	24	38	51	61	85	87	111	123	105	92	87	2	891	
Mesothelioma	0	0	0	0	1	0	0	0	0	2	2	3	15	15	10	18	7	0	73	
Mouth	0	0	0	0	0	0	0	0	0	5	11	16	16	17	18	6	4	0	99	
Myeloma	0	0	0	0	0	0	0	0	2	0	1	6	5	9	12	14	10	0	73	
Naso-Oropharynx	0	0	0	2	0	0	0	1	7	7	15	24	22	14	10	5	0	1	108	
Non Hodgkin lymphoma	1	1	3	0	7	4	13	8	15	34	26	37	58	52	56	36	34	2	387	
Oesophagus	0	0	0	0	0	1	1	3	3	9	15	27	29	36	14	11	1	161		
Other specified	0	0	0	0	1	0	0	0	1	6	4	8	6	15	7	10	1	1	60	
Pancreas	0	0	0	0	0	0	0	1	3	4	16	10	20	16	12	14	6	1	103	
Penis	0	0	0	0	0	0	0	5	2	6	5	4	2	2	6	5	3	0	40	
Primary site unknown	0	1	1	0	3	2	5	10	18	33	51	74	65	78	66	42	42	2	493	
Prostate	0	0	0	0	0	1	0	6	18	53	148	363	577	760	658	457	318	5	3364	
SCC of skin	0	0	0	2	1	5	8	22	52	92	200	280	398	557	571	503	693	6	3390	
Salivary gland	0	0	0	1	0	0	0	1	1	7	4	9	8	9	5	5	0	51		
Skin other	0	0	0	1	0	2	2	2	2	1	4	7	10	11	10	21	11	0	84	
Small intestine	0	0	0	0	0	0	0	0	0	1	1	1	5	6	4	5	0	27		
Stomach	0	0	0	1	0	1	3	0	6	18	15	27	44	49	41	35	31	0	271	
Testis	4	1	0	2	14	11	24	27	17	11	9	9	4	2	2	1	1	0	139	
Thyroid	0	0	0	0	0	3	3	4	4	5	4	9	7	8	8	4	5	0	64	
Tongue	0	0	0	0	0	0	1	3	7	4	13	24	14	18	13	4	5	0	106	
Total	28	15	18	36	60	102	210	351	568	1003	1486	2195	2824	3327	3145	2529	2459	39	20395	

**AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2016 : FEMALES**

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0	0	0	0	0.08	0.18	1.09	1.83	1.33	1.17	1.46	2.12	1.01	1.04	1.92	0.89	0.8
BCC	0	0	0	0.13	0.61	1.94	4.1	8.69	17.18	27.84	41.22	60.07	80.62	123.03	174.86	208.2	232.7
Bladder	0.03	0.04	0	0	0.04	0.11	0.4	0.46	0.61	1.31	1.85	1.93	6.88	6.83	13.42	13.72	13.55
Bone	0.03	0.21	0.45	0.42	0.31	0.26	0.12	0.1	0.18	0.76	0.23	0.64	0.11	0.74	0.85	0	0.53
Brain, CNS	0.31	0.56	0.45	0.34	0.12	0.59	0.36	0.56	0.85	0.96	0.77	1.38	1.47	2.23	2.77	2.98	0.27
Breast	0	0.04	0.04	0.17	1.23	4.28	14.47	28.67	56.87	74.44	87.22	110.38	123.8	149.48	169.32	180.76	161.77
Burkitt lymphoma	0.07	0.11	0.08	0	0.04	0.22	0.08	0.71	0.54	0.55	0.23	0.28	0.23	0	0	0.3	0
Cervix	0	0	0	0.42	0.96	4.79	20.42	43.76	61.59	63.58	77.53	76.11	73.63	82.02	73.05	66.22	65.08
Colorectal	0	0	0	0.13	0.31	0.66	1.57	3.2	5.32	7.77	13.92	20.36	27.17	35.36	42.17	59.95	54.99
Connective tissue	0.81	0.39	0.33	0.29	0.19	0.37	0.72	1.17	1.39	1.24	1.85	2.21	2.48	2.82	3.83	4.47	4.52
Endocrine	0.17	0	0	0.13	0.04	0.07	0.04	0.15	0.18	0.14	0.15	0.37	0.23	0.15	0.21	0	0
Eye	0.78	0.18	0.04	0.04	0.31	0.66	2.17	2.44	3.15	2.13	1.69	0.83	1.47	0.3	0.64	0.3	1.06
Gum	0	0	0	0	0	0	0.04	0	0.12	0.14	0.08	0.09	0	0.3	0.21	0.89	0.53
Haematology other	0.14	0.07	0.16	0.08	0.08	0.04	0.16	0.15	0.24	0.27	0.08	0.37	0.23	0.3	0.85	0	0.53
Hodgkin lymphoma	0.03	0.07	0.2	0.76	0.73	1.39	1.73	2.19	1.75	1.51	1.15	1.11	1.35	0.74	1.06	1.79	0.53
Ill defined	0	0	0	0	0	0	0	0	0.06	0	0	0.18	0.23	0	0.21	0	0
Kaposi Sarcoma	0.07	0.11	0.2	0.17	2.19	5.09	6.27	6	5.08	3.09	3.08	1.75	1.58	1.34	1.06	2.09	2.66
Kidney	1.36	0.53	0.08	0	0	0.11	0.36	0.56	0.85	1.58	1.77	3.69	3.95	4.46	5.54	6.86	2.66
Larynx	0	0	0	0	0.04	0	0.08	0	0.18	0.34	1.23	1.84	1.8	1.34	1.7	0.6	0.53
Leukaemia	0.37	0.25	0.37	0.46	0.38	0.59	0.4	0.36	0.85	0.82	0.92	1.75	2.14	2.67	5.75	2.98	3.98
Lip	0	0	0	0	0	0	0	0	0.06	0	0.23	0	0.11	0.15	0.64	0	0.27
Liver & Bile duct	0.03	0.04	0.04	0.04	0.08	0.07	0.24	0.51	0.91	1.31	1.62	2.58	2.26	3.86	2.98	7.16	4.25
Lung	0	0	0	0.04	0.12	0.11	0.28	0.97	1.45	3.71	7.38	11.33	22.55	27.34	34.72	36.09	23.91
Melanoma	0.03	0.04	0	0.17	0.54	0.91	1.89	2.39	4.11	5.29	7.08	9.12	13.42	14.56	16.83	26.25	24.44
Mesothelioma	0	0	0	0	0	0.04	0.04	0	0.06	0.07	0.38	0.64	0.79	1.04	2.13	2.68	1.33
Mouth	0	0	0	0	0	0.04	0.11	0.28	0.36	0.61	1.24	1.62	3.5	3.83	3.86	4.05	3.88
Myeloma	0	0	0	0	0	0.04	0.04	0	0.3	0.54	1.17	1.46	1.75	3.5	4.01	2.56	3.28
Naso-Oropharynx	0	0.04	0.08	0.34	0.12	0.33	0.12	0.25	0.42	1.1	1.23	1.29	2.03	1.93	1.28	0.89	1.33
Non Hodgkin lymphoma	0.14	0.11	0.41	0.5	0.88	1.21	4.22	6.3	7.08	7.7	7.54	8.94	8.91	13.37	16.61	14.91	17.53
Oesophagus	0	0	0	0.08	0	0.04	0.32	0.66	1.51	3.3	6.46	11.79	15.11	18.87	20.45	29.83	23.11
Other specified	0.1	0.04	0.08	0	0.12	0.33	0.32	0.46	0.91	1.44	2.38	2.21	2.93	4.46	4.47	4.77	3.72
Ovary	0.07	0.07	0.12	0.25	0.42	0.55	0.88	1.42	1.82	4.47	5.69	8.02	11.39	11.29	12.99	13.12	9.03
Pancreas	0	0	0	0.13	0	0.07	0.08	0.15	0.48	0.48	1.15	2.95	3.61	5.2	5.32	6.56	1.59
Placenta	0	0	0	0.34	1.27	0.81	0.76	0.71	0.61	0.21	0.23	0	0	0	0.21	0	0
Primary site unknown	0.14	0.04	0.04	0.34	0.38	1.21	2.65	4.17	6.78	10.04	16.46	21.28	30.56	39.82	42.38	51.3	40.38
SCC of skin	0	0.07	0.04	0.08	0.19	0.88	1.81	3.2	3.87	6.6	10.46	16.77	27.29	46.21	76.25	114.84	201.09
Salivary gland	0.03	0	0.12	0.08	0.08	0.11	0.16	0.25	0.42	0.55	0.54	0.55	1.13	1.19	1.49	1.79	0.53
Skin other	0	0	0.12	0.13	0.35	0.26	0.48	0.66	1.27	1.24	1.15	1.2	2.14	1.93	2.77	3.88	7.7
Small intestine	0	0	0	0	0	0	0.04	0.1	0.12	0.62	0.62	1.11	1.35	1.04	1.92	1.79	1.86
Stomach	0	0	0	0	0.04	0.33	0.24	0.86	1.57	1.86	4.38	4.7	6.77	8.47	11.5	11.63	15.14
Thyroid	0.03	0	0.12	0.38	0.46	0.84	1.85	2.69	2.9	4.4	3.77	3.96	5.3	5.2	4.47	6.56	2.39
Tongue	0	0	0	0	0	0	0.16	0.2	0.54	0.96	1.69	2.03	2.37	3.86	2.34	3.88	3.72
Uterus	0	0	0	0.04	0.04	0.15	0.32	0.51	2	4.88	6.85	18.06	31.68	39.82	43.88	45.04	33.74
Vagina	0.07	0	0.04	0.08	0.12	0.18	0.56	0.86	1.09	1.03	2	2.49	2.48	3.86	3.19	3.28	2.66
Vulva	0	0	0	0.04	0.31	1.1	2.73	5.54	5.14	3.92	3.15	4.61	2.37	2.82	5.11	5.67	5.31

**AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2016 : MALES**

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	
Anus	0	0	0	0.04	0	0.14	0.43	0.74	1.2	1.1	0.66	2.26	2.02	1.84	3.83	1.56	3.32	
BCC	0.03	0.04	0.12	0.3	0.55	1.41	4.02	7.99	19.26	44.69	66.56	107.28	159.46	244.49	372.97	511.89	619.11	
Bladder	0.07	0	0	0	0	0.11	0.47	0.45	1.14	3.37	6.51	11.53	18.49	31.61	52.92	65.16	108.83	
Bone	0.1	0.21	0.61	0.97	0.47	0.29	0.27	0.2	0.3	0.31	0.47	0.57	0.72	1.22	0.96	0.52	0	
Brain, CNS	0.57	0.56	0.33	0.34	0.39	0.29	0.51	0.89	0.42	1.96	2.07	3.5	3.61	4.08	4.46	5.73	1.99	
Breast	0	0	0	0	0	0	0.12	0.25	0.48	1.02	1.6	3.05	4.33	6.32	7.01	8.86	9.95	
Burkitt lymphoma	0.27	0.18	0.08	0.17	0.04	0.11	0.39	0.7	0.66	0.23	0.38	0.57	0	0.2	0	0.52	0	
Colorectal	0	0	0.04	0.13	0.31	0.97	1.37	2.73	5.18	9.94	18.01	28.83	46.65	67.29	84.48	97.48	114.13	
Connective tissue	0.74	0.35	0.04	0.38	0.82	0.36	0.82	0.79	1.2	2.35	2.17	3.84	3.03	3.67	6.06	7.3	11.28	
Endocrine	0.2	0.07	0.08	0	0.04	0	0.04	0	0.12	0	0	0.34	0.58	0.2	0	0	0	
Eye	0.6	0.07	0.08	0.13	0.12	0.32	1.37	1.79	3.55	2.43	2.26	2.37	2.17	1.22	0.32	1.56	1.99	
Gum	0	0	0	0	0	0	0	0	0.06	0	0.19	0.68	0.72	0.61	0.64	0.52	0	
Haematology other	0.13	0.25	0.16	0.17	0.12	0.18	0.08	0.25	0.06	0	0.09	0.23	0.29	1.02	1.59	3.65	1.99	
Hodgkin lymphoma	0.07	0.74	0.98	1.1	0.9	1.01	1.48	2.18	3.07	2.66	2.36	1.58	1.73	2.24	1.59	3.13	1.33	
III defined	0	0	0.04	0	0	0	0	0	0.06	0	0	0	0	0	0	0	0	
Kaposi Sarcoma	0.07	0.25	0.16	0.3	0.93	3.54	9.25	10.38	11.92	10.1	8.58	4.64	3.61	3.47	2.55	3.65	7.3	
Kidney	0.91	0.42	0.04	0.04	0.27	0.07	0.23	0.89	1.2	3.6	4.71	6.67	8.38	10.81	14.34	14.6	5.31	
Larynx	0.03	0	0	0	0.04	0.04	0.04	0.2	0.54	2.35	6.22	10.4	13.87	14.68	17.21	14.6	13.27	
Leukaemia	0.47	0.35	0.53	0.8	0.27	0.29	0.35	0.94	0.48	0.94	1.51	3.39	2.17	3.87	8.61	13.55	7.96	
Lip	0	0	0	0	0	0	0	0.15	0	0.39	0.28	0.68	0.87	0.61	1.28	1.56	3.32	
Liver & Bile duct	0.2	0.07	0.04	0.04	0.04	0.25	0.43	0.84	1.32	1.41	2.64	5.54	3.76	6.53	9.88	18.24	12.61	
Lung	0	0.04	0	0	0.12	0.04	0.35	0.99	3.19	9.39	18.86	36.52	50.84	66.68	75.87	73.5	69.01	
Melanoma	0	0.04	0.04	0.13	0.51	0.76	1.09	2.48	3.97	6.73	11.41	13.34	20.08	29.98	40.48	57.86	71	
Mesothelioma	0	0	0	0.04	0	0	0	0	0	0.47	1.04	1.7	3.76	5.3	5.74	12.51	8.63	
Mouth	0	0	0.04	0.04	0.04	0.11	0.16	0.5	1.26	3.13	5.37	7.46	9.82	11.22	7.65	7.3	7.96	
Myeloma	0	0	0	0	0	0	0	0.3	0.3	1.1	2.07	2.26	4.04	3.87	8.61	9.9	7.96	
Naso-Oropharynx	0.07	0	0.16	0.25	0.23	0.11	0.2	0.45	1.81	2.58	5.37	7.24	10.54	9.18	8.93	5.73	3.32	
Non Hodgkin lymphoma	0.17	0.53	0.57	0.55	0.9	1.44	3.43	5.96	9.39	12.99	13.48	12.77	15.89	18.76	28.69	29.71	30.52	
Oesophagus	0	0	0	0.04	0.04	0.11	0.16	0.74	2.05	5.56	14.99	20.46	23.69	28.75	28.37	28.67	30.52	
Other specified	0.07	0	0.04	0.04	0.04	0.18	0.04	0.4	0.48	1.17	2.36	2.94	4.04	4.69	5.74	7.3	2.65	
Pancreas	0	0	0	0	0	0	0	0.04	0.05	0.24	0.86	2.73	3.39	6.21	5.51	9.24	3.98	
Penis	0	0	0	0.04	0	0.04	0.11	0.35	1.29	0.96	2.82	2.45	2.49	2.74	1.63	4.14	4.69	5.31
Primary site unknown	0.17	0.14	0.16	0.3	0.43	0.79	1.29	3.18	5.18	13.7	22.06	35.72	43.76	52	54.19	57.34	62.38	
Prostate	0	0	0.04	0	0.08	0.14	0.16	0.79	3.25	12.52	47.52	115.99	221.85	357.87	471.15	543.69	497.01	
SCC of skin	0	0.04	0.04	0.08	0.27	0.43	0.86	3.23	6.44	11.58	27.34	40.81	72.51	138.66	215.49	311.2	540.15	
Salivary gland	0.03	0.04	0.08	0.08	0.08	0.11	0.16	0.3	0.18	0.23	1.13	0.68	2.31	2.85	4.46	3.65	3.32	
Skin other	0	0	0.08	0.04	0.31	0.32	0.35	0.45	0.84	0.7	1.89	2.15	3.03	3.67	6.38	14.07	13.27	
Small intestine	0	0	0	0	0.04	0.04	0	0.2	0.24	0.47	0.47	1.02	2.46	3.47	3.19	3.65	5.31	
Stomach	0	0	0	0.04	0.16	0.11	0.55	0.74	1.99	4.07	8.96	12.44	19.35	24.88	29.65	35.97	38.49	
Testis	0.2	0.21	0.08	0.25	0.93	1.08	1.72	2.09	1.69	1.17	1.41	1.13	0.72	0.61	0.64	0.52	0.66	
Thyroid	0.03	0	0	0	0.04	0.22	0.43	0.35	0.72	0.7	1.23	2.83	1.59	2.04	3.19	2.09	3.98	
Tongue	0	0.04	0	0	0.04	0.04	0.08	0.3	0.66	1.49	4.43	5.88	8.67	10.2	7.65	6.26	5.97	

**AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2016 : ASIAN FEMALE**

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0	0	0	0	0	0	0	0	0	0	0	0	2.96	0	5	0	0
BCC	0	0	0	0	0	0	1.63	0	5.91	4.26	2.26	7.72	8.88	14.44	14.99	29.3	48.06
Bladder	2.13	0	0	0	0	0	1.63	0	1.97	0	2.26	2.57	2.96	7.22	14.99	14.65	8.01
Bone	0	0	2.4	2.29	0	0	0	0	0	0	0	0	0	0	0	0	0
Brain, CNS	0	0	0	0	0	1.73	1.63	3.7	0	2.13	0	2.57	8.88	10.83	0	0	0
Breast	0	0	0	0	9.68	12.1	16.34	53.62	61.08	117.23	124.56	154.48	168.71	249.1	199.9	175.77	184.24
Burkitt lymphoma	0	0	0	0	0	1.73	0	0	0	0	0	0	0	0	0	0	0
Cervix	0	0	0	0	0	5.19	9.81	7.4	25.62	27.71	31.71	38.62	23.68	32.49	24.99	21.97	8.01
Colorectal	0	0	0	0	0	1.73	3.27	3.7	11.82	23.45	24.91	23.17	50.32	72.2	54.97	65.91	48.06
Connective tissue	0	2.21	0	2.29	0	0	0	1.85	0	0	2.26	2.57	0	0	10	7.32	0
Endocrine	2.13	0	0	0	0	0	0	0	1.97	0	0	2.57	0	0	0	0	0
Eye	2.13	0	0	0	0	0	0	0	1.97	2.13	0	0	0	0	0	0	0
Gum	0	0	0	0	0	0	0	0	0	2.13	0	0	0	0	0	0	0
Haematology other	2.13	0	0	0	0	0	1.63	0	0	0	0	0	0	0	0	0	0
Hodgkin lymphoma	0	0	0	4.59	3.87	1.73	0	5.55	1.97	0	0	2.57	2.96	0	0	0	0
Kaposi Sarcoma	0	0	0	0	1.94	3.46	0	0	0	0	0	0	0	0	0	0	0
Kidney	4.26	0	0	0	0	0	1.63	1.85	0	2.13	4.53	7.72	5.92	7.22	14.99	7.32	0
Larynx	0	0	0	0	0	0	0	0	0	0	2.26	0	2.96	0	0	0	0
Leukaemia	0	0	2.4	2.29	0	0	0	0	1.97	0	4.53	0	8.88	0	5	0	0
Liver & Bile duct	0	0	0	0	0	0	0	0	0	4.26	0	2.57	5.92	0	5	7.32	8.01
Lung	0	0	0	0	0	0	1.63	0	1.97	2.13	4.53	10.3	32.56	36.1	10	51.27	32.04
Melanoma	0	0	0	0	0	0	0	3.7	1.97	2.13	4.53	2.57	0	0	5	14.65	0
Mesothelioma	0	0	0	0	0	0	0	0	1.97	0	0	0	2.96	0	0	0	0
Mouth	0	0	0	0	0	0	1.63	0	1.97	2.13	4.53	5.15	8.88	14.44	10	0	16.02
Myeloma	0	0	0	0	0	0	0	0	0	4.26	0	2.57	0	0	0	0	0
Naso-Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	8.01
Non Hodgkin lymphoma	0	0	0	0	0	3.46	4.9	5.55	3.94	4.26	9.06	15.45	11.84	10.83	14.99	14.65	0
Oesophagus	0	0	0	0	0	0	1.63	1.85	3.94	0	4.53	7.72	0	7.22	5	14.65	24.03
Other specified	0	0	0	0	0	0	0	0	0	0	0	2.57	8.88	7.22	0	14.65	0
Ovary	0	0	0	0	1.94	3.46	4.9	3.7	5.91	6.39	13.59	2.57	17.76	21.66	10	7.32	32.04
Pancreas	0	0	0	0	0	0	0	0	0	0	0	0	2.96	3.61	5	0	0
Placenta	0	0	0	0	0	0	1.73	0	0	0	2.13	0	0	0	0	0	0
Primary site unknown	0	0	0	0	0	0	0	3.7	7.88	10.66	11.32	20.6	38.48	18.05	29.99	65.91	24.03
SCC of skin	0	0	0	0	0	0	0	0	0	2.13	6.79	0	5.92	3.61	14.99	14.65	24.03
Salivary gland	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10	0	0
Skin other	0	0	0	0	0	0	0	0	1.85	3.94	0	0	0	0	3.61	5	0
Small intestine	0	0	0	0	0	0	0	0	0	0	0	5.15	5.92	3.61	5	0	16.02
Stomach	0	0	0	0	0	0	0	1.85	5.91	10.66	9.06	5.15	14.8	36.1	39.98	36.62	40.05
Thyroid	0	0	2.4	4.59	1.94	1.73	6.54	0	3.94	12.79	0	2.57	8.88	10.83	0	0	8.01
Tongue	0	0	0	0	0	0	0	0	3.94	4.26	4.53	0	2.96	7.22	5	7.32	8.01
Uterus	0	0	0	0	0	1.73	0	3.7	7.88	14.92	9.06	41.2	53.28	83.03	64.97	43.94	16.02
Vagina	0	0	0	0	0	0	0	0	0	0	2.57	0	3.61	5	7.32	0	0
Vulva	0	0	0	0	0	0	0	0	0	4.26	0	7.72	2.96	3.61	19.99	21.97	0

**AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2016 : ASIAN MALE**

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0	0	0	0	0	0	1.37	0	0	0	0	5.54	3.4	0	7.23	0	0
BCC	0	0	0	0	0	0	0	0	0	3.95	9.26	5.54	13.59	27.73	65.07	76.06	78.72
Bladder	0	0	0	0	0	0	0	1.52	1.69	3.95	13.89	30.49	27.18	41.6	93.98	25.35	39.36
Bone	0	0	4.55	2.17	0	1.49	0	0	1.69	0	0	0	0	0	7.23	0	0
Brain, CNS	0	0	0	0	5.31	0	1.37	3.04	1.69	1.97	4.63	2.77	0	4.62	7.23	12.68	0
Breast	0	0	0	0	0	0	0	0	0	1.97	2.32	5.54	6.79	13.87	0	12.68	0
Burkitt lymphoma	2.05	0	0	2.17	0	0	2.73	0	0	0	0	0	0	0	0	0	0
Colorectal	0	0	0	2.17	0	1.49	1.37	4.56	10.12	17.76	46.31	58.2	81.53	87.82	101.21	101.41	157.45
Connective tissue	0	0	0	0	1.49	1.37	3.04	1.69	3.95	0	5.54	3.4	0	21.69	0	0	0
Eye	0	2.11	2.28	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Gum	0	0	0	0	0	0	0	0	1.69	0	0	0	0	4.62	0	0	0
Haematology other	0	4.23	0	0	0	1.49	0	0	0	0	0	0	0	4.62	0	0	19.68
Hodgkin lymphoma	0	0	0	0	5.31	0	0	4.56	6.75	3.95	0	0	6.79	4.62	7.23	12.68	0
Kaposi Sarcoma	0	0	0	0	0	0	2.73	0	3.37	0	4.63	0	0	0	0	0	0
Kidney	0	0	0	2.17	0	0	1.37	3.04	1.69	5.92	4.63	2.77	3.4	18.49	21.69	12.68	0
Larynx	0	0	0	0	0	0	0	0	0	7.89	2.32	13.86	10.19	0	0	12.68	19.68
Leukaemia	2.05	0	0	2.17	0	0	0	1.52	0	1.97	0	2.77	3.4	9.24	7.23	12.68	0
Lip	0	0	0	0	0	0	0	0	0	1.97	0	0	0	0	0	12.68	0
Liver & Bile duct	2.05	0	0	0	0	0	0	0	1.69	0	0	2.77	3.4	0	7.23	12.68	0
Lung	0	0	0	0	0	0	0	1.52	3.37	7.89	20.84	19.4	54.35	120.18	115.67	38.03	59.04
Melanoma	0	0	0	0	0	0	0	0	0	0	2.32	2.77	3.4	4.62	7.23	12.68	19.68
Mesothelioma	0	0	0	0	0	0	0	0	0	1.97	0	0	0	4.62	0	12.68	0
Mouth	0	0	0	0	0	0	0	3.04	1.69	1.97	0	5.54	6.79	4.62	0	12.68	0
Myeloma	0	0	0	0	0	0	0	0	1.69	0	2.32	0	3.4	0	14.46	0	0
Naso-Oropharynx	0	0	0	0	0	0	0	0	3.37	0	2.32	2.77	13.59	4.62	7.23	0	0
Non Hodgkin lymphoma	0	0	0	0	3.54	1.49	1.37	0	8.44	9.87	2.32	13.86	6.79	13.87	57.84	25.35	19.68
Oesophagus	0	0	0	0	0	0	0	0	1.69	0	6.95	8.31	13.59	9.24	28.92	38.03	0
Other specified	0	0	0	0	0	0	0	0	0	1.97	0	0	6.79	4.62	7.23	12.68	0
Pancreas	0	0	0	0	0	0	0	0	0	1.97	2.32	0	0	13.87	7.23	0	0
Penis	0	0	0	0	0	0	1.37	3.04	0	0	2.32	0	3.4	0	7.23	0	0
Primary site unknown	0	0	0	0	0	2.98	0	4.56	3.37	9.87	11.58	27.72	20.38	50.84	65.07	38.03	118.09
Prostate	0	0	0	0	0	0	0	0	3.37	5.92	25.47	72.06	129.08	198.75	404.86	316.9	255.86
SCC of skin	0	0	0	0	0	0	0	4.56	1.69	1.97	6.95	11.09	13.59	4.62	28.92	38.03	118.09
Salivary gland	0	0	0	0	1.77	0	0	0	0	0	2.32	0	3.4	0	0	0	0
Skin other	0	0	0	0	0	0	2.73	0	1.69	1.97	0	2.77	0	0	0	0	0
Small intestine	0	0	0	0	0	0	0	0	0	0	0	0	3.4	0	7.23	12.68	0
Stomach	0	0	0	0	0	0	0	1.52	0	9.87	11.58	30.49	33.97	36.98	50.61	63.38	78.72
Testis	0	0	0	2.17	5.31	7.46	6.83	6.08	3.37	1.97	6.95	0	0	0	0	0	0
Thyroid	0	0	0	0	1.77	1.49	0	1.52	3.37	1.97	6.95	0	0	0	0	0	0
Tongue	0	0	0	0	0	0	0	0	0	3.95	2.32	5.54	13.59	18.49	0	0	0

**AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2016 : BLACK FEMALE**

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0	0	0	0	0.09	0.22	1.25	2.13	1.65	1.4	1.59	2.24	0.66	0.69	2.09	1.01	0.45
BCC	0	0	0	0.05	0.23	0.52	0.63	1.25	1.34	1.96	3.18	4.74	6.13	9.71	13.59	15.61	9.52
Bladder	0	0.04	0	0.05	0.09	0.39	0.5	0.55	0.84	0.95	1.19	3.81	1.85	5.92	9.06	1.36	
Bone	0.04	0.21	0.29	0.35	0.32	0.22	0.1	0.06	0.16	0.47	0.21	0.53	0.17	0.23	0	0	0.45
Brain, CNS	0.35	0.45	0.43	0.2	0.05	0.26	0.1	0.19	0.47	0.19	0.53	0.92	0.5	0.23	0.35	1.01	0
Breast	0	0.04	0.05	0.2	0.91	3.24	11.6	22.16	41.24	52.93	61.72	66.52	69.24	74.89	91.97	98.69	94.71
Burkitt lymphoma	0.08	0.12	0.05	0	0.05	0.22	0.1	0.81	0.47	0.56	0.32	0.4	0.33	0	0	0	0
Cervix	0	0	0	0.45	0.86	4.53	20.41	46.7	69.57	72.35	87.65	89.57	91.1	107.47	103.47	94.67	99.7
Colorectal	0	0	0	0.1	0.14	0.56	1.2	1.82	3.46	5.23	8.89	11.2	11.26	16.18	16.37	25.18	14.95
Connective tissue	0.75	0.33	0.33	0.2	0.14	0.39	0.58	1	1.1	1.4	2.12	2.5	1.99	2.54	2.44	5.04	2.27
Endocrine	0.04	0	0	0.15	0.05	0.09	0.05	0.06	0.08	0	0.21	0.13	0.17	0	0	0	0
Eye	0.78	0.16	0.05	0.05	0.36	0.78	2.5	2.88	3.78	2.43	2.12	1.05	1.82	0.23	0.7	0.5	1.81
Gum	0	0	0	0	0	0	0.05	0	0.16	0	0.11	0	0	0	0.35	0.5	0.45
Haematology other	0.12	0.04	0.14	0.05	0.09	0	0.1	0.19	0.16	0.28	0	0.13	0.17	0	1.05	0	0.45
Hodgkin lymphoma	0.04	0.08	0.1	0.45	0.45	1.08	1.54	1.69	1.65	1.68	1.06	0.79	1.33	0.46	0	0.5	0
Ill defined	0	0	0	0	0	0	0	0	0.08	0	0	0.26	0.17	0	0.35	0	0
Kaposi Sarcoma	0.08	0.12	0.19	0.15	2.22	5.52	7.03	6.39	6.3	4.11	3.92	2.24	2.32	2.08	1.05	2.52	4.08
Kidney	1.06	0.62	0.1	0	0	0.09	0.39	0.38	0.47	0.93	0.74	1.71	2.15	1.39	2.09	2.01	0.45
Larynx	0	0	0	0	0	0	0.05	0	0.08	0.37	0.85	1.05	1.16	0.92	1.39	0.5	0.45
Leukaemia	0.39	0.29	0.29	0.4	0.41	0.56	0.24	0.38	0.55	0.47	0.74	1.19	1.33	1.16	2.44	1.51	0.91
Lip	0	0	0	0	0	0	0	0	0	0	0.21	0	0.17	0	0	0	0
Liver & Bile duct	0.04	0.04	0.05	0.05	0.09	0.09	0.19	0.56	0.94	0.75	1.16	2.11	1.66	2.77	2.44	4.53	2.72
Lung	0	0	0	0.05	0.09	0.13	0.19	0.88	1.18	2.8	4.34	4.48	8.61	8.32	11.84	13.09	7.7
Melanoma	0.04	0.04	0	0.05	0.09	0.13	0.39	0.19	0.55	1.31	1.69	2.63	4.64	4.39	3.83	11.58	9.97
Mesothelioma	0	0	0	0	0	0.04	0	0	0	0.09	0.53	0.13	0.5	0.69	0	1.01	0
Mouth	0	0	0	0	0	0.05	0.13	0.19	0.31	0.39	0.56	1.16	2.37	2.48	2.77	2.79	3.02
Myeloma	0	0	0	0	0	0	0.04	0	0.19	0.55	1.03	1.27	1.71	3.15	3	2.09	2.52
Naso-Oropharynx	0	0.04	0.1	0.35	0	0.22	0.1	0.19	0.31	0.56	0.74	0.79	1.16	0.69	1.05	0.5	0.91
Non Hodgkin lymphoma	0.16	0.12	0.29	0.55	0.86	1.04	4.28	6.32	7.08	7.93	6.78	5.8	5.13	8.55	6.97	3.52	4.98
Oesophagus	0	0	0	0.05	0	0.04	0.24	0.44	1.34	3.64	7.52	13.7	17.72	22.19	25.78	37.77	30.82
Other specified	0.12	0.04	0.1	0	0.09	0.35	0.34	0.56	1.02	1.4	2.22	1.58	1.82	3.47	2.44	3.52	4.08
Ovary	0.08	0.08	0.05	0.15	0.36	0.26	0.53	0.81	1.34	2.33	2.75	4.21	5.96	4.16	4.53	2.52	3.17
Pancreas	0	0	0	0.15	0	0.09	0.1	0.13	0.08	0.37	0.53	1.84	1.82	2.08	0.35	3.02	0.45
Placenta	0	0	0	0.2	0.77	0.73	0.67	0.88	0.71	0.19	0.21	0	0	0	0.35	0	0
Primary site unknown	0.16	0.04	0.05	0.3	0.41	1.34	2.5	4.13	6.53	9.71	15.14	18.05	21.87	33.28	36.93	38.77	36.25
SCC of skin	0	0.04	0	0.05	0.23	0.91	1.88	2.63	2.75	2.8	2.86	4.08	6.96	6.47	8.36	10.07	22.21
Salivary gland	0.04	0	0.14	0.05	0.09	0.09	0.14	0.25	0.47	0.65	0.42	0.4	0.99	0.23	1.05	0	0
Skin other	0	0	0.1	0.1	0.32	0.22	0.48	0.5	1.1	0.93	1.16	0.79	0.99	1.62	1.39	1.51	3.63
Small intestine	0	0	0	0	0	0	0.05	0.06	0.08	0.47	0.53	0.66	0.5	0.69	1.05	1.01	0.45
Stomach	0	0	0	0	0.05	0.3	0.1	0.5	1.42	0.65	2.65	3.29	4.47	5.08	6.27	7.55	10.42
Thyroid	0.04	0	0.05	0.2	0.23	0.43	0.87	1.75	1.18	2.24	2.33	1.98	2.82	3	1.74	6.04	0.91
Tongue	0	0	0	0	0	0	0.19	0	0.16	0.19	0.64	1.05	1.33	0.69	0.7	1.01	1.81
Uterus	0	0	0	0.05	0.05	0.13	0.24	0.38	1.1	3.36	5.4	15.15	28.99	37.67	43.2	47.33	38.97
Vagina	0.08	0	0.05	0.05	0.09	0.22	0.43	1	1.26	1.31	2.01	3.29	2.82	4.16	4.18	2.52	3.17
Vulva	0	0	0	0.05	0.36	1.29	3.08	6.07	5.82	4.11	3.39	3.69	1.99	1.62	3.83	2.52	4.08

**AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2016 : BLACK MALE**

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0	0	0	0.05	0	0.17	0.37	0.79	1.32	1.2	0.81	1.85	2	0.34	2.93	0	3.05
BCC	0.04	0	0.1	0.05	0.05	0.21	0.33	0.61	1.48	1.96	4.47	5.54	10.64	16.37	11.7	38.99	38.09
Bladder	0.08	0	0	0	0	0.13	0.28	0.3	0.31	2.07	2.84	3.86	4.88	7.5	11.7	14.36	32
Bone	0.04	0.16	0.39	0.81	0.56	0.3	0.09	0.06	0.16	0.11	0.54	0.67	0.44	0.68	0	0	0
Brain, CNS	0.27	0.53	0.29	0.25	0.28	0.21	0.37	0.3	0.16	0.98	1.08	1.34	2.44	1.7	1.17	1.03	0
Breast	0	0	0	0	0	0	0.14	0.24	0.39	0.76	0.95	2.86	3.77	5.11	7.02	7.18	12.19
Burkitt lymphoma	0.23	0.16	0.1	0.1	0	0.04	0.37	0.73	0.78	0.33	0.41	0.5	0	0.34	0	0	0
Colorectal	0	0	0.05	0.1	0.23	0.81	1.12	1.77	3.27	6.2	9.62	14.62	17.29	28.3	33.35	30.78	30.48
Connective tissue	0.55	0.33	0	0.35	0.79	0.26	0.89	0.37	1.17	1.85	2.17	2.69	2.22	2.39	2.34	3.08	9.14
Endocrine	0.16	0.08	0	0	0	0	0.05	0	0.08	0	0	0	0.22	0	0	0	0
Eye	0.66	0.04	0	0.15	0.14	0.34	1.54	2.13	4.2	3.16	2.98	3.19	2.88	1.36	0.59	2.05	0
Gum	0	0	0	0	0	0	0	0	0	0	0.14	0.5	0.44	0.68	0.59	0	0
Haematology other	0.12	0.08	0.14	0.15	0.14	0.13	0.09	0.18	0.08	0	0	0.17	0	0	0	2.05	1.52
Hodgkin lymphoma	0.08	0.7	0.87	1.06	0.69	0.77	1.17	1.95	3.35	2.72	2.03	1.18	0.89	1.02	0.59	0	0
Ill defined	0	0	0.05	0	0	0	0	0	0.08	0	0	0	0	0	0	0	0
Kaposi Sarcoma	0.04	0.29	0.19	0.3	1.11	3.93	9.71	11.46	13.86	13.39	10.97	5.71	5.1	5.11	2.93	5.13	15.24
Kidney	0.94	0.37	0.05	0	0.19	0.09	0.14	0.37	0.23	1.96	2.17	2.86	3.33	5.46	4.1	1.03	3.05
Larynx	0.04	0	0	0	0.05	0	0.05	0.18	0.23	1.63	4.33	8.91	11.75	16.37	14.63	8.21	12.19
Leukaemia	0.39	0.37	0.48	0.81	0.28	0.21	0.33	0.91	0.31	0.65	1.08	1.68	2	2.05	4.68	5.13	1.52
Lip	0	0	0	0	0	0	0	0.12	0	0.44	0.14	0.34	0.44	0	0	0	3.05
Liver & Bile duct	0.08	0.08	0.05	0.05	0.05	0.26	0.51	0.91	1.4	1.63	2.57	4.54	2	6.48	5.85	15.39	10.67
Lung	0	0.04	0	0	0.09	0.04	0.19	0.67	1.87	6.53	14.22	26.88	33.7	40.57	38.03	28.73	27.43
Melanoma	0	0.04	0.05	0	0.14	0.13	0.05	0.37	0.62	1.42	2.84	2.52	2.44	3.75	8.19	7.18	13.71
Mesothelioma	0	0	0	0	0	0	0	0	0	0.11	1.08	1.51	1.77	2.05	2.93	3.08	6.1
Mouth	0	0	0.05	0.05	0	0.09	0.19	0.37	1.01	2.39	3.66	6.38	9.09	9.21	7.61	9.23	6.1
Myeloma	0	0	0	0	0	0	0	0.18	0.31	1.09	1.76	2.35	3.33	2.05	3.51	3.08	3.05
Naso-Oropharynx	0.08	0	0.19	0.15	0.23	0.13	0.23	0.43	1.17	2.07	3.93	4.37	7.09	7.16	7.61	4.1	4.57
Non Hodgkin lymphoma	0.16	0.53	0.53	0.66	0.56	1.24	3.22	6.4	9.57	12.74	13.82	9.58	9.09	9.21	6.44	11.29	6.1
Oesophagus	0	0	0	0.05	0	0.09	0.14	0.67	2.02	5.55	16.66	22.52	23.05	30.69	35.1	34.88	50.28
Other specified	0.04	0	0.05	0.05	0	0.13	0	0.49	0.47	0.76	1.76	2.52	3.55	2.39	4.68	3.08	4.57
Pancreas	0	0	0	0	0	0	0.05	0	0	0.54	1.08	2.86	4.21	2.05	6.44	4.1	0
Penis	0	0	0.05	0	0.05	0.09	0.37	1.04	1.09	3.16	2.57	2.66	2.05	2.93	2.05	7.62	
Primary site unknown	0.12	0.12	0.14	0.35	0.28	0.73	1.12	2.74	4.44	11.76	19.78	30.75	39.9	43.64	41.54	48.22	54.86
Prostate	0	0	0.05	0	0.09	0.13	0.14	0.49	2.02	8.71	38.47	85.36	164.93	253.34	359.82	471.94	518.08
SCC of skin	0	0.04	0.05	0	0.23	0.26	0.61	2.13	3.5	4.68	7.86	7.73	11.08	18.75	22.82	32.83	41.14
Salivary gland	0.04	0.04	0.1	0.05	0.05	0.04	0.14	0.3	0.16	0.11	0.54	0.34	1.11	2.05	2.34	2.05	0
Skin other	0	0	0.1	0	0.32	0.3	0.23	0.43	0.78	0.65	2.03	1.34	1.77	1.36	3.51	4.1	10.67
Small intestine	0	0	0	0	0.05	0.04	0	0.24	0.16	0.33	0.41	1.01	2	2.73	1.76	2.05	1.52
Stomach	0	0	0	0	0.14	0.09	0.42	0.61	1.48	1.96	7.18	7.73	10.42	12.62	14.63	17.44	15.24
Testis	0.08	0.2	0.1	0.1	0.14	0.38	0.42	0.12	0.31	0.22	0.27	0	0.22	0.34	0	0	0
Thyroid	0.04	0	0	0	0	0.09	0.19	0.06	0.47	0.33	0.54	2.02	0.67	0.68	1.17	0	1.52
Tongue	0	0.04	0	0	0.05	0	0.05	0.12	0.08	1.2	3.12	2.86	6.43	7.16	5.27	5.13	4.57

**AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2016 : COLOURED FEMALE**

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	
Anus	0	0	0	0	0	0	0.51	0	0.63	0.6	0.66	2.38	2	2.73	0	0	3.35	
BCC	0	0	0	0	0.47	1.87	3.57	11.5	16.91	22.97	36.98	55.46	86	90.13	166.37	280.83	295.18	
Bladder	0	0	0	0	0	0	0.51	0	0	1.21	2.64	3.96	10	15.02	20.8	9.16	13.42	
Bone	0	0.44	1.46	0	0.47	0.93	0	0	0	0.6	0	0.79	0	1.37	4.16	0	3.35	
Brain, CNS	0	1.31	0	0.48	0	1.4	1.02	0	2.5	1.21	0.66	0	1	0	6.24	0	0	
Breast	0	0	0	0	0.47	6.07	20.41	42.37	83.28	91.26	104.34	154.5	178.99	176.15	232.92	296.09	258.29	
Burkitt lymphoma	0	0	0	0	0	0	0	0.61	1.88	0.6	0	0	0	0	0	0	0	
Cervix	0	0	0	0	2.34	4.67	15.82	29.05	38.2	38.68	48.87	39.61	51	46.43	33.27	51.89	30.19	
Colorectal	0	0	0	0.48	0.94	0.93	1.53	6.66	10.02	10.88	19.15	34.07	38	39.6	81.11	79.37	67.09	
Connective tissue	0.85	0.44	0.49	0	0	0.47	1.02	1.21	2.5	1.21	0.66	0.79	3	4.1	0	3.05	10.06	
Endocrine	0.43	0	0	0	0	0	0	0.61	0.63	0	0	0	0	0	0	0	0	
Eye	0	0.44	0	0	0	0	0.51	0.61	1.25	0	0	0.79	0	0	0	0	0	
Gum	0	0	0	0	0	0	0	0	0	0	0	0.79	0	0	0	0	0	
Haematology other	0	0.44	0.49	0	0	0	0.51	0	0.63	0	0.66	1.58	1	0	0	0	0	
Hodgkin lymphoma	0	0	0.49	1.45	0.47	2.8	1.02	3.63	1.88	0	1.32	0	0	1.37	2.08	6.11	0	
III defined	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
Kaposi Sarcoma	0	0	0.49	0	2.81	4.2	2.04	3.03	1.88	0.6	1.32	0.79	0	0	2.08	0	3.35	
Kidney	1.28	0	0	0	0	0.47	0	0	2.5	2.42	3.3	6.34	7	9.56	2.08	3.05	6.71	
Larynx	0	0	0	0	0	0	0.51	0	1.25	0.6	1.98	3.96	5	4.1	2.08	0	0	
Leukaemia	0	0	0	0.48	0.47	0.93	0	0.61	0.63	1.21	0.66	0.79	2	1.37	14.56	3.05	0	
Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3.35	
Liver & Bile duct	0	0	0	0	0	0	0	0	1.25	1.21	1.98	0.79	3	4.1	0	12.21	6.71	
Lung	0	0	0	0	0.47	0	0.51	0.61	0.63	5.44	15.85	28.52	40	61.45	49.91	67.16	46.96	
Melanoma	0	0	0	0	0.47	0.93	1.53	1.21	6.26	3.02	7.26	9.51	7	15.02	14.56	24.42	23.48	
Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	1.58	0	0	2.08	0	3.35	
Mouth	0	0	0	0	0	0	0	0	0.61	0.63	2.42	3.3	5.55	4	1.37	8.32	15.26	16.77
Myeloma	0	0	0	0	0.47	0	0	0	0.61	0.63	0.6	1.98	0.79	1	4.1	6.24	6.11	3.35
Naso-Oropharynx	0	0	0	0.48	0.94	1.4	0.51	0.61	0.63	3.63	3.3	3.17	7	5.46	0	3.05	3.35	
Non Hodgkin lymphoma	0	0	0.97	0.48	1.4	1.87	5.1	3.63	2.5	3.63	7.92	9.51	13	17.75	18.72	27.47	20.13	
Oesophagus	0	0	0	0	0	0	1.02	1.21	2.5	4.83	4.62	7.13	16	20.48	16.64	12.21	16.77	
Other specified	0	0	0	0	0	0	0	0	0	1.21	1.32	3.17	2	5.46	2.08	3.05	6.71	
Ovary	0	0	0.97	0.97	0.94	1.87	1.53	2.42	3.13	5.44	5.94	11.09	13	19.12	14.56	27.47	10.06	
Pancreas	0	0	0	0	0	0	0	0	1.25	0	1.98	4.75	5	8.19	4.16	6.11	0	
Placenta	0	0	0	0.97	4.68	0.93	1.53	0	0	0	0.66	0	0	0	0	0	0	
Primary site unknown	0	0	0	0.48	0	0	3.06	2.42	6.26	9.07	19.81	23.77	45	50.53	39.51	45.79	60.38	
SCC of skin	0	0	0	0	0	0	0	0.61	5.01	6.04	5.94	14.26	31	51.89	81.11	112.94	204.62	
Salivary gland	0	0	0	0	0	0	0.51	0.61	0.63	0.6	0	1.58	2	2.73	2.08	3.05	0	
Skin other	0	0	0	0.48	0.47	0.47	0.51	0	0.63	0.6	1.32	1.58	1	1.37	4.16	9.16	16.77	
Small intestine	0	0	0	0	0	0	0	0	0.61	0.63	0.6	1.32	0.79	2	1.37	2.08	3.05	3.35
Stomach	0	0	0	0	0	0	0.47	0.51	1.82	0.63	4.23	6.6	7.92	19	17.75	24.96	33.58	3.35
Thyroid	0	0	0.49	0.48	0	0.47	3.06	3.63	3.76	4.23	5.28	2.38	4	5.46	0	9.16	0	
Tongue	0	0	0	0	0	0	0	0	1.25	3.63	3.96	4.75	3	19.12	2.08	3.05	6.71	
Uterus	0	0	0	0	0	0	0.51	0.61	5.64	3.02	7.26	14.26	33	42.33	58.23	36.63	33.54	
Vagina	0	0	0	0	0.47	0	1.02	0	1.25	0	1.98	0	2	4.1	0	3.05	0	
Vulva	0	0	0	0	0	0	0.51	2.42	3.13	3.02	0	5.55	1	8.19	0	6.11	3.35	

**AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2016 : COLOURED MALE**

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	
Anus	0	0	0	0	0	0	0	0	0	0	0.78	3.81	3.99	7.84	6.7	12.88	0	
BCC	0	0	0	0	0.46	1.85	4.15	6.83	24.2	43.88	47.43	101.07	151.57	256.88	378.56	618.4	807.52	
Bladder	0	0	0	0	0	0	0	0.62	3.27	4.18	10.11	23.84	35.9	50.98	93.8	148.16	275.51	
Bone	0.41	0.42	0.95	0.47	0	0	2.07	1.86	0.65	0.7	0	0	1.33	1.96	0	0	0	
Brain, CNS	1.24	0.85	0.95	0.47	0	0	0.52	0	0.65	3.48	3.89	4.77	3.99	5.88	6.7	6.44	19	
Breast	0	0	0	0	0	0	0	0	1.31	2.09	2.33	2.86	1.33	3.92	13.4	12.88	9.5	
Burkitt lymphoma	0	0	0	0	0	0	0	1.24	0	0	0.78	0	0	0	0	0	0	
Colorectal	0	0	0	0	0.92	1.39	2.07	4.96	7.19	10.45	19.44	40.05	74.46	98.05	117.25	154.6	247.01	
Connective tissue	1.24	0.42	0	0	0	0	0.52	1.24	1.31	2.79	1.56	2.86	3.99	5.88	10.05	6.44	9.5	
Endocrine	0	0	0.47	0	0	0	0	0	0.65	0	0	1.91	0	0	0	0	0	
Eye	0.41	0	0	0	0	0.46	0.52	0	1.31	0	0.78	0.95	0	0	0	0	9.5	
Gum	0	0	0	0	0	0	0	0	0	0	0	1.91	0	0	0	0	0	
Haematology other	0	0	0.47	0	0	0	0	0	0	0	0	0.95	0	0	3.35	0	0	
Hodgkin lymphoma	0	0.85	0.95	0	0.92	2.78	4.67	1.24	0	1.39	3.11	1.91	2.66	0	0	6.44	9.5	
Kaposi Sarcoma	0.41	0	0	0.47	0	0.46	8.81	6.21	7.85	2.79	3.11	3.81	1.33	0	6.7	12.88	0	
Kidney	0	0.85	0	0	0.46	0	0	2.48	2.62	5.57	7	4.77	13.3	13.73	23.45	12.88	9.5	
Larynx	0	0	0	0	0	0	0	0	1.31	5.57	13.22	20.02	25.26	23.53	33.5	25.77	38	
Leukaemia	0.41	0	0	0	0.46	0	0.52	0.62	1.31	0.7	1.56	1.91	0	3.92	6.7	12.88	0	
Lip	0	0	0	0	0	0	0	0	0	0	0	0.95	1.33	0	3.35	0	0	
Liver & Bile duct	0.82	0	0	0	0	0	0	0	0	0.65	0	1.56	7.63	6.65	3.92	10.05	19.32	0
Lung	0	0	0	0	0	0	1.56	0	9.81	16.02	31.1	66.75	98.39	115.7	160.8	212.57	161.5	
Melanoma	0	0	0	0.47	0.92	1.39	1.56	3.72	4.58	8.36	10.89	14.3	21.27	23.53	23.45	70.86	95	
Mesothelioma	0	0	0	0	0	0	0	0	0	1.39	0.78	2.86	3.99	7.84	10.05	12.88	19	
Mouth	0	0	0	0	0.46	0.46	0	1.24	1.31	4.18	10.89	9.54	10.64	17.65	16.75	0	19	
Myeloma	0	0	0	0	0	0	0	0.62	0	2.09	1.56	0.95	3.99	1.96	16.75	12.88	0	
Naso-Oropharynx	0	0	0	0.47	0.46	0	0	0.62	3.92	4.88	9.33	12.4	19.94	17.65	13.4	12.88	19	
Non Hodgkin lymphoma	0	0.42	0	0	0.92	2.78	2.59	4.34	8.5	6.96	10.89	13.35	11.97	19.61	50.25	51.53	66.5	
Oesophagus	0	0	0	0	0.46	0	0	0.62	2.62	7.66	14	16.21	35.9	25.49	36.85	45.09	19	
Other specified	0.41	0	0	0	0	0.93	0.52	0	0.65	0.7	6.22	2.86	5.32	0	6.7	0	0	
Pancreas	0	0	0	0	0	0	0	0	0.65	0.7	3.11	2.86	5.32	3.92	16.75	6.44	0	
Penis	0	0	0	0	0	0.46	0	1.24	0	0.7	0.78	2.86	5.32	0	3.35	12.88	0	
Primary site unknown	0.82	0	0	0	0.92	0.46	2.07	3.72	5.89	20.2	24.88	46.72	69.14	74.52	80.4	115.95	95	
Prostate	0	0	0	0	0	0	0.52	1.24	5.23	16.72	47.43	123.01	235.33	409.84	499.16	650.61	741.02	
SCC of skin	0	0	0	0	0.46	0.46	0.52	3.1	5.89	8.36	22.55	29.56	66.48	131.38	207.71	380.06	836.03	
Salivary gland	0	0	0	0	0	0.93	0.52	0	0	0.7	0	0	1.33	0	3.35	0	0	
Skin other	0	0	0	0	0.46	0	0	0	0.65	0.7	0.78	2.86	3.99	5.88	13.4	12.88	19	
Small intestine	0	0	0	0	0	0	0	0	1.31	1.39	0.78	1.91	2.66	5.88	6.7	0	19	
Stomach	0	0	0	0	0.46	0	1.04	2.48	5.23	7.66	17.11	24.79	43.88	54.91	67	77.3	123.5	
Testis	0	0	0	0.47	1.85	2.31	3.11	5.59	3.27	0.7	0.78	0.95	0	0	0	0	0	
Thyroid	0	0	0	0	0	0	2.07	0.62	0	0	1.56	3.81	1.33	0	0	0	0	
Tongue	0	0	0	0	0	0.46	0	0.62	1.96	1.39	7.78	8.58	17.28	13.73	6.7	19.32	9.5	

**AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2016 : WHITE FEMALE**

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0	0	0	0	0	0	0	1.33	0	0.58	1.88	1.86	1.34	1.43	1.75	1.11	0.88
BCC	0	0	0	1.59	7.43	25.96	52.73	87.54	137.98	200.95	280.63	337.09	394.18	513.53	611.16	632.66	670.56
Bladder	0	0	0	0	0	0.7	0	0.66	1.16	4.67	6.25	3.72	18.07	17.93	28.85	25.48	37.89
Bone	0	0	0.84	1.59	0	0	0.65	0.66	0.58	2.92	0.63	1.24	0	2.15	1.75	0	0
Brain, CNS	0	1.57	1.68	2.39	1.49	4.21	2.6	3.98	2.33	5.26	2.5	4.35	4.02	7.89	7.87	8.86	0.88
Breast	0	0	0	0	4.46	15.44	44.92	73.61	146.71	181.08	211.25	271.91	297.14	347.14	331.37	320.21	264.35
Burkitt lymphoma	0	0	0.84	0	0	0	0	0	0	0.58	0	0	0	0	0	1.11	0
Cervix	0	0	0	0.8	0.74	9.12	30.59	41.78	34.93	42.64	57.5	50.28	29.45	31.56	21.86	15.51	13.22
Colorectal	0	0	0	0	2.23	1.4	5.86	13.93	12.81	16.36	35.63	52.15	78.97	85.35	88.31	128.53	130.41
Connective tissue	2.56	0.79	0	1.59	1.49	0	2.6	2.65	2.91	0.58	1.25	1.86	4.68	3.59	7.87	3.32	7.93
Endocrine	1.71	0	0	0	0	0	0	0.66	0	1.17	0	1.24	0.67	0.72	0.87	0	0
Eye	1.71	0	0	0	0	0	0	0.65	0.66	0.58	2.34	1.25	0	1.34	0.72	0.87	0
Gum	0	0	0	0	0	0	0	0	0	0.58	0	0	0	1.43	0	2.22	0.88
Haematology other	0	0	0	0.8	0	0.7	0	0	0.58	0.58	0	0.62	0	1.43	0.87	0	0.88
Hodgkin lymphoma	0	0	1.68	3.18	4.46	4.21	5.86	4.64	2.33	2.34	1.88	3.1	2.01	1.43	3.5	3.32	1.76
Kaposi Sarcoma	0	0	0	0.8	0.74	0	3.91	7.3	0.58	0	0.63	0.62	0	0	0.87	2.22	0
Kidney	6.82	0	0	0	0	0	0	2.65	2.33	4.67	5.63	9.93	8.7	10.76	13.99	18.84	6.17
Larynx	0	0	0	0	0.74	0	0	0	0	0	2.5	4.35	2.01	1.43	2.62	1.11	0.88
Leukaemia	0.85	0	1.68	0.8	0	0.7	3.25	0	2.91	2.92	1.25	5.59	4.02	8.61	10.49	6.65	11.46
Lip	0	0	0	0	0	0	0	0	0.58	0	0.63	0	0	0.72	2.62	0	0
Liver & Bile duct	0	0	0	0	0	0	1.3	0.66	0.58	4.09	4.38	6.21	3.35	7.89	5.25	11.08	6.17
Lung	0	0	0	0	0	0	0.65	2.65	4.08	8.18	18.13	30.42	64.92	66.7	90.06	73.13	48.46
Melanoma	0	0	0	2.39	8.17	14.03	23.43	26.53	29.11	33.3	39.38	40.97	56.22	48.77	52.46	60.94	55.51
Mesothelioma	0	0	0	0	0	0	0.65	0	0	0	0	2.48	2.01	2.87	7.87	7.76	3.52
Mouth	0	0	0	0	0	0	1.3	0.66	1.75	4.09	1.88	6.83	8.03	6.46	4.37	2.22	5.29
Myeloma	0	0	0	0	0	0	0	0.33	0.58	1.75	2.5	2.48	7.36	7.89	2.62	4.43	8.81
Naso-Oropharynx	0	0	0	0	0.74	0.7	0	0.66	1.16	2.34	2.5	2.48	2.68	4.3	2.62	1.11	0.88
Non Hodgkin lymphoma	0	0	1.68	0	0.74	2.1	1.95	9.28	12.23	11.1	11.25	21.73	20.75	26.54	40.22	35.46	43.18
Oesophagus	0	0	0	0.8	0	0	0	1.99	1.16	0.58	2.5	7.45	7.36	10.04	11.37	21.05	9.69
Other specified	0	0	0	0	0.74	0.7	0.65	0	1.16	2.34	5	4.35	6.69	6.46	11.37	6.65	2.64
Ovary	0	0	0	0.8	0	2.1	3.25	5.97	2.91	16.36	20.63	24.83	30.79	27.25	34.1	32.13	17.62
Pancreas	0	0	0	0	0	0	0	0.66	2.91	1.75	4.38	7.45	10.04	13.63	18.36	15.51	4.41
Placenta	0	0	0	1.59	4.46	1.4	1.3	0	0.58	0	0	0	0	0	0	0	0
Primary site unknown	0	0	0	0.8	0.74	1.4	5.21	6.63	8.73	12.85	22.5	34.76	54.21	58.81	59.45	78.67	44.94
SCC of skin	0	0.79	0.84	0.8	0	2.1	3.91	13.26	12.23	32.13	60.63	82.57	111.76	175	255.31	361.2	567.47
Salivary gland	0	0	0	0.8	0	0.7	0	0	0	0	1.88	0.62	1.34	3.59	0.87	5.54	1.76
Skin other	0	0	0.84	0	0.74	0.7	0.65	2.65	2.33	4.09	1.25	3.1	8.03	2.87	5.25	7.76	14.1
Small intestine	0	0	0	0	0	0	0	0	0	1.75	0.63	2.48	3.35	1.43	3.5	3.32	2.64
Stomach	0	0	0	0	0	0	0.7	1.95	3.32	2.33	4.67	11.25	8.69	6.02	8.61	13.99	8.86
Thyroid	0	0	0	1.59	4.46	7.72	11.72	12.6	14.55	15.77	11.88	14.9	15.39	10.76	13.99	7.76	5.29
Tongue	0	0	0	0	0	0	0	2.65	1.75	2.34	5	4.97	6.02	5.02	6.12	9.97	6.17
Uterus	0	0	0	0	0	0	1.3	0.66	3.49	13.44	14.38	29.18	36.81	36.58	35.85	43.21	25.55
Vagina	0	0	0	0.8	0	0	1.95	0.66	0	0.58	2.5	0.62	2.01	2.87	1.75	4.43	2.64
Vulva	0	0	0	0	0	0	1.95	5.31	3.49	3.5	5.63	7.45	4.68	3.59	7.87	9.97	8.81

**AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2016 : WHITE MALE**

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0	0	0	0	0	0	1.3	1.36	1.82	1.82	0	2.02	0.73	3.21	4.04	1.41	4.32
BCC	0	0.76	0.81	4.65	8.83	20.75	57.27	95.49	160.44	295.86	403.46	544.28	686.63	814.57	1037.33	1186.67	1178.99
Bladder	0	0	0	0	0	0	3.9	1.36	5.47	9.7	19.24	28.97	51.97	78.73	105.95	121.2	161.23
Bone	0.82	0.76	2.44	3.88	0	0	0.65	1.36	0	0.61	1.21	0.66	0.67	1.46	2.41	2.02	1.41
Brain, CNS	5.76	0.76	0	1.55	0.74	2.08	1.95	7.5	1.82	6.06	4.65	11.45	8.05	8.84	9.08	11.27	1.44
Breast	0	0	0	0	0	0	0	0.68	0.61	1.21	3.98	3.37	7.32	8.84	6.05	9.87	8.64
Burkitt lymphoma	0.82	0.76	0	0.78	0.74	1.38	0	0	0.61	0	0	1.35	0	0	0	1.41	0
Colorectal	0	0	0	0	0.74	2.77	3.9	10.23	16.41	27.89	49.77	70.73	120.78	142.99	160.44	176.17	169.87
Connective tissue	4.12	0.76	0.81	1.55	2.94	2.08	0	4.09	1.22	4.24	3.32	8.76	5.12	6.43	9.08	14.09	14.4
Endocrine	1.65	0	0.81	0	0.74	0	0	0	0	0	0	0.67	2.2	0.8	0	0	0
Eye	0	0	0.81	0	0	0	0.65	0.68	1.82	1.21	0.66	0.67	1.46	1.61	0	1.41	2.88
Gum	0	0	0	0	0	0	0	0	0	0	0.66	0.67	2.2	0	1.01	1.41	0
Haematology other	0.82	2.28	0	0.78	0	0.69	0	1.36	0	0	0.66	0	1.46	3.21	4.04	7.05	1.44
Hodgkin lymphoma	0	1.52	3.25	3.88	2.21	2.77	2.6	4.77	2.43	3.03	3.98	3.37	2.93	5.62	3.03	5.64	1.44
Kaposi Sarcoma	0	0	0	0	0	3.46	6.51	7.5	3.65	1.21	2.65	2.02	0.73	1.61	1.01	0	1.44
Kidney	2.47	0.76	0	0	1.47	0	1.3	4.09	7.29	10.31	15.26	24.25	23.42	20.89	28.25	33.82	7.2
Larynx	0	0	0	0	0	0.69	0	0.68	2.43	1.82	10.62	8.76	15.37	9.64	19.17	21.14	10.08
Leukaemia	1.65	0.76	2.44	1.55	0	2.08	0.65	1.36	1.22	2.43	3.98	11.45	3.66	7.23	16.15	25.37	15.84
Lip	0	0	0	0	0	0	0	0.68	0	0	1.33	2.02	2.2	2.41	3.03	2.82	4.32
Liver & Bile duct	0.82	0	0	0	0	0.69	0	1.36	1.22	1.82	4.65	8.76	8.05	8.84	17.15	22.55	17.27
Lung	0	0	0	0	0.74	0	1.3	5.46	7.29	20.01	30.52	57.93	80.52	98.81	109.99	108.52	95.01
Melanoma	0	0	0	1.55	5.88	10.38	15.62	25.92	30.99	36.98	56.4	58.6	81.25	98.81	105.95	129.66	125.24
Mesothelioma	0	0	0	0.78	0	0	0	0	0	1.21	1.33	2.02	10.98	12.05	10.09	25.37	10.08
Mouth	0	0	0	0	0	0	0	0	3.04	6.67	10.62	10.78	12.44	14.46	6.05	5.64	8.64
Myeloma	0	0	0	0	0	0	0	1.36	0	0.61	3.98	3.37	6.59	9.64	14.13	19.73	14.4
Naso-Oropharynx	0	0	0	1.55	0	0	0	0.68	4.25	4.24	9.95	16.17	16.1	11.25	10.09	7.05	0
Non Hodgkin lymphoma	0.82	0.76	2.44	0	5.15	2.77	8.46	5.46	9.12	20.61	17.25	24.92	42.46	41.77	56.51	50.74	48.94
Oesophagus	0	0	0	0	0	0.69	0.65	2.05	1.82	5.46	9.95	18.19	21.23	28.92	14.13	15.5	15.84
Other specified	0	0	0	0	0.74	0	0	0	0.61	3.64	2.65	5.39	4.39	12.05	7.06	14.09	1.44
Pancreas	0	0	0	0	0	0	0	0.68	1.82	2.43	10.62	6.74	14.64	12.85	12.11	19.73	8.64
Penis	0	0	0	0	0	0	0	3.41	1.22	3.64	3.32	2.69	1.46	1.61	6.05	7.05	4.32
Primary site unknown	0	0.76	0.81	0	2.21	1.38	3.25	6.82	10.94	20.01	33.84	49.85	47.58	62.66	66.6	59.19	60.46
Prostate	0	0	0	0	0	0.69	0	4.09	10.94	32.13	98.21	244.52	422.37	610.53	663.97	644.07	457.78
SCC of skin	0	0	0	1.55	0.74	3.46	5.21	15.01	31.6	55.78	132.72	188.61	291.34	447.45	576.18	708.9	997.61
Salivary gland	0	0	0	0.78	0	0	0	0.68	0.61	0.61	4.65	2.69	6.59	6.43	9.08	7.05	7.2
Skin other	0	0	0	0.78	0	1.38	1.3	1.36	1.22	0.61	2.65	4.72	7.32	8.84	10.09	29.6	15.84
Small intestine	0	0	0	0	0	0	0	0	0	0.61	0.66	0.67	3.66	4.82	4.04	5.64	7.2
Stomach	0	0	0	0.78	0	0.69	1.95	0	3.65	10.91	9.95	18.19	32.21	39.36	41.37	49.33	44.63
Testis	3.29	0.76	0	1.55	10.3	7.61	15.62	18.42	10.33	6.67	5.97	6.06	2.93	1.61	2.02	1.41	1.44
Thyroid	0	0	0	0	0	2.08	1.95	2.73	2.43	3.03	2.65	6.06	5.12	6.43	8.07	5.64	7.2
Tongue	0	0	0	0	0	0	0.65	2.05	4.25	2.43	8.63	16.17	10.25	14.46	13.12	5.64	7.2

**APPENDIX I:**

Information was missing about sex, although population group information was present: 2016

**POPULATION GROUP: ALL**

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
BCC	0	0	0	0	0	0	0	0	1	0	0	1	0	2	1	2	2	9	
Bone	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Kaposi Sarcoma	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	2
Kidney	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2
Liver & Bile duct	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
Melanoma	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
Myeloma	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
Naso-Oropharynx	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
Non Hodgkin lymphoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Pancreas	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
Primary site unknown	0	0	0	0	0	0	0	0	0	1	1	2	1	2	1	0	0	1	9
SCC of skin	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	4	1	1	8
Skin other	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
<b>Total</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>4</b>	<b>2</b>	<b>3</b>	<b>3</b>	<b>2</b>	<b>4</b>	<b>5</b>	<b>3</b>	<b>6</b>	<b>38</b>



**APPENDIX I:**

Information was missing about sex, although population group information was present: 2016

**POPULATION GROUP: ASIAN**

There were no Asians with missing information on sex

---



**APPENDIX I:**

Information was missing about sex, although population group information was present: 2016

**POPULATION GROUP: BLACK**

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
BCC	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
Bone	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Kaposi Sarcoma	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	2
Kidney	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2
Liver & Bile duct	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
Melanoma	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
Myeloma	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
Naso-Oropharynx	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
Non Hodgkin lymphoma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Pancreas	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
Primary site unknown	0	0	0	0	0	0	0	0	0	1	0	1	1	2	1	0	0	1	7
SCC of skin	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
Skin other	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
<b>Total</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>4</b>	<b>1</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>21</b>



**APPENDIX I:**

Information was missing about sex, although population group information was present: 2016

**POPULATION GROUP: COLOURED**

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total	
SCC of skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	2
Total	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	2	



**APPENDIX I:**

Information was missing about sex, although population group information was present: 2016

**POPULATION GROUP: WHITE**

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
BCC	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	1	2	2	8
Primary site unknown	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	2
SCC of skin	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	1	0	5
Total	0	0	0	0	0	0	0	0	0	1	1	1	0	3	4	3	2	15	



**APPENDIX II: Information was missing about population group, although information about sex was present**

**SEX: MALE 2016**

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
BCC	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
Bladder	0	0	0	0	0	0	0	1	1	1	2	0	3	4	7	2	5	1	27
Bone	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	2
Brain, CNS	1	0	0	0	0	1	1	1	0	0	2	0	0	0	0	0	1	0	7
Breast	0	0	0	0	0	0	0	0	2	1	0	0	1	0	1	0	0	0	5
Burkitt lymphoma	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	2
Colorectal	0	0	0	0	0	0	0	1	4	5	5	4	7	8	4	6	4	0	48
Connective tissue	1	0	0	0	0	0	1	0	1	0	0	0	0	0	1	1	0	0	5
Eye	0	0	0	0	0	0	0	2	2	3	2	0	0	0	0	0	0	0	9
Hodgkin lymphoma	0	0	1	0	0	3	1	3	2	1	0	0	0	0	0	0	0	1	12
Kaposi Sarcoma	0	0	0	0	0	2	2	1	4	0	0	0	0	0	0	0	0	1	10
Kidney	3	0	0	0	0	0	1	0	0	0	1	1	3	3	2	1	1	0	16
Larynx	0	0	0	0	0	0	0	0	0	2	0	1	4	1	1	1	0	0	11
Leukaemia	0	0	1	0	0	1	0	1	1	0	2	0	1	0	2	1	0	0	10
Liver & Bile duct	0	0	0	0	1	0	1	1	1	1	2	0	1	1	0	3	1	0	13
Lung	0	0	0	0	0	0	0	0	0	1	5	5	11	7	13	8	2	1	53
Melanoma	0	0	0	0	0	0	1	1	1	0	3	2	5	2	5	2	0	1	23
Mesothelioma	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	3	1	6
Mouth	0	0	0	0	0	0	0	0	0	1	1	4	1	2	1	0	1	0	11
Myeloma	0	0	0	0	0	0	0	0	0	0	1	2	1	0	0	0	1	0	5
Naso-Oropharynx	0	0	0	0	0	0	0	0	0	2	1	0	2	3	0	0	0	0	8
Non Hodgkin lymphoma	0	1	0	0	1	1	1	3	2	3	1	2	2	1	1	0	1	0	20
Oesophagus	0	0	0	0	0	1	0	3	2	3	5	3	5	2	2	2	2	1	31
Other specified	0	0	0	0	0	0	0	0	0	1	0	0	1	2	0	0	0	0	4
Pancreas	0	0	0	0	0	0	0	0	0	0	0	1	2	0	1	0	0	0	4
Penis	0	0	0	0	0	0	1	0	0	0	3	1	1	0	0	1	0	0	8
Primary site unknown	0	0	0	1	3	0	1	3	0	6	5	7	7	3	7	2	3	2	50
Prostate	0	0	0	0	0	0	0	0	0	2	20	26	19	24	35	25	29	3	183
Salivary gland	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	2
Skin other	0	0	1	0	1	0	0	0	0	0	0	2	0	0	0	0	1	0	5
Stomach	0	0	0	0	0	0	3	1	1	3	3	3	4	1	4	1	0	1	25
Testis	0	0	0	0	0	1	3	0	1	0	0	0	0	0	0	0	0	0	5
Thyroid	0	0	0	0	0	0	0	0	3	0	0	1	1	0	0	0	0	0	5
Tongue	0	0	0	0	0	0	1	1	1	0	3	1	1	2	1	0	0	1	12
<b>Total</b>	<b>5</b>	<b>1</b>	<b>4</b>	<b>1</b>	<b>7</b>	<b>13</b>	<b>18</b>	<b>25</b>	<b>36</b>	<b>42</b>	<b>69</b>	<b>77</b>	<b>74</b>	<b>70</b>	<b>81</b>	<b>55</b>	<b>49</b>	<b>12</b>	<b>639</b>

**APPENDIX II: Information was missing about population group, although information about sex was present**

**SEX: FEMALE 2016**

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	0	0	1	0	0	0	1	1	0	0	0	0	0	3
BCC	0	0	0	0	0	0	0	1	0	0	1	0	0	1	0	0	0	0	3
Bladder	0	0	0	0	0	0	0	0	0	2	0	1	3	0	1	0	0	0	7
Bone	0	0	0	0	1	0	0	0	0	1	0	0	0	1	0	0	0	0	3
Brain, CNS	1	0	1	0	0	0	1	0	0	0	0	0	1	0	1	0	0	0	5
Breast	0	0	0	0	1	4	9	17	32	32	36	34	23	21	19	23	24	6	281
Cervix	0	0	0	0	0	1	7	9	8	11	12	7	5	2	4	2	6	1	75
Colorectal	0	0	0	0	0	1	2	2	2	4	8	4	6	5	6	9	5	1	55
Connective tissue	0	0	0	0	0	1	1	0	1	1	0	0	0	1	0	0	0	0	5
Endocrine	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
Eye	2	1	0	0	0	0	0	2	3	1	1	2	0	0	0	0	0	0	13
Gum	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
Haematology other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
Hodgkin lymphoma	0	0	0	0	1	1	1	1	0	1	1	0	0	0	0	1	0	0	7
Kaposi Sarcoma	0	0	0	0	0	1	1	4	1	1	1	0	0	0	0	1	0	0	10
Kidney	1	0	0	0	0	0	0	0	1	3	0	0	0	0	0	0	1	0	6
Larynx	0	0	0	0	0	0	0	0	0	0	1	0	0	2	0	1	0	0	4
Leukaemia	1	0	0	0	1	0	1	0	0	0	0	0	1	0	1	0	0	0	5
Liver & Bile duct	0	0	0	0	0	0	1	0	0	0	0	1	1	0	2	0	0	2	0
Lung	0	0	0	0	0	0	0	0	1	0	3	1	6	6	7	9	2	1	36
Melanoma	0	0	0	0	0	0	0	3	1	4	0	1	1	2	3	0	3	4	0
Mouth	0	0	0	0	0	1	1	0	0	2	0	0	1	0	2	0	1	0	8
Myeloma	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0	3
Naso-Oropharynx	0	0	0	1	0	0	0	0	0	1	1	1	0	2	0	0	0	0	6
Non Hodgkin lymphoma	0	0	0	0	0	1	1	4	1	2	2	0	1	4	0	1	2	0	19
Oesophagus	0	0	0	0	0	0	0	0	1	1	2	0	5	2	1	7	4	3	0
Other specified	0	0	0	0	0	0	0	0	0	1	0	1	0	3	2	0	0	1	8
Ovary	0	0	0	0	0	0	0	0	1	1	1	2	4	2	1	2	0	2	0
Pancreas	0	0	0	1	0	0	0	1	0	0	1	1	1	0	0	0	1	1	6
Placenta	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
Primary site unknown	1	0	0	0	0	1	1	2	1	6	10	6	7	9	6	3	9	1	63
SCC of skin	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	1	0	3
Salivary gland	0	0	0	0	1	0	0	0	1	0	0	0	1	0	0	1	0	0	4
Skin other	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	1	0	4
Small intestine	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	2
Stomach	0	0	0	0	0	0	1	0	1	0	1	0	2	0	2	0	1	2	0
Thyroid	0	0	0	0	0	0	0	6	4	1	3	1	3	1	1	0	0	1	21
Tongue	0	0	0	0	0	0	0	0	0	0	0	1	3	1	0	0	1	0	6
Uterus	0	0	0	0	0	0	0	1	1	2	1	1	4	6	3	4	5	3	1
Vagina	0	0	0	0	0	0	0	0	2	0	0	0	1	0	0	1	0	0	4
Vulva	0	0	0	0	0	1	1	2	1	2	1	3	1	1	1	0	1	1	15

**Total**            6      1      1      2      5      15      39      59      65      80      87      89      80      70      67      59      70      12      807

**APPENDIX III: Information was missing about both sex and population group**  
2016

There were no records with missing information on both sex and population group

