

SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2017
FEMALE - ALL POPULATION GROUPS COMBINED

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Breast	9624	9624	23.11	33.07	35.35	34.64	36.07	3.96	25
Cervix	6600	6600	15.85	22.68	23.71	23.13	24.29	2.47	40
BCC	6150	6153	14.76	21.14	22.29	21.73	22.87	2.59	39
SCC of skin	2775	2777	6.66	9.54	9.43	9.07	9.79	0.95	105
Colorectal	1981	1981	4.76	6.81	7.27	6.95	7.60	0.86	116
Primary site unknown	1859	1865	4.46	6.41	6.92	6.61	7.25	0.83	121
Uterus	1570	1570	3.77	5.40	5.93	5.64	6.24	0.78	128
Lung	1055	1056	2.53	3.63	3.98	3.74	4.23	0.52	191
Non Hodgkin lymphoma	1128	1129	2.71	3.88	3.96	3.73	4.20	0.42	238
Melanoma	1024	1024	2.46	3.52	3.65	3.43	3.88	0.40	252
Oesophagus	787	788	1.89	2.71	2.92	2.72	3.13	0.35	289
Ovary	590	590	1.42	2.03	2.20	2.02	2.38	0.26	391
Thyroid	559	559	1.34	1.92	1.95	1.79	2.12	0.20	506
Vulva	541	541	1.30	1.86	1.81	1.66	1.97	0.17	580
Kaposi Sarcoma	578	578	1.39	1.99	1.80	1.65	1.96	0.15	660
Stomach	471	471	1.13	1.62	1.72	1.57	1.89	0.20	490
Bladder	344	344	0.83	1.18	1.25	1.12	1.39	0.15	677
Kidney	304	304	0.73	1.04	1.13	1.01	1.27	0.12	849
Connective tissue	280	280	0.67	0.96	1.01	0.89	1.13	0.10	1039
Hogkin lymphoma	293	293	0.70	1.01	0.97	0.86	1.09	0.08	1208
Liver & Bile duct	243	243	0.58	0.84	0.90	0.79	1.02	0.10	1003
Pancreas	219	219	0.53	0.75	0.83	0.72	0.95	0.11	937
Leukaemia	230	230	0.55	0.79	0.82	0.71	0.93	0.08	1289
Brain, CNS	215	215	0.52	0.74	0.78	0.68	0.90	0.08	1236
Eye	232	232	0.56	0.80	0.77	0.68	0.88	0.07	1531
Vagina	200	200	0.48	0.69	0.73	0.63	0.83	0.08	1274
Mouth	188	189	0.45	0.65	0.70	0.60	0.81	0.08	1206
Myeloma	185	185	0.44	0.64	0.70	0.60	0.80	0.09	1160
Skin other	189	190	0.45	0.65	0.65	0.56	0.75	0.06	1555
Anus	170	170	0.41	0.58	0.60	0.51	0.70	0.06	1613
Other specified	155	155	0.37	0.53	0.57	0.49	0.67	0.07	1500
Tongue	138	138	0.33	0.47	0.52	0.44	0.62	0.06	1644
Naso-Oropharynx	111	111	0.27	0.38	0.42	0.34	0.50	0.05	2133
Larynx	93	94	0.22	0.32	0.36	0.29	0.44	0.05	2052
Bone	101	101	0.24	0.35	0.36	0.29	0.44	0.03	3247
Salivary gland	93	93	0.22	0.32	0.33	0.27	0.41	0.04	2660
Small intestine	74	74	0.18	0.25	0.28	0.22	0.35	0.04	2611
Mesothelioma	71	71	0.17	0.24	0.25	0.20	0.32	0.03	3140
Placenta	72	72	0.17	0.25	0.22	0.17	0.27	0.02	6135
Burkitt lymphoma	59	59	0.14	0.20	0.19	0.14	0.24	0.01	6897
Haematology other	42	42	0.10	0.14	0.15	0.11	0.21	0.01	7693
Endocrine	29	29	0.07	0.10	0.11	0.07	0.15	0.01	10696
Lip	16	16	0.04	0.05	0.06	0.03	0.09	0.01	17392
Gum	15	15	0.04	0.05	0.06	0.03	0.09	0.01	11905
Total	41653	41670	100.00	112.50	118.89	112.73	125.46	13.27	8

NOTES:

N(OBS)	Number of new cases with sex known
N(ADJ)	Number of new cases adjusted for those with sex unknown
%	Percentage of all cancers
CRUDE	Adjusted cases per 100 000/year
ASR	Age standardised incidence rate per 100 000 (World standard population)
	The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL	Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74	Cumulative lifetime incidence risk (0-74 years) (per 100 people)
LR 0-74	Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
*TOTALS	The rates calculated for the total exclude BCC and SCC of the skin

SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2017
MALE - ALL POPULATION GROUPS COMBINED

SITE	N(OBS)	N(ADI)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Prostate	8937	8937	22.37	32.22	49.40	48.37	50.44	6.26	16
BCC	8475	8480	21.21	30.57	44.59	43.63	45.56	4.99	20
SCC of skin	4063	4066	10.17	14.66	22.26	21.57	22.96	2.28	44
Colorectal	2182	2183	5.46	7.87	11.29	10.81	11.78	1.36	74
Lung	1879	1880	4.70	6.78	9.85	9.40	10.31	1.22	82
Primary site unknown	1807	1811	4.52	6.53	9.04	8.62	9.48	1.12	89
Non Hodgkin lymphoma	1380	1381	3.45	4.98	6.10	5.77	6.44	0.63	158
Melanoma	1187	1187	2.97	4.28	6.01	5.67	6.37	0.67	150
Bladder	1058	1058	2.65	3.81	5.83	5.48	6.20	0.70	143
Oesophagus	1007	1008	2.52	3.63	5.20	4.88	5.54	0.63	159
Stomach	827	829	2.07	2.99	4.29	3.99	4.59	0.50	201
Kaposi Sarcoma	986	987	2.47	3.56	3.39	3.17	3.62	0.30	338
Larynx	482	482	1.21	1.74	2.50	2.28	2.74	0.30	332
Kidney	462	462	1.16	1.67	2.29	2.09	2.52	0.28	362
Mouth	337	337	0.84	1.21	1.70	1.52	1.90	0.21	484
Naso-Oropharynx	338	338	0.85	1.22	1.66	1.48	1.85	0.20	505
Tongue	299	299	0.75	1.08	1.52	1.35	1.71	0.19	540
Leukaemia	338	338	0.85	1.22	1.52	1.36	1.69	0.16	634
Liver & Bile duct	300	300	0.75	1.08	1.44	1.28	1.62	0.18	561
Connective tissue	303	303	0.76	1.09	1.34	1.19	1.51	0.15	681
Hogkin lymphoma	355	356	0.89	1.28	1.34	1.20	1.49	0.12	831
Pancreas	231	231	0.58	0.83	1.20	1.05	1.37	0.16	627
Brain, CNS	262	262	0.66	0.94	1.14	1.00	1.29	0.12	825
Myeloma	204	204	0.51	0.74	1.05	0.91	1.21	0.13	792
Skin other	219	219	0.55	0.79	1.05	0.91	1.20	0.11	935
Eye	264	264	0.66	0.95	1.03	0.90	1.16	0.10	1002
Breast	194	194	0.49	0.70	1.02	0.88	1.17	0.11	926
Penis	194	194	0.49	0.70	0.88	0.76	1.01	0.09	1080
Other specified	176	176	0.44	0.63	0.86	0.73	1.00	0.10	973
Thyroid	188	188	0.47	0.68	0.85	0.73	0.98	0.10	1035
Mesothelioma	145	145	0.36	0.52	0.80	0.67	0.94	0.09	1107
Salivary gland	139	139	0.35	0.50	0.70	0.58	0.82	0.09	1142
Testis	197	197	0.49	0.71	0.67	0.58	0.78	0.06	1737
Anus	127	128	0.32	0.46	0.60	0.50	0.71	0.07	1525
Bone	114	114	0.29	0.41	0.44	0.36	0.54	0.04	2539
Small intestine	81	81	0.20	0.29	0.39	0.30	0.48	0.05	2206
Burkitt lymphoma	66	66	0.17	0.24	0.26	0.20	0.33	0.02	4090
Haematology other	55	55	0.14	0.20	0.23	0.17	0.30	0.02	5334
Lip	35	35	0.09	0.13	0.18	0.12	0.25	0.02	5618
Endocrine	36	36	0.09	0.13	0.15	0.11	0.22	0.02	6290
Gum	24	24	0.06	0.09	0.13	0.08	0.19	0.02	5572
Ill defined	1	1	0.00	0.00	0.00	0.00	0.02	0.00	181819
Total	39954	39975	100.03	98.88	139.34	131.45	147.77	16.70	6

NOTES:

N(OBS)	Number of new cases with sex known
N(ADI)	Number of new cases adjusted for those with sex unknown
%	Percentage of all cancers
CRUDE	Adjusted cases per 100 000/year
ASR	Age standardised incidence rate per 100 000 (World standard population)
	The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL	Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74	Cumulative lifetime incidence risk (0-74 years) (per 100 people)
LR 0-74	Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
*TOTALS	The rates calculated for the total exclude BCC and SCC of the skin

SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2017
ASIAN FEMALE

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Breast	509	515	39.52	73.64	54.61	49.95	59.62	5.95	17
Colorectal	117	117	9.08	16.73	11.95	9.87	14.39	1.50	66
Uterus	86	87	6.68	12.44	9.19	7.35	11.39	1.20	83
Cervix	75	75	5.82	10.72	8.29	6.52	10.44	0.89	113
Primary site unknown	54	55	4.19	7.86	5.53	4.15	7.26	0.69	145
Thyroid	41	41	3.18	5.86	4.79	3.42	6.56	0.45	225
Non Hodgkin lymphoma	33	33	2.56	4.72	3.60	2.45	5.13	0.36	274
Lung	31	32	2.41	4.58	3.16	2.15	4.54	0.38	266
Stomach	30	30	2.33	4.29	2.98	2.00	4.34	0.31	321
BCC	29	29	2.25	4.15	2.93	1.95	4.28	0.34	294
Ovary	23	23	1.79	3.29	2.63	1.65	4.01	0.29	347
SCC of skin	25	25	1.94	3.57	2.28	1.47	3.46	0.25	395
Kidney	19	19	1.48	2.72	2.27	1.34	3.62	0.21	466
Mouth	21	21	1.63	3.00	2.17	1.33	3.40	0.26	391
Bladder	19	19	1.48	2.72	1.83	1.10	2.94	0.22	451
Hogkin lymphoma	12	12	0.93	1.72	1.82	0.90	3.24	0.12	830
Oesophagus	13	14	1.01	2.00	1.50	0.82	2.59	0.15	655
Pancreas	13	13	1.01	1.86	1.32	0.70	2.34	0.16	608
Connective tissue	10	10	0.78	1.43	1.27	0.59	2.39	0.11	935
Naso-Oropharynx	10	11	0.78	1.57	1.26	0.60	2.34	0.12	865
Tongue	11	11	0.85	1.57	1.14	0.56	2.12	0.14	704
Brain, CNS	7	8	0.54	1.14	1.14	0.47	2.28	0.10	978
Vulva	12	12	0.93	1.72	1.10	0.56	2.02	0.15	667
Other specified	8	8	0.62	1.14	1.02	0.41	2.10	0.10	1047
Melanoma	9	9	0.70	1.29	1.02	0.46	1.99	0.10	1004
Small intestine	10	10	0.78	1.43	0.98	0.46	1.89	0.15	645
Leukaemia	8	8	0.62	1.14	0.95	0.39	1.97	0.10	1010
Myeloma	8	8	0.62	1.14	0.80	0.34	1.67	0.12	839
Liver & Bile duct	8	8	0.62	1.14	0.79	0.34	1.66	0.07	1344
Kaposi Sarcoma	6	6	0.47	0.86	0.71	0.26	1.61	0.05	1875
Bone	3	3	0.23	0.43	0.50	0.09	1.45	0.04	2806
Vagina	5	5	0.39	0.71	0.48	0.15	1.24	0.04	2660
Salivary gland	4	4	0.31	0.57	0.46	0.12	1.25	0.03	2874
Anus	4	4	0.31	0.57	0.44	0.12	1.20	0.05	2189
Skin other	4	4	0.31	0.57	0.44	0.11	1.20	0.03	3664
Mesothelioma	3	3	0.23	0.43	0.32	0.07	1.01	0.04	2431
Haematology other	1	1	0.08	0.14	0.25	0.01	1.14	0.01	9434
Endocrine	2	2	0.16	0.29	0.24	0.03	0.93	0.02	4717
Gum	2	2	0.16	0.29	0.24	0.03	0.92	0.02	4609
Eye	1	1	0.08	0.14	0.12	0.00	0.73	0.01	10310
Placenta	1	1	0.08	0.14	0.11	0.00	0.71	0.01	11174
Larynx	1	1	0.08	0.14	0.10	0.00	0.68	0.02	4211
Total	1288	1300	100.02	178.14	133.52	101.87	182.31	14.77	7

NOTES:

N(OBS) Number of new cases with sex known

N(ADJ) Number of new cases adjusted for those with sex unknown

% Percentage of all cancers

CRUDE Adjusted cases per 100 000/year

ASR Age standardised incidence rate per 100 000 (World standard population)

The ASR calculation incorporates an adjustment for the proportion of cases with age unknown

95% L/UCL Lower/Upper 95% confidence intervals for the ASR

CUMRISK 0-74 Cumulative lifetime incidence risk (0-74 years) (per 100 people)

LR 0-74 Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people

*TOTALS The rates calculated for the total exclude BCC and SCC of the skin

SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2017
ASIAN MALE

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Prostate	226	229	23.27	31.46	30.22	26.41	34.45	4.07	25
Colorectal	142	143	14.62	19.64	17.99	15.13	21.26	2.17	46
Lung	90	90	9.27	12.36	11.85	9.50	14.61	1.54	65
Bladder	63	63	6.49	8.65	8.33	6.38	10.69	1.11	90
Stomach	59	60	6.08	8.24	7.73	5.87	10.00	0.80	125
Primary site unknown	60	61	6.18	8.38	7.58	5.77	9.79	0.86	116
Non Hodgkin lymphoma	35	35	3.60	4.81	4.10	2.84	5.77	0.45	222
BCC	32	32	3.30	4.40	4.07	2.77	5.80	0.33	300
Kidney	24	24	2.47	3.30	3.10	1.97	4.67	0.30	331
Testis	23	23	2.37	3.16	2.62	1.63	4.02	0.18	554
Connective tissue	17	17	1.75	2.34	2.21	1.26	3.62	0.25	404
Tongue	15	15	1.54	2.06	1.73	0.97	2.91	0.21	477
Oesophagus	13	14	1.34	1.92	1.68	0.91	2.87	0.24	414
Hogkin lymphoma	15	15	1.54	2.06	1.66	0.92	2.81	0.16	638
Larynx	12	12	1.24	1.65	1.54	0.79	2.72	0.22	456
Brain, CNS	12	12	1.24	1.65	1.48	0.75	2.65	0.16	631
Thyroid	13	13	1.34	1.79	1.46	0.77	2.55	0.13	783
Liver & Bile duct	11	11	1.13	1.51	1.37	0.67	2.50	0.19	527
SCC of skin	10	11	1.03	1.51	1.35	0.66	2.47	0.14	730
Mouth	11	11	1.13	1.51	1.33	0.65	2.45	0.14	698
Breast	8	8	0.82	1.10	1.02	0.44	2.05	0.09	1061
Kaposi Sarcoma	10	10	1.03	1.37	1.00	0.48	1.93	0.08	1273
Pancreas	7	7	0.72	0.96	0.85	0.34	1.81	0.11	921
Other specified	6	6	0.62	0.82	0.79	0.29	1.75	0.12	809
Naso-Oropharynx	6	6	0.62	0.82	0.78	0.28	1.75	0.07	1339
Leukaemia	7	7	0.72	0.96	0.74	0.29	1.62	0.10	1000
Small intestine	6	6	0.62	0.82	0.74	0.27	1.66	0.12	839
Myeloma	6	6	0.62	0.82	0.74	0.27	1.66	0.11	923
Penis	6	6	0.62	0.82	0.73	0.26	1.66	0.07	1481
Bone	5	5	0.51	0.69	0.72	0.22	1.73	0.05	1873
Anus	4	4	0.41	0.55	0.49	0.13	1.31	0.08	1248
Skin other	3	3	0.31	0.41	0.41	0.08	1.24	0.02	4808
Melanoma	3	3	0.31	0.41	0.41	0.08	1.21	0.09	1104
Salivary gland	3	3	0.31	0.41	0.40	0.08	1.21	0.08	1274
Mesothelioma	3	3	0.31	0.41	0.36	0.07	1.12	0.04	2809
Eye	2	3	0.21	0.41	0.33	0.07	1.06	0.03	3718
Haematology other	1	1	0.10	0.14	0.12	0.00	0.75	0.01	13423
Endocrine	1	1	0.10	0.14	0.11	0.00	0.73	0.01	8889
Burkitt lymphoma	1	1	0.10	0.14	0.11	0.00	0.72	0.01	7435
Total	971	980.00	99.99	128.69	118.83	86.84	167.31	14.47	7

NOTES:

N(OBS)	Number of new cases with sex known
N(ADJ)	Number of new cases adjusted for those with sex unknown
%	Percentage of all cancers
CRUDE	Adjusted cases per 100 000/year
ASR	Age standardised incidence rate per 100 000 (World standard population)
	The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL	Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74	Cumulative lifetime incidence risk (0-74 years) (per 100 people)
LR 0-74	Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
*TOTALS	The rates calculated for the total exclude BCC and SCC of the skin

SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2017
BLACK FEMALE

SITE	N(OBS)	N(ADI)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Cervix	5630	5641	30.29	24.02	28.25	27.50	29.01	2.99	33
Breast	4001	4077	21.53	17.36	20.81	20.17	21.48	2.24	45
Primary site unknown	1125	1153	6.05	4.91	6.14	5.79	6.51	0.72	139
Uterus	952	958	5.12	4.08	5.52	5.17	5.88	0.73	137
Colorectal	640	656	3.44	2.79	3.46	3.20	3.74	0.41	244
Oesophagus	611	618	3.29	2.63	3.44	3.17	3.72	0.41	245
Non Hodgkin lymphoma	652	658	3.51	2.80	3.01	2.78	3.26	0.29	343
SCC of skin	423	428	2.28	1.82	2.06	1.87	2.28	0.20	489
Kaposi Sarcoma	521	522	2.80	2.22	2.06	1.88	2.25	0.18	561
Vulva	437	439	2.35	1.87	1.90	1.72	2.09	0.17	573
BCC	319	319	1.72	1.36	1.63	1.45	1.82	0.18	569
Lung	250	260	1.35	1.11	1.43	1.26	1.62	0.18	560
Stomach	214	217	1.15	0.92	1.17	1.02	1.34	0.14	712
Ovary	199	203	1.07	0.86	1.05	0.91	1.21	0.12	804
Thyroid	196	205	1.05	0.87	0.98	0.85	1.13	0.10	1035
Eye	211	213	1.14	0.91	0.93	0.80	1.06	0.08	1258
Connective tissue	171	177	0.92	0.75	0.85	0.73	0.99	0.08	1259
Hogkin lymphoma	194	198	1.04	0.84	0.83	0.71	0.95	0.07	1385
Melanoma	150	152	0.81	0.65	0.81	0.68	0.95	0.09	1158
Vagina	151	151	0.81	0.64	0.76	0.64	0.89	0.08	1258
Liver & Bile duct	128	128	0.69	0.55	0.68	0.57	0.81	0.08	1318
Bladder	123	127	0.66	0.54	0.66	0.55	0.79	0.08	1329
Kidney	126	132	0.68	0.56	0.64	0.53	0.76	0.06	1817
Anus	121	124	0.65	0.53	0.57	0.47	0.68	0.06	1804
Skin other	103	104	0.55	0.44	0.49	0.40	0.60	0.05	1959
Leukaemia	105	106	0.56	0.45	0.48	0.39	0.59	0.04	2410
Myeloma	86	87	0.46	0.37	0.48	0.38	0.59	0.06	1809
Mouth	82	84	0.44	0.36	0.44	0.35	0.54	0.05	2060
Other specified	74	74	0.40	0.32	0.39	0.30	0.49	0.04	2253
Brain, CNS	77	79	0.41	0.34	0.36	0.28	0.45	0.03	3413
Pancreas	59	59	0.32	0.25	0.32	0.24	0.41	0.04	2689
Naso-Oropharynx	54	54	0.29	0.23	0.28	0.21	0.36	0.03	3559
Salivary gland	57	57	0.31	0.24	0.28	0.21	0.36	0.03	3301
Larynx	45	47	0.24	0.20	0.26	0.19	0.34	0.03	3026
Bone	56	58	0.30	0.25	0.25	0.19	0.32	0.02	5525
Placenta	64	64	0.34	0.27	0.23	0.18	0.30	0.02	5781
Tongue	34	37	0.18	0.16	0.20	0.14	0.28	0.02	4033
Burkitt lymphoma	49	50	0.26	0.21	0.20	0.14	0.26	0.01	6689
Small intestine	30	31	0.16	0.13	0.17	0.12	0.24	0.02	4673
Mesothelioma	21	21	0.11	0.09	0.12	0.07	0.18	0.01	6689
Haematology other	20	20	0.11	0.09	0.09	0.06	0.14	0.01	15385
Endocrine	15	15	0.08	0.06	0.07	0.04	0.12	0.01	18019
Gum	7	7	0.04	0.03	0.04	0.02	0.08	0.00	20834
Lip	4	4	0.02	0.02	0.02	0.01	0.06	0.00	40817
Total	18587	18814	99.98	76.92	91.12	85.02	97.83	9.88	10

NOTES:

N(OBS)	Number of new cases with sex known
N(ADI)	Number of new cases adjusted for those with sex unknown
%	Percentage of all cancers
CRUDE	Adjusted cases per 100 000/year
ASR	Age standardised incidence rate per 100 000 (World standard population)
	The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL	Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74	Cumulative lifetime incidence risk (0-74 years) (per 100 people)
LR 0-74	Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
*TOTALS	The rates calculated for the total exclude BCC and SCC of the skin

SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2017
BLACK MALE

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Prostate	4070	4102	31.25	18.33	38.63	37.42	39.86	4.68	21
Primary site unknown	972	991	7.46	4.43	7.44	6.96	7.94	0.92	108
Oesophagus	715	726	5.49	3.24	5.98	5.54	6.45	0.71	141
Lung	688	697	5.28	3.12	5.57	5.15	6.01	0.68	147
Colorectal	630	636	4.84	2.84	4.80	4.41	5.21	0.57	175
Non Hodgkin lymphoma	798	804	6.13	3.59	4.52	4.19	4.88	0.45	223
Kaposi Sarcoma	875	879	6.72	3.93	3.99	3.71	4.29	0.35	286
SCC of skin	397	401	3.05	1.79	3.07	2.76	3.41	0.34	292
BCC	339	340	2.60	1.52	2.88	2.56	3.22	0.34	293
Stomach	291	298	2.23	1.33	2.32	2.05	2.62	0.27	373
Larynx	255	258	1.96	1.15	2.07	1.81	2.34	0.23	434
Bladder	169	171	1.30	0.76	1.48	1.26	1.73	0.17	581
Mouth	182	183	1.40	0.82	1.43	1.22	1.66	0.18	571
Naso-Oropharynx	175	175	1.34	0.78	1.21	1.03	1.42	0.14	708
Hogkin lymphoma	232	235	1.78	1.05	1.16	1.01	1.33	0.10	1004
Eye	226	226	1.74	1.01	1.15	0.99	1.32	0.11	905
Melanoma	133	134	1.02	0.60	1.09	0.90	1.30	0.13	782
Tongue	129	131	0.99	0.59	1.05	0.87	1.25	0.13	752
Connective tissue	166	170	1.27	0.76	1.01	0.85	1.19	0.11	940
Penis	151	151	1.16	0.67	0.99	0.83	1.17	0.10	964
Liver & Bile duct	150	151	1.15	0.67	0.98	0.82	1.17	0.11	902
Kidney	142	146	1.09	0.65	0.97	0.81	1.15	0.11	884
Breast	104	105	0.80	0.47	0.90	0.73	1.10	0.09	1172
Leukaemia	146	151	1.12	0.67	0.81	0.67	0.96	0.07	1357
Myeloma	85	87	0.65	0.39	0.66	0.52	0.82	0.08	1292
Other specified	95	95	0.73	0.42	0.64	0.51	0.80	0.07	1356
Skin other	102	102	0.78	0.46	0.59	0.47	0.73	0.06	1667
Anus	80	84	0.61	0.38	0.54	0.42	0.68	0.06	1706
Brain, CNS	90	92	0.69	0.41	0.47	0.38	0.59	0.04	2294
Salivary gland	62	62	0.48	0.28	0.44	0.33	0.56	0.06	1713
Pancreas	54	54	0.41	0.24	0.42	0.31	0.55	0.06	1785
Mesothelioma	41	41	0.31	0.18	0.36	0.26	0.49	0.04	2437
Thyroid	45	48	0.35	0.21	0.31	0.22	0.42	0.04	2555
Bone	60	61	0.46	0.27	0.29	0.22	0.38	0.02	4017
Burkitt lymphoma	51	51	0.39	0.23	0.25	0.19	0.34	0.02	4000
Small intestine	31	31	0.24	0.14	0.20	0.13	0.28	0.02	4843
Haematology other	32	33	0.25	0.15	0.17	0.11	0.24	0.01	9346
Testis	26	29	0.20	0.13	0.14	0.09	0.20	0.01	11112
Gum	8	9	0.06	0.04	0.08	0.03	0.15	0.01	9303
Endocrine	16	16	0.12	0.07	0.08	0.04	0.13	0.01	16000
Lip	9	9	0.07	0.04	0.06	0.03	0.11	0.01	15504
Ill defined	1	1	0.01	0.00	0.01	0.00	0.04	0.00	125001
Total	13023	13166	99.98	55.50	95.26	87.49	103.86	11.03	9

NOTES:

N(OBS)	Number of new cases with sex known
N(ADJ)	Number of new cases adjusted for those with sex unknown
%	Percentage of all cancers
CRUDE	Adjusted cases per 100 000/year
ASR	Age standardised incidence rate per 100 000 (World standard population)
	The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL	Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74	Cumulative lifetime incidence risk (0-74 years) (per 100 people)
LR 0-74	Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
*TOTALS	The rates calculated for the total exclude BCC and SCC of the skin

**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2017
COLOURED FEMALE**

SITE	N(OBS)	N(ADI)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Breast	1356	1365	29.81	52.83	48.36	45.82	51.01	5.36	19
BCC	634	634	13.94	24.54	22.06	20.37	23.86	2.36	42
Cervix	393	395	8.64	15.29	13.66	12.34	15.08	1.37	73
Colorectal	287	288	6.31	11.15	10.15	9.00	11.40	1.14	88
SCC of skin	244	244	5.36	9.44	8.38	7.36	9.51	0.83	121
Lung	219	219	4.81	8.48	7.82	6.81	8.94	1.07	94
Primary site unknown	214	218	4.70	8.44	7.70	6.70	8.80	0.93	107
Uterus	159	159	3.50	6.15	5.70	4.85	6.67	0.75	133
Non Hodgkin lymphoma	110	110	2.42	4.26	3.95	3.25	4.77	0.51	194
Melanoma	87	87	1.91	3.37	3.05	2.44	3.77	0.34	298
Stomach	80	80	1.76	3.10	2.81	2.23	3.51	0.34	297
Thyroid	71	73	1.56	2.83	2.57	2.01	3.23	0.26	387
Ovary	66	68	1.45	2.63	2.40	1.86	3.04	0.28	358
Oesophagus	64	64	1.41	2.48	2.24	1.73	2.87	0.25	402
Bladder	48	48	1.06	1.86	1.65	1.22	2.20	0.18	548
Kidney	43	43	0.95	1.66	1.55	1.12	2.09	0.18	565
Liver & Bile duct	40	40	0.88	1.55	1.41	1.00	1.92	0.17	576
Pancreas	37	37	0.81	1.43	1.32	0.93	1.83	0.18	544
Connective tissue	30	32	0.66	1.24	1.20	0.82	1.70	0.11	884
Tongue	30	30	0.66	1.16	1.04	0.70	1.49	0.12	832
Hogkin lymphoma	27	29	0.59	1.12	1.01	0.68	1.46	0.08	1227
Vulva	29	29	0.64	1.12	1.01	0.67	1.45	0.11	906
Mouth	29	29	0.64	1.12	1.00	0.67	1.45	0.12	821
Kaposi Sarcoma	27	27	0.59	1.05	0.96	0.63	1.40	0.08	1251
Other specified	25	26	0.55	1.01	0.95	0.62	1.40	0.11	877
Brain, CNS	26	26	0.57	1.01	0.95	0.62	1.39	0.12	822
Leukaemia	24	25	0.53	0.97	0.90	0.58	1.34	0.09	1074
Skin other	22	22	0.48	0.85	0.81	0.51	1.23	0.08	1200
Myeloma	22	22	0.48	0.85	0.78	0.48	1.18	0.10	1018
Larynx	15	15	0.33	0.58	0.54	0.30	0.90	0.08	1267
Naso-Oropharynx	15	15	0.33	0.58	0.54	0.30	0.89	0.07	1405
Vagina	14	14	0.31	0.54	0.50	0.27	0.85	0.06	1619
Mesothelioma	11	11	0.24	0.43	0.36	0.18	0.66	0.04	2476
Bone	9	9	0.20	0.35	0.33	0.15	0.63	0.03	3285
Anus	9	9	0.20	0.35	0.32	0.15	0.62	0.04	2671
Haematology other	5	5	0.11	0.19	0.21	0.07	0.49	0.01	7783
Salivary gland	6	6	0.13	0.23	0.20	0.07	0.45	0.03	3522
Small intestine	5	5	0.11	0.19	0.18	0.06	0.43	0.03	3774
Placenta	5	5	0.11	0.19	0.18	0.06	0.42	0.02	6536
Eye	5	5	0.11	0.19	0.16	0.05	0.39	0.01	8065
Burkitt lymphoma	3	3	0.07	0.12	0.11	0.02	0.31	0.01	12579
Lip	3	3	0.07	0.12	0.10	0.02	0.31	0.00	31747
Endocrine	1	1	0.02	0.04	0.03	0.00	0.19	0.00	
Total	4549	4575	100.01	143.11	130.71	111.99	154.16	14.86	7

NOTES:

N(OBS)	Number of new cases with sex known
N(ADI)	Number of new cases adjusted for those with sex unknown
%	Percentage of all cancers
CRUDE	Adjusted cases per 100 000/year
ASR	Age standardised incidence rate per 100 000 (World standard population)
	The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL	Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74	Cumulative lifetime incidence risk (0-74 years) (per 100 people)
LR 0-74	Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
*TOTALS	The rates calculated for the total exclude BCC and SCC of the skin

SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2017
COLOURED MALE

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Prostate	1001	1018	21.34	41.90	56.30	52.80	59.97	6.93	14
BCC	863	863	18.40	35.52	47.50	44.25	50.93	4.89	20
SCC of skin	427	427	9.10	17.58	25.79	23.30	28.46	2.30	43
Lung	370	372	7.89	15.31	18.64	16.73	20.71	2.24	45
Colorectal	288	290	6.14	11.94	14.70	12.99	16.55	1.74	57
Primary site unknown	284	292	6.05	12.02	14.10	12.48	15.86	1.70	59
Bladder	168	170	3.58	7.00	9.22	7.84	10.77	1.07	93
Stomach	163	163	3.47	6.71	8.53	7.21	10.00	0.87	116
Melanoma	124	124	2.64	5.10	6.67	5.49	8.00	0.75	133
Non Hodgkin lymphoma	130	130	2.77	5.35	6.22	5.16	7.44	0.66	152
Oesophagus	92	92	1.96	3.79	4.44	3.55	5.48	0.56	179
Larynx	86	88	1.83	3.62	4.31	3.44	5.34	0.53	189
Kidney	67	67	1.43	2.76	3.28	2.52	4.19	0.39	259
Naso-Oropharynx	61	61	1.30	2.51	2.91	2.21	3.77	0.31	326
Mouth	54	56	1.15	2.30	2.65	1.98	3.46	0.32	308
Tongue	50	50	1.07	2.06	2.38	1.74	3.17	0.22	446
Kaposi Sarcoma	46	48	0.98	1.98	1.83	1.33	2.45	0.15	660
Brain, CNS	39	40	0.83	1.65	1.72	1.22	2.36	0.19	540
Breast	27	27	0.58	1.11	1.49	0.96	2.19	0.13	745
Liver & Bile duct	30	30	0.64	1.23	1.45	0.97	2.09	0.17	577
Pancreas	28	29	0.60	1.19	1.43	0.95	2.06	0.22	460
Hogkin lymphoma	36	36	0.77	1.48	1.39	0.97	1.95	0.12	833
Myeloma	24	24	0.51	0.99	1.39	0.87	2.07	0.15	656
Leukaemia	27	29	0.58	1.19	1.35	0.89	1.96	0.12	862
Thyroid	24	24	0.51	0.99	1.16	0.72	1.75	0.11	940
Testis	24	25	0.51	1.03	1.00	0.64	1.49	0.09	1169
Skin other	19	19	0.41	0.78	0.96	0.56	1.52	0.09	1107
Connective tissue	23	23	0.49	0.95	0.94	0.59	1.43	0.08	1332
Mesothelioma	13	13	0.28	0.54	0.84	0.43	1.42	0.08	1235
Other specified	15	15	0.32	0.62	0.73	0.39	1.21	0.08	1179
Salivary gland	14	14	0.30	0.58	0.70	0.37	1.18	0.09	1149
Eye	13	13	0.28	0.54	0.65	0.34	1.12	0.03	2963
Anus	13	13	0.28	0.54	0.64	0.34	1.10	0.10	1013
Small intestine	11	11	0.23	0.45	0.51	0.25	0.93	0.07	1335
Penis	9	10	0.19	0.41	0.42	0.20	0.78	0.04	2291
Bone	8	8	0.17	0.33	0.41	0.17	0.80	0.06	1617
Endocrine	7	7	0.15	0.29	0.30	0.12	0.63	0.03	3040
Gum	3	3	0.06	0.12	0.22	0.04	0.60	0.03	3135
Burkitt lymphoma	5	5	0.11	0.21	0.22	0.07	0.52	0.02	5682
Haematology other	3	3	0.06	0.12	0.11	0.02	0.35	0.01	10102
Lip	2	2	0.04	0.08	0.07	0.01	0.29	0.01	10990
Total	4691	4734	100.00	141.77	176.28	149.56	208.96	20.56	5

NOTES:

N(OBS)	Number of new cases with sex known
N(ADJ)	Number of new cases adjusted for those with sex unknown
%	Percentage of all cancers
CRUDE	Adjusted cases per 100 000/year
ASR	Age standardised incidence rate per 100 000 (World standard population)
	The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL	Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74	Cumulative lifetime incidence risk (0-74 years) (per 100 people)
LR 0-74	Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
*TOTALS	The rates calculated for the total exclude BCC and SCC of the skin

SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2017
WHITE FEMALE

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
BCC	5167	5171	30.70	221.52	113.95	110.57	117.43	12.36	8
Breast	3615	3667	21.48	157.09	89.56	86.47	92.75	9.70	10
SCC of skin	2074	2080	12.32	89.11	35.01	33.34	36.78	3.74	27
Melanoma	774	776	4.60	33.24	20.62	19.04	22.31	2.07	48
Colorectal	906	920	5.38	39.41	19.51	18.15	20.97	2.28	44
Cervix	487	489	2.89	20.95	15.24	13.87	16.72	1.46	69
Lung	536	545	3.18	23.35	11.07	10.10	12.14	1.46	69
Primary site unknown	422	439	2.51	18.81	9.89	8.89	11.00	1.19	84
Uterus	358	366	2.13	15.68	7.99	7.14	8.94	1.00	100
Thyroid	237	240	1.41	10.28	7.90	6.87	9.06	0.74	136
Non Hodgkin lymphoma	326	328	1.94	14.05	7.44	6.55	8.43	0.83	120
Ovary	295	296	1.75	12.68	7.41	6.51	8.41	0.82	122
Brain, CNS	101	102	0.60	4.37	3.43	2.67	4.33	0.32	315
Kidney	107	110	0.64	4.71	3.10	2.43	3.92	0.32	310
Bladder	148	150	0.88	6.43	3.09	2.54	3.74	0.37	270
Stomach	143	144	0.85	6.17	2.89	2.39	3.48	0.34	293
Pancreas	110	110	0.65	4.71	2.43	1.97	2.99	0.31	323
Leukaemia	88	91	0.52	3.90	2.41	1.82	3.14	0.22	455
Hogkin lymphoma	54	54	0.32	2.31	2.06	1.49	2.79	0.16	612
Oesophagus	88	92	0.52	3.94	1.94	1.53	2.44	0.23	435
Connective tissue	58	61	0.34	2.61	1.84	1.33	2.48	0.17	576
Vulva	61	61	0.36	2.61	1.68	1.24	2.25	0.16	607
Liver & Bile duct	66	67	0.39	2.87	1.55	1.13	2.09	0.16	628
Tongue	60	60	0.36	2.57	1.49	1.11	1.98	0.16	615
Bone	31	31	0.18	1.33	1.33	0.86	1.95	0.11	908
Myeloma	68	68	0.40	2.91	1.30	0.99	1.72	0.17	584
Mouth	53	55	0.31	2.36	1.28	0.95	1.72	0.16	637
Skin other	60	60	0.36	2.57	1.19	0.86	1.64	0.11	888
Other specified	47	47	0.28	2.01	1.15	0.83	1.59	0.13	765
Kaposi Sarcoma	22	23	0.13	0.99	0.98	0.60	1.51	0.07	1420
Naso-Oropharynx	30	31	0.18	1.33	0.80	0.53	1.20	0.10	1047
Larynx	29	31	0.17	1.33	0.77	0.51	1.13	0.10	1016
Anus	31	33	0.18	1.41	0.76	0.51	1.12	0.09	1085
Vagina	29	30	0.17	1.29	0.76	0.50	1.14	0.09	1123
Salivary gland	25	26	0.15	1.11	0.69	0.41	1.10	0.07	1347
Small intestine	27	28	0.16	1.20	0.66	0.43	1.02	0.08	1185
Mesothelioma	36	36	0.21	1.54	0.59	0.40	0.89	0.08	1283
Haematology other	16	16	0.10	0.69	0.45	0.22	0.83	0.04	2250
Endocrine	10	11	0.06	0.47	0.39	0.18	0.75	0.04	2696
Burkitt lymphoma	6	6	0.04	0.26	0.25	0.08	0.57	0.02	5077
Eye	13	13	0.08	0.56	0.24	0.11	0.49	0.02	4867
Lip	9	9	0.05	0.39	0.20	0.09	0.44	0.02	4311
Gum	6	6	0.04	0.26	0.10	0.04	0.30	0.02	5051
Placenta	2	2	0.01	0.09	0.08	0.01	0.31	0.01	15268
Total	16831	16981	99.98	416.84	238.51	214.35	267.78	26.00	4

NOTES:

N(OBS)	Number of new cases with sex known
N(ADJ)	Number of new cases adjusted for those with sex unknown
%	Percentage of all cancers
CRUDE	Adjusted cases per 100 000/year
ASR	Age standardised incidence rate per 100 000 (World standard population)
	The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL	Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74	Cumulative lifetime incidence risk (0-74 years) (per 100 people)
LR 0-74	Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
*TOTALS	The rates calculated for the total exclude BCC and SCC of the skin

SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2017
WHITE MALE

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
BCC	7240	7245	34.66	328.57	180.05	175.69	184.51	18.88	5
Prostate	3505	3588	16.78	162.72	81.19	78.46	84.01	10.42	10
SCC of skin	3224	3227	15.43	146.35	69.65	67.12	72.27	7.65	13
Colorectal	1099	1114	5.26	50.52	26.37	24.75	28.08	3.17	32
Melanoma	926	926	4.43	42.00	24.67	22.99	26.45	2.62	38
Lung	710	721	3.40	32.70	16.84	15.58	18.20	2.10	48
Bladder	648	654	3.10	29.66	14.04	12.92	15.26	1.76	57
Primary site unknown	449	467	2.15	21.18	11.92	10.81	13.13	1.48	67
Non Hodgkin lymphoma	406	412	1.94	18.68	10.61	9.54	11.79	1.18	85
Stomach	306	308	1.46	13.97	7.23	6.41	8.16	0.90	112
Kidney	222	225	1.06	10.20	6.32	5.43	7.33	0.73	137
Testis	120	120	0.57	5.44	4.99	4.11	6.00	0.41	246
Leukaemia	150	151	0.72	6.85	4.63	3.82	5.57	0.48	209
Oesophagus	166	176	0.79	7.98	4.15	3.53	4.87	0.50	199
Brain, CNS	117	118	0.56	5.35	3.94	3.19	4.83	0.39	256
Pancreas	141	141	0.67	6.39	3.50	2.93	4.18	0.45	224
Thyroid	102	103	0.49	4.67	3.22	2.58	3.97	0.33	302
Hogkin lymphoma	70	70	0.34	3.17	3.02	2.29	3.89	0.25	405
Larynx	122	124	0.58	5.62	3.00	2.47	3.62	0.39	260
Liver & Bile duct	104	108	0.50	4.90	2.76	2.22	3.40	0.36	281
Connective tissue	91	93	0.44	4.22	2.75	2.15	3.47	0.30	334
Tongue	98	103	0.47	4.67	2.60	2.11	3.20	0.32	310
Naso-Oropharynx	94	96	0.45	4.35	2.57	2.06	3.19	0.33	305
Mouth	85	87	0.41	3.95	2.30	1.82	2.89	0.27	372
Myeloma	82	87	0.39	3.95	2.15	1.71	2.71	0.26	383
Skin other	95	95	0.45	4.31	2.06	1.64	2.58	0.24	424
Bone	39	40	0.19	1.81	1.84	1.27	2.56	0.13	747
Mesothelioma	86	88	0.41	3.99	1.83	1.45	2.32	0.22	448
Kaposi Sarcoma	44	50	0.21	2.27	1.82	1.32	2.44	0.16	642
Other specified	57	60	0.27	2.72	1.57	1.17	2.09	0.19	539
Salivary gland	58	60	0.28	2.72	1.51	1.13	2.01	0.18	561
Breast	53	54	0.25	2.45	1.30	0.96	1.74	0.16	632
Small intestine	32	33	0.15	1.50	0.93	0.62	1.36	0.10	1013
Eye	22	22	0.11	1.00	0.75	0.42	1.23	0.08	1212
Penis	27	27	0.13	1.22	0.74	0.47	1.13	0.08	1241
Anus	26	27	0.12	1.22	0.70	0.45	1.07	0.07	1415
Lip	24	24	0.11	1.09	0.58	0.36	0.92	0.06	1625
Haematology other	18	18	0.09	0.82	0.57	0.31	0.96	0.06	1793
Endocrine	12	12	0.06	0.54	0.46	0.21	0.88	0.04	2353
Gum	12	12	0.06	0.54	0.32	0.16	0.62	0.04	2552
Burkitt lymphoma	9	9	0.04	0.41	0.27	0.12	0.55	0.03	3691
Total	20891	21095	99.98	481.75	262.02	235.94	292.66	31.24	3

NOTES:

N(OBS)	Number of new cases with sex known
N(ADJ)	Number of new cases adjusted for those with sex unknown
%	Percentage of all cancers
CRUDE	Adjusted cases per 100 000/year
ASR	Age standardised incidence rate per 100 000 (World standard population)
	The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL	Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74	Cumulative lifetime incidence risk (0-74 years) (per 100 people)
LR 0-74	Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
*TOTALS	The rates calculated for the total exclude BCC and SCC of the skin

FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2017
ALL FEMALES

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	1	2	6	17	22	28	19	14	14	19	8	9	6	5	0	170
BCC	0	0	0	3	10	38	107	180	300	384	468	625	765	849	834	725	865	87	6240
Bladder	1	0	0	0	3	7	11	9	11	24	21	30	48	57	41	39	42	1	345
Bone	5	8	15	12	7	7	5	5	7	5	7	8	3	2	5	0	0	0	101
Brain, CNS	17	10	10	4	8	4	13	10	13	16	20	19	17	20	17	13	4	0	215
Breast	0	0	0	5	23	121	358	584	943	1166	1090	1139	1105	1037	839	590	624	72	9696
Burkitt lymphoma	1	4	3	1	4	6	9	13	11	3	2	1	1	0	0	0	0	0	59
Cervix	0	0	6	4	21	128	446	716	956	931	845	774	564	462	301	212	234	62	6662
Colorectal	0	0	1	5	12	20	42	54	94	142	199	256	253	262	241	194	206	10	1991
Connective tissue	23	5	10	6	13	13	16	12	29	24	30	21	23	14	17	11	13	2	282
Endocrine	7	2	1	0	0	1	3	1	0	2	3	3	3	1	1	0	1	0	29
Eye	16	0	0	0	2	10	31	45	44	25	21	13	5	3	3	5	9	7	239
Gum	0	0	0	0	0	0	0	0	0	1	3	2	1	2	4	2	0	0	15
Haematology other	6	3	2	3	0	1	2	1	0	5	2	7	1	2	2	3	2	0	42
Hogkin lymphoma	4	3	8	17	24	33	35	46	39	16	15	19	11	9	4	9	1	4	297
Kaposi Sarcoma	1	2	1	11	49	106	127	99	60	45	29	14	13	7	8	3	3	5	583
Kidney	35	16	4	1	6	7	6	14	14	21	43	29	32	22	27	14	13	0	304
Larynx	0	0	0	0	0	1	0	6	4	7	14	12	15	16	13	3	3	0	94
Leukaemia	11	17	5	7	10	7	11	9	12	16	19	12	18	21	16	21	18	0	230
Lip	0	0	1	0	0	0	0	0	2	0	0	1	3	4	0	1	4	0	16
Liver & Bile duct	7	4	2	1	1	3	6	8	11	19	31	23	31	37	18	16	25	4	247
Lung	0	0	0	1	2	2	9	16	22	43	97	152	164	185	169	99	95	3	1059
Melanoma	1	2	0	4	10	30	47	58	69	101	82	104	107	108	96	100	105	12	1036
Mesothelioma	0	0	0	0	0	0	0	0	2	1	3	12	8	8	14	10	13	1	72
Mouth	0	0	2	1	0	5	4	7	6	14	21	33	23	32	14	11	16	0	189
Myeloma	0	0	0	0	0	0	0	4	4	13	24	30	29	25	23	16	17	1	186
Naso-Oropharynx	0	0	3	1	3	3	4	1	6	10	14	12	20	14	7	8	5	0	111
Non Hodgkin lymphoma	3	4	6	16	24	38	88	119	118	105	111	106	87	82	89	70	63	13	1142
Oesophagus	0	0	1	1	0	1	6	10	18	56	81	135	107	118	83	88	83	12	800
Other specified	2	1	0	1	1	4	7	2	16	13	13	14	27	15	17	10	12	0	155
Ovary	1	3	5	10	6	12	21	21	41	49	58	81	89	76	49	45	23	1	591
Pancreas	0	0	0	0	0	1	2	3	6	14	27	38	37	35	26	13	17	1	220
Placenta	0	0	0	2	15	12	18	10	11	2	1	1	0	0	0	0	0	1	73
Primary site unknown	6	1	2	4	13	29	48	87	107	146	201	230	294	223	207	136	131	45	1910
SCC of skin	0	1	1	2	8	25	55	63	71	107	126	201	262	291	370	429	765	36	2813
Salivary gland	1	1	4	1	6	5	3	3	14	4	8	9	8	8	10	1	7	3	96
Skin other	0	0	0	2	3	11	12	19	13	16	22	10	14	13	15	13	27	2	192
Small intestine	0	0	0	0	0	1	0	4	4	4	6	6	12	11	15	6	5	1	75
Stomach	0	0	0	0	2	5	8	15	18	34	38	65	64	62	57	44	59	2	473
Thyroid	0	2	2	5	14	40	51	63	57	61	65	48	45	32	29	29	16	3	562
Tongue	0	0	1	0	2	1	2	4	6	11	26	16	25	13	13	14	4	1	139
Uterus	0	0	1	1	0	4	6	21	47	63	105	196	276	266	270	178	136	11	1581
Vagina	1	1	0	0	1	5	7	25	20	25	29	18	19	19	12	10	8	1	201
Vulva	1	1	1	2	9	25	87	99	84	66	36	27	30	27	15	13	18	3	544
Total	150	91	98	135	314	778	1730	2488	3338	3829	4070	4566	4678	4498	4000	3210	3697	407	42077

FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2017
ALL MALES

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	1	4	12	16	15	23	11	13	15	7	3	8	0	128
BCC	0	0	0	2	16	48	103	212	351	526	710	986	1143	1184	1228	995	976	92	8572
Bladder	2	0	0	1	1	1	2	7	24	36	65	107	116	194	206	147	149	2	1060
Bone	1	2	18	17	8	12	4	6	10	9	5	8	3	3	5	1	2	1	115
Brain, CNS	14	11	11	5	8	15	11	19	16	20	35	23	29	17	16	8	4	0	262
Breast	0	0	0	0	3	1	3	3	4	22	16	21	35	24	19	18	25	4	198
Burkitt lymphoma	0	2	1	3	3	1	7	5	16	10	3	8	3	2	1	0	1	1	67
Colorectal	0	0	0	2	6	25	50	67	79	128	196	274	328	333	299	216	180	12	2195
Connective tissue	16	9	9	8	11	13	19	19	14	30	20	33	28	26	25	14	9	4	307
Endocrine	4	3	2	1	2	1	2	1	2	3	4	3	3	1	3	0	1	0	36
Eye	25	2	2	1	3	12	26	42	43	34	18	23	11	6	11	2	3	4	268
Gum	0	0	0	0	0	1	0	0	0	2	3	4	1	2	7	1	3	0	24
Haematology other	0	3	5	4	2	4	3	6	2	5	8	1	3	3	1	3	2	0	55
Hogkin lymphoma	7	14	16	20	19	33	31	45	43	41	31	23	12	9	7	2	3	6	362
Ill defined	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
Kaposi Sarcoma	1	3	2	4	21	100	215	179	171	118	78	35	30	10	5	5	10	9	996
Kidney	31	14	2	2	4	2	5	10	17	34	47	69	77	49	54	25	20	1	463
Larynx	0	0	0	0	2	1	1	6	11	24	61	85	116	76	36	47	16	3	485
Leukaemia	19	25	24	14	8	13	13	16	12	21	25	29	24	37	26	16	16	0	338
Lip	0	0	0	0	0	0	0	0	2	4	4	9	4	3	2	3	4	0	35
Liver & Bile duct	10	1	3	0	1	8	13	19	20	18	37	30	35	32	42	15	16	6	306
Lung	0	0	0	1	0	5	8	26	54	120	190	328	328	287	240	170	123	9	1889
Melanoma	1	1	0	6	8	19	39	41	59	78	113	128	151	143	148	130	122	11	1198
Mesothelioma	0	0	0	0	0	0	0	1	0	2	7	20	22	23	24	26	20	0	145
Mouth	0	0	1	0	1	1	6	4	15	23	58	65	58	51	24	11	19	3	340
Myeloma	0	0	0	0	0	1	1	5	9	20	32	24	26	27	27	17	15	0	204
Naso-Oropharynx	3	2	3	1	4	10	6	9	13	29	47	50	68	50	19	17	7	6	344
Non Hodgkin lymphoma	4	8	17	22	19	41	77	137	173	170	148	132	100	116	83	70	64	17	1398
Oesophagus	0	0	1	1	0	1	4	20	28	69	165	156	189	149	96	77	52	17	1025
Other specified	2	1	0	0	1	4	6	7	18	10	13	25	30	29	13	8	9	1	177
Pancreas	0	1	0	0	0	1	2	4	11	15	17	38	43	38	34	18	9	4	235
Penis	0	0	0	0	1	3	3	17	27	37	31	22	19	15	7	5	7	0	194
Primary site unknown	4	5	2	3	6	20	37	58	97	142	231	286	311	278	170	97	64	50	1861
Prostate	1	0	0	0	2	2	9	11	46	209	520	1135	1717	1840	1606	1065	774	75	9012
SCC of skin	2	1	2	3	10	11	24	55	81	161	267	354	478	593	622	645	757	30	4096
Salivary gland	0	4	3	0	0	4	2	4	5	13	14	16	21	22	17	7	7	2	141
Skin other	0	0	5	0	3	8	13	16	15	16	16	15	26	15	25	18	28	3	222
Small intestine	0	0	0	1	0	0	3	4	6	8	13	16	9	7	7	4	3	1	82
Stomach	0	0	0	0	5	5	12	19	31	49	86	121	128	122	95	88	68	2	831
Testis	3	1	1	5	20	33	30	32	21	25	10	8	2	2	3	0	1	1	198
Thyroid	0	0	0	5	4	9	13	13	13	19	18	23	20	22	13	12	4	4	192
Tongue	0	0	0	1	0	0	0	4	7	22	51	69	48	42	24	17	14	2	301
Total	150	113	130	133	202	470	807	1161	1582	2337	3436	4814	5808	5897	5297	4023	3615	383	40358

FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2017
ASIAN FEMALES

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	0	0	1	1	0	0	1	1	0	0	0	0	0	4
BCC	0	0	0	0	0	0	0	1	3	1	4	2	4	4	4	3	3	0	29
Bladder	0	0	0	0	0	0	1	1	0	0	3	1	2	2	4	1	4	0	19
Bone	1	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	3
Brain, CNS	0	0	2	0	1	0	0	0	1	0	0	1	2	1	0	0	0	0	8
Breast	0	0	0	0	1	3	14	29	47	65	60	69	70	54	46	35	22	5	520
Cervix	0	0	0	0	1	1	4	9	12	7	13	9	7	8	3	0	1	1	76
Colorectal	0	0	0	0	0	2	2	3	5	5	14	21	14	16	19	7	9	0	117
Connective tissue	0	0	0	1	1	1	0	0	1	2	1	0	0	2	0	1	0	1	11
Endocrine	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	2
Eye	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
Gum	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	2
Haematology other	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Hogkin lymphoma	1	0	0	3	1	0	2	1	3	1	0	0	0	0	0	0	0	0	12
Kaposi Sarcoma	0	0	0	0	1	1	2	1	1	0	0	0	0	0	0	0	0	0	6
Kidney	0	1	0	0	2	1	0	1	1	2	4	4	0	1	1	0	1	0	19
Larynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
Leukaemia	0	0	0	1	1	0	0	0	0	0	0	2	0	3	0	1	0	0	8
Liver & Bile duct	0	0	0	0	0	0	0	0	0	1	0	0	2	2	0	0	3	0	8
Lung	0	0	0	0	0	0	0	0	2	3	1	4	2	8	4	3	5	0	32
Melanoma	0	0	0	0	1	0	1	2	1	0	0	2	2	0	0	0	0	0	9
Mesothelioma	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	1	4
Mouth	0	0	0	0	0	1	0	0	1	3	1	2	2	4	3	2	2	0	21
Myeloma	0	0	0	0	0	0	0	0	1	0	0	1	1	2	2	1	0	0	8
Naso-Oropharynx	0	0	1	0	0	0	0	0	1	2	1	1	1	2	0	2	0	0	11
Non Hodgkin lymphoma	0	0	1	0	1	1	0	2	4	2	7	3	2	1	4	4	1	0	33
Oesophagus	0	0	0	0	0	0	0	0	1	1	4	1	4	1	0	1	1	0	14
Other specified	1	0	0	0	0	0	0	0	0	2	0	0	2	2	0	1	0	0	8
Ovary	0	0	1	0	0	0	1	0	7	1	4	3	1	4	1	0	0	0	23
Pancreas	0	0	0	0	0	0	0	0	0	1	2	3	2	1	2	1	1	0	13
Placenta	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
Primary site unknown	0	0	0	0	0	0	3	1	4	1	4	7	7	12	7	5	4	1	56
SCC of skin	0	0	0	0	0	0	0	1	1	0	0	3	1	5	4	3	7	0	25
Salivary gland	0	0	0	0	0	2	0	0	0	0	0	0	0	1	0	0	1	0	4
Skin other	0	0	0	0	0	1	0	1	1	0	0	0	0	0	0	0	1	0	4
Small intestine	0	0	0	0	0	0	0	0	0	1	0	0	1	2	4	1	1	0	10
Stomach	0	0	0	0	0	1	1	0	0	1	3	4	7	3	2	7	1	1	31
Thyroid	0	0	1	0	1	5	5	8	3	7	2	4	2	1	2	0	0	0	41
Tongue	0	0	0	0	0	0	0	0	1	2	0	0	2	2	2	2	0	0	11
Uterus	0	0	0	0	0	0	0	3	6	6	9	17	13	17	11	3	2	1	88
Vagina	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	2	0	0	5
Vulva	0	0	0	0	0	0	0	1	0	0	1	0	0	2	4	2	2	1	13
Total	4	1	6	5	12	21	36	67	110	120	140	168	156	164	130	88	72	12	1312

FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2017
ASIAN MALES

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	0	0	1	0	0	0	0	1	1	1	0	0	0	4
BCC	0	0	0	0	1	0	0	2	0	4	2	2	6	4	1	7	3	1	33
Bladder	0	0	0	0	0	0	0	0	0	0	3	8	12	18	11	6	5	0	63
Bone	0	0	0	2	0	0	0	0	1	1	0	1	0	0	0	0	0	0	5
Brain, CNS	0	0	1	0	1	0	0	2	1	0	1	2	2	2	0	0	0	0	12
Breast	0	0	0	0	1	0	0	0	0	0	0	1	3	1	0	2	0	0	8
Burkitt lymphoma	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
Colorectal	0	0	0	0	0	4	3	3	2	10	11	23	27	23	18	10	9	1	144
Connective tissue	1	1	0	0	0	0	1	0	1	2	4	1	0	3	2	1	0	0	17
Endocrine	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
Eye	0	0	0	0	0	1	0	0	1	0	1	0	0	0	0	0	0	0	3
Haematology other	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
Hogkin lymphoma	0	0	0	0	2	0	1	1	3	1	3	3	1	0	0	0	0	0	15
Kaposi Sarcoma	0	0	0	0	0	2	1	2	4	1	0	0	0	0	0	0	0	0	10
Kidney	0	2	0	0	1	1	0	0	0	3	3	3	3	2	2	4	0	0	24
Larynx	0	0	0	0	0	0	0	0	0	1	0	1	3	2	3	2	0	0	12
Leukaemia	0	0	0	0	0	0	2	1	0	1	0	1	0	1	1	0	0	0	7
Liver & Bile duct	0	0	0	0	0	0	1	0	0	0	0	4	1	2	2	0	1	0	11
Lung	0	0	0	0	0	1	1	0	1	3	6	8	13	24	17	8	8	0	90
Melanoma	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	3
Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0	3
Mouth	0	0	0	0	0	0	0	1	1	2	2	1	1	1	1	0	1	0	11
Myeloma	0	0	0	0	0	0	0	0	1	1	0	0	0	1	2	1	0	0	6
Naso-Oropharynx	0	0	0	0	0	0	0	0	0	0	2	1	1	1	0	0	1	0	6
Non Hodgkin lymphoma	0	0	0	0	0	0	2	3	4	7	1	2	4	8	1	2	1	0	35
Oesophagus	0	0	0	0	0	0	0	2	1	1	1	1	3	3	2	0	0	0	14
Other specified	0	0	0	0	0	0	0	0	0	0	0	0	2	1	2	1	0	0	6
Pancreas	0	0	0	0	0	0	0	0	1	1	0	1	2	2	0	0	0	0	7
Penis	0	0	0	0	0	0	0	1	0	0	1	2	0	1	0	0	1	0	6
Primary site unknown	0	0	0	0	0	0	1	2	4	3	6	9	12	10	5	5	4	0	61
Prostate	0	0	0	0	0	0	0	0	1	3	13	19	49	51	52	26	15	1	230
SCC of skin	0	0	0	0	1	0	1	0	2	1	2	0	1	1	1	0	1	0	11
Salivary gland	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0	3
Skin other	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	1	0	3
Small intestine	0	0	0	0	0	0	0	0	0	1	1	1	1	0	2	0	0	0	6
Stomach	0	0	0	0	1	0	2	0	0	3	4	9	13	6	7	9	6	0	60
Testis	0	0	0	1	5	7	5	4	0	1	0	0	0	0	0	0	0	0	23
Thyroid	0	0	0	0	1	2	0	1	3	1	0	3	0	1	0	1	0	0	13
Tongue	0	0	0	0	0	0	0	0	1	2	1	6	0	1	2	2	0	0	15
Total	1	3	1	3	14	19	21	26	33	55	70	115	161	175	138	88	57	3	983

FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2017
BLACK FEMALES

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	1	2	6	16	19	25	15	12	10	7	4	3	3	1	0	124
BCC	0	0	0	2	3	4	18	22	23	15	23	49	33	24	31	32	40	2	321
Bladder	0	0	0	0	2	5	8	7	8	17	11	11	19	13	10	7	9	1	128
Bone	4	6	10	10	4	5	4	4	1	4	2	1	2	0	1	0	0	0	58
Brain, CNS	10	10	4	3	4	3	6	4	6	5	8	4	0	3	3	5	1	0	79
Breast	0	0	0	5	18	77	232	363	530	558	513	438	385	352	231	188	187	50	4127
Burkitt lymphoma	1	4	3	0	4	5	8	11	10	1	2	0	1	0	0	0	0	0	50
Cervix	0	0	6	3	18	111	374	611	832	777	702	653	497	398	268	177	214	56	5697
Colorectal	0	0	1	1	10	12	28	34	47	59	88	94	81	54	69	38	40	6	662
Connective tissue	18	4	8	4	7	9	10	7	24	17	20	15	12	7	6	4	5	1	178
Endocrine	7	1	1	0	0	0	1	0	0	1	1	1	1	1	0	0	0	0	15
Eye	16	0	0	0	2	10	30	43	42	24	20	12	4	2	2	2	4	4	217
Gum	0	0	0	0	0	0	0	0	0	0	2	2	1	0	1	1	0	0	7
Haematology other	2	2	2	3	0	1	1	1	0	4	0	3	0	0	0	1	0	0	20
Hogkin lymphoma	3	2	6	9	16	24	25	38	29	11	10	12	6	4	2	1	0	4	202
Kaposi Sarcoma	1	2	1	11	45	88	120	89	55	40	26	13	13	7	7	3	1	5	527
Kidney	30	10	4	1	3	4	6	9	5	10	21	5	13	4	3	2	2	0	132
Larynx	0	0	0	0	0	1	0	5	2	4	6	6	8	8	4	1	2	0	47
Leukaemia	7	15	4	6	6	4	9	8	6	6	11	4	8	6	1	1	4	0	106
Lip	0	0	1	0	0	0	0	0	0	0	0	0	0	2	0	1	0	0	4
Liver & Bile duct	6	3	2	1	0	1	3	5	10	13	19	14	13	17	8	5	8	3	131
Lung	0	0	0	0	2	2	3	10	15	13	34	51	43	30	27	15	15	2	262
Melanoma	0	1	0	0	2	2	6	1	11	13	14	14	17	17	15	22	17	4	156
Mesothelioma	0	0	0	0	0	0	0	0	2	1	2	4	1	1	5	4	1	0	21
Mouth	0	0	2	1	0	3	4	5	3	6	9	14	12	10	4	5	6	0	84
Myeloma	0	0	0	0	0	0	0	4	3	11	16	17	16	7	5	4	4	1	88
Naso-Oropharynx	0	0	1	1	3	2	3	1	5	6	6	3	6	7	2	4	4	0	54
Non Hodgkin lymphoma	2	4	5	12	21	30	76	104	98	83	70	53	32	21	19	13	15	10	668
Oesophagus	0	0	1	0	0	0	4	8	14	42	62	116	78	94	66	70	63	11	629
Other specified	0	1	0	1	1	2	5	2	9	5	8	6	12	6	7	4	5	0	74
Ovary	1	2	2	7	5	9	12	9	19	17	24	23	23	28	13	6	3	1	204
Pancreas	0	0	0	0	0	1	1	1	3	5	10	15	9	7	2	2	3	1	60
Placenta	0	0	0	2	15	12	16	7	10	1	0	1	0	0	0	0	0	0	64
Primary site unknown	4	0	2	3	11	25	40	75	81	103	139	138	171	128	99	73	61	39	1192
SCC of skin	0	1	0	1	7	21	44	45	41	36	26	33	35	33	26	36	43	10	438
Salivary gland	1	0	4	0	6	3	3	3	11	3	3	4	6	4	4	0	2	2	59
Skin other	0	0	0	1	2	7	11	16	7	10	17	9	6	6	5	4	3	2	106
Small intestine	0	0	0	0	0	1	0	2	2	1	2	4	6	4	4	3	2	1	32
Stomach	0	0	0	0	0	3	7	11	9	17	22	37	33	22	23	12	21	1	218
Thyroid	0	2	1	1	5	13	21	16	25	25	26	14	11	15	8	13	9	3	208
Tongue	0	0	1	0	1	0	0	2	2	3	7	3	9	2	4	3	0	0	37
Uterus	0	0	1	1	0	4	4	11	21	27	53	110	172	173	170	118	93	10	968
Vagina	1	1	0	0	1	4	7	21	16	21	23	12	13	13	6	5	7	0	151
Vulva	1	1	1	1	6	22	80	95	81	52	30	21	21	12	4	5	6	2	441
Total	115	72	74	92	232	536	1246	1729	2143	2082	2100	2049	1836	1546	1168	893	901	232	19046

FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2017
BLACK MALES

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	1	4	10	15	12	16	7	3	9	3	2	2	0	84
BCC	0	0	0	0	1	5	7	8	20	30	29	48	37	49	48	37	21	6	346
Bladder	1	0	0	0	0	1	1	4	12	15	15	23	20	28	22	14	15	2	173
Bone	1	1	13	9	5	8	2	3	5	5	3	3	0	2	1	0	0	1	62
Brain, CNS	11	9	8	4	3	9	4	7	5	7	9	6	7	1	2	0	0	0	92
Breast	0	0	0	0	2	1	2	2	3	13	10	16	17	11	7	7	14	3	108
Burkitt lymphoma	0	1	1	2	3	1	6	5	14	8	2	5	1	1	1	0	0	1	52
Colorectal	0	0	0	1	4	13	26	35	42	54	80	101	98	86	45	27	24	8	644
Connective tissue	11	6	7	7	7	11	11	15	12	20	8	14	14	12	8	6	1	1	171
Endocrine	3	3	1	1	0	0	1	1	2	0	2	1	1	0	0	0	0	0	16
Eye	18	2	2	1	3	10	26	41	40	30	15	19	8	4	5	0	2	4	230
Gum	0	0	0	0	0	0	0	0	0	2	0	3	0	1	2	0	1	0	9
Haematology other	0	3	4	3	2	3	2	3	2	5	4	0	0	0	0	1	1	0	33
Hogkin lymphoma	5	10	10	14	12	23	19	32	27	34	20	15	5	5	1	1	2	6	241
Ill defined	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
Kaposi Sarcoma	0	3	2	4	19	91	194	158	155	106	68	30	27	9	3	3	7	9	888
Kidney	24	8	2	1	1	0	2	7	10	8	16	28	12	11	11	3	2	1	147
Larynx	0	0	0	0	2	0	1	5	8	21	42	48	57	37	9	20	8	2	260
Leukaemia	16	20	21	9	2	8	7	12	7	9	6	10	7	12	2	2	1	0	151
Lip	0	0	0	0	0	0	0	0	1	1	3	3	1	0	0	0	0	0	9
Liver & Bile duct	9	1	2	0	1	6	11	16	15	11	19	14	15	7	13	9	2	3	154
Lung	0	0	0	1	0	2	5	17	25	66	91	149	132	99	51	39	20	8	705
Melanoma	1	0	0	2	0	0	7	5	8	7	19	13	22	19	14	8	9	1	135
Mesothelioma	0	0	0	0	0	0	0	0	0	0	4	12	8	7	3	4	3	0	41
Mouth	0	0	0	0	1	1	4	3	5	12	36	37	38	27	9	5	5	2	185
Myeloma	0	0	0	0	0	1	1	4	5	13	20	10	10	11	6	3	3	0	87
Naso-Oropharynx	3	2	3	1	3	9	6	7	9	19	24	25	29	20	7	7	1	3	178
Non Hodgkin lymphoma	4	6	15	20	14	33	63	109	141	129	98	69	30	31	21	8	13	14	818
Oesophagus	0	0	1	1	0	1	2	14	22	53	132	120	140	104	58	46	32	16	742
Other specified	2	0	0	0	0	3	4	5	15	8	8	19	13	14	1	1	2	1	96
Pancreas	0	1	0	0	0	1	1	2	2	7	5	9	9	8	6	3	0	3	57
Penis	0	0	0	0	0	1	2	14	26	32	25	17	15	9	4	3	3	0	151
Primary site unknown	3	4	2	2	6	17	27	44	69	97	137	151	173	134	73	29	23	41	1032
Prostate	1	0	0	0	2	2	8	10	28	117	281	547	859	833	636	434	344	66	4168
SCC of skin	1	1	2	2	8	9	15	23	26	35	51	43	52	55	30	27	21	5	406
Salivary gland	0	3	2	0	0	2	2	3	3	10	5	7	14	5	6	0	0	2	64
Skin other	0	0	5	0	3	8	10	14	10	9	10	8	11	5	3	6	0	2	104
Small intestine	0	0	0	0	0	0	2	1	5	2	7	9	3	1	0	1	0	1	32
Stomach	0	0	0	0	4	2	6	15	19	29	43	37	44	45	21	23	10	2	300
Testis	3	1	1	1	2	4	3	5	2	4	1	1	0	0	0	0	1	1	30
Thyroid	0	0	0	2	1	1	5	5	4	3	7	7	4	4	4	0	1	3	51
Tongue	0	0	0	1	0	0	0	1	3	12	25	26	33	16	9	1	4	2	133
Total	117	85	104	89	111	288	499	665	822	1055	1396	1711	1969	1732	1145	780	598	220	13386

FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2017
COLOURED FEMALES

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	0	1	2	0	1	0	0	2	1	1	0	1	0	9
BCC	0	0	0	0	1	4	8	13	30	43	56	64	79	77	79	83	97	7	641
Bladder	0	0	0	0	0	0	1	1	0	2	3	6	7	7	6	10	5	0	48
Bone	0	0	2	0	0	1	0	1	1	0	1	2	0	1	0	0	0	0	9
Brain, CNS	0	0	2	1	0	0	1	2	2	1	4	3	2	2	5	1	0	0	26
Breast	0	0	0	0	2	15	35	67	142	169	155	168	187	161	115	60	89	7	1372
Burkitt lymphoma	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0	0	3
Cervix	0	0	0	1	0	9	32	40	45	63	64	51	25	26	14	18	7	2	397
Colorectal	0	0	0	1	0	3	4	8	13	27	29	30	46	47	25	34	21	0	288
Connective tissue	3	1	1	1	3	2	2	2	1	0	1	4	4	1	3	0	3	0	32
Endocrine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
Eye	0	0	0	0	0	0	1	1	1	0	0	1	0	0	0	1	0	2	7
Haematology other	2	1	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	5
Hogkin lymphoma	0	0	1	1	1	4	7	3	3	2	1	1	2	1	0	2	0	0	29
Kaposi Sarcoma	0	0	0	0	2	9	3	6	1	3	1	1	0	0	1	0	0	0	27
Kidney	1	1	0	0	0	0	0	1	4	6	8	5	4	7	3	2	1	0	43
Larynx	0	0	0	0	0	0	0	0	1	1	4	1	2	1	4	0	1	0	15
Leukaemia	1	0	0	0	1	2	0	0	2	3	1	3	3	3	2	3	1	0	25
Lip	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	2	0	3
Liver & Bile duct	0	0	0	0	1	1	1	2	0	3	6	6	7	4	5	2	2	0	40
Lung	0	0	0	1	0	0	3	1	1	13	23	34	40	42	35	13	13	1	220
Melanoma	0	1	0	1	1	0	1	8	7	8	7	14	7	12	7	10	3	1	88
Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	5	1	1	1	1	2	0	11
Mouth	0	0	0	0	0	1	0	0	1	1	7	5	2	5	3	2	2	0	29
Myeloma	0	0	0	0	0	0	0	0	0	2	0	5	3	6	2	2	2	0	22
Naso-Oropharynx	0	0	0	0	0	1	0	0	0	1	4	2	2	4	1	0	0	0	15
Non Hodgkin lymphoma	0	0	0	2	1	1	2	4	5	10	8	16	16	14	19	4	8	1	111
Oesophagus	0	0	0	1	0	1	2	1	2	5	8	9	11	8	5	3	8	0	64
Other specified	1	0	0	0	0	2	0	0	1	4	1	3	3	2	5	0	4	0	26
Ovary	0	0	1	0	0	2	0	2	4	6	10	12	11	7	6	4	3	0	68
Pancreas	0	0	0	0	0	0	1	1	0	3	4	6	6	7	6	1	2	0	37
Placenta	0	0	0	0	0	0	0	2	1	1	1	0	0	0	0	0	0	1	6
Primary site unknown	0	1	0	1	1	1	1	3	6	17	27	36	43	27	24	15	15	1	219
SCC of skin	0	0	0	1	1	1	4	2	4	7	14	23	29	33	29	40	56	2	246
Salivary gland	0	0	0	0	0	0	0	0	1	0	0	4	0	0	1	0	0	0	6
Skin other	0	0	0	1	0	1	0	1	4	2	1	0	3	3	2	1	3	0	22
Small intestine	0	0	0	0	0	0	0	0	0	1	0	1	2	0	1	0	0	0	5
Stomach	0	0	0	0	2	1	0	2	4	3	9	9	10	11	12	11	6	0	80
Thyroid	0	0	0	1	1	6	7	11	3	10	6	6	8	3	5	3	3	0	73
Tongue	0	0	0	0	0	0	1	2	2	0	10	3	6	2	2	1	1	0	30
Uterus	0	0	0	0	0	0	0	3	7	12	10	23	34	22	26	13	9	0	159
Vagina	0	0	0	0	0	1	0	1	2	1	1	3	2	2	1	0	0	0	14
Vulva	0	0	0	0	1	0	5	2	1	5	1	2	1	4	3	2	2	0	29
Total	8	5	7	14	19	70	124	195	304	436	486	567	610	555	459	343	373	25	4600

FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2017
COLOURED MALES

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	0	0	0	1	1	1	2	3	3	2	0	0	0	13
BCC	0	0	0	0	2	2	12	27	37	59	69	96	120	116	126	92	105	10	873
Bladder	0	0	0	0	0	0	1	0	6	5	17	27	18	31	28	24	13	0	170
Bone	0	0	1	1	0	0	0	1	0	0	0	0	2	1	2	0	0	0	8
Brain, CNS	0	1	0	0	1	4	1	2	5	5	6	4	4	5	1	1	0	0	40
Breast	0	0	0	0	0	0	1	1	0	3	3	2	3	5	2	3	4	1	28
Burkitt lymphoma	0	1	0	1	0	0	0	0	1	1	0	0	1	0	0	0	0	0	5
Colorectal	0	0	0	0	2	2	6	8	13	18	34	42	40	52	34	24	15	1	291
Connective tissue	2	1	2	1	1	0	3	1	1	2	2	4	2	0	0	1	0	0	23
Endocrine	0	0	1	0	1	0	0	0	0	1	0	2	1	1	0	0	0	0	7
Eye	5	0	0	0	0	0	0	1	1	2	1	0	1	0	0	1	1	0	13
Gum	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	3
Haematology other	0	0	0	0	0	0	0	2	0	0	1	0	0	0	0	0	0	0	3
Hogkin lymphoma	0	2	3	2	1	4	5	7	3	4	1	2	1	0	1	0	0	0	36
Kaposi Sarcoma	0	0	0	0	2	5	11	9	6	6	4	2	1	1	0	0	1	0	48
Kidney	3	1	0	0	1	0	0	2	4	6	9	7	16	6	7	3	2	0	67
Larynx	0	0	0	0	0	0	0	1	2	1	11	21	23	13	7	7	2	0	88
Leukaemia	0	4	1	2	1	1	1	0	2	2	2	4	2	1	2	3	1	0	29
Lip	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	2
Liver & Bile duct	0	0	1	0	0	2	0	0	1	3	6	2	7	3	3	1	1	0	30
Lung	0	0	0	0	0	0	0	7	19	30	35	80	64	50	44	23	20	0	372
Melanoma	0	0	0	0	0	3	3	3	6	10	9	17	10	16	22	12	13	0	124
Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	1	3	1	3	2	3	0	13
Mouth	0	0	0	0	0	0	1	0	4	4	8	13	8	8	5	4	1	0	56
Myeloma	0	0	0	0	0	0	0	0	0	1	1	4	3	3	5	4	3	0	24
Naso-Oropharynx	0	0	0	0	0	0	0	1	3	7	8	13	14	8	1	3	3	1	62
Non Hodgkin lymphoma	0	2	0	2	1	4	6	10	11	8	17	12	19	14	10	7	7	1	131
Oesophagus	0	0	0	0	0	0	1	2	4	8	15	18	15	14	9	2	4	0	92
Other specified	0	0	0	0	0	1	0	1	0	0	1	4	5	1	1	0	1	0	15
Pancreas	0	0	0	0	0	0	0	1	0	4	1	5	7	7	4	0	0	0	29
Penis	0	0	0	0	1	1	1	0	1	2	2	0	0	2	0	0	0	0	10
Primary site unknown	0	0	0	1	0	2	6	8	11	18	44	53	50	45	26	20	8	2	294
Prostate	0	0	0	0	0	0	1	0	3	26	62	144	187	221	183	123	68	3	1021
SCC of skin	0	0	0	0	1	0	2	9	11	16	37	30	48	55	69	61	88	4	431
Salivary gland	0	0	1	0	0	2	0	1	0	0	0	3	2	2	2	0	1	0	14
Skin other	0	0	0	0	0	0	3	1	0	2	0	2	6	1	1	1	2	1	20
Small intestine	0	0	0	0	0	0	1	0	0	2	2	1	0	4	1	0	0	0	11
Stomach	0	0	0	0	0	2	1	2	5	10	16	32	24	27	12	16	16	0	163
Testis	0	0	0	2	3	6	0	2	4	5	2	0	0	0	1	0	0	0	25
Thyroid	0	0	0	1	0	1	1	3	2	3	1	2	4	2	1	1	2	0	24
Tongue	0	0	0	0	0	0	0	2	1	5	9	13	5	6	1	5	3	0	50
Total	10	12	10	13	18	42	68	115	168	280	437	666	719	725	618	444	389	24	4758

FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2017
WHITE FEMALES

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	0	0	0	2	3	2	3	9	3	5	3	3	0	33
BCC	0	0	0	1	6	30	81	144	244	325	385	510	649	744	720	607	725	78	5249
Bladder	1	0	0	0	1	2	1	0	3	5	4	12	20	35	21	21	24	0	150
Bone	0	2	3	2	3	1	1	0	5	0	4	5	0	1	4	0	0	0	31
Brain, CNS	7	0	2	0	3	1	6	4	4	10	8	11	13	14	9	7	3	0	102
Breast	0	0	0	0	2	26	77	125	224	374	362	464	463	470	447	307	326	9	3676
Burkitt lymphoma	0	0	0	1	0	0	0	2	0	2	0	1	0	0	0	0	0	0	6
Cervix	0	0	0	0	2	7	36	56	67	84	66	61	35	30	16	17	12	3	492
Colorectal	0	0	0	3	2	3	8	9	29	51	68	111	112	145	128	115	136	2	922
Connective tissue	2	0	1	0	2	1	4	3	3	5	8	2	7	4	8	6	5	0	61
Endocrine	0	1	0	0	0	0	2	1	0	1	2	1	2	0	1	0	0	0	11
Eye	0	0	0	0	0	0	0	1	0	1	1	0	1	1	1	2	5	1	14
Gum	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	1	0	0	6
Haematology other	1	0	0	0	0	0	1	0	0	1	2	4	1	1	2	1	2	0	16
Hogkin lymphoma	0	1	1	4	6	5	1	4	4	2	4	6	3	4	2	6	1	0	54
Kaposi Sarcoma	0	0	0	0	1	8	2	3	3	2	2	0	0	0	0	0	2	0	23
Kidney	4	4	0	0	1	2	0	3	4	3	10	15	15	10	20	10	9	0	110
Larynx	0	0	0	0	0	0	0	1	1	2	4	5	5	7	4	2	0	0	31
Leukaemia	3	2	1	0	2	1	2	1	4	7	7	3	7	9	13	16	13	0	91
Lip	0	0	0	0	0	0	0	0	1	0	0	1	3	2	0	0	2	0	9
Liver & Bile duct	1	1	0	0	0	1	2	1	1	2	6	3	9	14	5	9	12	1	68
Lung	0	0	0	0	0	0	3	5	4	14	39	63	79	105	103	68	62	0	545
Melanoma	1	0	0	3	6	28	39	47	50	80	61	74	81	79	74	68	85	7	783
Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	2	6	5	8	5	10	0	36
Mouth	0	0	0	0	0	0	0	2	1	4	4	12	7	13	4	2	6	0	55
Myeloma	0	0	0	0	0	0	0	0	0	0	8	7	9	10	14	9	11	0	68
Naso-Oropharynx	0	0	1	0	0	0	1	0	0	1	3	6	11	1	4	2	1	0	31
Non Hodgkin lymphoma	1	0	0	2	1	6	10	9	11	10	26	34	37	46	47	49	39	2	330
Oesophagus	0	0	0	0	0	0	0	1	1	8	7	9	14	15	12	14	11	0	92
Other specified	0	0	0	0	0	0	2	0	6	2	4	5	10	5	5	5	3	0	47
Ovary	0	1	1	3	1	1	8	10	11	25	20	43	54	37	29	35	17	0	296
Pancreas	0	0	0	0	0	0	0	1	3	5	11	14	20	20	16	9	11	0	110
Placenta	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	2
Primary site unknown	2	0	0	0	1	3	4	8	16	25	31	49	73	56	77	43	51	3	442
SCC of skin	0	0	1	0	0	3	7	15	25	64	86	142	197	220	311	350	659	22	2102
Salivary gland	0	1	0	1	0	0	0	0	2	1	5	1	2	3	5	1	4	1	27
Skin other	0	0	0	0	1	2	1	1	1	4	4	1	5	4	8	8	20	0	60
Small intestine	0	0	0	0	0	0	0	2	2	1	4	1	3	5	6	2	2	0	28
Stomach	0	0	0	0	0	0	0	2	5	13	4	15	14	26	20	14	31	0	144
Thyroid	0	0	0	3	7	16	18	28	26	19	31	24	24	13	14	13	4	0	240
Tongue	0	0	0	0	1	1	1	0	1	6	9	10	8	7	5	8	3	1	61
Uterus	0	0	0	0	0	0	2	4	13	18	33	46	57	54	63	44	32	0	366
Vagina	0	0	0	0	0	0	0	3	2	2	5	2	3	4	5	3	1	1	31
Vulva	0	0	0	1	2	3	2	1	2	9	4	4	8	9	4	4	8	0	61
Total	23	13	11	24	51	151	324	497	781	1191	1344	1782	2076	2233	2243	1886	2351	131	17112

FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2017
WHITE MALES

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	0	0	1	0	2	6	2	6	2	1	1	6	0	27
BCC	0	0	0	2	12	41	84	175	294	433	610	840	980	1015	1053	859	847	75	7320
Bladder	1	0	0	1	1	0	0	3	6	16	30	49	66	117	145	103	116	0	654
Bone	0	1	4	5	3	4	2	2	4	3	2	4	1	0	2	1	2	0	40
Brain, CNS	3	1	2	1	3	2	6	8	5	8	19	11	16	9	13	7	4	0	118
Breast	0	0	0	0	0	0	0	0	1	6	3	2	12	7	10	6	7	0	54
Burkitt lymphoma	0	0	0	0	0	0	1	0	1	1	1	2	1	1	0	0	1	0	9
Colorectal	0	0	0	1	0	6	15	21	22	46	71	108	163	172	202	155	132	2	1116
Connective tissue	2	1	0	0	3	2	4	3	0	6	6	14	12	11	15	6	8	1	94
Endocrine	1	0	0	0	1	1	1	0	0	2	1	0	1	0	3	0	1	0	12
Eye	2	0	0	0	0	1	0	0	1	2	1	4	2	2	6	1	0	0	22
Gum	0	0	0	0	0	1	0	0	0	0	3	1	1	1	3	1	1	0	12
Haematology other	0	0	1	1	0	0	1	1	0	0	3	1	3	3	1	2	1	0	18
Hogkin lymphoma	2	2	3	4	4	6	6	5	10	2	7	3	5	4	5	1	1	0	70
Kaposi Sarcoma	1	0	0	0	0	2	9	10	6	5	6	3	2	0	2	2	2	0	50
Kidney	4	3	0	1	1	1	3	1	3	17	19	31	46	30	34	15	16	0	225
Larynx	0	0	0	0	0	1	0	0	1	1	8	15	33	24	17	18	6	1	125
Leukaemia	3	1	2	3	5	4	3	3	3	9	17	14	15	23	21	11	14	0	151
Lip	0	0	0	0	0	0	0	0	1	3	1	4	3	3	2	3	4	0	24
Liver & Bile duct	1	0	0	0	0	0	1	3	4	4	12	10	12	20	24	5	12	3	111
Lung	0	0	0	0	0	2	2	2	9	21	58	91	119	114	128	100	75	0	721
Melanoma	0	1	0	4	8	16	29	33	45	61	85	98	119	107	110	110	100	10	936
Mesothelioma	0	0	0	0	0	0	0	1	0	2	3	6	11	14	18	19	14	0	88
Mouth	0	0	1	0	0	0	1	0	5	5	12	14	11	15	9	2	12	1	88
Myeloma	0	0	0	0	0	0	0	1	3	5	11	10	13	12	14	9	9	0	87
Naso-Oropharynx	0	0	0	0	1	1	0	1	1	3	13	11	24	21	11	7	2	2	98
Non Hodgkin lymphoma	0	0	2	0	4	4	6	15	17	26	32	49	47	63	51	53	43	2	414
Oesophagus	0	0	0	0	0	0	1	2	1	7	17	17	31	28	27	29	16	0	176
Other specified	0	1	0	0	1	0	2	1	3	2	4	2	10	13	9	6	6	0	60
Pancreas	0	0	0	0	0	0	1	1	8	3	11	23	25	21	24	15	9	1	142
Penis	0	0	0	0	0	1	0	2	0	3	3	3	4	3	3	2	3	0	27
Primary site unknown	1	1	0	0	0	1	3	4	13	24	44	73	76	89	66	43	29	3	470
Prostate	0	0	0	0	0	0	0	1	14	63	164	425	622	735	735	482	347	4	3592
SCC of skin	1	0	0	1	0	2	6	23	42	109	177	281	377	482	522	557	647	21	3248
Salivary gland	0	1	0	0	0	0	0	0	2	3	9	6	5	13	8	7	6	0	60
Skin other	0	0	0	0	0	0	0	1	5	4	5	5	9	9	21	11	25	0	95
Small intestine	0	0	0	1	0	0	0	3	1	3	3	5	5	2	4	3	3	0	33
Stomach	0	0	0	0	0	1	3	2	7	7	23	43	47	44	55	40	36	0	308
Testis	0	0	0	1	10	16	22	21	15	15	7	7	2	2	2	0	0	0	120
Thyroid	0	0	0	2	2	5	7	4	4	12	10	11	12	15	8	10	1	1	104
Tongue	0	0	0	0	0	0	0	1	2	3	16	24	10	19	12	9	7	0	103
Total	22	13	15	28	59	121	219	355	559	947	1533	2322	2959	3265	3396	2711	2571	127	21222

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2017 : ALL FEMALES

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0	0	0	0.04	0.08	0.22	0.66	1.07	1.67	1.29	1.06	1.26	2.08	1.14	1.83	1.75	1.29
BCC	0	0	0	0.13	0.39	1.39	4.18	8.77	17.91	26.15	35.44	56.05	83.76	120.96	169.65	210.94	222.48
Bladder	0.03	0	0	0	0.12	0.26	0.43	0.44	0.66	1.63	1.59	2.69	5.26	8.12	8.34	11.35	10.8
Bone	0.17	0.28	0.59	0.51	0.27	0.26	0.2	0.24	0.42	0.34	0.53	0.72	0.33	0.28	1.02	0	0
Brain, CNS	0.57	0.35	0.39	0.17	0.31	0.15	0.51	0.49	0.78	1.09	1.51	1.7	1.86	2.85	3.46	3.78	1.03
Breast	0	0	0	0.21	0.9	4.42	13.97	28.47	56.28	79.39	82.55	102.15	120.99	147.75	170.67	171.66	160.49
Burkitt lymphoma	0.03	0.14	0.12	0.04	0.16	0.22	0.35	0.63	0.66	0.2	0.15	0.09	0.11	0	0	0	0
Cervix	0	0	0.24	0.17	0.82	4.68	17.41	34.9	57.06	63.39	64	69.41	61.76	65.83	61.23	61.68	60.19
Colorectal	0	0	0.04	0.21	0.47	0.73	1.64	2.63	5.61	9.67	15.07	22.96	27.7	37.33	49.02	56.45	52.98
Connective tissue	0.78	0.17	0.39	0.25	0.51	0.47	0.62	0.58	1.73	1.63	2.27	1.88	2.52	1.99	3.46	3.2	3.34
Endocrine	0.24	0.07	0.04	0	0	0.04	0.12	0.05	0	0.14	0.23	0.27	0.33	0.14	0.2	0	0.26
Eye	0.54	0	0	0	0.08	0.37	1.21	2.19	2.63	1.7	1.59	1.17	0.55	0.43	0.61	1.45	2.31
Gum	0	0	0	0	0	0	0	0	0	0.07	0.23	0.18	0.11	0.28	0.81	0.58	0
Haematology other	0.2	0.1	0.08	0.13	0	0.04	0.08	0.05	0	0.34	0.15	0.63	0.11	0.28	0.41	0.87	0.51
Hogkin lymphoma	0.13	0.1	0.31	0.72	0.93	1.21	1.37	2.24	2.33	1.09	1.14	1.7	1.2	1.28	0.81	2.62	0.26
Kaposi Sarcoma	0.03	0.07	0.04	0.46	1.91	3.87	4.96	4.83	3.58	3.06	2.2	1.26	1.42	1	1.63	0.87	0.77
Kidney	1.18	0.55	0.16	0.04	0.23	0.26	0.23	0.68	0.84	1.43	3.26	2.6	3.5	3.13	5.49	4.07	3.34
Larynx	0	0	0	0	0	0.04	0	0.29	0.24	0.48	1.06	1.08	1.64	2.28	2.64	0.87	0.77
Leukaemia	0.37	0.59	0.2	0.3	0.39	0.26	0.43	0.44	0.72	1.09	1.44	1.08	1.97	2.99	3.25	6.11	4.63
Lip	0	0	0.04	0	0	0	0	0	0.12	0	0	0.09	0.33	0.57	0	0.29	1.03
Liver & Bile duct	0.24	0.14	0.08	0.04	0.04	0.11	0.23	0.39	0.66	1.29	2.35	2.06	3.39	5.27	3.66	4.66	6.43
Lung	0	0	0	0.04	0.08	0.07	0.35	0.78	1.31	2.93	7.35	13.63	17.96	26.36	34.38	28.8	24.43
Melanoma	0.03	0.07	0	0.17	0.39	1.1	1.83	2.83	4.12	6.88	6.21	9.33	11.72	15.39	19.53	29.1	27.01
Mesothelioma	0	0	0	0	0	0	0	0	0.12	0.07	0.23	1.08	0.88	1.14	2.85	2.91	3.34
Mouth	0	0	0.08	0.04	0	0.18	0.16	0.34	0.36	0.95	1.59	2.96	2.52	4.56	2.85	3.2	4.12
Myeloma	0	0	0	0	0	0	0	0.19	0.24	0.89	1.82	2.69	3.18	3.56	4.68	4.66	4.37
Naso-Oropharynx	0	0	0.12	0.04	0.12	0.11	0.16	0.05	0.36	0.68	1.06	1.08	2.19	1.99	1.42	2.33	1.29
Non Hodgkin lymphoma	0.1	0.14	0.24	0.67	0.93	1.39	3.44	5.8	7.04	7.15	8.41	9.51	9.53	11.68	18.1	20.37	16.2
Oesophagus	0	0	0.04	0.04	0	0.04	0.23	0.49	1.07	3.81	6.13	12.11	11.72	16.81	16.88	25.6	21.35
Other specified	0.07	0.03	0	0.04	0.04	0.15	0.27	0.1	0.95	0.89	0.98	1.26	2.96	2.14	3.46	2.91	3.09
Ovary	0.03	0.1	0.2	0.42	0.23	0.44	0.82	1.02	2.45	3.34	4.39	7.26	9.75	10.83	9.97	13.09	5.92
Pancreas	0	0	0	0	0	0.04	0.08	0.15	0.36	0.95	2.04	3.41	4.05	4.99	5.29	3.78	4.37
Placenta	0	0	0	0.08	0.58	0.44	0.7	0.49	0.66	0.14	0.08	0.09	0	0	0	0	0
Primary site unknown	0.2	0.03	0.08	0.17	0.51	1.06	1.87	4.24	6.39	9.94	15.22	20.63	32.19	31.77	42.11	39.57	33.69
SCC of skin	0	0.03	0.04	0.08	0.31	0.91	2.15	3.07	4.24	7.29	9.54	18.03	28.69	41.46	75.26	124.82	196.76
Salivary gland	0.03	0.03	0.16	0.04	0.23	0.18	0.12	0.15	0.84	0.27	0.61	0.81	0.88	1.14	2.03	0.29	1.8
Skin other	0	0	0	0.08	0.12	0.4	0.47	0.93	0.78	1.09	1.67	0.9	1.53	1.85	3.05	3.78	6.94
Small intestine	0	0	0	0	0	0.04	0	0.19	0.24	0.27	0.45	0.54	1.31	1.57	3.05	1.75	1.29
Stomach	0	0	0	0	0.08	0.18	0.31	0.73	1.07	2.31	2.88	5.83	7.01	8.83	11.59	12.8	15.17
Thyroid	0	0.07	0.08	0.21	0.54	1.46	1.99	3.07	3.4	4.15	4.92	4.3	4.93	4.56	5.9	8.44	4.12
Tongue	0	0	0.04	0	0.08	0.04	0.08	0.19	0.36	0.75	1.97	1.43	2.74	1.85	2.64	4.07	1.03
Uterus	0	0	0.04	0.04	0	0.15	0.23	1.02	2.81	4.29	7.95	17.58	30.22	37.9	54.92	51.79	34.98
Vagina	0.03	0.03	0	0	0.04	0.18	0.27	1.22	1.19	1.7	2.2	1.61	2.08	2.71	2.44	2.91	2.06
Vulva	0.03	0.03	0.04	0.08	0.35	0.91	3.4	4.83	5.01	4.49	2.73	2.42	3.28	3.85	3.05	3.78	4.63

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2017 : ALL MALES

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0	0	0	0	0	0.04	0.15	0.57	0.94	1.12	2.15	1.22	1.83	2.95	2.15	1.52	5.11
BCC	0	0	0	0.08	0.63	1.73	3.9	10.01	20.64	39.28	66.28	109.15	161.33	232.73	377.99	505.45	623.05
Bladder	0.07	0	0	0.04	0.04	0.04	0.08	0.33	1.41	2.69	6.07	11.84	16.37	38.13	63.41	74.67	95.12
Bone	0.03	0.07	0.71	0.72	0.32	0.43	0.15	0.28	0.59	0.67	0.47	0.89	0.42	0.59	1.54	0.51	1.28
Brain, CNS	0.47	0.38	0.43	0.21	0.32	0.54	0.42	0.9	0.94	1.49	3.27	2.55	4.09	3.34	4.92	4.06	2.55
Breast	0	0	0	0	0.12	0.04	0.11	0.14	0.24	1.64	1.49	2.32	4.94	4.72	5.85	9.14	15.96
Burkitt lymphoma	0	0.07	0.04	0.13	0.12	0.04	0.27	0.24	0.94	0.75	0.28	0.89	0.42	0.39	0.31	0	0.64
Colorectal	0	0	0	0.08	0.24	0.9	1.9	3.16	4.65	9.56	18.3	30.33	46.3	65.46	92.03	109.73	114.91
Connective tissue	0.54	0.31	0.35	0.34	0.43	0.47	0.72	0.9	0.82	2.24	1.87	3.65	3.95	5.11	7.7	7.11	5.75
Endocrine	0.13	0.1	0.08	0.04	0.08	0.04	0.08	0.05	0.12	0.22	0.37	0.33	0.42	0.2	0.92	0	0.64
Eye	0.84	0.07	0.08	0.04	0.12	0.43	0.99	1.98	2.53	2.54	1.68	2.55	1.55	1.18	3.39	1.02	1.92
Gum	0	0	0	0	0	0.04	0	0	0	0.15	0.28	0.44	0.14	0.39	2.15	0.51	1.92
Haematology other	0	0.1	0.2	0.17	0.08	0.14	0.11	0.28	0.12	0.37	0.75	0.11	0.42	0.59	0.31	1.52	1.28
Hogkin lymphoma	0.24	0.48	0.63	0.85	0.75	1.19	1.18	2.12	2.53	3.06	2.89	2.55	1.69	1.77	2.15	1.02	1.92
Ill defined	0	0	0	0	0	0	0	0	0	0	0	0.11	0	0	0	0	0
Kaposi Sarcoma	0.03	0.1	0.08	0.17	0.83	3.61	8.15	8.45	10.06	8.81	7.28	3.87	4.23	1.97	1.54	2.54	6.38
Kidney	1.04	0.48	0.08	0.08	0.16	0.07	0.19	0.47	1	2.54	4.39	7.64	10.87	9.63	16.62	12.7	12.77
Larynx	0	0	0	0	0.08	0.04	0.04	0.28	0.65	1.79	5.69	9.41	16.37	14.94	11.08	23.88	10.21
Leukaemia	0.64	0.86	0.95	0.59	0.32	0.47	0.49	0.76	0.71	1.57	2.33	3.21	3.39	7.27	8	8.13	10.21
Lip	0	0	0	0	0	0	0	0	0.12	0.3	0.37	1	0.56	0.59	0.62	1.52	2.55
Liver & Bile duct	0.34	0.03	0.12	0	0.04	0.29	0.49	0.9	1.18	1.34	3.45	3.32	4.94	6.29	12.93	7.62	10.21
Lung	0	0	0	0.04	0	0.18	0.3	1.23	3.18	8.96	17.74	36.31	46.3	56.41	73.87	86.36	78.52
Melanoma	0.03	0.03	0	0.25	0.32	0.69	1.48	1.94	3.47	5.82	10.55	14.17	21.31	28.11	45.56	66.04	77.88
Mesothelioma	0	0	0	0	0	0	0	0.05	0	0.15	0.65	2.21	3.11	4.52	7.39	13.21	12.77
Mouth	0	0	0.04	0	0.04	0.04	0.23	0.19	0.88	1.72	5.41	7.2	8.19	10.02	7.39	5.59	12.13
Myeloma	0	0	0	0	0	0.04	0.04	0.24	0.53	1.49	2.99	2.66	3.67	5.31	8.31	8.64	9.58
Naso-Oropharynx	0.1	0.07	0.12	0.04	0.16	0.36	0.23	0.42	0.76	2.17	4.39	5.54	9.6	9.83	5.85	8.64	4.47
Non Hodgkin lymphoma	0.13	0.28	0.67	0.93	0.75	1.48	2.92	6.47	10.17	12.69	13.82	14.61	14.11	22.8	25.55	35.56	40.86
Oesophagus	0	0	0.04	0.04	0	0.04	0.15	0.94	1.65	5.15	15.4	17.27	26.68	29.29	29.55	39.12	33.2
Other specified	0.07	0.03	0	0	0.04	0.14	0.23	0.33	1.06	0.75	1.21	2.77	4.23	5.7	4	4.06	5.75
Pancreas	0	0.03	0	0	0	0.04	0.08	0.19	0.65	1.12	1.59	4.21	6.07	7.47	10.47	9.14	5.75
Penis	0	0	0	0	0.04	0.11	0.11	0.8	1.59	2.76	2.89	2.44	2.68	2.95	2.15	2.54	4.47
Primary site unknown	0.13	0.17	0.08	0.13	0.24	0.72	1.4	2.74	5.7	10.6	21.57	31.66	43.9	54.64	52.33	49.28	40.86
Prostate	0.03	0	0	0	0.08	0.07	0.34	0.52	2.71	15.61	48.55	125.64	242.34	361.68	494.34	541.01	494.1
SCC of skin	0.07	0.03	0.08	0.13	0.4	0.4	0.91	2.6	4.76	12.02	24.93	39.19	67.47	116.56	191.46	327.65	483.24
Salivary gland	0	0.14	0.12	0	0	0.14	0.08	0.19	0.29	0.97	1.31	1.77	2.96	4.32	5.23	3.56	4.47
Skin other	0	0	0.2	0	0.12	0.29	0.49	0.76	0.88	1.19	1.49	1.66	3.67	2.95	7.7	9.14	17.87
Small intestine	0	0	0	0.04	0	0	0.11	0.19	0.35	0.6	1.21	1.77	1.27	1.38	2.15	2.03	1.92
Stomach	0	0	0	0	0.2	0.18	0.45	0.9	1.82	3.66	8.03	13.39	18.07	23.98	29.24	44.7	43.41
Testis	0.1	0.03	0.04	0.21	0.79	1.19	1.14	1.51	1.23	1.87	0.93	0.89	0.28	0.39	0.92	0	0.64
Thyroid	0	0	0	0.21	0.16	0.32	0.49	0.61	0.76	1.42	1.68	2.55	2.82	4.32	4	6.1	2.55
Tongue	0	0	0	0.04	0	0	0	0.19	0.41	1.64	4.76	7.64	6.77	8.26	7.39	8.64	8.94

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2017 : ASIAN FEMALE

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0	0	0	0	0	0	0	1.79	1.94	0	0	2.51	2.9	0	0	0	0
BCC	0	0	0	0	0	0	0	1.79	5.82	2.11	8.91	5.03	11.6	13.97	19.02	21.03	22.57
Bladder	0	0	0	0	0	0	1.62	1.79	0	0	6.69	2.51	5.8	6.98	19.02	7.01	30.09
Bone	2.12	0	0	0	0	0	0	0	0	2.11	0	0	2.9	0	0	0	0
Brain, CNS	0	0	4.74	0	1.97	0	0	0	1.94	0	0	2.51	5.8	3.49	0	0	0
Breast	0	0	0	0	1.97	5.2	22.67	51.77	91.11	136.96	133.7	173.49	203.08	188.54	218.68	245.39	165.49
Cervix	0	0	0	0	1.97	1.73	6.48	16.07	23.26	14.75	28.97	22.63	20.31	27.93	14.26	0	7.52
Colorectal	0	0	0	0	0	3.47	3.24	5.36	9.69	10.54	31.2	52.8	40.62	55.86	90.32	49.08	67.7
Connective tissue	0	0	0	2.35	1.97	1.73	0	0	1.94	4.21	2.23	0	0	6.98	0	7.01	0
Endocrine	0	0	0	0	0	1.73	0	0	0	0	0	2.51	0	0	0	0	0
Eye	0	0	0	0	0	0	0	0	1.94	0	0	0	0	0	0	0	0
Gum	0	0	0	0	0	0	0	0	0	2.11	2.23	0	0	0	0	0	0
Haematology other	2.12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hogkin lymphoma	2.12	0	0	7.05	1.97	0	3.24	1.79	5.82	2.11	0	0	0	0	0	0	0
Kaposi Sarcoma	0	0	0	0	1.97	1.73	3.24	1.79	1.94	0	0	0	0	0	0	0	0
Kidney	0	2.18	0	0	3.95	1.73	0	1.79	1.94	4.21	8.91	10.06	0	3.49	4.75	0	7.52
Larynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4.75	0	0
Leukaemia	0	0	0	2.35	1.97	0	0	0	0	0	0	5.03	0	10.47	0	7.01	0
Liver & Bile duct	0	0	0	0	0	0	0	0	0	2.11	0	0	5.8	6.98	0	0	22.57
Lung	0	0	0	0	0	0	0	0	3.88	6.32	2.23	10.06	5.8	27.93	19.02	21.03	37.61
Melanoma	0	0	0	0	1.97	0	1.62	3.57	1.94	0	0	5.03	5.8	0	0	0	0
Mesothelioma	0	0	0	0	0	0	0	0	0	0	2.23	2.51	0	3.49	0	0	0
Mouth	0	0	0	0	0	1.73	0	0	1.94	6.32	2.23	5.03	5.8	13.97	14.26	14.02	15.04
Myeloma	0	0	0	0	0	0	0	0	1.94	0	0	2.51	2.9	6.98	9.51	7.01	0
Naso-Oropharynx	0	0	2.37	0	0	0	0	0	1.94	4.21	2.23	2.51	2.9	6.98	0	14.02	0
Non Hodgkin lymphoma	0	0	2.37	0	1.97	1.73	0	3.57	7.75	4.21	15.6	7.54	5.8	3.49	19.02	28.05	7.52
Oesophagus	0	0	0	0	0	0	0	0	1.94	2.11	8.91	2.51	11.6	3.49	0	7.01	7.52
Other specified	2.12	0	0	0	0	0	0	0	0	4.21	0	0	5.8	6.98	0	7.01	0
Ovary	0	0	2.37	0	0	0	1.62	0	13.57	2.11	8.91	7.54	2.9	13.97	4.75	0	0
Pancreas	0	0	0	0	0	0	0	0	0	2.11	4.46	7.54	5.8	3.49	9.51	7.01	7.52
Placenta	0	0	0	0	0	0	0	1.79	0	0	0	0	0	0	0	0	0
Primary site unknown	0	0	0	0	0	0	4.86	1.79	7.75	2.11	8.91	17.6	20.31	41.9	33.28	35.06	30.09
SCC of skin	0	0	0	0	0	0	0	1.79	1.94	0	0	7.54	2.9	17.46	19.02	21.03	52.66
Salivary gland	0	0	0	0	0	3.47	0	0	0	0	0	0	0	3.49	0	0	7.52
Skin other	0	0	0	0	0	1.73	0	1.79	1.94	0	0	0	0	0	0	0	7.52
Small intestine	0	0	0	0	0	0	0	0	0	2.11	0	0	2.9	6.98	19.02	7.01	7.52
Stomach	0	0	0	0	0	1.73	1.62	0	0	2.11	6.69	10.06	20.31	10.47	9.51	49.08	7.52
Thyroid	0	0	2.37	0	1.97	8.66	8.1	14.28	5.82	14.75	4.46	10.06	5.8	3.49	9.51	0	0
Tongue	0	0	0	0	0	0	0	0	1.94	4.21	0	0	5.8	6.98	9.51	14.02	0
Uterus	0	0	0	0	0	0	0	5.36	11.63	12.64	20.06	42.74	37.72	59.35	52.29	21.03	15.04
Vagina	0	0	0	0	0	0	0	0	0	2.11	0	2.51	2.9	0	0	14.02	0
Vulva	0	0	0	0	0	0	0	1.79	0	0	2.23	0	0	6.98	19.02	14.02	15.04

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2017 : ASIAN MALE

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0	0	0	0	0	0	0	1.45	0	0	0	0	3.31	4.43	6.84	0	0
BCC	0	0	0	0	1.8	0	0	2.91	0	7.64	4.51	5.38	19.87	17.72	6.84	84.26	55.06
Bladder	0	0	0	0	0	0	0	0	0	0	6.76	21.53	39.74	79.74	75.28	72.22	91.77
Bone	0	0	0	4.44	0	0	0	0	1.64	1.91	0	2.69	0	0	0	0	0
Brain, CNS	0	0	2.25	0	1.8	0	0	2.91	1.64	0	2.25	5.38	6.62	8.86	0	0	0
Breast	0	0	0	0	1.8	0	0	0	0	0	0	2.69	9.94	4.43	0	24.07	0
Burkitt lymphoma	0	0	0	0	0	0	0	0	0	0	0	2.69	0	0	0	0	0
Colorectal	0	0	0	0	0	5.96	4.05	4.36	3.28	19.09	24.79	61.9	89.42	101.89	123.19	120.37	165.19
Connective tissue	2.04	2.08	0	0	0	0	1.35	0	1.64	3.82	9.02	2.69	0	13.29	13.69	12.04	0
Endocrine	0	0	0	0	0	0	0	0	0	0	2.25	0	0	0	0	0	0
Eye	0	0	0	0	0	1.49	0	0	1.64	0	2.25	0	0	0	0	0	0
Haematology other	0	0	0	0	0	1.49	0	0	0	0	0	0	0	0	0	0	0
Hogkin lymphoma	0	0	0	0	3.6	0	1.35	1.45	4.92	1.91	6.76	8.07	3.31	0	0	0	0
Kaposi Sarcoma	0	0	0	0	0	2.98	1.35	2.91	6.57	1.91	0	0	0	0	0	0	0
Kidney	0	4.17	0	0	1.8	1.49	0	0	0	5.73	6.76	8.07	9.94	8.86	13.69	48.15	0
Larynx	0	0	0	0	0	0	0	0	0	1.91	0	2.69	9.94	8.86	20.53	24.07	0
Leukaemia	0	0	0	0	0	0	2.7	1.45	0	1.91	0	2.69	0	4.43	6.84	0	0
Liver & Bile duct	0	0	0	0	0	0	1.35	0	0	0	0	10.77	3.31	8.86	13.69	0	18.35
Lung	0	0	0	0	0	1.49	1.35	0	1.64	5.73	13.52	21.53	43.05	106.32	116.34	96.3	146.83
Melanoma	0	0	0	0	0	0	0	0	0	0	0	0	0	4.43	13.69	0	0
Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	2.69	0	4.43	0	12.04	0
Mouth	0	0	0	0	0	0	0	1.45	1.64	3.82	4.51	2.69	3.31	4.43	6.84	0	18.35
Myeloma	0	0	0	0	0	0	0	0	1.64	1.91	0	0	0	4.43	13.69	12.04	0
Naso-Oropharynx	0	0	0	0	0	0	0	0	0	0	4.51	2.69	3.31	4.43	0	0	18.35
Non Hodgkin lymphoma	0	0	0	0	0	0	2.7	4.36	6.57	13.36	2.25	5.38	13.25	35.44	6.84	24.07	18.35
Oesophagus	0	0	0	0	0	0	0	2.91	1.64	1.91	2.25	2.69	9.94	13.29	13.69	0	0
Other specified	0	0	0	0	0	0	0	0	0	0	0	0	6.62	4.43	13.69	12.04	0
Pancreas	0	0	0	0	0	0	0	0	1.64	1.91	0	2.69	6.62	8.86	0	0	0
Penis	0	0	0	0	0	0	0	1.45	0	0	2.25	5.38	0	4.43	0	0	18.35
Primary site unknown	0	0	0	0	0	0	1.35	2.91	6.57	5.73	13.52	24.22	39.74	44.3	34.22	60.19	73.42
Prostate	0	0	0	0	0	0	0	0	1.64	5.73	29.3	51.14	162.28	225.93	355.87	312.96	275.31
SCC of skin	0	0	0	0	1.8	0	1.35	0	3.28	1.91	4.51	0	3.31	4.43	6.84	0	18.35
Salivary gland	0	0	0	0	0	0	0	0	0	0	0	0	0	8.86	6.84	0	0
Skin other	0	0	0	0	0	0	0	0	0	1.91	2.25	0	0	0	0	0	18.35
Small intestine	0	0	0	0	0	0	0	0	0	1.91	2.25	2.69	3.31	0	13.69	0	0
Stomach	0	0	0	0	1.8	0	2.7	0	0	5.73	9.02	24.22	43.05	26.58	47.91	108.33	110.12
Testis	0	0	0	2.22	9	10.44	6.76	5.81	0	1.91	0	0	0	0	0	0	0
Thyroid	0	0	0	0	1.8	2.98	0	1.45	4.92	1.91	0	8.07	0	4.43	0	12.04	0
Tongue	0	0	0	0	0	0	0	0	1.64	3.82	2.25	16.15	0	4.43	13.69	24.07	0

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2017 : BLACK FEMALE

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0	0	0	0.05	0.09	0.26	0.74	1.13	1.92	1.38	1.25	1.28	1.12	0.88	0.99	1.48	0.44
BCC	0	0	0	0.1	0.14	0.17	0.84	1.31	1.77	1.38	2.39	6.27	5.27	5.29	10.25	15.77	17.73
Bladder	0	0	0	0	0.09	0.21	0.37	0.42	0.62	1.57	1.15	1.41	3.03	2.87	3.31	3.45	3.99
Bone	0.16	0.24	0.46	0.5	0.18	0.21	0.19	0.24	0.08	0.37	0.21	0.13	0.32	0	0.33	0	0
Brain, CNS	0.39	0.4	0.18	0.15	0.18	0.13	0.28	0.24	0.46	0.46	0.83	0.51	0	0.66	0.99	2.46	0.44
Breast	0	0	0	0.25	0.83	3.31	10.8	21.67	40.79	51.45	53.4	56.03	61.45	77.58	76.35	92.65	82.87
Burkitt lymphoma	0.04	0.16	0.14	0	0.18	0.21	0.37	0.66	0.77	0.09	0.21	0	0.16	0	0	0	0
Cervix	0	0	0.28	0.15	0.83	4.77	17.41	36.47	64.03	71.64	73.07	83.54	79.33	87.71	88.58	87.23	94.83
Colorectal	0	0	0.05	0.05	0.46	0.52	1.3	2.03	3.62	5.44	9.16	12.03	12.93	11.9	22.81	18.73	17.73
Connective tissue	0.7	0.16	0.37	0.2	0.32	0.39	0.47	0.42	1.85	1.57	2.08	1.92	1.92	1.54	1.98	1.97	2.22
Endocrine	0.27	0.04	0.05	0	0	0	0.05	0	0	0.09	0.1	0.13	0.16	0.22	0	0	0
Eye	0.62	0	0	0	0.09	0.43	1.4	2.57	3.23	2.21	2.08	1.54	0.64	0.44	0.66	0.99	1.77
Gum	0	0	0	0	0	0	0	0	0	0	0.21	0.26	0.16	0	0.33	0.49	0
Haematology other	0.08	0.08	0.09	0.15	0	0.04	0.05	0.06	0	0.37	0	0.38	0	0	0	0.49	0
Hogkin lymphoma	0.12	0.08	0.28	0.45	0.74	1.03	1.16	2.27	2.23	1.01	1.04	1.54	0.96	0.88	0.66	0.49	0
Kaposi Sarcoma	0.04	0.08	0.05	0.55	2.07	3.78	5.59	5.31	4.23	3.69	2.71	1.66	2.08	1.54	2.31	1.48	0.44
Kidney	1.17	0.4	0.18	0.05	0.14	0.17	0.28	0.54	0.38	0.92	2.19	0.64	2.08	0.88	0.99	0.99	0.89
Larynx	0	0	0	0	0	0.04	0	0.3	0.15	0.37	0.62	0.77	1.28	1.76	1.32	0.49	0.89
Leukaemia	0.27	0.6	0.18	0.3	0.28	0.17	0.42	0.48	0.46	0.55	1.15	0.51	1.28	1.32	0.33	0.49	1.77
Lip	0	0	0.05	0	0	0	0	0	0	0	0	0	0	0.44	0	0.49	0
Liver & Bile duct	0.23	0.12	0.09	0.05	0	0.04	0.14	0.3	0.77	1.2	1.98	1.79	2.08	3.75	2.64	2.46	3.55
Lung	0	0	0	0	0.09	0.09	0.14	0.6	1.15	1.2	3.54	6.52	6.86	6.61	8.92	7.39	6.65
Melanoma	0	0.04	0	0	0.09	0.09	0.28	0.06	0.85	1.2	1.46	1.79	2.71	3.75	4.96	10.84	7.53
Mesothelioma	0	0	0	0	0	0	0	0	0.15	0.09	0.21	0.51	0.16	0.22	1.65	1.97	0.44
Mouth	0	0	0.09	0.05	0	0.13	0.19	0.3	0.23	0.55	0.94	1.79	1.92	2.2	1.32	2.46	2.66
Myeloma	0	0	0	0	0	0	0	0.24	0.23	1.01	1.67	2.17	2.55	1.54	1.65	1.97	1.77
Naso-Oropharynx	0	0	0.05	0.05	0.14	0.09	0.14	0.06	0.38	0.55	0.62	0.38	0.96	1.54	0.66	1.97	1.77
Non Hodgkin lymphoma	0.08	0.16	0.23	0.6	0.97	1.29	3.54	6.21	7.54	7.65	7.29	6.78	5.11	4.63	6.28	6.41	6.65
Oesophagus	0	0	0.05	0	0	0	0.19	0.48	1.08	3.87	6.45	14.84	12.45	20.72	21.81	34.5	27.92
Other specified	0	0.04	0	0.05	0.05	0.09	0.23	0.12	0.69	0.46	0.83	0.77	1.92	1.32	2.31	1.97	2.22
Ovary	0.04	0.08	0.09	0.35	0.23	0.39	0.56	0.54	1.46	1.57	2.5	2.94	3.67	6.17	4.3	2.96	1.33
Pancreas	0	0	0	0	0	0.04	0.05	0.06	0.23	0.46	1.04	1.92	1.44	1.54	0.66	0.99	1.33
Placenta	0	0	0	0.1	0.69	0.52	0.74	0.42	0.77	0.09	0	0.13	0	0	0	0	0
Primary site unknown	0.16	0	0.09	0.15	0.51	1.07	1.86	4.48	6.23	9.5	14.47	17.65	27.29	28.21	32.72	35.97	27.03
SCC of skin	0	0.04	0	0.05	0.32	0.9	2.05	2.69	3.16	3.32	2.71	4.22	5.59	7.27	8.59	17.74	19.05
Salivary gland	0.04	0	0.18	0	0.28	0.13	0.14	0.18	0.85	0.28	0.31	0.51	0.96	0.88	1.32	0	0.89
Skin other	0	0	0	0.05	0.09	0.3	0.51	0.95	0.54	0.92	1.77	1.15	0.96	1.32	1.65	1.97	1.33
Small intestine	0	0	0	0	0	0.04	0	0.12	0.15	0.09	0.21	0.51	0.96	0.88	1.32	1.48	0.89
Stomach	0	0	0	0	0	0.13	0.33	0.66	0.69	1.57	2.29	4.73	5.27	4.85	7.6	5.91	9.31
Thyroid	0	0.08	0.05	0.05	0.23	0.56	0.98	0.95	1.92	2.31	2.71	1.79	1.76	3.31	2.64	6.41	3.99
Tongue	0	0	0.05	0	0.05	0	0	0.12	0.15	0.28	0.73	0.38	1.44	0.44	1.32	1.48	0
Uterus	0	0	0.05	0.05	0	0.17	0.19	0.66	1.62	2.49	5.52	14.07	27.45	38.13	56.19	58.15	41.21
Vagina	0.04	0.04	0	0	0.05	0.17	0.33	1.25	1.23	1.94	2.39	1.54	2.08	2.87	1.98	2.46	3.1
Vulva	0.04	0.04	0.05	0.05	0.28	0.95	3.72	5.67	6.23	4.79	3.12	2.69	3.35	2.64	1.32	2.46	2.66

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2017 : BLACK MALE

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0	0	0	0	0	0.04	0.18	0.58	1.13	1.23	2.15	1.15	0.65	2.92	1.7	2.02	2.97
BCC	0	0	0	0	0.05	0.21	0.32	0.46	1.51	3.08	3.89	7.9	7.99	15.92	27.16	37.32	31.14
Bladder	0.04	0	0	0	0	0.04	0.05	0.23	0.9	1.54	2.01	3.78	4.32	9.1	12.45	14.12	22.25
Bone	0.04	0.04	0.6	0.46	0.24	0.34	0.09	0.17	0.38	0.51	0.4	0.49	0	0.65	0.57	0	0
Brain, CNS	0.43	0.36	0.37	0.2	0.14	0.38	0.18	0.4	0.38	0.72	1.21	0.99	1.51	0.32	1.13	0	0
Breast	0	0	0	0	0.09	0.04	0.09	0.12	0.23	1.33	1.34	2.63	3.67	3.57	3.96	7.06	20.76
Burkitt lymphoma	0	0.04	0.05	0.1	0.14	0.04	0.27	0.29	1.05	0.82	0.27	0.82	0.22	0.32	0.57	0	0
Colorectal	0	0	0	0.05	0.19	0.55	1.17	2.01	3.16	5.54	10.73	16.62	21.17	27.94	25.47	27.23	35.59
Connective tissue	0.43	0.24	0.33	0.35	0.33	0.47	0.5	0.86	0.9	2.05	1.07	2.3	3.02	3.9	4.53	6.05	1.48
Endocrine	0.12	0.12	0.05	0.05	0	0	0.05	0.06	0.15	0	0.27	0.16	0.22	0	0	0	0
Eye	0.7	0.08	0.09	0.05	0.14	0.43	1.17	2.36	3.01	3.08	2.01	3.13	1.73	1.3	2.83	0	2.97
Gum	0	0	0	0	0	0	0	0	0	0.21	0	0.49	0	0.32	1.13	0	1.48
Haematology other	0	0.12	0.19	0.15	0.09	0.13	0.09	0.17	0.15	0.51	0.54	0	0	0	0	1.01	1.48
Hogkin lymphoma	0.19	0.4	0.46	0.71	0.56	0.98	0.86	1.84	2.03	3.49	2.68	2.47	1.08	1.62	0.57	1.01	2.97
Ill defined	0	0	0	0	0	0	0	0	0	0	0	0.16	0	0	0	0	0
Kaposi Sarcoma	0	0.12	0.09	0.2	0.89	3.88	8.76	9.09	11.67	10.88	9.12	4.94	5.83	2.92	1.7	3.03	10.38
Kidney	0.94	0.32	0.09	0.05	0.05	0	0.09	0.4	0.75	0.82	2.15	4.61	2.59	3.57	6.22	3.03	2.97
Larynx	0	0	0	0	0.09	0	0.05	0.29	0.6	2.16	5.63	7.9	12.31	12.02	5.09	20.17	11.86
Leukaemia	0.62	0.8	0.98	0.46	0.09	0.34	0.32	0.69	0.53	0.92	0.8	1.65	1.51	3.9	1.13	2.02	1.48
Lip	0	0	0	0	0	0	0	0	0.08	0.1	0.4	0.49	0.22	0	0	0	0
Liver & Bile duct	0.35	0.04	0.09	0	0.05	0.26	0.5	0.92	1.13	1.13	2.55	2.3	3.24	2.27	7.36	9.08	2.97
Lung	0	0	0	0.05	0	0.09	0.23	0.98	1.88	6.77	12.2	24.52	28.51	32.17	28.86	39.34	29.66
Melanoma	0.04	0	0	0.1	0	0	0.32	0.29	0.6	0.72	2.55	2.14	4.75	6.17	7.92	8.07	13.35
Mesothelioma	0	0	0	0	0	0	0	0	0	0.54	1.97	1.73	2.27	1.7	4.03	4.45	4.45
Mouth	0	0	0	0	0.05	0.04	0.18	0.17	0.38	1.23	4.83	6.09	8.21	8.77	5.09	5.04	7.42
Myeloma	0	0	0	0	0	0.04	0.05	0.23	0.38	1.33	2.68	1.65	2.16	3.57	3.4	3.03	4.45
Naso-Oropharynx	0.12	0.08	0.14	0.05	0.14	0.38	0.27	0.4	0.68	1.95	3.22	4.11	6.26	6.5	3.96	7.06	1.48
Non Hodgkin lymphoma	0.16	0.24	0.7	1.01	0.66	1.41	2.85	6.27	10.62	13.24	13.14	11.35	6.48	10.07	11.88	8.07	19.28
Oesophagus	0	0	0.05	0.05	0	0.04	0.09	0.81	1.66	5.44	17.7	19.74	30.24	33.79	32.82	46.4	47.46
Other specified	0.08	0	0	0	0	0.13	0.18	0.29	1.13	0.82	1.07	3.13	2.81	4.55	0.57	1.01	2.97
Pancreas	0	0.04	0	0	0	0.04	0.05	0.12	0.15	0.72	0.67	1.48	1.94	2.6	3.4	3.03	0
Penis	0	0	0	0	0	0.04	0.09	0.81	1.96	3.28	3.35	2.8	3.24	2.92	2.26	3.03	4.45
Primary site unknown	0.12	0.16	0.09	0.1	0.28	0.72	1.22	2.53	5.19	9.95	18.37	24.85	37.37	43.54	41.31	29.25	34.11
Prostate	0.04	0	0	0	0.09	0.09	0.36	0.58	2.11	12.01	37.68	90	185.55	270.67	359.91	437.73	510.16
SCC of skin	0.04	0.04	0.09	0.1	0.38	0.38	0.68	1.32	1.96	3.59	6.84	7.08	11.23	17.87	16.98	27.23	31.14
Salivary gland	0	0.12	0.09	0	0	0.09	0.09	0.17	0.23	1.03	0.67	1.15	3.02	1.62	3.4	0	0
Skin other	0	0	0.23	0	0.14	0.34	0.45	0.81	0.75	0.92	1.34	1.32	2.38	1.62	1.7	6.05	0
Small intestine	0	0	0	0	0	0	0.09	0.06	0.38	0.21	0.94	1.48	0.65	0.32	0	1.01	0
Stomach	0	0	0	0	0.19	0.09	0.27	0.86	1.43	2.98	5.77	6.09	9.5	14.62	11.88	23.2	14.83
Testis	0.12	0.04	0.05	0.05	0.09	0.17	0.14	0.29	0.15	0.41	0.13	0.16	0	0	0	0	1.48
Thyroid	0	0	0	0.1	0.05	0.04	0.23	0.29	0.3	0.31	0.94	1.15	0.86	1.3	2.26	0	1.48
Tongue	0	0	0	0.05	0	0	0	0.06	0.23	1.23	3.35	4.28	7.13	5.2	5.09	1.01	5.93

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2017 : COLOURED FEMALE

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0	0	0	0	0	0	0.5	1.17	0	0.61	0	0	1.93	1.29	1.99	0	3.18
BCC	0	0	0	0	0.47	1.86	4.01	7.59	18.99	26.2	36.12	48.98	76.24	98.98	157.54	244.48	308.93
Bladder	0	0	0	0	0	0	0.5	0.58	0	1.22	1.94	4.59	6.76	9	11.96	29.45	15.92
Bone	0	0	0.95	0	0	0.46	0	0.58	0.63	0	0.65	1.53	0	1.29	0	0	0
Brain, CNS	0	0	0.95	0.49	0	0	0.5	1.17	1.27	0.61	2.58	2.3	1.93	2.57	9.97	2.95	0
Breast	0	0	0	0	0.94	6.97	17.53	39.11	89.88	102.99	99.98	128.57	180.48	206.96	229.32	176.73	283.46
Burkitt lymphoma	0	0	0	0	0	0.46	0.5	0	0.63	0	0	0	0	0	0	0	0
Cervix	0	0	0	0.49	0	4.18	16.03	23.35	28.48	38.39	41.28	39.03	24.13	33.42	27.92	53.02	22.29
Colorectal	0	0	0	0.49	0	1.39	2	4.67	8.23	16.45	18.71	22.96	44.39	60.42	49.85	100.15	66.88
Connective tissue	1.28	0.43	0.47	0.49	1.41	0.93	1	1.17	0.63	0	0.65	3.06	3.86	1.29	5.98	0	9.55
Endocrine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3.18
Eye	0	0	0	0	0	0	0.5	0.58	0.63	0	0	0.77	0	0	0	2.95	0
Haematology other	0.85	0.43	0	0	0	0	0	0	0	0	0	0	0	1.29	0	2.95	0
Hogkin lymphoma	0	0	0.47	0.49	0.47	1.86	3.51	1.75	1.9	1.22	0.65	0.77	1.93	1.29	0	5.89	0
Kaposi Sarcoma	0	0	0	0	0.94	4.18	1.5	3.5	0.63	1.83	0.65	0.77	0	0	1.99	0	0
Kidney	0.43	0.43	0	0	0	0	0	0.58	2.53	3.66	5.16	3.83	3.86	9	5.98	5.89	3.18
Larynx	0	0	0	0	0	0	0	0	0.63	0.61	2.58	0.77	1.93	1.29	7.98	0	3.18
Leukaemia	0.43	0	0	0	0.47	0.93	0	0	1.27	1.83	0.65	2.3	2.9	3.86	3.99	8.84	3.18
Lip	0	0	0	0	0	0	0	0	0.63	0	0	0	0	0	0	0	6.37
Liver & Bile duct	0	0	0	0	0.47	0.46	0.5	1.17	0	1.83	3.87	4.59	6.76	5.14	9.97	5.89	6.37
Lung	0	0	0	0.49	0	0	1.5	0.58	0.63	7.92	14.84	26.02	38.6	53.99	69.79	38.29	41.4
Melanoma	0	0.43	0	0.49	0.47	0	0.5	4.67	4.43	4.88	4.52	10.71	6.76	15.43	13.96	29.45	9.55
Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	3.83	0.97	1.29	1.99	2.95	6.37
Mouth	0	0	0	0	0	0.46	0	0	0.63	0.61	4.52	3.83	1.93	6.43	5.98	5.89	6.37
Myeloma	0	0	0	0	0	0	0	0	0	1.22	0	3.83	2.9	7.71	3.99	5.89	6.37
Naso-Oropharynx	0	0	0	0	0	0.46	0	0	0	0.61	2.58	1.53	1.93	5.14	1.99	0	0
Non Hodgkin lymphoma	0	0	0	0.98	0.47	0.46	1	2.33	3.16	6.09	5.16	12.24	15.44	18	37.89	11.78	25.48
Oesophagus	0	0	0	0.49	0	0.46	1	0.58	1.27	3.05	5.16	6.89	10.62	10.28	9.97	8.84	25.48
Other specified	0.43	0	0	0	0	0.93	0	0	0.63	2.44	0.65	2.3	2.9	2.57	9.97	0	12.74
Ovary	0	0	0.47	0	0	0.93	0	1.17	2.53	3.66	6.45	9.18	10.62	9	11.96	11.78	9.55
Pancreas	0	0	0	0	0	0	0.5	0.58	0	1.83	2.58	4.59	5.79	9	11.96	2.95	6.37
Placenta	0	0	0	0	0	0	0	1.17	0.63	0.61	0.65	0	0	0	0	0	0
Primary site unknown	0	0.43	0	0.49	0.47	0.46	0.5	1.75	3.8	10.36	17.42	27.55	41.5	34.71	47.86	44.18	47.77
SCC of skin	0	0	0	0.49	0.47	0.46	2	1.17	2.53	4.27	9.03	17.6	27.99	42.42	57.83	117.82	178.35
Salivary gland	0	0	0	0	0	0	0	0	0.63	0	0	3.06	0	0	1.99	0	0
Skin other	0	0	0	0.49	0	0.46	0	0.58	2.53	1.22	0.65	0	2.9	3.86	3.99	2.95	9.55
Small intestine	0	0	0	0	0	0	0	0	0	0.61	0	0.77	1.93	0	1.99	0	0
Stomach	0	0	0	0	0.94	0.46	0	1.17	2.53	1.83	5.81	6.89	9.65	14.14	23.93	32.4	19.11
Thyroid	0	0	0	0.49	0.47	2.79	3.51	6.42	1.9	6.09	3.87	4.59	7.72	3.86	9.97	8.84	9.55
Tongue	0	0	0	0	0	0	0.5	1.17	1.27	0	6.45	2.3	5.79	2.57	3.99	2.95	3.18
Uterus	0	0	0	0	0	0	0	1.75	4.43	7.31	6.45	17.6	32.81	28.28	51.85	38.29	28.66
Vagina	0	0	0	0	0	0.46	0	0.58	1.27	0.61	0.65	2.3	1.93	2.57	1.99	0	0
Vulva	0	0	0	0	0.47	0	2.5	1.17	0.63	3.05	0.65	1.53	0.97	5.14	5.98	5.89	6.37

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2017 : COLOURED MALE

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0	0	0	0	0	0	0	0	0.65	0.69	0.77	1.82	3.85	5.6	6.38	0	0
BCC	0	0	0	0	0.93	0.92	6.04	16.36	24.12	40.69	53.07	87.55	153.97	216.67	401.91	565.47	961.74
Bladder	0	0	0	0	0	0	0.5	0	3.91	3.45	13.07	24.62	23.1	57.9	89.31	147.51	119.07
Bone	0	0	0.46	0.48	0	0	0	0.61	0	0	0	0	2.57	1.87	6.38	0	0
Brain, CNS	0	0.42	0	0	0.46	1.84	0.5	1.21	3.26	3.45	4.61	3.65	5.13	9.34	3.19	6.15	0
Breast	0	0	0	0	0	0	0.5	0.61	0	2.07	2.31	1.82	3.85	9.34	6.38	18.44	36.64
Burkitt lymphoma	0	0.42	0	0.48	0	0	0	0	0.65	0.69	0	0	1.28	0	0	0	0
Colorectal	0	0	0	0	0.93	0.92	3.02	4.85	8.48	12.41	26.15	38.3	51.32	97.13	108.45	147.51	137.39
Connective tissue	0.83	0.42	0.92	0.48	0.46	0	1.51	0.61	0.65	1.38	1.54	3.65	2.57	0	0	6.15	0
Endocrine	0	0	0.46	0	0.46	0	0	0	0	0.69	0	1.82	1.28	1.87	0	0	0
Eye	2.06	0	0	0	0	0	0	0.61	0.65	1.38	0.77	0	1.28	0	0	6.15	9.16
Gum	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6.38	0	9.16
Haematology other	0	0	0	0	0	0	0	0	1.21	0	0	0.77	0	0	0	0	0
Hogkin lymphoma	0	0.84	1.39	0.96	0.46	1.84	2.52	4.24	1.96	2.76	0.77	1.82	1.28	0	3.19	0	0
Kaposi Sarcoma	0	0	0	0	0.93	2.3	5.54	5.45	3.91	4.14	3.08	1.82	1.28	1.87	0	0	9.16
Kidney	1.24	0.42	0	0	0.46	0	0	1.21	2.61	4.14	6.92	6.38	20.53	11.21	22.33	18.44	18.32
Larynx	0	0	0	0	0	0	0	0	0.61	1.3	0.69	8.46	19.15	29.51	24.28	22.33	18.32
Leukaemia	0	1.68	0.46	0.96	0.46	0.46	0.5	0	1.3	1.38	1.54	3.65	2.57	1.87	6.38	18.44	9.16
Lip	0	0	0	0	0	0	0	0	0	0	0	1.82	0	0	0	0	0
Liver & Bile duct	0	0	0.46	0	0	0.92	0	0	0.65	2.07	4.61	1.82	8.98	5.6	9.57	6.15	9.16
Lung	0	0	0	0	0	0	0	4.24	12.39	20.69	26.92	72.96	82.12	93.39	140.35	141.37	183.19
Melanoma	0	0	0	0	0	1.38	1.51	1.82	3.91	6.9	6.92	15.5	12.83	29.89	70.17	73.76	119.07
Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0.91	3.85	1.87	9.57	12.29	27.48
Mouth	0	0	0	0	0	0	0.5	0	2.61	2.76	6.15	11.86	10.26	14.94	15.95	24.59	9.16
Myeloma	0	0	0	0	0	0	0	0	0	0.69	0.77	3.65	3.85	5.6	15.95	24.59	27.48
Naso-Oropharynx	0	0	0	0	0	0	0	0.61	1.96	4.83	6.15	11.86	17.96	14.94	3.19	18.44	27.48
Non Hodgkin lymphoma	0	0.84	0	0.96	0.46	1.84	3.02	6.06	7.17	5.52	13.07	10.94	24.38	26.15	31.9	43.02	64.12
Oesophagus	0	0	0	0	0	0	0.5	1.21	2.61	5.52	11.54	16.42	19.25	26.15	28.71	12.29	36.64
Other specified	0	0	0	0	0	0.46	0	0.61	0	0	0.77	3.65	6.42	1.87	3.19	0	9.16
Pancreas	0	0	0	0	0	0	0	0.61	0	2.76	0.77	4.56	8.98	13.07	12.76	0	0
Penis	0	0	0	0	0.46	0.46	0.5	0	0.65	1.38	1.54	0	0	3.74	0	0	0
Primary site unknown	0	0	0	0.48	0	0.92	3.02	4.85	7.17	12.41	33.84	48.34	64.15	84.05	82.93	122.93	73.28
Prostate	0	0	0	0	0	0	0.5	0	1.96	17.93	47.68	131.33	239.93	412.79	583.73	756.01	622.84
SCC of skin	0	0	0	0	0.46	0	1.01	5.45	7.17	11.03	28.46	27.36	61.59	102.73	220.09	374.93	806.03
Salivary gland	0	0	0.46	0	0	0.92	0	0.61	0	0	0	2.74	2.57	3.74	6.38	0	9.16
Skin other	0	0	0	0	0	0	1.51	0.61	0	1.38	0	1.82	7.7	1.87	3.19	6.15	18.32
Small intestine	0	0	0	0	0	0	0.5	0	0	1.38	1.54	0.91	0	7.47	3.19	0	0
Stomach	0	0	0	0	0	0.92	0.5	1.21	3.26	6.9	12.31	29.18	30.79	50.43	38.28	98.34	146.55
Testis	0	0	0	0.96	1.39	2.76	0	1.21	2.61	3.45	1.54	0	0	0	3.19	0	0
Thyroid	0	0	0	0.48	0	0.46	0.5	1.82	1.3	2.07	0.77	1.82	5.13	3.74	3.19	6.15	18.32
Tongue	0	0	0	0	0	0	0	1.21	0.65	3.45	6.92	11.86	6.42	11.21	3.19	30.73	27.48

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2017 : WHITE FEMALES

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0	0	0	0	0	0	0	0	1.2	1.74	1.25	1.84	6.05	2.12	4.24	3.24	2.53
BCC	0	0	0	0.82	4.58	21.71	53.25	96.85	146.66	188.27	240.91	313	436.47	525.13	610.82	655.78	612.11
Bladder	0.87	0	0	0	0.76	1.45	0.66	0	1.8	2.9	2.5	7.36	13.45	24.7	17.82	22.69	20.26
Bone	0	1.59	2.47	1.64	2.29	0.72	0.66	0	3.01	0	2.5	3.07	0	0.71	3.39	0	0
Brain, CNS	6.11	0	1.65	0	2.29	0.72	3.94	2.69	2.4	5.79	5.01	6.75	8.74	9.88	7.64	7.56	2.53
Breast	0	0	0	0	1.53	18.82	50.62	84.07	134.64	216.66	226.52	284.77	311.38	331.74	379.22	331.67	275.24
Burkitt lymphoma	0	0	0	0.82	0	0	0	1.35	0	1.16	0	0.61	0	0	0	0	0
Cervix	0	0	0	0	1.53	5.07	23.67	37.66	40.27	48.66	41.3	37.44	23.54	21.17	13.57	18.37	10.13
Colorectal	0	0	0	2.46	1.53	2.17	5.26	6.05	17.43	29.54	42.55	68.12	75.32	102.34	108.59	124.24	114.82
Connective tissue	1.75	0	0.82	0	1.53	0.72	2.63	2.02	1.8	2.9	5.01	1.23	4.71	2.82	6.79	6.48	4.22
Endocrine	0	0.8	0	0	0	0	1.31	0.67	0	0.58	1.25	0.61	1.35	0	0.85	0	0
Eye	0	0	0	0	0	0	0	0.67	0	0.58	0.63	0	0.67	0.71	0.85	2.16	4.22
Gum	0	0	0	0	0	0	0	0	0	0	0	0	0	1.41	2.55	1.08	0
Haematology other	0.87	0	0	0	0	0	0.66	0	0	0.58	1.25	2.45	0.67	0.71	1.7	1.08	1.69
Hogkin lymphoma	0	0.8	0.82	3.28	4.58	3.62	0.66	2.69	2.4	1.16	2.5	3.68	2.02	2.82	1.7	6.48	0.84
Kaposi Sarcoma	0	0	0	0	0.76	5.79	1.31	2.02	1.8	1.16	1.25	0	0	0	0	0	1.69
Kidney	3.49	3.19	0	0	0.76	1.45	0	2.02	2.4	1.74	6.26	9.21	10.09	7.06	16.97	10.8	7.6
Larynx	0	0	0	0	0	0	0	0.67	0.6	1.16	2.5	3.07	3.36	4.94	3.39	2.16	0
Leukaemia	2.62	1.59	0.82	0	1.53	0.72	1.31	0.67	2.4	4.06	4.38	1.84	4.71	6.35	11.03	17.29	10.98
Lip	0	0	0	0	0	0	0	0	0.6	0	0	0.61	2.02	1.41	0	0	1.69
Liver & Bile duct	0.87	0.8	0	0	0	0.72	1.31	0.67	0.6	1.16	3.75	1.84	6.05	9.88	4.24	9.72	10.13
Lung	0	0	0	0	0	0	1.97	3.36	2.4	8.11	24.4	38.66	53.13	74.11	87.38	73.46	52.35
Melanoma	0.87	0	0	2.46	4.58	20.27	25.64	31.61	30.05	46.34	38.17	45.42	54.47	55.76	62.78	73.46	71.76
Mesothelioma	0	0	0	0	0	0	0	0	0	0	1.23	4.04	3.53	6.79	5.4	8.44	
Mouth	0	0	0	0	0	0	0	1.35	0.6	2.32	2.5	7.36	4.71	9.18	3.39	2.16	5.07
Myeloma	0	0	0	0	0	0	0	0	0	0	5.01	4.3	6.05	7.06	11.88	9.72	9.29
Naso-Oropharynx	0	0	0.82	0	0	0	0.66	0	0	0.58	1.88	3.68	7.4	0.71	3.39	2.16	0.84
Non Hodgkin lymphoma	0.87	0	0	1.64	0.76	4.34	6.57	6.05	6.61	5.79	16.27	20.87	24.88	32.47	39.87	52.94	32.93
Oesophagus	0	0	0	0	0	0	0	0.67	0.6	4.63	4.38	5.52	9.42	10.59	10.18	15.13	9.29
Other specified	0	0	0	0	0	0	1.31	0	3.61	1.16	2.5	3.07	6.73	3.53	4.24	5.4	2.53
Ovary	0	0.8	0.82	2.46	0.76	0.72	5.26	6.73	6.61	14.48	12.51	26.39	36.32	26.12	24.6	37.81	14.35
Pancreas	0	0	0	0	0	0	0	0.67	1.8	2.9	6.88	8.59	13.45	14.12	13.57	9.72	9.29
Placenta	0	0	0	0	0	0	1.31	0	0	0	0	0	0	0	0	0	0
Primary site unknown	1.75	0	0	0	0.76	2.17	2.63	5.38	9.62	14.48	19.4	30.07	49.09	39.53	65.32	46.46	43.06
SCC of skin	0	0	0.82	0	0	2.17	4.6	10.09	15.03	37.08	53.81	87.15	132.49	155.28	263.84	378.13	556.39
Salivary gland	0	0.8	0	0.82	0	0	0	0	1.2	0.58	3.13	0.61	1.35	2.12	4.24	1.08	3.38
Skin other	0	0	0	0	0.76	1.45	0.66	0.67	0.6	2.32	2.5	0.61	3.36	2.82	6.79	8.64	16.89
Small intestine	0	0	0	0	0	0	0	1.35	1.2	0.58	2.5	0.61	2.02	3.53	5.09	2.16	1.69
Stomach	0	0	0	0	0	0	0	1.35	3.01	7.53	2.5	9.21	9.42	18.35	16.97	15.13	26.17
Thyroid	0	0	0	2.46	5.34	11.58	11.83	18.83	15.63	11.01	19.4	14.73	16.14	9.18	11.88	14.04	3.38
Tongue	0	0	0	0	0.76	0.72	0.66	0	0.6	3.48	5.63	6.14	5.38	4.94	4.24	8.64	2.53
Uterus	0	0	0	0	0	0	1.31	2.69	7.81	10.43	20.65	28.23	38.33	38.11	53.45	47.54	27.02
Vagina	0	0	0	0	0	0	0	2.02	1.2	1.16	3.13	1.23	2.02	2.82	4.24	3.24	0.84
Vulva	0	0	0	0.82	1.53	2.17	1.31	0.67	1.2	5.21	2.5	2.45	5.38	6.35	3.39	4.32	6.75

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2017 : WHITE MALES

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0	0	0	0	0	0	0	0.68	0	1.2	3.97	1.34	4.37	1.6	0.98	1.37	8.24
BCC	0	0	0	1.6	9.09	29.3	55.27	119.23	186.11	258.78	403.9	564.58	713.19	812.83	1030.29	1174.65	1162.6
Bladder	0.84	0	0	0.8	0.76	0	0	2.04	3.8	9.56	19.86	32.93	48.03	93.7	141.87	140.85	159.22
Bone	0	0.77	3.2	3.99	2.27	2.86	1.32	1.36	2.53	1.79	1.32	2.69	0.73	0	1.96	1.37	2.75
Brain, CNS	2.53	0.77	1.6	0.8	2.27	1.43	3.95	5.45	3.17	4.78	12.58	7.39	11.64	7.21	12.72	9.57	5.49
Breast	0	0	0	0	0	0	0	0	0.63	3.59	1.99	1.34	8.73	5.61	9.78	8.2	9.61
Burkitt lymphoma	0	0	0	0	0	0	0.66	0	0.63	0.6	0.66	1.34	0.73	0.8	0	0	1.37
Colorectal	0	0	0	0.8	0	4.29	9.87	14.31	13.93	27.49	47.01	72.59	118.62	137.74	197.64	211.96	181.18
Connective tissue	1.69	0.77	0	0	2.27	1.43	2.63	2.04	0	3.59	3.97	9.41	8.73	8.81	14.68	8.2	10.98
Endocrine	0.84	0	0	0	0.76	0.71	0.66	0	0	1.2	0.66	0	0.73	0	2.94	0	1.37
Eye	1.69	0	0	0	0	0.71	0	0	0.63	1.2	0.66	2.69	1.46	1.6	5.87	1.37	0
Gum	0	0	0	0	0	0.71	0	0	0	0	1.99	0.67	0.73	0.8	2.94	1.37	1.37
Haematology other	0	0	0.8	0.8	0	0	0.66	0.68	0	0	1.99	0.67	2.18	2.4	0.98	2.73	1.37
Hogkin lymphoma	1.69	1.54	2.4	3.2	3.03	4.29	3.95	3.41	6.33	1.2	4.63	2.02	3.64	3.2	4.89	1.37	1.37
Kaposi Sarcoma	0.84	0	0	0	0	1.43	5.92	6.81	3.8	2.99	3.97	2.02	1.46	0	1.96	2.73	2.75
Kidney	3.37	2.31	0	0.8	0.76	0.71	1.97	0.68	1.9	10.16	12.58	20.84	33.48	24.02	33.27	20.51	21.96
Larynx	0	0	0	0	0	0.71	0	0	0.63	0.6	5.3	10.08	24.02	19.22	16.63	24.61	8.24
Leukaemia	2.53	0.77	1.6	2.4	3.79	2.86	1.97	2.04	1.9	5.38	11.26	9.41	10.92	18.42	20.55	15.04	19.22
Lip	0	0	0	0	0	0	0	0	0.63	1.79	0.66	2.69	2.18	2.4	1.96	4.1	5.49
Liver & Bile duct	0.84	0	0	0	0	0	0.66	2.04	2.53	2.39	7.95	6.72	8.73	16.02	23.48	6.84	16.47
Lung	0	0	0	0	0	1.43	1.32	1.36	5.7	12.55	38.4	61.16	86.6	91.29	125.24	136.75	102.95
Melanoma	0	0.77	0	3.2	6.06	11.44	19.08	22.48	28.49	36.46	56.28	65.87	86.6	85.69	107.63	150.42	137.26
Mesothelioma	0	0	0	0	0	0	0	0.68	0	1.2	1.99	4.03	8.01	11.21	17.61	25.98	19.22
Mouth	0	0	0.8	0	0	0	0.66	0	3.17	2.99	7.95	9.41	8.01	12.01	8.81	2.73	16.47
Myeloma	0	0	0	0	0	0	0	0.68	1.9	2.99	7.28	6.72	9.46	9.61	13.7	12.31	12.35
Naso-Oropharynx	0	0	0	0	0.76	0.71	0	0.68	0.63	1.79	8.61	7.39	17.47	16.82	10.76	9.57	2.75
Non Hodgkin lymphoma	0	0	1.6	0	3.03	2.86	3.95	10.22	10.76	15.54	21.19	32.93	34.2	50.45	49.9	72.48	59.02
Oesophagus	0	0	0	0	0	0	0.66	1.36	0.63	4.18	11.26	11.43	22.56	22.42	26.42	39.66	21.96
Other specified	0	0.77	0	0	0.76	0	1.32	0.68	1.9	1.2	2.65	1.34	7.28	10.41	8.81	8.2	8.24
Pancreas	0	0	0	0	0	0	0.66	0.68	5.06	1.79	7.28	15.46	18.19	16.82	23.48	20.51	12.35
Penis	0	0	0	0	0	0.71	0	1.36	0	1.79	1.99	2.02	2.91	2.4	2.94	2.73	4.12
Primary site unknown	0.84	0.77	0	0	0	0.71	1.97	2.73	8.23	14.34	29.13	49.06	55.31	71.27	64.58	58.8	39.81
Prostate	0	0	0	0	0	0	0	0.68	8.86	37.65	108.59	285.65	452.65	588.6	719.15	659.12	476.3
SCC of skin	0.84	0	0	0.8	0	1.43	3.95	15.67	26.59	65.14	117.2	188.87	274.36	386	510.74	761.68	888.08
Salivary gland	0	0.77	0	0	0	0	0	0	1.27	1.79	5.96	4.03	3.64	10.41	7.83	9.57	8.24
Skin other	0	0	0	0	0	0	0	0.68	3.17	2.39	3.31	3.36	6.55	7.21	20.55	15.04	34.32
Small intestine	0	0	0	0.8	0	0	0	2.04	0.63	1.79	1.99	3.36	3.64	1.6	3.91	4.1	4.12
Stomach	0	0	0	0	0	0.71	1.97	1.36	4.43	4.18	15.23	28.9	34.2	35.24	53.81	54.7	49.41
Testis	0	0	0	0.8	7.57	11.44	14.48	14.31	9.5	8.96	4.63	4.7	1.46	1.6	1.96	0	0
Thyroid	0	0	0	1.6	1.51	3.57	4.61	2.73	2.53	7.17	6.62	7.39	8.73	12.01	7.83	13.67	1.37
Tongue	0	0	0	0	0	0	0	0.68	1.27	1.79	10.59	16.13	7.28	15.22	11.74	12.31	9.61

APPENDIX I:

Information was missing about sex, although population group information was present: 2017

POPULATION GROUP: ALL

SITE	20-24	25-29	35-39	40-44	45-49	55-59	60-64	65-69	70-74	75-79	80	UNK	Total
Anus	0	0	0	0	0	0	0	0	0	0	0	1	1
BCC	0	0	0	0	0	2	0	1	0	2	2	1	8
Colorectal	0	0	0	0	0	0	0	0	0	0	0	1	1
Hogkin lymphoma	0	0	0	0	0	0	0	0	0	0	0	1	1
Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	1	1
Larynx	0	0	0	0	0	0	0	0	0	1	0	0	1
Lung	0	0	0	0	0	2	0	0	0	0	0	0	2
Mouth	0	0	0	0	0	0	0	0	0	0	0	1	1
Non Hodgkin lymphoma	0	0	1	0	1	0	0	0	0	0	0	0	2
Oesophagus	0	0	0	0	0	0	0	0	0	1	0	1	2
Primary site unknown	1	0	0	1	1	1	0	1	1	1	0	3	10
SCC of skin	0	0	0	0	0	1	1	0	0	1	1	1	5
Skin other	0	1	0	0	0	0	0	0	0	0	0	0	1
Stomach	0	0	0	0	0	0	0	0	0	0	0	2	2
Total	1	1	1	1	2	6	1	2	1	6	3	13	38



**NATIONAL HEALTH
LABORATORY SERVICE**
National Cancer Registry

Information was missing about sex, although population group information was present: 2017

POPULATION GROUP: ASIAN													
SITE	20-24	25-29	35-39	40-44	45-49	55-59	60-64	65-69	70-74	75-79	80	UNK	Total
SCC of skin	0	0	0	0	0	0	0	0	0	0	0	1	1
Stomach	0	0	0	0	0	0	0	0	0	0	0	1	1
Total	0	0	0	0	0	0	0	0	0	0	0	2	2



Information was missing about sex, although population group information was present: 2017

POPULATION GROUP: BLACK

SITE	20-24	25-29	35-39	40-44	45-49	55-59	60-64	65-69	70-74	75-79	80	UNK	Total
Anus	0	0	0	0	0	0	0	0	0	0	0	1	1
Colorectal	0	0	0	0	0	0	0	0	0	0	0	1	1
Hogkin lymphoma	0	0	0	0	0	0	0	0	0	0	0	1	1
Kaposi Sarcoma	0	0	0	0	0	0	0	0	0	0	0	1	1
Larynx	0	0	0	0	0	0	0	0	0	1	0	0	1
Lung	0	0	0	0	0	2	0	0	0	0	0	0	2
Mouth	0	0	0	0	0	0	0	0	0	0	0	1	1
Non Hodgkin lymphoma	0	0	1	0	1	0	0	0	0	0	0	0	2
Oesophagus	0	0	0	0	0	0	0	0	0	1	0	1	2
Primary site unknown	1	0	0	1	1	1	0	1	0	1	0	3	9
SCC of skin	0	0	0	0	0	0	0	0	0	1	0	0	1
Skin other	0	1	0	0	0	0	0	0	0	0	0	0	1
Stomach	0	0	0	0	0	0	0	0	0	0	0	1	1
Total	1	1	1	1	2	3	0	1	0	4	0	10	24

Information was missing about sex, although population group information was present: 2017

POPULATION GROUP: COLOURED

SITE	20-24	25-29	35-39	40-44	45-49	55-59	60-64	65-69	70-74	75-79	80	UNK	Total
Primary site unknown	0	0	0	0	0	0	0	0	1	0	0	0	1
Total	0	0	0	0	0	0	0	0	1	0	0	0	1



Information was missing about sex, although population group information was present: 2017

POPULATION GROUP: WHITE

SITE	20-24	25-29	35-39	40-44	45-49	55-59	60-64	65-69	70-74	75-79	80	UNK	Total
BCC	0	0	0	0	0	2	0	1	0	2	2	1	8
SCC of skin	0	0	0	0	0	1	1	0	0	0	1	0	3
													0
Total	0	0	0	0	0	3	1	1	0	2	3	1	11

APPENDIX II: Information was missing about population group, although information about sex was present

SEX: FEMALE 2017

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80	UNK	Total
Anus	0	0	0	0	0	0	1	0	0	2	0	0	0	0	2	0	0	0	5
BCC	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
Bladder	0	0	0	0	0	0	1	0	0	1	0	1	2	0	0	0	1	0	6
Bone	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	2
Brain, CNS	0	0	0	0	0	0	0	0	1	1	1	1	0	0	0	0	0	0	4
Breast	0	0	0	0	1	0	9	5	20	22	13	14	17	14	11	8	8	1	143
Burkitt lymphoma	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Cervix	0	0	0	0	0	0	0	0	2	2	1	2	3	4	1	0	0	0	15
Colorectal	0	0	0	0	0	2	1	0	2	1	3	6	3	3	3	2	3	2	31
Connective tissue	1	0	0	0	1	0	1	1	0	1	0	0	3	0	0	1	2	0	11
Endocrine	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
Eye	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	2
Hogkin lymphoma	0	0	0	0	0	0	0	3	1	2	0	0	0	0	0	0	0	0	6
Kaposi Sarcoma	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	2
Kidney	1	1	0	0	0	1	0	1	0	0	2	1	1	0	1	0	0	0	9
Larynx	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0	0	0	3
Leukaemia	0	0	1	0	0	0	0	0	0	0	1	0	1	0	1	0	1	0	5
Liver & Bile duct	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
Lung	0	0	0	0	0	0	0	1	1	0	3	3	4	4	1	1	1	0	19
Melanoma	0	0	0	0	0	0	1	0	2	0	0	0	0	0	0	0	1	0	4
Mouth	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	1	0	3
Myeloma	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
Naso-Oropharynx	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	2
Non Hodgkin lymphoma	0	0	0	0	0	0	0	1	0	1	2	1	0	0	1	1	0	0	7
Oesophagus	0	0	0	0	0	0	0	0	0	2	3	2	1	0	1	1	0	1	11
Other specified	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
Ovary	0	0	0	0	0	0	0	0	2	1	0	2	1	1	0	0	0	0	7
Primary site unknown	0	0	1	0	2	0	2	3	0	2	5	3	13	2	5	4	1	1	44
SCC of skin	0	0	0	0	0	0	0	0	1	0	0	1	1	0	2	1	1	2	9
Salivary gland	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
Small intestine	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	2
Stomach	0	0	0	0	0	0	1	0	0	0	0	0	2	0	1	0	0	0	4
Thyroid	0	0	0	0	2	0	4	1	2	2	0	1	2	0	0	0	0	0	14
Tongue	0	0	0	0	0	0	0	1	1	0	0	1	0	0	0	0	0	0	3
Uterus	0	0	0	0	0	0	0	1	0	1	4	2	1	3	3	0	0	0	15
Vagina	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
Vulva	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	2
Total	2	2	2	0	7	4	22	20	37	44	42	44	58	33	33	21	20	7	398

APPENDIX II: Information was missing about population group, although information about sex was present

SEX: MALE 2017

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80	UNK	Total
Anus	0	0	0	0	0	0	1	0	1	0	1	0	0	1	0	0	0	0	4
BCC	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
Bladder	0	0	0	0	0	0	0	0	0	1	1	0	2	2	2	2	0	0	10
Bone	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	2
Brain, CNS	0	0	0	0	0	0	0	1	0	1	0	1	1	0	0	0	0	0	4
Breast	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	2
Colorectal	0	0	0	0	0	0	2	0	0	1	3	3	5	2	3	3	1	0	23
Connective tissue	1	0	0	0	0	1	0	0	1	0	1	0	0	0	0	0	0	2	6
Eye	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
Gum	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
Haematology other	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Hogkin lymphoma	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	2
Kaposi Sarcoma	0	0	0	0	1	0	1	6	0	1	2	0	0	0	0	0	0	0	11
Kidney	0	0	0	0	1	0	0	0	0	1	1	1	1	0	2	0	0	0	7
Larynx	0	0	0	0	0	0	0	0	1	1	0	2	3	0	0	0	0	0	7
Leukaemia	0	2	0	1	0	2	0	0	1	1	1	0	0	0	0	0	0	0	8
Liver & Bile duct	0	0	0	0	0	0	0	1	2	0	0	0	0	0	1	0	1	0	5
Lung	0	0	0	0	0	0	0	0	0	1	1	4	4	2	2	1	5	1	21
Melanoma	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
Mesothelioma	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	2
Mouth	0	0	0	0	0	0	0	0	0	1	2	0	1	0	0	1	0	0	5
Myeloma	0	0	0	0	0	0	0	0	0	1	1	2	1	2	0	0	0	0	7
Naso-Oropharynx	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	2
Non Hodgkin lymphoma	0	0	0	0	0	2	1	1	1	1	1	1	1	0	0	0	2	0	11
Oesophagus	0	0	0	1	0	0	0	1	0	4	4	4	3	1	1	1	0	1	21
Other specified	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	0	3
Pancreas	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
Penis	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
Primary site unknown	0	0	0	0	0	1	2	1	2	3	4	7	7	5	2	1	3	4	42
Prostate	0	0	0	0	0	0	0	0	1	1	17	17	25	21	24	14	14	1	135
SCC of skin	0	0	0	0	1	0	0	0	0	0	0	1	2	0	0	1	0	0	5
Salivary gland	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	2
Small intestine	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
Stomach	0	0	0	0	0	0	2	0	1	0	0	1	2	1	0	1	0	0	8
Testis	0	0	0	0	0	2	1	0	0	0	1	0	0	0	0	0	0	0	4
Thyroid	0	0	0	0	0	0	1	1	0	1	0	0	0	0	0	1	0	0	4
Tongue	0	0	0	0	0	0	0	0	1	0	0	2	0	3	0	1	0	0	7
Total	1	3	1	2	3	11	12	12	13	22	44	49	63	41	38	27	27	9	378