

**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2018
FEMALE - ALL POPULATION GROUPS COMBINED**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Breast	9620	9620	23.43	32.47	32.87	32.21	33.55	3.64	27
BCC	6207	6210	15.12	20.96	20.93	20.41	21.46	2.35	42
Cervix	6181	6181	15.05	20.86	20.79	20.27	21.32	2.15	47
SCC of skin	2690	2692	6.55	9.09	8.67	8.34	9.01	0.88	113
Primary site unknown	1943	1949	4.73	6.58	6.73	6.43	7.04	0.80	126
Colorectal	1877	1880	4.57	6.35	6.35	6.06	6.64	0.71	141
Uterus	1486	1486	3.62	5.02	5.20	4.94	5.48	0.70	143
Lung	1031	1033	2.51	3.49	3.57	3.36	3.80	0.45	221
Melanoma	1076	1077	2.62	3.64	3.57	3.36	3.80	0.38	262
Non Hodgkin lymphoma	1061	1061	2.58	3.58	3.49	3.29	3.71	0.36	279
Oesophagus	735	739	1.79	2.49	2.53	2.35	2.72	0.29	344
Thyroid	574	574	1.40	1.94	1.91	1.75	2.07	0.19	528
Ovary	552	552	1.34	1.86	1.89	1.74	2.06	0.22	449
Vulva	571	571	1.39	1.93	1.80	1.66	1.96	0.17	597
Kaposi Sarcoma	585	585	1.42	1.97	1.74	1.60	1.89	0.14	702
Stomach	478	479	1.16	1.62	1.64	1.50	1.80	0.19	513
Bladder	350	350	0.85	1.18	1.18	1.06	1.31	0.14	704
Kidney	306	306	0.75	1.03	1.09	0.97	1.22	0.11	905
Connective tissue	283	284	0.69	0.96	0.98	0.87	1.10	0.09	1062
Hogkin lymphoma	291	291	0.71	0.98	0.94	0.84	1.06	0.08	1228
Liver & Bile duct	241	241	0.59	0.81	0.84	0.74	0.96	0.10	1037
Leukaemia	243	243	0.59	0.82	0.82	0.72	0.93	0.08	1286
Vagina	232	232	0.57	0.78	0.79	0.69	0.90	0.09	1163
Brain, CNS	211	211	0.51	0.71	0.73	0.63	0.84	0.07	1363
Pancreas	205	205	0.50	0.69	0.71	0.62	0.82	0.09	1125
Myeloma	204	204	0.50	0.69	0.71	0.62	0.82	0.09	1093
Eye	210	210	0.51	0.71	0.69	0.59	0.79	0.06	1806
Mouth	196	196	0.48	0.66	0.67	0.58	0.78	0.08	1279
Anus	197	198	0.48	0.67	0.64	0.55	0.74	0.06	1545
Other specified	183	184	0.45	0.62	0.64	0.55	0.74	0.08	1331
Skin other	162	162	0.39	0.55	0.53	0.45	0.62	0.05	1950
Naso-Oropharynx	148	148	0.36	0.50	0.52	0.44	0.61	0.06	1775
Tongue	126	126	0.31	0.43	0.44	0.37	0.53	0.06	1741
Bone	104	104	0.25	0.35	0.35	0.28	0.42	0.03	3437
Salivary gland	78	78	0.19	0.26	0.27	0.22	0.34	0.03	3591
Small intestine	80	81	0.19	0.27	0.27	0.22	0.34	0.03	3247
Larynx	77	77	0.19	0.26	0.27	0.21	0.34	0.03	2959
Mesothelioma	66	66	0.16	0.22	0.22	0.17	0.28	0.03	3825
Placenta	61	61	0.15	0.21	0.18	0.14	0.23	0.01	7435
Burkitt lymphoma	44	44	0.11	0.15	0.14	0.10	0.19	0.01	8889
Haematology other	38	38	0.09	0.13	0.13	0.09	0.18	0.01	9709
Endocrine	22	22	0.05	0.07	0.07	0.05	0.11	0.01	14815
Lip	18	18	0.04	0.06	0.06	0.04	0.10	0.01	15038
Gum	14	14	0.03	0.05	0.05	0.03	0.08	0.01	16529
Total	41057	41083	100	108.62	109.01	103.36	115.22	11.99	8

NOTES:

- N(OBS) Number of new cases with sex known
- N(ADJ) Number of new cases adjusted for those with sex unknown
- % Percentage of all cancers
- CRUDE Adjusted cases per 100 000/year
- ASR Age standardised incidence rate per 100 000 (World standard population)
- The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
- 95% L/UCL Lower/Upper 95% confidence intervals for the ASR
- CUMRISK 0-74 Cumulative lifetime incidence risk (0-74 years) (per 100 people)
- LR 0-74 Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
- *TOTALS** The rates calculated for the total exclude BCC and SCC of the skin



**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2018
MALE - ALL POPULATION GROUPS COMBINED**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Prostate	9406	9406	23.81	33.31	48.67	47.69	49.67	6.29	16
BCC	8221	8225	20.81	29.13	40.55	39.67	41.45	4.63	22
SCC of skin	3920	3922	9.92	13.89	19.94	19.32	20.58	2.08	48
Colorectal	2185	2186	5.53	7.74	10.58	10.14	11.04	1.25	80
Lung	1703	1703	4.31	6.03	8.37	7.98	8.79	1.02	98
Primary site unknown	1719	1728	4.35	6.12	8.22	7.83	8.62	0.99	101
Non Hodgkin lymphoma	1325	1328	3.35	4.70	5.60	5.29	5.91	0.59	169
Melanoma	1085	1085	2.75	3.84	5.27	4.96	5.60	0.59	171
Bladder	1012	1013	2.56	3.59	5.17	4.86	5.50	0.61	163
Oesophagus	904	906	2.29	3.21	4.40	4.12	4.70	0.54	185
Stomach	823	824	2.08	2.92	4.01	3.74	4.30	0.48	210
Kaposi Sarcoma	939	941	2.38	3.33	3.19	2.98	3.41	0.29	344
Kidney	493	493	1.25	1.75	2.34	2.13	2.55	0.28	357
Larynx	464	465	1.17	1.65	2.30	2.09	2.52	0.30	338
Mouth	348	348	0.88	1.23	1.65	1.48	1.84	0.20	500
Naso-Oropharynx	351	351	0.89	1.24	1.61	1.44	1.79	0.19	518
Tongue	310	310	0.78	1.10	1.50	1.34	1.68	0.19	521
Connective tissue	354	354	0.90	1.25	1.50	1.34	1.67	0.16	634
Hogkin lymphoma	378	381	0.96	1.35	1.35	1.21	1.50	0.12	846
Liver & Bile duct	282	282	0.71	1.00	1.31	1.16	1.48	0.16	608
Leukaemia	296	296	0.75	1.05	1.31	1.16	1.47	0.13	751
Pancreas	228	228	0.58	0.81	1.13	0.99	1.29	0.14	696
Penis	245	245	0.62	0.87	1.03	0.90	1.17	0.10	983
Other specified	213	213	0.54	0.75	0.98	0.85	1.12	0.11	889
Brain, CNS	232	232	0.59	0.82	0.95	0.83	1.09	0.10	1031
Myeloma	191	191	0.48	0.68	0.92	0.79	1.06	0.11	949
Skin other	195	195	0.49	0.69	0.89	0.77	1.03	0.09	1068
Breast	177	177	0.45	0.63	0.87	0.74	1.01	0.10	970
Eye	229	229	0.58	0.81	0.86	0.75	0.98	0.07	1366
Thyroid	191	191	0.48	0.68	0.85	0.73	0.99	0.10	1000
Testis	220	220	0.56	0.78	0.71	0.62	0.82	0.06	1701
Anus	153	153	0.39	0.54	0.69	0.58	0.81	0.09	1176
Mesothelioma	134	134	0.34	0.47	0.69	0.57	0.81	0.08	1258
Salivary gland	137	137	0.35	0.49	0.64	0.54	0.76	0.07	1481
Small intestine	102	102	0.26	0.36	0.48	0.39	0.58	0.06	1728
Bone	111	112	0.28	0.40	0.43	0.35	0.51	0.04	2696
Lip	54	54	0.14	0.19	0.24	0.18	0.31	0.03	3598
Haematology other	57	57	0.14	0.20	0.23	0.17	0.30	0.02	4915
Burkitt lymphoma	53	53	0.13	0.19	0.18	0.13	0.24	0.01	7605
Gum	31	31	0.08	0.11	0.15	0.10	0.22	0.02	5748
Endocrine	28	28	0.07	0.10	0.12	0.08	0.18	0.01	8584
Ill defined	1	1	0.00	0.00	0.00	0.00	0.02	0.00	181819
Total	39500	39530	100	96.98	131.39	124.00	139.34	15.79	6

NOTES:

N(OBS)	Number of new cases with sex known
N(ADJ)	Number of new cases adjusted for those with sex unknown
%	Percentage of all cancers
CRUDE	Adjusted cases per 100 000/year
ASR	Age standardised incidence rate per 100 000 (World standard population) The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL	Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74	Cumulative lifetime incidence risk (0-74 years) (per 100 people)
LR 0-74	Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
*TOTALS	The rates calculated for the total exclude BCC and SCC of the skin



**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2018
ASIAN FEMALE**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Breast	516	520	39.12	70.70	51.24	46.88	55.93	5.72	17
Colorectal	109	112	8.26	15.23	10.87	8.91	13.16	1.26	80
Cervix	93	95	7.05	12.92	9.75	7.87	11.97	1.08	93
Uterus	95	95	7.20	12.92	9.16	7.40	11.27	1.19	84
Primary site unknown	58	61	4.40	8.29	5.77	4.39	7.48	0.67	150
Thyroid	50	50	3.79	6.80	5.64	4.15	7.52	0.51	196
Lung	39	40	2.96	5.44	3.75	2.66	5.18	0.45	222
Non Hodgkin lymphoma	36	37	2.73	5.03	3.56	2.49	4.98	0.40	251
Stomach	34	34	2.58	4.62	3.09	2.13	4.40	0.34	293
Ovary	30	30	2.27	4.08	3.00	2.00	4.37	0.35	289
BCC	30	30	2.27	4.08	2.78	1.86	4.04	0.35	288
Kidney	16	16	1.21	2.18	1.87	1.00	3.16	0.19	539
Mouth	18	18	1.36	2.45	1.82	1.08	2.94	0.22	445
Vulva	17	17	1.29	2.31	1.60	0.92	2.64	0.17	572
Tongue	16	16	1.21	2.18	1.54	0.87	2.57	0.19	538
Oesophagus	16	16	1.21	2.18	1.50	0.85	2.51	0.17	595
SCC of skin	18	18	1.36	2.45	1.48	0.87	2.44	0.17	581
Leukaemia	12	12	0.91	1.63	1.37	0.65	2.51	0.14	694
Vagina	13	13	0.99	1.77	1.22	0.65	2.17	0.17	600
Brain, CNS	10	10	0.76	1.36	1.21	0.55	2.30	0.12	856
Connective tissue	11	11	0.83	1.50	1.11	0.55	2.05	0.12	868
Other specified	8	8	0.61	1.09	1.03	0.42	2.10	0.10	1041
Bladder	10	10	0.76	1.36	0.95	0.45	1.83	0.10	973
Hogkin lymphoma	6	6	0.45	0.82	0.70	0.25	1.57	0.05	1927
Liver & Bile duct	7	7	0.53	0.95	0.66	0.26	1.45	0.08	1214
Kaposi Sarcoma	6	6	0.45	0.82	0.64	0.23	1.45	0.05	1989
Skin other	6	6	0.45	0.82	0.59	0.21	1.37	0.04	2353
Pancreas	6	6	0.45	0.82	0.56	0.20	1.32	0.05	1942
Bone	3	3	0.23	0.41	0.47	0.09	1.34	0.03	3160
Myeloma	5	5	0.38	0.68	0.44	0.14	1.15	0.04	2373
Small intestine	4	4	0.30	0.54	0.40	0.11	1.12	0.03	3063
Melanoma	4	4	0.30	0.54	0.38	0.10	1.07	0.06	1602
Anus	3	3	0.23	0.41	0.32	0.07	1.01	0.03	3195
Naso-Oropharynx	3	3	0.23	0.41	0.29	0.06	0.95	0.05	1937
Burkitt lymphoma	2	2	0.15	0.27	0.21	0.03	0.84	0.02	4577
Gum	2	2	0.15	0.27	0.20	0.02	0.83	0.03	3938
Endocrine	2	2	0.15	0.27	0.16	0.02	0.73	0.01	12821
Salivary gland	1	1	0.08	0.14	0.12	0.00	0.71	0.01	10153
Mesothelioma	1	1	0.08	0.14	0.11	0.00	0.69	0.01	10929
Eye	1	1	0.08	0.14	0.09	0.00	0.65	0.01	8511
Lip	1	1	0.08	0.14	0.07	0.00	0.60	0.00	
Larynx	1	1	0.08	0.14	0.07	0.00	0.60	0.00	
Total	1319	1333	100	174.77	127.53	98.66	172.49	14.26	7

NOTES:

N(OBS)	Number of new cases with sex known
N(ADJ)	Number of new cases adjusted for those with sex unknown
%	Percentage of all cancers
CRUDE	Adjusted cases per 100 000/year
ASR	Age standardised incidence rate per 100 000 (World standard population) The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL	Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74	Cumulative lifetime incidence risk (0-74 years) (per 100 people)
LR 0-74	Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
<u>*TOTALS</u>	The rates calculated for the total exclude BCC and SCC of the skin



**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2018
ASIAN MALE**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Prostate	231	236	22.71	30.92	29.67	25.98	33.76	3.82	26
Colorectal	141	141	13.86	18.47	16.96	14.26	20.05	2.14	47
Lung	90	90	8.85	11.79	11.00	8.82	13.56	1.34	74
Bladder	79	79	7.77	10.35	9.62	7.60	12.03	1.22	82
Primary site unknown	56	56	5.51	7.34	6.89	5.18	9.00	0.82	122
Stomach	54	55	5.31	7.21	6.46	4.86	8.45	0.84	120
Non Hodgkin lymphoma	44	44	4.33	5.76	5.19	3.73	7.04	0.47	215
BCC	27	27	2.65	3.54	3.39	2.22	4.96	0.47	213
Kidney	26	26	2.56	3.41	3.01	1.96	4.45	0.43	231
SCC of skin	20	20	1.97	2.62	2.52	1.53	3.93	0.25	399
Testis	22	22	2.16	2.88	2.24	1.36	3.51	0.17	589
Brain, CNS	17	17	1.67	2.23	1.90	1.07	3.15	0.20	511
Larynx	15	16	1.47	2.10	1.89	1.08	3.11	0.24	419
Hogkin lymphoma	16	16	1.57	2.10	1.84	1.02	3.08	0.15	645
Thyroid	16	16	1.57	2.10	1.78	1.01	2.95	0.20	505
Other specified	15	15	1.47	1.97	1.71	0.95	2.87	0.14	702
Oesophagus	12	13	1.18	1.70	1.57	0.84	2.73	0.24	408
Liver & Bile duct	12	12	1.18	1.57	1.56	0.80	2.76	0.21	483
Mouth	12	12	1.18	1.57	1.38	0.71	2.45	0.17	572
Pancreas	11	11	1.08	1.44	1.28	0.64	2.34	0.17	572
Anus	10	10	0.98	1.31	1.20	0.57	2.25	0.18	557
Melanoma	8	8	0.79	1.05	1.04	0.45	2.08	0.10	979
Tongue	8	9	0.79	1.18	1.03	0.46	2.03	0.11	945
Kaposi Sarcoma	10	10	0.98	1.31	0.99	0.47	1.91	0.09	1083
Bone	5	5	0.49	0.66	0.99	0.32	2.20	0.05	1861
Connective tissue	8	9	0.79	1.18	0.99	0.44	1.94	0.08	1225
Leukaemia	7	7	0.69	0.92	0.93	0.36	1.98	0.10	1045
Breast	7	7	0.69	0.92	0.81	0.32	1.74	0.09	1114
Small intestine	6	6	0.59	0.79	0.69	0.25	1.56	0.10	1028
Haematology other	4	4	0.39	0.52	0.65	0.17	1.64	0.05	1956
Naso-Oropharynx	6	6	0.59	0.79	0.64	0.24	1.47	0.08	1266
Penis	5	5	0.49	0.66	0.55	0.18	1.36	0.07	1487
Skin other	5	5	0.49	0.66	0.55	0.18	1.36	0.06	1645
Salivary gland	3	3	0.29	0.39	0.31	0.06	0.99	0.02	6251
Myeloma	2	2	0.20	0.26	0.28	0.03	1.02	0.01	7693
Endocrine	2	2	0.20	0.26	0.24	0.03	0.92	0.02	4358
Mesothelioma	2	2	0.20	0.26	0.22	0.03	0.88	0.01	9175
Burkitt lymphoma	1	1	0.10	0.13	0.20	0.00	0.95	0.01	9133
Eye	1	2	0.10	0.26	0.19	0.02	0.82	0.02	6270
Gum	1	1	0.10	0.13	0.13	0.00	0.76	0.03	3101
Total	1017	1028	100	128.55	118.58	86.45	167.15	14.25	7

NOTES:

N(OBS)	Number of new cases with sex known
N(ADJ)	Number of new cases adjusted for those with sex unknown
%	Percentage of all cancers
CRUDE	Adjusted cases per 100 000/year
ASR	Age standardised incidence rate per 100 000 (World standard population) The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL	Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74	Cumulative lifetime incidence risk (0-74 years) (per 100 people)
LR 0-74	Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
*TOTALS	The rates calculated for the total exclude BCC and SCC of the skin

**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2018
BLACK FEMALE**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Cervix	5170	5190	29.07	21.77	23.94	23.28	24.61	2.48	40
Breast	4016	4072	22.58	17.08	19.32	18.72	19.93	2.04	49
Primary site unknown	1125	1148	6.33	4.82	5.67	5.34	6.01	0.66	152
Uterus	843	857	4.74	3.60	4.50	4.20	4.81	0.60	165
Colorectal	614	636	3.45	2.67	3.06	2.83	3.31	0.34	295
Oesophagus	566	580	3.18	2.43	2.98	2.74	3.24	0.33	302
Non Hodgkin lymphoma	550	563	3.09	2.36	2.40	2.20	2.61	0.23	440
Kaposi Sarcoma	527	527	2.96	2.21	1.98	1.81	2.16	0.16	620
Vulva	441	442	2.48	1.85	1.80	1.63	1.98	0.16	618
SCC of skin	370	370	2.08	1.55	1.71	1.54	1.90	0.16	616
BCC	305	306	1.71	1.28	1.48	1.31	1.66	0.15	657
Lung	233	240	1.31	1.01	1.19	1.05	1.36	0.14	718
Stomach	220	224	1.24	0.94	1.14	1.00	1.30	0.14	730
Melanoma	200	201	1.12	0.84	1.00	0.87	1.15	0.10	987
Ovary	198	204	1.11	0.86	0.99	0.86	1.14	0.12	857
Thyroid	196	199	1.10	0.83	0.91	0.78	1.04	0.09	1120
Hogkin lymphoma	203	205	1.14	0.86	0.84	0.73	0.97	0.07	1383
Vagina	175	176	0.98	0.74	0.84	0.72	0.97	0.09	1156
Eye	188	192	1.06	0.81	0.81	0.70	0.93	0.06	1545
Connective tissue	162	168	0.91	0.70	0.78	0.66	0.91	0.07	1374
Anus	143	147	0.80	0.62	0.63	0.53	0.75	0.06	1564
Liver & Bile duct	123	125	0.69	0.52	0.63	0.52	0.75	0.07	1382
Leukaemia	127	131	0.71	0.55	0.58	0.48	0.69	0.05	1880
Myeloma	107	108	0.60	0.45	0.55	0.45	0.66	0.07	1516
Kidney	119	119	0.67	0.50	0.55	0.45	0.66	0.04	2302
Bladder	109	110	0.61	0.46	0.54	0.44	0.65	0.06	1607
Naso-Oropharynx	81	83	0.46	0.35	0.40	0.31	0.49	0.04	2384
Skin other	84	85	0.47	0.36	0.39	0.31	0.48	0.04	2470
Other specified	77	80	0.43	0.34	0.38	0.30	0.48	0.04	2428
Mouth	75	77	0.42	0.32	0.38	0.30	0.48	0.04	2307
Brain, CNS	71	74	0.40	0.31	0.33	0.26	0.42	0.03	3351
Pancreas	61	64	0.34	0.27	0.33	0.25	0.42	0.04	2555
Bone	52	55	0.29	0.23	0.23	0.17	0.30	0.02	5306
Salivary gland	41	43	0.23	0.18	0.21	0.15	0.29	0.02	5026
Small intestine	37	38	0.21	0.16	0.18	0.13	0.25	0.02	4867
Larynx	29	31	0.16	0.13	0.16	0.11	0.22	0.02	6251
Placenta	39	41	0.22	0.17	0.15	0.11	0.21	0.01	8969
Tongue	24	25	0.13	0.10	0.13	0.08	0.19	0.02	6061
Burkitt lymphoma	30	30	0.17	0.13	0.11	0.07	0.16	0.01	11300
Haematology other	21	21	0.12	0.09	0.09	0.05	0.14	0.01	16000
Mesothelioma	15	15	0.08	0.06	0.08	0.04	0.13	0.01	9616
Endocrine	10	10	0.06	0.04	0.04	0.02	0.08	0.00	24391
Lip	7	7	0.04	0.03	0.03	0.01	0.07	0.00	30770
Gum	2	2	0.01	0.01	0.01	0.00	0.04	0.00	200001
Total	17786	18021	100	72.76	81.26	75.66	87.44	8.60	12

NOTES:

N(OBS)	Number of new cases with sex known
N(ADJ)	Number of new cases adjusted for those with sex unknown
%	Percentage of all cancers
CRUDE	Adjusted cases per 100 000/year
ASR	Age standardised incidence rate per 100 000 (World standard population) The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL	Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74	Cumulative lifetime incidence risk (0-74 years) (per 100 people)
LR 0-74	Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
*TOTALS	The rates calculated for the total exclude BCC and SCC of the skin

**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2018
BLACK MALE**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Prostate	4305	4350	33.15	19.16	37.74	36.60	38.90	4.73	21
Primary site unknown	926	945	7.13	4.16	6.78	6.33	7.24	0.81	124
Lung	656	660	5.05	2.91	4.97	4.58	5.37	0.61	164
Oesophagus	619	631	4.77	2.78	4.86	4.48	5.27	0.59	170
Colorectal	626	644	4.82	2.84	4.54	4.18	4.92	0.54	186
Non Hodgkin lymphoma	736	747	5.67	3.29	4.00	3.70	4.32	0.40	248
Kaposi Sarcoma	828	833	6.38	3.67	3.79	3.52	4.08	0.35	284
SCC of skin	436	436	3.36	1.92	3.29	2.97	3.63	0.35	287
Stomach	333	338	2.56	1.49	2.54	2.26	2.84	0.29	346
BCC	296	296	2.28	1.30	2.39	2.11	2.69	0.25	407
Larynx	237	243	1.82	1.07	1.88	1.65	2.14	0.24	419
Bladder	168	171	1.29	0.75	1.36	1.15	1.59	0.17	603
Naso-Oropharynx	182	185	1.40	0.82	1.26	1.08	1.47	0.16	641
Mouth	163	166	1.26	0.73	1.21	1.02	1.41	0.16	643
Hogkin lymphoma	263	266	2.03	1.17	1.20	1.05	1.36	0.10	981
Penis	189	189	1.46	0.83	1.12	0.96	1.31	0.11	871
Connective tissue	189	192	1.46	0.85	1.12	0.95	1.30	0.12	812
Tongue	140	140	1.08	0.62	1.06	0.89	1.25	0.15	685
Liver & Bile duct	149	151	1.15	0.67	1.00	0.84	1.18	0.12	800
Kidney	142	146	1.09	0.64	0.96	0.80	1.13	0.11	889
Eye	185	186	1.42	0.82	0.89	0.76	1.04	0.08	1250
Breast	105	105	0.81	0.46	0.84	0.68	1.03	0.09	1119
Leukaemia	132	134	1.02	0.59	0.77	0.64	0.92	0.08	1270
Other specified	105	106	0.81	0.47	0.73	0.59	0.89	0.09	1157
Myeloma	96	97	0.74	0.43	0.68	0.54	0.83	0.08	1232
Anus	103	103	0.79	0.45	0.65	0.52	0.79	0.08	1315
Melanoma	75	75	0.58	0.33	0.58	0.45	0.73	0.06	1747
Pancreas	59	63	0.45	0.28	0.49	0.38	0.63	0.06	1758
Brain, CNS	78	82	0.60	0.36	0.43	0.34	0.55	0.04	2532
Skin other	75	75	0.58	0.33	0.43	0.33	0.55	0.04	2379
Thyroid	54	56	0.42	0.25	0.34	0.25	0.45	0.04	2513
Salivary gland	52	52	0.40	0.23	0.33	0.24	0.44	0.03	2950
Small intestine	45	47	0.35	0.21	0.32	0.23	0.43	0.04	2821
Bone	65	67	0.50	0.30	0.30	0.23	0.39	0.03	3961
Mesothelioma	30	31	0.23	0.14	0.23	0.15	0.33	0.03	3503
Testis	43	44	0.33	0.19	0.19	0.14	0.27	0.01	6735
Haematology other	31	32	0.24	0.14	0.15	0.10	0.22	0.01	7937
Burkitt lymphoma	36	36	0.28	0.16	0.15	0.10	0.21	0.01	9260
Gum	14	15	0.11	0.07	0.11	0.06	0.19	0.01	6945
Lip	10	10	0.08	0.04	0.06	0.03	0.12	0.01	11561
Endocrine	10	10	0.08	0.04	0.05	0.02	0.10	0.01	19048
Ill defined	1	1	0.01	0.00	0.01	0.00	0.04	0.00	125001
Total	12987	13156	100	54.74	90.12	82.82	98.23	10.69	9

NOTES:

- N(OBS) Number of new cases with sex known
- N(ADJ) Number of new cases adjusted for those with sex unknown
- % Percentage of all cancers
- CRUDE Adjusted cases per 100 000/year
- ASR Age standardised incidence rate per 100 000 (World standard population)
- The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
- 95% L/UCL Lower/Upper 95% confidence intervals for the ASR
- CUMRISK 0-74 Cumulative lifetime incidence risk (0-74 years) (per 100 people)
- LR 0-74 Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
- *TOTALS The rates calculated for the total exclude BCC and SCC of the skin



**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2018
COLOURED FEMALE**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Breast	1369	1394	29.17	53.08	47.90	45.40	50.50	5.25	19
BCC	641	641	13.66	24.41	21.93	20.26	23.71	2.29	44
Cervix	403	409	8.59	15.57	13.93	12.61	15.36	1.41	71
Colorectal	286	290	6.09	11.04	9.89	8.78	11.10	1.12	90
SCC of skin	276	277	5.88	10.55	9.34	8.27	10.52	0.85	118
Primary site unknown	248	254	5.28	9.67	8.71	7.67	9.86	1.06	94
Lung	220	220	4.69	8.38	7.65	6.67	8.74	1.05	95
Uterus	169	173	3.60	6.59	5.99	5.12	6.96	0.79	126
Non Hodgkin lymphoma	112	113	2.39	4.30	3.89	3.20	4.69	0.43	234
Stomach	86	86	1.83	3.27	2.96	2.37	3.67	0.33	303
Melanoma	83	83	1.77	3.16	2.87	2.29	3.57	0.28	358
Thyroid	73	73	1.56	2.78	2.48	1.94	3.13	0.23	430
Ovary	65	66	1.39	2.51	2.26	1.75	2.89	0.24	418
Oesophagus	63	65	1.34	2.47	2.21	1.70	2.82	0.25	392
Bladder	51	51	1.09	1.94	1.73	1.28	2.28	0.21	479
Kidney	43	44	0.92	1.68	1.59	1.15	2.14	0.17	592
Mouth	41	41	0.87	1.56	1.35	0.97	1.84	0.15	672
Vulva	35	36	0.75	1.37	1.21	0.84	1.68	0.13	797
Kaposi Sarcoma	35	35	0.75	1.33	1.18	0.82	1.64	0.10	978
Pancreas	33	33	0.70	1.26	1.16	0.80	1.64	0.17	591
Connective tissue	29	29	0.62	1.10	1.10	0.73	1.58	0.13	760
Tongue	30	30	0.64	1.14	1.06	0.71	1.51	0.14	731
Brain, CNS	27	28	0.58	1.07	1.00	0.66	1.46	0.12	824
Naso-Oropharynx	24	24	0.51	0.91	0.82	0.52	1.22	0.08	1180
Other specified	21	23	0.45	0.88	0.81	0.51	1.23	0.09	1077
Liver & Bile duct	23	23	0.49	0.88	0.79	0.50	1.19	0.09	1149
Hogkin lymphoma	21	21	0.45	0.80	0.74	0.46	1.13	0.06	1777
Vagina	21	21	0.45	0.80	0.73	0.45	1.12	0.08	1284
Myeloma	20	20	0.43	0.76	0.71	0.43	1.10	0.12	867
Larynx	20	20	0.43	0.76	0.71	0.43	1.09	0.10	1008
Leukaemia	17	18	0.36	0.69	0.64	0.38	1.02	0.07	1390
Bone	18	18	0.38	0.69	0.62	0.36	0.98	0.05	1977
Skin other	16	16	0.34	0.61	0.57	0.32	0.92	0.04	2434
Anus	11	11	0.23	0.42	0.37	0.18	0.67	0.03	3379
Placenta	10	10	0.21	0.38	0.34	0.16	0.64	0.02	4009
Small intestine	10	10	0.21	0.38	0.33	0.16	0.62	0.04	2413
Mesothelioma	9	9	0.19	0.34	0.32	0.14	0.61	0.04	2650
Haematology other	6	6	0.13	0.23	0.23	0.08	0.50	0.03	3788
Gum	6	6	0.13	0.23	0.21	0.08	0.47	0.03	3431
Eye	6	6	0.13	0.23	0.20	0.07	0.44	0.02	5883
Burkitt lymphoma	4	5	0.09	0.19	0.20	0.06	0.46	0.01	9260
Salivary gland	5	5	0.11	0.19	0.19	0.06	0.43	0.02	5618
Endocrine	4	4	0.09	0.15	0.14	0.04	0.37	0.01	8299
Lip	3	3	0.06	0.11	0.10	0.02	0.31	0.01	8065
Total	4693	4750	100	145.90	131.89	112.87	155.58	14.80	7

NOTES:

N(OBS)	Number of new cases with sex known
N(ADJ)	Number of new cases adjusted for those with sex unknown
%	Percentage of all cancers
CRUDE	Adjusted cases per 100 000/year
ASR	Age standardised incidence rate per 100 000 (World standard population) The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL	Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74	Cumulative lifetime incidence risk (0-74 years) (per 100 people)
LR 0-74	Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
<u>*TOTALS</u>	The rates calculated for the total exclude BCC and SCC of the skin

**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2018
COLOURED MALE**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Prostate	1099	1123	23.17	45.12	58.93	55.44	62.57	7.42	13
BCC	836	836	17.62	33.59	43.31	40.31	46.47	4.55	22
SCC of skin	397	397	8.37	15.95	22.50	20.26	24.91	1.98	51
Colorectal	326	331	6.87	13.30	16.38	14.60	18.31	1.88	53
Lung	332	335	7.00	13.46	15.75	14.05	17.58	1.83	55
Primary site unknown	264	269	5.56	10.81	12.73	11.21	14.39	1.49	67
Bladder	184	189	3.88	7.59	10.07	8.64	11.65	1.16	86
Stomach	143	148	3.01	5.95	7.28	6.11	8.59	0.82	122
Melanoma	116	117	2.45	4.70	5.90	4.84	7.11	0.59	171
Non Hodgkin lymphoma	118	122	2.49	4.90	5.45	4.49	6.55	0.57	176
Oesophagus	95	98	2.00	3.94	4.61	3.71	5.65	0.58	173
Larynx	74	75	1.56	3.01	3.70	2.88	4.66	0.45	224
Kidney	79	79	1.67	3.17	3.52	2.77	4.41	0.41	241
Mouth	68	68	1.43	2.73	3.14	2.41	4.01	0.33	303
Naso-Oropharynx	67	69	1.41	2.77	3.00	2.32	3.82	0.37	270
Tongue	55	56	1.16	2.25	2.45	1.84	3.19	0.31	328
Kaposi Sarcoma	51	51	1.08	2.05	2.03	1.49	2.70	0.17	580
Pancreas	34	36	0.72	1.45	1.61	1.12	2.25	0.19	522
Connective tissue	38	38	0.80	1.53	1.58	1.11	2.20	0.16	631
Other specified	28	29	0.59	1.17	1.35	0.89	1.97	0.16	629
Hogkin lymphoma	34	35	0.72	1.41	1.35	0.93	1.89	0.11	877
Leukaemia	27	28	0.57	1.13	1.33	0.87	1.93	0.17	595
Brain, CNS	28	29	0.59	1.17	1.19	0.79	1.73	0.14	714
Liver & Bile duct	25	25	0.53	1.00	1.13	0.72	1.67	0.16	631
Skin other	18	19	0.38	0.76	1.11	0.65	1.75	0.10	966
Myeloma	20	20	0.42	0.80	1.05	0.63	1.63	0.09	1127
Testis	25	25	0.53	1.00	0.89	0.58	1.34	0.07	1491
Penis	19	19	0.40	0.76	0.87	0.51	1.37	0.07	1482
Mesothelioma	16	16	0.34	0.64	0.85	0.48	1.38	0.10	1007
Thyroid	17	17	0.36	0.68	0.84	0.48	1.37	0.10	1031
Salivary gland	17	17	0.36	0.68	0.77	0.44	1.26	0.10	1037
Breast	14	14	0.30	0.56	0.64	0.35	1.09	0.10	968
Small intestine	13	13	0.27	0.52	0.60	0.31	1.05	0.07	1526
Eye	13	13	0.27	0.52	0.58	0.30	0.99	0.04	2353
Anus	10	10	0.21	0.40	0.47	0.22	0.87	0.07	1401
Bone	10	10	0.21	0.40	0.42	0.20	0.78	0.03	3185
Burkitt lymphoma	9	9	0.19	0.36	0.37	0.17	0.71	0.02	4082
Haematology other	7	7	0.15	0.28	0.35	0.14	0.71	0.04	2545
Gum	8	8	0.17	0.32	0.34	0.14	0.69	0.03	3650
Endocrine	5	5	0.11	0.20	0.24	0.08	0.56	0.03	3455
Lip	5	5	0.11	0.20	0.22	0.06	0.55	0.02	6623
Total	4744	4810	100	143.69	175.09	148.97	206.93	20.55	5

NOTES:

N(OBS)	Number of new cases with sex known
N(ADJ)	Number of new cases adjusted for those with sex unknown
%	Percentage of all cancers
CRUDE	Adjusted cases per 100 000/year
ASR	Age standardised incidence rate per 100 000 (World standard population) The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL	Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74	Cumulative lifetime incidence risk (0-74 years) (per 100 people)
LR 0-74	Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
*TOTALS	The rates calculated for the total exclude BCC and SCC of the skin

**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2018
WHITE FEMALE**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
BCC	5230	5233	31.13	215.55	109.95	106.69	113.30	11.91	8
Breast	3586	3634	21.35	149.69	84.49	81.54	87.52	9.21	11
SCC of skin	2025	2027	12.05	83.50	32.66	31.08	34.32	3.72	27
Melanoma	787	789	4.68	32.50	19.84	18.33	21.46	2.02	50
Colorectal	828	842	4.93	34.68	16.79	15.54	18.13	1.89	53
Cervix	470	487	2.80	20.06	14.71	13.37	16.15	1.43	70
Primary site unknown	472	486	2.81	20.02	10.51	9.49	11.64	1.24	81
Lung	524	533	3.12	21.96	10.16	9.24	11.17	1.30	77
Thyroid	248	252	1.48	10.38	7.81	6.80	8.94	0.72	138
Uterus	342	361	2.04	14.87	7.79	6.96	8.72	0.99	101
Non Hodgkin Lymphoma	341	348	2.03	14.33	7.65	6.77	8.62	0.84	118
Ovary	248	252	1.48	10.38	5.78	5.01	6.65	0.66	151
Bladder	174	179	1.04	7.37	3.17	2.68	3.76	0.41	246
Kidney	125	127	0.74	5.23	3.16	2.53	3.91	0.35	287
Brain, CNS	98	99	0.58	4.08	3.02	2.38	3.77	0.28	351
Stomach	133	135	0.79	5.56	2.56	2.10	3.11	0.32	317
Hogkin lymphoma	58	59	0.35	2.43	2.36	1.74	3.12	0.19	531
Connective tissue	75	76	0.45	3.13	2.31	1.69	3.07	0.19	513
Pancreas	101	102	0.60	4.20	2.04	1.64	2.55	0.25	397
Leukaemia	81	82	0.48	3.38	2.03	1.49	2.71	0.19	535
Liver & Bile duct	83	86	0.49	3.54	1.89	1.45	2.44	0.21	470
Vulva	75	76	0.45	3.13	1.67	1.27	2.18	0.17	586
Oesophagus	71	78	0.42	3.21	1.63	1.26	2.10	0.19	531
Other specified	73	73	0.43	3.01	1.62	1.21	2.14	0.20	506
Myeloma	70	71	0.42	2.92	1.43	1.09	1.87	0.19	530
Mouth	56	60	0.33	2.47	1.31	0.97	1.76	0.15	656
Skin other	55	55	0.33	2.27	1.24	0.87	1.74	0.12	840
Tongue	55	55	0.33	2.27	1.18	0.87	1.59	0.15	661
Bone	28	28	0.17	1.15	1.02	0.63	1.56	0.08	1195
Naso-Oropharynx	37	38	0.22	1.57	1.02	0.69	1.47	0.11	936
Anus	35	37	0.21	1.52	0.80	0.54	1.17	0.09	1127
Salivary gland	29	29	0.17	1.19	0.72	0.46	1.11	0.08	1286
Mesothelioma	40	41	0.24	1.69	0.63	0.44	0.93	0.08	1258
Kaposi Sarcoma	17	17	0.10	0.70	0.63	0.35	1.04	0.05	1907
Larynx	23	25	0.14	1.03	0.57	0.36	0.89	0.08	1330
Small intestine	29	29	0.17	1.19	0.53	0.34	0.83	0.06	1567
Vagina	22	22	0.13	0.91	0.51	0.31	0.83	0.06	1602
Placenta	10	10	0.06	0.41	0.45	0.21	0.83	0.03	2986
Eye	11	11	0.07	0.45	0.37	0.15	0.75	0.03	3295
Haematology other	10	11	0.06	0.45	0.34	0.14	0.68	0.03	3825
Burkitt lymphoma	7	7	0.04	0.29	0.24	0.09	0.52	0.02	4684
Lip	7	7	0.04	0.29	0.18	0.06	0.44	0.02	5013
Endocrine	6	6	0.04	0.25	0.16	0.05	0.41	0.02	6061
Gum	4	4	0.02	0.16	0.07	0.02	0.26	0.01	9709
Total	16799	16979	100	400.32	226.39	203.13	254.54	24.71	4

NOTES:

N(OBS)	Number of new cases with sex known
N(ADJ)	Number of new cases adjusted for those with sex unknown
%	Percentage of all cancers
CRUDE	Adjusted cases per 100 000/year
ASR	Age standardised incidence rate per 100 000 (World standard population) The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL	Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74	Cumulative lifetime incidence risk (0-74 years) (per 100 people)
LR 0-74	Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
*TOTALS	The rates calculated for the total exclude BCC and SCC of the skin

**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2018
WHITE MALE**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
BCC	7061	7066	34.76	309.41	166.69	162.59	170.89	17.87	6
Prostate	3617	3697	17.80	161.89	79.34	76.70	82.07	10.33	10
SCC of skin	3064	3069	15.08	134.39	62.44	60.10	64.88	7.00	14
Colorectal	1051	1070	5.17	46.85	24.08	22.57	25.69	2.86	35
Melanoma	884	885	4.35	38.75	21.43	19.93	23.03	2.38	42
Lung	604	618	2.97	27.06	13.77	12.65	14.98	1.69	59
Bladder	564	574	2.78	25.13	11.72	10.73	12.81	1.44	69
Primary site unknown	443	458	2.18	20.06	11.11	10.05	12.26	1.34	74
Non Hodgkin lymphoma	405	415	1.99	18.17	10.40	9.33	11.58	1.16	86
Stomach	275	283	1.35	12.39	6.59	5.80	7.47	0.80	124
Kidney	241	242	1.19	10.60	6.49	5.59	7.50	0.72	139
Testis	126	129	0.62	5.65	5.64	4.68	6.75	0.43	231
Oesophagus	156	164	0.77	7.18	3.86	3.26	4.55	0.47	215
Brain, CNS	103	104	0.51	4.55	3.74	2.96	4.65	0.32	309
Connective tissue	112	115	0.55	5.04	3.60	2.88	4.45	0.34	293
Leukaemia	125	127	0.62	5.56	3.59	2.87	4.44	0.33	302
Larynx	127	131	0.63	5.74	3.12	2.59	3.75	0.41	244
Hogkin lymphoma	62	64	0.31	2.80	2.87	2.16	3.74	0.23	442
Thyroid	100	102	0.49	4.47	2.74	2.21	3.37	0.31	326
Pancreas	116	118	0.57	5.17	2.74	2.24	3.33	0.36	280
Tongue	102	105	0.50	4.60	2.71	2.20	3.32	0.32	308
Mouth	97	102	0.48	4.47	2.52	2.04	3.12	0.29	340
Naso-Oropharynx	90	91	0.44	3.98	2.43	1.93	3.04	0.27	370
Liver & Bile duct	91	94	0.45	4.12	2.15	1.69	2.71	0.26	382
Skin other	96	96	0.47	4.20	2.12	1.68	2.66	0.24	422
Kaposi Sarcoma	46	47	0.23	2.06	1.74	1.26	2.34	0.15	688
Mesothelioma	84	85	0.41	3.72	1.68	1.32	2.14	0.21	479
Other specified	60	63	0.30	2.76	1.54	1.16	2.04	0.17	580
Myeloma	71	72	0.35	3.15	1.52	1.17	1.97	0.19	529
Salivary gland	64	65	0.32	2.85	1.41	1.06	1.87	0.16	630
Eye	26	28	0.13	1.23	1.18	0.71	1.83	0.08	1226
Breast	51	51	0.25	2.23	1.11	0.81	1.52	0.14	702
Bone	28	30	0.14	1.31	1.11	0.72	1.64	0.10	984
Lip	39	39	0.19	1.71	1.05	0.72	1.48	0.11	891
Small intestine	36	36	0.18	1.58	0.87	0.60	1.25	0.11	912
Penis	32	32	0.16	1.40	0.80	0.53	1.19	0.08	1273
Anus	28	30	0.14	1.31	0.77	0.51	1.14	0.10	1043
Endocrine	11	11	0.05	0.48	0.52	0.21	1.03	0.03	2916
Haematology other	14	14	0.07	0.61	0.42	0.20	0.78	0.04	2711
Burkitt lymphoma	7	7	0.03	0.31	0.35	0.14	0.74	0.02	4066
Gum	7	7	0.03	0.31	0.16	0.06	0.38	0.02	5699
Total	20316	20536	100	455.45	244.99	219.92	274.61	29.01	3

NOTES:

N(OBS)	Number of new cases with sex known
N(ADJ)	Number of new cases adjusted for those with sex unknown
%	Percentage of all cancers
CRUDE	Adjusted cases per 100 000/year
ASR	Age standardised incidence rate per 100 000 (World standard population) The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL	Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74	Cumulative lifetime incidence risk (0-74 years) (per 100 people)
LR 0-74	Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
*TOTALS	The rates calculated for the total exclude BCC and SCC of the skin

FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2018
ALL FEMALES

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	1	6	18	34	30	28	16	13	10	10	14	10	8	2	200
BCC	0	0	0	4	13	39	100	167	284	420	519	632	753	824	848	680	927	45	6255
Bladder	0	1	0	0	0	2	3	14	13	18	22	34	41	52	60	43	47	3	353
Bone	2	5	17	11	3	6	12	7	6	7	5	11	3	2	4	3	0	0	104
Brain, CNS	14	9	3	4	5	8	9	20	11	22	24	21	20	13	15	8	5	0	211
Breast	0	0	0	2	27	123	353	603	868	1078	1085	1208	1129	1031	863	615	635	80	9700
Burkitt lymphoma	1	2	0	1	1	3	5	11	6	5	4	1	1	1	0	2	0	1	45
Cervix	1	0	3	3	18	115	441	766	833	886	791	723	557	429	257	205	153	87	6268
Colorectal	0	0	3	7	13	23	42	64	87	137	195	241	200	247	205	201	215	13	1893
Connective tissue	23	8	10	3	9	11	14	15	17	31	27	17	26	15	25	12	21	2	286
Endocrine	1	3	0	1	0	1	2	2	2	0	1	3	1	2	1	2	0	0	22
Eye	19	3	0	1	3	17	24	37	33	30	16	9	3	6	1	2	6	6	216
Gum	0	0	0	0	0	1	0	1	0	0	1	3	2	2	2	0	2	0	14
Haematology other	3	3	4	2	1	2	2	4	2	3	3	1	2	2	1	0	3	0	38
Hogkin lymphoma	1	2	14	16	26	27	30	37	40	28	22	21	8	8	5	3	3	4	295
Kaposi Sarcoma	1	1	2	11	42	104	133	103	73	36	27	15	14	9	3	1	10	9	594
Kidney	39	13	7	0	0	3	6	16	11	24	30	30	34	36	23	17	17	1	307
Larynx	0	0	0	0	0	0	1	1	1	9	9	13	7	13	11	6	6	0	77
Leukaemia	13	19	18	7	4	6	15	10	10	14	14	18	11	23	23	17	21	0	243
Lip	0	0	0	0	0	1	1	1	0	1	1	1	3	4	1	1	3	0	18
Liver & Bile duct	4	2	3	0	2	1	6	3	18	22	26	24	37	36	22	13	22	5	246
Lung	0	0	0	1	1	4	8	16	28	42	85	137	174	167	164	117	89	4	1037
Melanoma	0	0	2	2	16	26	50	59	80	87	92	108	104	119	107	95	130	11	1088
Mesothelioma	0	0	0	0	0	1	0	0	2	3	1	2	8	15	11	10	13	0	66
Mouth	0	0	1	0	4	4	2	4	6	9	33	30	23	25	21	15	19	3	199
Myeloma	0	0	0	0	1	0	0	8	6	12	15	39	36	28	30	14	15	1	205
Naso-Oropharynx	1	0	4	3	1	8	3	7	11	16	7	25	24	18	7	6	7	1	149
Non Hodgkin lymphoma	5	2	11	9	18	44	77	111	115	109	81	94	89	83	79	71	63	6	1067
Oesophagus	0	1	0	0	2	0	11	18	20	46	68	91	122	110	79	80	91	17	756
Other specified	2	3	1	1	6	4	5	8	6	18	12	19	32	22	22	6	17	1	185
Ovary	0	3	4	15	5	14	16	25	32	41	44	60	70	73	70	51	29	0	552
Pancreas	0	0	0	0	0	1	1	6	12	17	17	25	27	37	28	20	14	1	206
Placenta	0	0	0	3	10	13	18	5	5	6	0	0	1	0	0	0	0	0	61
Primary site unknown	10	3	6	6	14	25	45	92	107	142	202	223	280	292	215	152	135	46	1995
SCC of skin	1	1	0	1	4	9	44	61	69	82	132	170	241	349	405	383	740	21	2713
Salivary gland	0	0	0	3	1	3	0	1	7	11	7	11	11	7	4	3	9	0	78
Skin other	1	0	3	5	3	3	9	14	9	12	11	12	17	14	12	13	24	1	163
Small intestine	0	0	0	0	1	0	6	1	10	5	7	12	11	6	9	4	9	1	82
Stomach	0	0	0	1	1	8	10	13	16	35	41	57	71	70	61	44	51	3	482
Thyroid	0	0	2	4	18	35	43	53	73	83	58	57	39	34	28	26	21	6	580
Tongue	0	0	0	0	0	1	2	0	11	12	10	19	17	22	18	5	9	0	126
Uterus	0	0	0	1	1	3	7	18	38	48	85	208	268	304	252	134	119	12	1498
Vagina	1	0	0	0	1	1	9	23	27	25	26	27	30	19	17	12	14	3	235
Vulva	0	0	0	2	3	28	75	103	103	64	47	33	28	23	17	13	32	2	573
Total	143	84	118	130	279	734	1658	2562	3138	3724	3919	4498	4585	4602	4040	3115	3754	398	41481

**FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2018
ALL MALES**

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	3	9	7	16	20	17	14	30	20	11	4	2	3	156
BCC	0	2	0	9	6	32	94	177	350	484	713	982	1032	1249	1216	942	937	41	8266
Bladder	0	0	1	2	0	4	9	5	11	30	68	113	137	156	193	138	146	6	1019
Bone	0	5	17	27	12	4	6	6	3	5	7	5	4	7	3	0	1	2	114
Brain, CNS	24	7	10	5	10	11	15	13	15	20	14	26	17	19	13	10	3	0	232
Breast	0	0	0	0	0	0	3	1	12	10	23	21	25	22	26	16	18	2	179
Burkitt lymphoma	5	3	5	5	1	6	7	5	9	3	1	1	2	0	0	0	0	0	53
Colorectal	0	0	0	3	5	22	47	73	88	134	210	251	316	340	285	230	182	14	2200
Connective tissue	13	9	8	11	17	21	17	24	24	23	29	34	38	34	22	16	14	6	360
Endocrine	7	3	2	0	1	1	0	0	0	2	1	2	2	3	2	2	0	0	28
Eye	29	4	1	1	2	7	21	34	44	30	17	12	16	3	2	4	2	2	231
Gum	0	0	0	0	1	0	0	0	1	1	6	6	6	4	2	1	3	0	31
Haematology other	3	7	5	7	3	3	3	1	3	5	2	1	2	2	5	2	3	0	57
Hogkin lymphoma	7	13	27	26	23	22	53	49	36	40	33	22	13	10	4	3	0	3	384
Ill defined	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
Kaposi Sarcoma	0	2	3	5	16	74	163	208	170	114	67	41	25	21	13	9	10	10	951
Kidney	29	10	1	3	0	2	3	9	26	40	63	63	75	79	44	35	11	2	495
Larynx	0	0	0	0	1	0	3	4	10	33	47	90	94	75	55	34	19	4	469
Leukaemia	14	20	11	10	9	11	6	14	10	13	25	28	32	19	30	27	17	0	296
Lip	0	0	0	0	0	1	5	2	6	6	4	4	6	5	7	5	3	0	54
Liver & Bile duct	4	0	0	3	2	2	10	14	15	21	32	35	29	43	38	21	13	6	288
Lung	0	0	1	0	0	4	6	23	61	112	192	290	303	246	201	149	115	16	1719
Melanoma	0	1	1	2	7	13	25	30	56	69	86	101	146	133	154	118	143	7	1092
Mesothelioma	0	0	0	1	0	1	0	2	0	3	5	18	18	23	23	20	20	0	134
Mouth	1	0	0	2	1	2	6	7	15	27	46	76	56	44	30	18	17	3	351
Myeloma	0	0	1	0	0	0	5	5	6	13	14	40	33	23	18	17	16	1	192
Naso-Oropharynx	2	2	2	8	4	6	6	12	15	32	54	65	53	42	25	20	3	5	356
Non Hodgkin lymphon	3	9	16	24	22	35	93	118	145	160	149	111	121	93	98	74	57	18	1346
Oesophagus	0	0	1	1	2	3	7	16	23	72	127	159	163	130	93	67	42	23	929
Other specified	2	2	1	0	5	5	6	6	12	20	16	32	33	25	19	21	8	3	216
Pancreas	0	0	0	0	0	2	1	2	8	11	18	37	40	53	23	22	11	2	230
Penis	0	0	0	0	0	6	11	26	41	39	40	13	24	13	10	9	13	2	247
Primary site unknown	8	3	1	2	10	11	30	59	83	143	206	301	286	236	164	85	100	26	1754
Prostate	0	0	0	1	0	2	4	5	73	199	524	1233	1748	2030	1743	1087	757	38	9444
SCC of skin	0	1	4	2	7	10	27	60	90	164	255	313	407	532	677	583	790	22	3944
Salivary gland	1	0	1	2	4	4	2	7	5	9	13	12	19	21	10	14	13	0	137
Skin other	0	3	2	1	3	7	6	17	8	17	9	17	20	17	25	19	24	1	196
Small intestine	2	0	0	0	0	1	2	3	9	9	12	16	14	11	12	7	4	0	102
Stomach	0	0	0	1	8	6	10	15	25	59	89	139	135	121	88	59	69	3	827
Testis	4	4	4	11	25	35	44	29	26	11	9	5	7	3	2	1	0	1	221
Thyroid	0	1	1	3	4	5	8	17	13	14	21	19	26	24	17	8	10	1	192
Tongue	0	1	0	0	1	1	1	6	6	35	36	65	67	43	28	12	8	1	311
Total	158	112	127	178	212	385	774	1111	1569	2252	3300	4814	5620	5974	5431	3909	3604	274	39804

**FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2018
ASIAN FEMALES**

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	0	1	0	0	1	0	0	1	0	0	0	0	0	3
BCC	0	0	0	0	0	0	1	1	2	2	3	2	2	5	6	3	3	0	30
Bladder	0	0	0	0	0	0	0	1	0	1	1	1	1	3	0	1	1	0	10
Bone	0	0	1	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	3
Brain, CNS	1	0	0	0	0	1	1	0	1	1	1	1	2	0	1	0	0	0	10
Breast	0	0	0	0	0	6	13	25	41	66	60	70	61	62	56	36	24	7	527
Burkitt lymphoma	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	2
Cervix	0	0	0	0	0	3	4	12	12	9	16	9	12	6	9	3	0	2	97
Colorectal	0	0	0	1	2	0	2	4	7	4	19	11	11	21	12	11	7	0	112
Connective tissue	0	0	0	0	0	0	0	1	1	1	2	2	2	1	0	1	0	0	11
Endocrine	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	2
Eye	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
Gum	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	2
Hogkin lymphoma	0	0	0	0	1	1	2	1	0	1	0	0	0	0	0	0	0	0	6
Kaposi Sarcoma	0	0	0	0	0	1	2	2	0	1	0	0	0	0	0	0	0	0	6
Kidney	2	0	0	0	0	0	0	0	1	2	2	1	2	2	2	1	1	0	16
Larynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
Leukaemia	1	0	1	0	0	0	2	2	1	0	0	0	0	1	3	1	0	0	12
Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
Liver & Bile duct	0	0	0	0	0	0	0	1	0	0	0	1	1	3	0	1	0	0	7
Lung	0	0	0	0	0	0	0	0	0	3	2	5	12	3	6	7	2	0	40
Melanoma	0	0	0	0	0	0	0	1	0	0	0	0	0	2	1	0	0	0	4
Mesothelioma	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
Mouth	0	0	0	0	0	0	2	0	1	2	4	3	2	2	2	0	0	1	19
Myeloma	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	1	1	0	5
Naso-Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	3
Non Hodgkin lymphoma	0	0	0	0	0	0	0	0	3	5	4	4	4	7	3	5	2	0	37
Oesophagus	0	0	0	0	0	0	1	2	1	0	0	2	3	3	1	0	3	0	16
Other specified	0	1	1	0	0	0	0	1	0	1	2	0	1	0	1	0	0	0	8
Ovary	0	0	0	1	0	0	2	1	1	1	3	3	7	4	3	2	2	0	30
Pancreas	0	0	0	0	0	0	0	0	1	1	0	0	0	2	0	0	2	0	6
Primary site unknown	0	0	0	0	0	0	1	3	3	4	5	6	10	11	6	6	6	1	62
SCC of skin	0	0	0	0	0	0	0	1	0	0	0	1	2	1	5	2	6	0	18
Salivary gland	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
Skin other	0	0	0	0	0	0	0	0	1	2	0	0	1	0	0	1	1	0	6
Small intestine	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	1	0	0	4
Stomach	0	0	0	0	0	0	1	2	2	1	1	5	5	4	4	4	5	0	34
Thyroid	0	0	0	3	1	3	2	7	8	9	3	4	5	1	2	2	0	0	50
Tongue	0	0	0	0	0	0	0	0	2	1	1	4	1	4	1	1	1	0	16
Uterus	0	0	0	0	0	0	0	1	2	3	10	17	22	18	11	7	4	1	96
Vagina	0	0	0	0	0	0	0	0	2	0	3	0	1	1	4	1	1	0	13
Vulva	0	0	0	0	0	0	1	1	1	2	1	0	2	3	2	1	3	0	17
Total	4	1	3	5	5	15	39	71	96	127	145	154	177	171	143	100	77	12	1345

**FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2018
ASIAN MALES**

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	0	0	0	0	0	3	1	3	1	2	0	0	0	10
BCC	0	0	0	0	0	0	0	1	0	1	3	2	10	2	6	0	2	1	28
Bladder	0	0	0	1	0	0	0	1	2	3	8	9	8	21	12	11	3	0	79
Bone	0	1	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5
Brain, CNS	1	0	0	0	1	0	3	1	1	1	1	5	1	2	0	0	0	0	17
Breast	0	0	0	0	0	0	1	0	1	1	0	1	0	1	1	0	1	0	7
Burkitt lymphoma	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Colorectal	0	0	0	0	0	1	0	1	5	9	12	23	32	24	18	11	5	0	141
Connective tissue	0	0	0	0	2	0	1	1	1	1	0	1	0	1	0	1	0	0	9
Endocrine	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	2
Eye	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	2
Gum	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
Haematology other	0	0	2	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	4
Hogkin lymphoma	0	2	0	0	0	1	1	3	0	3	1	2	1	1	0	1	0	0	16
Kaposi Sarcoma	0	0	0	0	0	0	1	3	0	4	0	1	1	0	0	0	0	0	10
Kidney	0	0	0	0	0	0	0	0	1	1	3	9	4	5	3	0	0	0	26
Larynx	0	0	0	0	0	0	0	0	0	2	2	3	4	3	1	1	0	0	16
Leukaemia	0	1	1	0	0	0	0	1	0	0	0	2	0	2	0	0	0	0	7
Liver & Bile duct	0	0	0	0	0	0	0	0	1	0	0	1	1	5	2	0	2	0	12
Lung	0	0	0	0	0	0	0	1	2	3	6	15	17	15	14	11	6	0	90
Melanoma	0	0	0	0	1	0	0	0	0	0	0	1	3	0	1	1	1	0	8
Mesothelioma	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	2
Mouth	0	0	0	0	0	0	0	0	1	2	0	4	4	0	1	0	0	0	12
Myeloma	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	2
Naso-Oropharynx	0	0	0	0	0	0	0	0	1	0	1	3	0	1	0	0	0	0	6
Non Hodgkin lymphon	0	0	0	1	0	2	3	3	4	5	7	1	6	2	3	2	5	1	45
Oesophagus	0	0	0	0	0	0	0	0	1	0	1	1	2	4	3	1	0	0	13
Other specified	0	0	0	0	1	2	0	1	1	0	0	2	1	3	0	4	0	0	15
Pancreas	0	0	0	0	0	0	1	0	0	0	2	1	3	1	2	1	0	0	11
Penis	0	0	0	0	0	0	0	0	0	1	1	2	0	1	0	0	0	0	5
Primary site unknown	0	0	0	0	1	1	0	3	1	4	3	8	8	9	9	3	6	0	56
Prostate	0	0	0	0	0	0	0	0	2	3	14	25	31	63	48	30	20	0	236
SCC of skin	0	0	0	0	0	0	0	1	0	2	1	1	2	5	2	3	3	0	20
Salivary gland	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	1	0	0	3
Skin other	0	0	0	0	0	2	0	0	0	0	0	2	0	1	0	0	0	0	5
Small intestine	0	0	0	0	0	1	0	0	1	0	0	1	1	1	1	0	0	0	6
Stomach	0	0	0	0	0	0	1	0	2	3	5	10	15	5	8	6	0	0	55
Testis	1	0	0	0	1	4	7	2	4	2	0	0	1	0	0	0	0	0	22
Thyroid	0	0	0	0	2	0	1	1	3	2	1	1	1	1	2	1	0	0	16
Tongue	0	0	0	0	0	0	1	0	0	2	0	3	0	2	0	0	1	0	9
Total	2	4	3	7	10	15	21	25	37	56	76	142	161	183	140	90	56	2	1030

**FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2018
BLACK FEMALES**

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	1	5	14	31	25	24	11	12	6	4	8	5	1	2	149
BCC	0	0	0	2	1	6	20	17	24	26	27	30	33	34	25	22	39	6	312
Bladder	0	1	0	0	0	2	2	11	8	10	11	13	12	12	13	6	9	2	112
Bone	1	3	11	10	2	4	6	5	2	2	2	1	1	1	3	1	0	0	55
Brain, CNS	11	6	1	3	3	3	5	7	4	8	6	4	4	1	5	3	0	0	74
Breast	0	0	0	2	19	81	227	367	475	546	473	471	428	354	237	199	193	54	4126
Burkitt lymphoma	0	2	0	0	1	2	5	10	4	2	2	1	0	0	0	1	0	1	31
Cervix	1	0	3	3	17	87	377	648	703	749	653	608	461	354	216	180	130	78	5268
Colorectal	0	0	2	2	9	14	27	38	47	69	77	100	60	64	50	49	28	9	645
Connective tissue	15	5	9	3	8	10	11	7	9	20	17	10	13	7	11	6	7	2	170
Endocrine	1	3	0	0	0	0	1	1	1	0	1	1	0	0	1	0	0	0	10
Eye	18	3	0	1	3	15	24	31	33	29	15	6	3	5	0	2	4	5	197
Gum	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	2
Haematology other	3	2	3	1	1	1	2	2	1	2	2	1	0	0	0	0	0	0	21
Hogkin lymphoma	1	2	9	10	15	16	24	32	38	20	12	12	5	6	1	1	1	3	208
Kaposi Sarcoma	1	0	2	11	38	99	117	91	65	33	27	11	13	7	2	1	9	7	534
Kidney	28	12	6	0	0	2	4	13	5	9	11	10	5	7	1	4	2	1	120
Larynx	0	0	0	0	0	0	0	1	1	3	4	5	3	3	3	5	3	0	31
Leukaemia	7	16	16	7	4	6	10	6	7	8	8	8	4	9	8	5	2	0	131
Lip	0	0	0	0	0	0	1	1	0	0	1	1	1	1	0	0	1	0	7
Liver & Bile duct	3	2	2	0	0	0	5	2	14	18	16	9	18	16	11	4	5	5	130
Lung	0	0	0	0	1	2	6	9	16	11	32	39	40	28	22	24	10	1	241
Melanoma	0	0	0	0	0	3	7	6	12	13	19	21	28	25	16	18	33	7	208
Mesothelioma	0	0	0	0	0	1	0	0	0	1	0	1	5	3	2	0	2	0	15
Mouth	0	0	1	0	3	2	0	3	3	1	12	9	8	8	11	8	8	0	77
Myeloma	0	0	0	0	1	0	0	4	5	7	10	27	21	15	7	6	5	1	109
Naso-Oropharynx	1	0	3	3	1	6	3	5	4	8	4	16	12	8	3	2	4	1	84
Non Hodgkin lymphom	5	2	10	6	17	35	66	91	91	70	42	43	31	20	15	11	8	4	567
Oesophagus	0	1	0	0	1	0	5	15	15	38	57	65	97	85	64	60	77	17	597
Other specified	0	2	0	1	4	3	5	7	3	10	6	8	17	1	7	0	6	0	80
Ovary	0	2	3	10	4	10	6	13	13	19	15	22	31	22	21	8	5	0	204
Pancreas	0	0	0	0	0	1	0	3	5	8	11	9	9	12	3	2	1	0	64
Placenta	0	0	0	2	6	10	9	4	5	5	0	0	0	0	0	0	0	0	41
Primary site unknown	7	2	6	4	12	18	36	75	80	98	125	121	162	158	109	69	66	34	1182
SCC of skin	1	1	0	1	2	6	36	40	43	29	27	26	30	36	21	19	52	7	377
Salivary gland	0	0	0	3	0	1	0	0	5	5	5	9	4	3	1	3	4	0	43
Skin other	0	0	3	4	1	2	8	9	6	6	9	7	4	7	8	6	5	1	86
Small intestine	0	0	0	0	1	0	4	1	7	1	4	7	8	3	1	1	0	1	39
Stomach	0	0	0	1	1	5	3	6	9	23	21	32	38	35	22	14	14	2	226
Thyroid	0	0	2	0	4	12	16	17	25	32	25	19	12	13	7	9	6	6	205
Tongue	0	0	0	0	0	1	0	0	4	3	1	4	4	4	3	0	1	0	25
Uterus	0	0	0	1	1	2	4	12	19	23	30	101	156	192	159	83	74	10	867
Vagina	1	0	0	0	1	1	8	21	18	21	22	22	22	14	7	8	10	2	178
Vulva	0	0	0	2	3	25	68	98	95	53	31	23	15	13	3	4	9	2	444
Total	105	67	92	93	186	499	1172	1760	1949	2063	1885	1945	1824	1590	1107	849	835	271	18292

**FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2018
BLACK MALES**

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	3	7	7	15	16	13	9	14	12	4	3	0	3	106
BCC	0	1	0	2	1	1	9	14	11	21	26	27	36	45	32	39	31	3	299
Bladder	0	0	0	1	0	1	7	4	6	9	12	30	24	19	28	19	11	3	174
Bone	0	4	16	14	10	2	4	4	1	3	2	3	0	3	1	0	0	2	69
Brain, CNS	18	6	5	4	4	4	4	6	5	3	3	8	5	4	2	0	1	0	82
Breast	0	0	0	0	0	0	2	0	8	7	13	16	17	12	10	10	10	2	107
Burkitt lymphoma	2	3	2	4	1	3	6	4	8	2	0	0	1	0	0	0	0	0	36
Colorectal	0	0	0	3	3	16	26	38	41	64	85	83	105	79	48	36	17	8	652
Connective tissue	10	6	4	8	12	16	10	17	11	15	18	15	18	13	12	5	2	6	198
Endocrine	3	3	0	0	1	0	0	0	0	1	0	1	0	0	1	0	0	0	10
Eye	20	3	1	1	2	6	19	30	43	26	15	7	10	1	2	0	0	2	188
Gum	0	0	0	0	1	0	0	0	1	0	2	2	5	2	1	1	0	0	15
Haematology other	3	5	2	5	1	2	2	1	3	4	2	0	1	0	1	0	0	0	32
Hogkin lymphoma	5	10	22	16	13	15	36	39	29	32	23	16	5	4	0	1	0	2	268
Ill defined	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
Kaposi Sarcoma	0	0	3	5	15	64	149	181	155	100	61	39	18	17	12	6	8	10	843
Kidney	17	7	1	3	0	1	0	5	12	16	21	15	23	15	8	2	0	2	148
Larynx	0	0	0	0	1	0	3	3	6	23	25	47	53	35	24	17	6	4	247
Leukaemia	8	16	9	6	6	9	5	8	5	6	13	11	10	9	7	4	2	0	134
Lip	0	0	0	0	0	0	2	1	0	1	2	0	2	1	1	0	0	0	10
Liver & Bile duct	2	0	0	3	2	2	10	11	11	15	17	26	15	14	15	6	2	2	153
Lung	0	0	1	0	0	3	4	6	30	60	99	148	130	87	45	28	19	13	673
Melanoma	0	0	0	1	0	1	2	0	9	7	11	10	7	8	6	4	9	0	75
Mesothelioma	0	0	0	1	0	0	0	2	0	2	2	8	6	5	2	3	0	0	31
Mouth	1	0	0	2	0	2	4	4	9	16	21	36	26	19	17	5	4	2	168
Myeloma	0	0	1	0	0	0	5	4	5	10	12	24	19	8	5	1	3	1	98
Naso-Oropharynx	1	2	1	4	3	4	4	7	8	20	33	33	23	23	12	5	2	4	189
Non Hodgkin lymphoma	3	8	11	14	19	25	74	94	120	121	99	55	38	32	18	9	7	14	761
Oesophagus	0	0	1	1	2	2	5	14	16	57	94	115	112	88	58	40	26	21	652
Other specified	2	2	0	0	2	2	4	3	8	13	12	17	18	7	9	5	2	2	108
Pancreas	0	0	0	0	0	0	0	0	4	4	8	12	13	13	2	4	3	2	65
Penis	0	0	0	0	0	6	10	24	34	32	35	8	17	5	9	3	6	2	191
Primary site unknown	5	3	1	1	7	10	24	44	54	88	138	176	155	115	62	28	34	20	965
Prostate	0	0	0	1	0	2	3	2	43	112	284	649	881	920	693	455	305	37	4387
SCC of skin	0	1	3	1	1	6	16	27	32	48	46	38	51	47	46	31	42	8	444
Salivary gland	1	0	0	1	3	4	1	5	3	7	7	4	8	3	2	1	2	0	52
Skin other	0	3	2	0	2	4	5	12	4	11	5	8	9	6	0	3	1	1	76
Small intestine	2	0	0	0	0	0	1	1	7	6	5	9	9	1	3	2	1	0	47
Stomach	0	0	0	1	8	4	5	10	13	38	41	58	62	41	23	13	21	2	340
Testis	2	4	3	4	7	2	5	5	4	3	2	0	3	0	0	0	0	0	44
Thyroid	0	1	1	2	2	3	2	8	3	6	4	8	6	7	2	0	1	1	57
Tongue	0	1	0	0	0	1	0	4	1	15	16	31	27	20	17	7	0	1	141
Total	105	89	90	109	129	226	475	649	778	1040	1327	1803	1982	1740	1240	796	578	180	13336

**FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2018
COLOURED FEMALES**

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	1	1	2	2	0	1	1	0	1	0	1	1	0	11
BCC	0	0	0	0	1	6	7	15	18	52	48	66	78	86	77	77	110	6	647
Bladder	0	0	0	0	0	0	1	0	1	0	3	10	6	10	7	6	7	0	51
Bone	0	1	2	1	0	2	5	1	0	1	1	3	1	0	0	0	0	0	18
Brain, CNS	1	1	1	0	1	0	2	2	0	5	3	3	2	3	4	0	0	0	28
Breast	0	0	0	0	1	12	36	79	135	158	177	187	162	159	121	85	82	8	1402
Burkitt lymphoma	1	0	0	1	0	0	0	0	1	1	0	0	0	0	0	1	0	0	5
Cervix	0	0	0	0	1	10	25	47	51	57	62	54	42	28	11	9	12	2	411
Colorectal	0	0	1	1	0	4	1	6	12	15	43	42	32	42	32	26	33	1	291
Connective tissue	3	1	0	0	1	0	0	1	3	4	4	0	3	2	6	1	0	0	29
Endocrine	0	0	0	1	0	0	0	1	1	0	0	1	0	0	0	0	0	0	4
Eye	0	0	0	0	0	2	0	2	0	0	1	1	0	0	0	0	0	0	6
Gum	0	0	0	0	0	1	0	1	0	0	0	1	1	1	1	0	0	0	6
Haematology other	0	0	1	1	0	0	0	1	0	0	0	0	2	0	1	0	0	0	6
Hogkin lymphoma	0	0	1	1	3	5	1	2	1	1	1	3	1	0	0	1	0	0	21
Kaposi Sarcoma	0	1	0	0	2	3	8	9	5	1	0	4	1	1	0	0	0	0	35
Kidney	5	0	1	0	0	1	1	1	1	4	6	7	4	2	6	2	3	0	44
Larynx	0	0	0	0	0	0	0	0	0	3	1	4	4	4	3	0	1	0	20
Leukaemia	2	0	0	0	0	0	1	2	1	0	0	2	1	1	4	4	0	0	18
Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	0	3
Liver & Bile duct	0	0	1	0	1	0	0	0	1	1	4	4	3	1	3	2	2	0	23
Lung	0	0	0	0	0	1	1	1	3	9	26	38	47	40	34	10	10	0	220
Melanoma	0	0	0	1	3	3	2	4	6	8	11	6	10	10	4	5	10	0	83
Mesothelioma	0	0	0	0	0	0	0	0	1	1	0	0	0	2	2	2	1	0	9
Mouth	0	0	0	0	1	0	0	0	1	3	11	10	4	4	2	4	1	1	42
Myeloma	0	0	0	0	0	0	0	1	0	1	0	4	4	3	6	0	1	0	20
Naso-Oropharynx	0	0	0	0	0	0	0	1	1	5	3	5	5	2	0	2	0	0	24
Non Hodgkin lymphoma	0	0	0	1	0	4	5	5	8	11	12	13	11	13	12	6	12	0	113
Oesophagus	0	0	0	0	1	0	2	0	2	4	5	13	10	13	4	7	4	0	65
Other specified	1	0	0	0	0	1	0	0	1	1	2	4	5	3	2	1	2	0	23
Ovary	0	0	1	1	0	3	3	3	4	3	6	7	7	9	6	8	5	0	66
Pancreas	0	0	0	0	0	0	0	2	1	2	0	6	6	6	7	2	1	0	33
Placenta	0	0	0	1	3	0	4	1	0	1	0	0	0	0	0	0	0	0	10
Primary site unknown	1	0	0	0	1	4	4	3	9	14	38	42	37	42	27	18	14	2	256
SCC of skin	0	0	0	0	1	0	4	4	2	3	13	17	26	38	37	49	83	5	282
Salivary gland	0	0	0	0	1	0	0	0	0	2	0	0	2	0	0	0	0	0	5
Skin other	0	0	0	1	1	0	0	0	2	2	0	1	3	1	0	2	3	0	16
Small intestine	0	0	0	0	0	0	1	0	1	1	2	2	0	0	2	0	1	0	10
Stomach	0	0	0	0	0	2	3	4	5	6	9	7	10	14	9	7	10	0	86
Thyroid	0	0	0	0	4	3	7	8	8	8	8	8	7	5	1	3	3	0	73
Tongue	0	0	0	0	0	0	1	0	2	6	1	5	6	2	5	1	1	0	30
Uterus	0	0	0	0	0	0	3	1	6	2	16	24	26	42	25	17	11	0	173
Vagina	0	0	0	0	0	0	1	0	6	1	1	3	3	1	2	3	0	1	22
Vulva	0	0	0	0	0	1	4	2	3	2	6	5	3	2	3	0	5	0	36
Total	14	4	9	11	27	69	134	212	305	399	525	613	575	595	466	363	429	26	4776

**FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2018
COLOURED MALES**

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	0	1	0	0	1	1	0	2	4	1	0	0	0	10
BCC	0	0	0	1	2	3	8	15	34	55	77	100	96	129	123	90	103	2	838
Bladder	0	0	0	0	0	1	1	0	3	3	15	22	28	32	36	28	20	1	190
Bone	0	0	0	6	0	2	0	0	0	0	1	0	0	1	0	0	0	0	10
Brain, CNS	1	0	1	0	0	0	3	1	4	3	2	5	4	4	1	0	0	0	29
Breast	0	0	0	0	0	0	0	1	1	0	5	0	3	0	4	0	0	0	14
Burkitt lymphoma	3	0	1	0	0	1	1	0	0	1	1	1	0	0	0	0	0	0	9
Colorectal	0	0	0	2	1	8	10	10	26	33	40	46	43	51	36	25	1	332	
Connective tissue	1	0	0	0	2	4	3	2	3	2	2	8	4	2	2	2	1	0	38
Endocrine	1	0	1	0	0	0	0	0	0	1	0	0	1	0	1	0	0	0	5
Eye	4	0	0	0	0	0	1	1	0	2	0	1	3	0	0	1	0	0	13
Gum	0	0	0	0	0	0	0	0	0	1	3	3	0	0	0	0	1	0	8
Haematology other	0	2	1	1	0	0	0	0	0	0	0	0	0	0	2	1	0	0	7
Hogkin lymphoma	0	0	1	4	4	2	8	1	3	2	4	0	3	2	0	1	0	1	36
Kaposi Sarcoma	0	1	0	0	1	8	7	10	7	3	3	1	4	2	1	1	2	0	51
Kidney	6	1	0	0	0	1	0	2	3	6	12	15	9	16	4	3	1	0	79
Larynx	0	0	0	0	0	0	0	0	0	5	11	13	11	15	9	5	6	0	75
Leukaemia	1	3	0	0	1	1	0	3	0	1	2	2	6	0	6	1	1	0	28
Lip	0	0	0	0	0	0	2	0	0	0	0	1	1	0	0	0	1	0	5
Liver & Bile duct	1	0	0	0	0	0	0	2	0	3	4	3	4	5	3	0	0	1	26
Lung	0	0	0	0	0	0	2	7	16	22	49	58	58	41	37	29	16	1	336
Melanoma	0	0	0	0	1	1	1	2	8	10	10	12	18	14	13	15	12	1	118
Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	3	1	4	3	4	1	0	16
Mouth	0	0	0	0	0	0	1	2	1	4	15	11	11	14	1	3	5	0	68
Myeloma	0	0	0	0	0	0	0	1	0	1	0	2	4	4	1	5	2	0	20
Naso-Oropharynx	1	0	1	3	0	2	1	3	0	8	8	14	13	5	7	3	0	0	69
Non Hodgkin lymphoma	0	0	2	5	0	2	9	6	10	12	7	20	16	9	10	8	6	3	125
Oesophagus	0	0	0	0	0	0	1	1	2	10	16	14	21	14	11	3	5	0	98
Other specified	0	0	0	0	1	1	1	1	1	3	2	5	3	5	3	1	2	0	29
Pancreas	0	0	0	0	0	1	0	0	2	2	4	8	6	7	2	4	0	0	36
Penis	0	0	0	0	0	0	0	1	3	4	1	2	2	2	0	3	1	0	19
Primary site unknown	2	0	0	0	0	0	2	7	15	22	27	41	51	46	24	19	13	1	270
Prostate	0	0	0	0	0	0	1	1	6	21	57	144	210	266	211	121	85	1	1124
SCC of skin	0	0	0	0	0	1	5	5	6	19	28	32	29	59	63	68	82	0	397
Salivary gland	0	0	1	0	1	0	1	0	0	2	2	3	1	3	2	0	1	0	17
Skin other	0	0	0	1	0	0	0	1	0	1	1	3	0	2	4	0	6	0	19
Small intestine	0	0	0	0	0	0	0	1	0	0	3	3	1	2	1	1	1	0	13
Stomach	0	0	0	0	0	0	1	3	5	6	17	23	19	31	15	18	10	1	149
Testis	1	0	0	1	4	5	4	5	2	0	2	1	0	0	0	0	0	0	25
Thyroid	0	0	0	1	0	1	1	0	3	0	1	1	3	1	3	0	2	0	17
Tongue	0	0	0	0	1	0	0	0	3	10	6	9	17	6	3	1	0	0	56
Total	22	7	9	23	20	38	74	95	151	272	432	624	709	790	658	475	411	14	4824

FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2018
WHITE FEMALES

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	0	2	1	3	3	4	0	3	5	6	4	6	0	37
BCC	0	0	0	2	11	27	72	134	240	340	441	534	640	699	740	578	775	33	5266
Bladder	0	0	0	0	0	0	0	2	4	7	7	10	22	27	40	30	30	1	180
Bone	1	1	3	0	0	0	1	1	4	4	1	7	1	1	1	2	0	0	28
Brain, CNS	1	2	1	1	1	4	1	11	6	8	14	13	12	9	5	5	5	0	99
Breast	0	0	0	0	7	24	77	132	217	308	375	480	478	456	449	295	336	11	3645
Burkitt lymphoma	0	0	0	0	0	1	0	0	1	2	2	0	0	1	0	0	0	0	7
Cervix	0	0	0	0	0	15	35	59	67	71	60	52	42	41	21	13	11	4	491
Colorectal	0	0	0	3	2	5	12	16	21	49	56	88	97	120	111	115	147	3	845
Connective tissue	5	2	1	0	0	1	3	6	4	6	4	5	8	5	8	4	14	0	76
Endocrine	0	0	0	0	0	1	0	0	0	0	0	1	1	2	0	1	0	0	6
Eye	1	0	0	0	0	0	0	4	0	1	0	1	0	1	1	0	2	1	12
Gum	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	1	0	4
Haematology other	0	1	0	0	0	1	0	1	1	1	1	0	0	2	0	0	3	0	11
Hogkin lymphoma	0	0	4	5	7	5	3	2	1	6	9	6	2	2	4	1	2	1	60
Kaposi Sarcoma	0	0	0	0	2	1	6	1	3	1	0	0	0	1	1	0	1	2	19
Kidney	4	1	0	0	0	0	1	2	4	9	11	12	23	25	14	10	11	0	127
Larynx	0	0	0	0	0	0	1	0	0	3	4	4	0	6	5	1	1	0	25
Leukaemia	3	3	1	0	0	0	2	0	1	6	6	8	6	12	8	7	19	0	82
Lip	0	0	0	0	0	1	0	0	0	1	0	0	2	1	1	0	1	0	7
Liver & Bile duct	1	0	0	0	1	1	1	0	3	3	6	10	15	16	8	6	15	0	86
Lung	0	0	0	1	0	1	1	6	9	19	25	55	75	96	102	76	67	3	536
Melanoma	0	0	2	1	13	20	41	48	62	66	62	81	66	82	86	72	87	4	793
Mesothelioma	0	0	0	0	0	0	0	0	0	1	1	1	3	10	7	8	10	0	41
Mouth	0	0	0	0	0	2	0	1	1	3	6	8	9	11	6	3	10	1	61
Myeloma	0	0	0	0	0	0	0	3	1	3	4	8	11	10	16	7	8	0	71
Naso-Oropharynx	0	0	1	0	0	2	0	1	6	3	0	4	6	7	3	2	3	0	38
Non Hodgkin lymphoma	0	0	1	2	1	5	6	15	13	23	23	34	43	43	49	49	41	0	348
Oesophagus	0	0	0	0	0	0	3	1	2	4	6	11	12	9	10	13	7	0	78
Other specified	1	0	0	0	2	0	0	0	2	6	2	7	9	18	12	5	9	1	74
Ovary	0	1	0	3	1	1	5	8	14	18	20	28	25	38	40	33	17	0	252
Pancreas	0	0	0	0	0	0	1	1	5	6	6	10	12	17	18	16	10	1	103
Placenta	0	0	0	0	1	3	5	0	0	0	0	0	1	0	0	0	0	0	10
Primary site unknown	2	1	0	2	1	3	4	11	15	26	34	54	71	81	73	59	49	5	491
SCC of skin	0	0	0	0	1	3	4	16	24	50	92	126	183	274	342	313	599	9	2036
Salivary gland	0	0	0	0	0	2	0	1	2	3	2	2	5	4	3	0	5	0	29
Skin other	1	0	0	0	1	1	1	5	0	2	2	4	9	6	4	4	15	0	55
Small intestine	0	0	0	0	0	0	1	0	1	2	1	3	2	3	6	2	8	0	29
Stomach	0	0	0	0	0	1	3	1	0	5	10	13	18	17	26	19	22	1	136
Thyroid	0	0	0	1	9	17	18	21	32	34	22	26	15	15	18	12	12	0	252
Tongue	0	0	0	0	0	0	1	0	3	2	7	6	6	12	9	3	6	0	55
Uterus	0	0	0	0	0	1	0	4	11	20	29	66	64	52	57	27	30	0	361
Vagina	0	0	0	0	0	0	0	2	1	3	0	2	4	3	4	0	3	0	22
Vulva	0	0	0	0	0	2	2	2	4	7	9	5	8	5	9	8	15	0	76
Total	20	12	14	21	61	151	313	519	788	1135	1364	1786	2009	2246	2324	1803	2413	81	17060

FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2018
WHITE MALES

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	0	1	0	1	3	0	4	11	3	4	1	2	0	30
BCC	0	1	0	6	3	28	77	147	305	407	607	853	890	1073	1055	813	801	35	7101
Bladder	0	0	1	0	0	2	1	0	0	15	33	52	77	84	117	80	112	2	576
Bone	0	0	1	3	2	0	2	2	2	2	4	2	4	3	2	0	1	0	30
Brain, CNS	4	1	4	1	5	7	5	5	5	13	8	8	7	9	10	10	2	0	104
Breast	0	0	0	0	0	0	0	0	2	2	5	4	5	9	11	6	7	0	51
Burkitt lymphoma	0	0	2	0	0	2	0	1	1	0	0	0	1	0	0	0	0	0	7
Colorectal	0	0	0	0	0	4	13	24	32	35	80	105	133	194	168	147	135	4	1074
Connective tissue	2	3	4	3	1	1	3	4	9	5	9	10	16	18	8	8	11	0	115
Endocrine	3	0	1	0	0	0	0	0	0	0	1	1	0	3	0	2	0	0	11
Eye	5	1	0	0	0	1	1	2	1	1	2	4	3	2	0	3	2	0	28
Gum	0	0	0	0	0	0	0	0	0	0	1	1	1	2	0	0	2	0	7
Haematology other	0	0	0	1	1	1	1	0	0	1	0	1	1	1	2	1	3	0	14
Hogkin lymphoma	2	1	4	6	6	4	8	6	4	3	5	4	4	3	4	0	0	0	64
Kaposi Sarcoma	0	1	0	0	0	2	6	14	8	7	3	0	2	2	0	2	0	0	47
Kidney	6	2	0	0	0	0	3	2	10	17	27	24	39	43	29	30	10	0	242
Larynx	0	0	0	0	0	0	0	1	4	3	9	27	26	22	21	11	7	0	131
Leukaemia	5	0	1	4	2	1	1	2	5	6	10	13	16	8	17	22	14	0	127
Lip	0	0	0	0	0	1	1	1	6	5	2	3	3	4	6	5	2	0	39
Liver & Bile duct	1	0	0	0	0	0	0	1	3	3	11	5	9	19	18	15	9	2	96
Lung	0	0	0	0	0	1	0	9	13	27	38	69	98	103	105	81	74	2	620
Melanoma	0	1	1	1	5	11	22	28	39	52	65	78	118	111	134	98	121	6	891
Mesothelioma	0	0	0	0	0	1	0	0	0	1	2	7	11	14	18	12	19	0	85
Mouth	0	0	0	0	1	0	1	1	4	5	10	25	15	11	11	10	8	1	103
Myeloma	0	0	0	0	0	0	0	0	1	2	2	13	10	11	12	11	10	0	72
Naso-Oropharynx	0	0	0	1	1	0	1	2	6	4	12	15	17	13	6	12	1	1	92
Non Hodgkin lymphoma	0	1	3	4	3	6	7	15	11	22	36	35	61	50	67	55	39	0	415
Oesophagus	0	0	0	0	0	1	1	1	4	5	16	29	28	24	21	23	11	1	165
Other specified	0	0	1	0	1	0	1	1	2	4	2	8	11	10	7	11	4	1	64
Pancreas	0	0	0	0	0	1	0	2	2	5	4	16	18	32	17	13	8	0	118
Penis	0	0	0	0	0	0	1	1	4	2	3	1	5	5	1	3	6	0	32
Primary site unknown	1	0	0	1	2	0	4	5	13	29	38	76	72	66	69	35	47	5	463
Prostate	0	0	0	0	0	0	0	2	22	63	169	415	626	781	791	481	347	0	3697
SCC of skin	0	0	1	1	6	3	6	27	52	95	180	242	325	421	566	481	663	14	3083
Salivary gland	0	0	0	1	0	0	0	2	0	0	4	5	10	15	6	12	10	0	65
Skin other	0	0	0	0	1	1	1	4	4	5	3	4	11	8	21	16	17	0	96
Small intestine	0	0	0	0	0	0	1	1	1	3	4	3	3	7	7	4	2	0	36
Stomach	0	0	0	0	0	2	3	2	5	12	26	48	39	44	42	22	38	0	283
Testis	0	0	1	6	13	24	28	17	16	6	5	4	3	3	2	1	0	0	129
Thyroid	0	0	0	0	0	1	4	8	4	6	15	9	16	15	10	7	7	0	102
Tongue	0	0	0	0	0	0	0	2	2	8	14	22	23	15	8	4	7	0	105
Total	29	12	25	39	53	106	204	342	603	884	1465	2245	2768	3261	3393	2548	2559	74	20610

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2018 : ALL FEMALES

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.04	0.22	0.68	1.54	1.66	1.82	1.17	1.09	1.01	1.27	2.45	2.66	2.17
BCC	0.00	0.00	0.00	0.17	0.53	1.43	3.76	7.57	15.69	27.32	38.09	53.04	75.84	104.84	148.17	181.14	251.75
Bladder	0.00	0.04	0.00	0.00	0.00	0.07	0.11	0.63	0.72	1.17	1.61	2.85	4.13	6.62	10.48	11.45	12.76
Bone	0.07	0.18	0.65	0.48	0.12	0.22	0.45	0.32	0.33	0.46	0.37	0.92	0.30	0.25	0.70	0.80	0.00
Brain, CNS	0.50	0.32	0.11	0.17	0.20	0.29	0.34	0.91	0.61	1.43	1.76	1.76	2.01	1.65	2.62	2.13	1.36
Breast	0.00	0.00	0.00	0.09	1.09	4.50	13.27	27.35	47.95	70.12	79.62	101.38	113.71	131.18	150.79	163.82	172.45
Burkitt lymphoma	0.04	0.07	0.00	0.04	0.04	0.11	0.19	0.50	0.33	0.33	0.29	0.08	0.10	0.13	0.00	0.53	0.00
Cervix	0.04	0.00	0.11	0.13	0.73	4.20	16.58	34.74	46.02	57.63	58.05	60.68	56.10	54.59	44.90	54.61	41.55
Colorectal	0.00	0.00	0.11	0.30	0.53	0.84	1.58	2.90	4.81	8.91	14.31	20.23	20.14	31.43	35.82	53.54	58.39
Connective tissue	0.82	0.28	0.38	0.13	0.36	0.40	0.53	0.68	0.94	2.02	1.98	1.43	2.62	1.91	4.37	3.20	5.70
Endocrine	0.04	0.11	0.00	0.04	0.00	0.04	0.08	0.09	0.11	0.00	0.07	0.25	0.10	0.25	0.17	0.53	0.00
Eye	0.68	0.11	0.00	0.04	0.12	0.62	0.90	1.68	1.82	1.95	1.17	0.76	0.30	0.76	0.17	0.53	1.63
Gum	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.05	0.00	0.00	0.07	0.25	0.20	0.25	0.35	0.00	0.54
Haematology other	0.11	0.11	0.15	0.09	0.04	0.07	0.08	0.18	0.11	0.20	0.22	0.08	0.20	0.25	0.17	0.00	0.81
Hogkin lymphoma	0.04	0.07	0.53	0.70	1.05	0.99	1.13	1.68	2.21	1.82	1.61	1.76	0.81	1.02	0.87	0.80	0.81
Kaposi Sarcoma	0.04	0.04	0.08	0.48	1.70	3.80	5.00	4.67	4.03	2.34	1.98	1.26	1.41	1.15	0.52	0.27	2.72
Kidney	1.39	0.46	0.27	0.00	0.00	0.11	0.23	0.73	0.61	1.56	2.20	2.52	3.42	4.58	4.02	4.53	4.62
Larynx	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.05	0.06	0.59	0.66	1.09	0.70	1.65	1.92	1.60	1.63
Leukaemia	0.46	0.67	0.68	0.30	0.16	0.22	0.56	0.45	0.55	0.91	1.03	1.51	1.11	2.93	4.02	4.53	5.70
Lip	0.00	0.00	0.00	0.00	0.00	0.04	0.04	0.05	0.00	0.07	0.07	0.08	0.30	0.51	0.17	0.27	0.81
Liver & Bile duct	0.14	0.07	0.11	0.00	0.08	0.04	0.23	0.14	0.99	1.43	1.91	2.01	3.73	4.58	3.84	3.46	5.97
Lung	0.00	0.00	0.00	0.04	0.04	0.15	0.30	0.73	1.55	2.73	6.24	11.50	17.52	21.25	28.66	31.17	24.17
Melanoma	0.00	0.00	0.08	0.09	0.65	0.95	1.88	2.68	4.42	5.66	6.75	9.06	10.47	15.14	18.70	25.31	35.30
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.11	0.20	0.07	0.17	0.81	1.91	1.92	1.92	2.66	3.53
Mouth	0.00	0.00	0.04	0.00	0.16	0.15	0.08	0.18	0.33	0.59	2.42	2.52	2.32	3.18	3.67	4.00	5.16
Myeloma	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.36	0.33	0.78	1.10	3.27	3.63	3.56	5.24	3.73	4.07
Naso-Oropharynx	0.04	0.00	0.15	0.13	0.04	0.29	0.11	0.32	0.61	1.04	0.51	2.10	2.42	2.29	1.22	1.60	1.90
Non Hodgkin lymphoma	0.18	0.07	0.42	0.39	0.73	1.61	2.89	5.03	6.35	7.09	5.94	7.89	8.96	10.56	13.80	18.91	17.11
Oesophagus	0.00	0.04	0.00	0.00	0.08	0.00	0.41	0.82	1.10	2.99	4.99	7.64	12.29	14.00	13.80	21.31	24.71
Other specified	0.07	0.11	0.04	0.04	0.24	0.15	0.19	0.36	0.33	1.17	0.88	1.59	3.22	2.80	3.84	1.60	4.62
Ovary	0.00	0.11	0.15	0.65	0.20	0.51	0.60	1.13	1.77	2.67	3.23	5.04	7.05	9.29	12.23	13.59	7.88
Pancreas	0.00	0.00	0.00	0.00	0.00	0.04	0.04	0.27	0.66	1.11	1.25	2.10	2.72	4.71	4.89	5.33	3.80
Placenta	0.00	0.00	0.00	0.13	0.40	0.48	0.68	0.23	0.28	0.39	0.00	0.00	0.10	0.00	0.00	0.00	0.00
Primary site unknown	0.36	0.11	0.23	0.26	0.57	0.91	1.69	4.17	5.91	9.24	14.82	18.72	28.20	37.15	37.57	40.49	36.66
SCC of skin	0.04	0.04	0.00	0.04	0.16	0.33	1.65	2.77	3.81	5.33	9.69	14.27	24.27	44.41	70.76	102.02	200.96
Salivary gland	0.00	0.00	0.00	0.13	0.04	0.11	0.00	0.05	0.39	0.72	0.51	0.92	1.11	0.89	0.70	0.80	2.44
Skin other	0.04	0.00	0.11	0.22	0.12	0.11	0.34	0.63	0.50	0.78	0.81	1.01	1.71	1.78	2.10	3.46	6.52
Small intestine	0.00	0.00	0.00	0.00	0.04	0.00	0.23	0.05	0.55	0.33	0.51	1.01	1.11	0.76	1.57	1.07	2.44
Stomach	0.00	0.00	0.00	0.04	0.04	0.29	0.38	0.59	0.88	2.28	3.01	4.78	7.15	8.91	10.66	11.72	13.85
Thyroid	0.00	0.00	0.08	0.17	0.73	1.28	1.62	2.40	4.03	5.40	4.26	4.78	3.93	4.33	4.89	6.93	5.70
Tongue	0.00	0.00	0.00	0.00	0.00	0.04	0.08	0.00	0.61	0.78	0.73	1.59	1.71	2.80	3.15	1.33	2.44
Uterus	0.00	0.00	0.00	0.04	0.04	0.11	0.26	0.82	2.10	3.12	6.24	17.46	26.99	38.68	44.03	35.69	32.32
Vagina	0.04	0.00	0.00	0.00	0.04	0.04	0.34	1.04	1.49	1.63	1.91	2.27	3.02	2.42	2.97	3.20	3.80
Vulva	0.00	0.00	0.00	0.09	0.12	1.02	2.82	4.67	5.69	4.16	3.45	2.77	2.82	2.93	2.97	3.46	8.69

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2018 : ALL MALES

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.00	0.11	0.33	0.32	0.92	1.40	1.51	1.52	4.16	3.69	3.06	1.79	1.16
BCC	0.00	0.07	0.00	0.39	0.24	1.14	3.45	8.08	20.11	33.89	63.30	106.40	143.02	230.61	338.07	422.22	542.54
Bladder	0.00	0.00	0.04	0.09	0.00	0.14	0.33	0.23	0.63	2.10	6.04	12.24	18.99	28.80	53.66	61.85	84.54
Bone	0.00	0.17	0.63	1.16	0.48	0.14	0.22	0.27	0.17	0.35	0.62	0.54	0.55	1.29	0.83	0.00	0.58
Brain, CNS	0.84	0.24	0.37	0.22	0.40	0.39	0.55	0.59	0.86	1.40	1.24	2.82	2.36	3.51	3.61	4.48	1.74
Breast	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.05	0.69	0.70	2.04	2.28	3.46	4.06	7.23	7.17	10.42
Burkitt lymphoma	0.17	0.10	0.19	0.22	0.04	0.21	0.26	0.23	0.52	0.21	0.09	0.11	0.28	0.00	0.00	0.00	0.00
Colorectal	0.00	0.00	0.00	0.13	0.20	0.79	1.72	3.33	5.06	9.38	18.64	27.20	43.79	62.78	79.23	103.09	105.38
Connective tissue	0.45	0.31	0.30	0.47	0.68	0.75	0.62	1.10	1.38	1.61	2.57	3.68	5.27	6.28	6.12	7.17	8.11
Endocrine	0.24	0.10	0.07	0.00	0.04	0.04	0.00	0.00	0.00	0.14	0.09	0.22	0.28	0.55	0.56	0.90	0.00
Eye	1.01	0.14	0.04	0.04	0.08	0.25	0.77	1.55	2.53	2.10	1.51	1.30	2.22	0.55	0.56	1.79	1.16
Gum	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.06	0.07	0.53	0.65	0.83	0.74	0.56	0.45	1.74
Haematology other	0.10	0.24	0.19	0.30	0.12	0.11	0.11	0.05	0.17	0.35	0.18	0.11	0.28	0.37	1.39	0.90	1.74
Hogkin lymphoma	0.24	0.45	1.01	1.12	0.92	0.79	1.94	2.24	2.07	2.80	2.93	2.38	1.80	1.85	1.11	1.34	0.00
Ill defined	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.00	0.00	0.00	0.00	0.00
Kaposi Sarcoma	0.00	0.07	0.11	0.22	0.64	2.64	5.98	9.50	9.77	7.98	5.95	4.44	3.46	3.88	3.61	4.03	5.79
Kidney	1.01	0.34	0.04	0.13	0.00	0.07	0.11	0.41	1.49	2.80	5.59	6.83	10.39	14.59	12.23	15.69	6.37
Larynx	0.00	0.00	0.00	0.00	0.04	0.00	0.11	0.18	0.57	2.31	4.17	9.75	13.03	13.85	15.29	15.24	11.00
Leukaemia	0.49	0.69	0.41	0.43	0.36	0.39	0.22	0.64	0.57	0.91	2.22	3.03	4.43	3.51	8.34	12.10	9.84
Lip	0.00	0.00	0.00	0.00	0.00	0.04	0.18	0.09	0.34	0.42	0.36	0.43	0.83	0.92	1.95	2.24	1.74
Liver & Bile duct	0.14	0.00	0.00	0.13	0.08	0.07	0.37	0.64	0.86	1.47	2.84	3.79	4.02	7.94	10.56	9.41	7.53
Lung	0.00	0.00	0.04	0.00	0.00	0.14	0.22	1.05	3.50	7.84	17.05	31.42	41.99	45.42	55.88	66.78	66.59
Melanoma	0.00	0.03	0.04	0.09	0.28	0.46	0.92	1.37	3.22	4.83	7.64	10.94	20.23	24.56	42.81	52.89	82.80
Mesothelioma	0.00	0.00	0.00	0.04	0.00	0.04	0.00	0.09	0.00	0.21	0.44	1.95	2.49	4.25	6.39	8.96	11.58
Mouth	0.03	0.00	0.00	0.09	0.04	0.07	0.22	0.32	0.86	1.89	4.08	8.23	7.76	8.12	8.34	8.07	9.84
Myeloma	0.00	0.00	0.04	0.00	0.00	0.00	0.18	0.23	0.34	0.91	1.24	4.33	4.57	4.25	5.00	7.62	9.26
Naso-Oropharynx	0.07	0.07	0.07	0.34	0.16	0.21	0.22	0.55	0.86	2.24	4.79	7.04	7.35	7.75	6.95	8.96	1.74
Non Hodgkin lymphoma	0.10	0.31	0.60	1.03	0.88	1.25	3.41	5.39	8.33	11.20	13.23	12.03	16.77	17.17	27.25	33.17	33.00
Oesophagus	0.00	0.00	0.04	0.04	0.08	0.11	0.26	0.73	1.32	5.04	11.28	17.23	22.59	24.00	25.86	30.03	24.32
Other specified	0.07	0.07	0.04	0.00	0.20	0.18	0.22	0.27	0.69	1.40	1.42	3.47	4.57	4.62	5.28	9.41	4.63
Pancreas	0.00	0.00	0.00	0.00	0.00	0.07	0.04	0.09	0.46	0.77	1.60	4.01	5.54	9.79	6.39	9.86	6.37
Penis	0.00	0.00	0.00	0.00	0.00	0.21	0.40	1.19	2.36	2.73	3.55	1.41	3.33	2.40	2.78	4.03	7.53
Primary site unknown	0.28	0.10	0.04	0.09	0.40	0.39	1.10	2.69	4.77	10.01	18.29	32.61	39.64	43.57	45.59	38.10	57.90
Prostate	0.00	0.00	0.00	0.04	0.00	0.07	0.15	0.23	4.19	13.93	46.52	133.60	242.25	374.81	484.58	487.21	438.32
SCC of skin	0.00	0.03	0.15	0.09	0.28	0.36	0.99	2.74	5.17	11.48	22.64	33.91	56.40	98.23	188.22	261.31	457.42
Salivary gland	0.03	0.00	0.04	0.09	0.16	0.14	0.07	0.32	0.29	0.63	1.15	1.30	2.63	3.88	2.78	6.28	7.53
Skin other	0.00	0.10	0.07	0.04	0.12	0.25	0.22	0.78	0.46	1.19	0.80	1.84	2.77	3.14	6.95	8.52	13.90
Small intestine	0.07	0.00	0.00	0.00	0.00	0.04	0.07	0.14	0.52	0.63	1.07	1.73	1.94	2.03	3.34	3.14	2.32
Stomach	0.00	0.00	0.00	0.04	0.32	0.21	0.37	0.68	1.44	4.13	7.90	15.06	18.71	22.34	24.47	26.44	39.95
Testis	0.14	0.14	0.15	0.47	1.00	1.25	1.61	1.32	1.49	0.77	0.80	0.54	0.97	0.55	0.56	0.45	0.00
Thyroid	0.00	0.03	0.04	0.13	0.16	0.18	0.29	0.78	0.75	0.98	1.86	2.06	3.60	4.43	4.73	3.59	5.79
Tongue	0.00	0.03	0.00	0.00	0.04	0.04	0.04	0.27	0.34	2.45	3.20	7.04	9.29	7.94	7.78	5.38	4.63

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2018 : ASIAN FEMALE

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group.)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.00	0.00	1.56	0.00	0.00	1.97	0.00	0.00	2.73	0.00	0.00	0.00	0.00
BCC	0.00	0.00	0.00	0.00	0.00	0.00	1.56	1.64	3.67	3.94	6.32	4.69	5.46	16.26	26.10	19.44	20.50
Bladder	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.64	0.00	1.97	2.11	2.35	2.73	9.76	0.00	6.48	6.83
Bone	0.00	0.00	2.25	0.00	1.97	0.00	0.00	0.00	0.00	0.00	2.11	0.00	0.00	0.00	0.00	0.00	0.00
Brain, CNS	2.06	0.00	0.00	0.00	0.00	1.68	1.56	0.00	1.83	1.97	2.11	2.35	5.46	0.00	4.35	0.00	0.00
Breast	0.00	0.00	0.00	0.00	0.00	10.08	20.25	41.11	75.15	129.95	126.41	164.32	166.40	201.63	243.62	233.30	164.04
Burkitt lymphoma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.64	0.00	0.00	0.00	0.00	2.73	0.00	0.00	0.00	0.00
Cervix	0.00	0.00	0.00	0.00	0.00	5.04	6.23	19.73	22.00	17.72	33.71	21.13	32.73	19.51	39.15	19.44	0.00
Colorectal	0.00	0.00	0.00	2.31	3.93	0.00	3.12	6.58	12.83	7.88	40.03	25.82	30.01	68.29	52.20	71.29	47.84
Connective tissue	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.64	1.83	1.97	4.21	4.69	5.46	3.25	0.00	6.48	0.00
Endocrine	0.00	0.00	0.00	0.00	0.00	0.00	1.56	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.48	0.00
Eye	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.35	0.00	0.00	0.00	0.00	0.00
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.35	2.73	0.00	0.00	0.00	0.00
Hogkin lymphoma	0.00	0.00	0.00	0.00	1.97	1.68	3.12	1.64	0.00	1.97	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Kaposi Sarcoma	0.00	0.00	0.00	0.00	0.00	1.68	3.12	3.29	0.00	1.97	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Kidney	4.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.83	3.94	4.21	2.35	5.46	6.50	8.70	6.48	6.83
Larynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.83
Leukaemia	2.06	0.00	2.25	0.00	0.00	0.00	3.12	3.29	1.83	0.00	0.00	0.00	0.00	3.25	13.05	6.48	0.00
Lip	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.83
Liver & Bile duct	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.64	0.00	0.00	0.00	2.35	2.73	9.76	0.00	6.48	0.00
Lung	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.91	4.21	11.74	32.73	9.76	26.10	45.36	13.67
Melanoma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.64	0.00	0.00	0.00	0.00	0.00	6.50	4.35	0.00	0.00
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Mouth	0.00	0.00	0.00	0.00	0.00	0.00	3.12	0.00	1.83	3.94	8.43	7.04	5.46	6.50	8.70	0.00	0.00
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.97	2.11	0.00	0.00	0.00	4.35	6.48	6.83
Naso-Oropharynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.73	3.25	4.35	0.00	0.00
Non Hodgkin lymphoma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.50	9.84	8.43	9.39	10.91	22.76	13.05	32.40	13.67
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.00	1.56	3.29	1.83	0.00	0.00	4.69	8.18	9.76	4.35	0.00	20.50
Other specified	0.00	2.08	2.25	0.00	0.00	0.00	0.00	1.64	0.00	1.97	4.21	0.00	2.73	0.00	4.35	0.00	0.00
Ovary	0.00	0.00	0.00	2.31	0.00	0.00	3.12	1.64	1.83	1.97	6.32	7.04	19.09	13.01	13.05	12.96	13.67
Pancreas	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.83	1.97	0.00	0.00	0.00	6.50	0.00	0.00	13.67
Primary site unknown	0.00	0.00	0.00	0.00	0.00	0.00	1.56	4.93	5.50	7.88	10.53	14.08	27.28	35.77	26.10	38.88	41.01
SCC of skin	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.64	0.00	0.00	0.00	2.35	5.46	3.25	21.75	12.96	41.01
Salivary gland	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.97	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Skin other	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.83	3.94	0.00	0.00	2.73	0.00	0.00	6.48	6.83
Small intestine	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.83	1.97	0.00	0.00	2.73	0.00	0.00	6.48	0.00
Stomach	0.00	0.00	0.00	0.00	0.00	0.00	1.56	3.29	3.67	1.97	2.11	11.74	13.64	13.01	17.40	25.92	34.17
Thyroid	0.00	0.00	0.00	6.92	1.97	5.04	3.12	11.51	14.66	17.72	6.32	9.39	13.64	3.25	8.70	12.96	0.00
Tongue	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.67	1.97	2.11	9.39	2.73	13.01	4.35	6.48	6.83
Uterus	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.64	3.67	5.91	21.07	39.91	60.01	58.54	47.85	45.36	27.34
Vagina	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.67	0.00	6.32	0.00	2.73	3.25	17.40	6.48	6.83
Vulva	0.00	0.00	0.00	0.00	0.00	0.00	1.56	1.64	1.83	3.94	2.11	0.00	5.46	9.76	8.70	6.48	20.50

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2018 : ASIAN MALE

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.55	2.60	9.65	4.22	12.89	0.00	0.00
BCC	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.35	0.00	1.84	6.55	5.21	32.17	8.45	38.68	0.00	34.41
Bladder	0.00	0.00	0.00	2.19	0.00	0.00	0.00	1.35	3.20	5.51	17.47	23.44	25.73	88.67	77.36	125.34	51.61
Bone	0.00	2.00	0.00	8.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Brain, CNS	1.99	0.00	0.00	0.00	1.74	0.00	3.76	1.35	1.60	1.84	2.18	13.02	3.22	8.45	0.00	0.00	0.00
Breast	0.00	0.00	0.00	0.00	0.00	0.00	1.25	0.00	1.60	1.84	0.00	2.60	0.00	4.22	6.45	0.00	17.20
Burkitt lymphoma	0.00	0.00	0.00	2.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Colorectal	0.00	0.00	0.00	0.00	0.00	1.37	0.00	1.35	7.99	16.53	26.21	59.89	102.94	101.34	116.04	125.34	86.01
Connective tissue	0.00	0.00	0.00	0.00	3.47	0.00	1.25	1.35	1.60	1.84	0.00	2.60	0.00	4.22	0.00	11.39	0.00
Endocrine	0.00	0.00	0.00	0.00	0.00	1.37	0.00	0.00	0.00	0.00	0.00	0.00	3.22	0.00	0.00	0.00	0.00
Eye	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.35	0.00	1.84	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.45	0.00	0.00
Haematology other	0.00	0.00	4.27	0.00	1.74	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.22	0.00	0.00	0.00
Hogkin lymphoma	0.00	4.00	0.00	0.00	0.00	1.37	1.25	4.06	0.00	5.51	2.18	5.21	3.22	4.22	0.00	11.39	0.00
Kaposi Sarcoma	0.00	0.00	0.00	0.00	0.00	0.00	1.25	4.06	0.00	7.35	0.00	2.60	3.22	0.00	0.00	0.00	0.00
Kidney	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.60	1.84	6.55	23.44	12.87	21.11	19.34	0.00	0.00
Larynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.67	4.37	7.81	12.87	12.67	6.45	11.39	0.00
Leukaemia	0.00	2.00	2.14	0.00	0.00	0.00	0.00	1.35	0.00	0.00	0.00	5.21	0.00	8.45	0.00	0.00	0.00
Liver & Bile duct	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.60	0.00	0.00	2.60	3.22	21.11	12.89	0.00	34.41
Lung	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.35	3.20	5.51	13.11	39.06	54.69	63.34	90.25	125.34	103.22
Melanoma	0.00	0.00	0.00	0.00	1.74	0.00	0.00	0.00	0.00	0.00	0.00	2.60	9.65	0.00	6.45	11.39	17.20
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.18	0.00	0.00	0.00	0.00	11.39	0.00
Mouth	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.60	3.67	0.00	10.42	12.87	0.00	6.45	0.00	0.00
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.60	0.00	0.00	0.00	0.00	17.20
Naso-Oropharynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.60	0.00	2.18	7.81	0.00	4.22	0.00	0.00	0.00
Non Hodgkin lymphoma	0.00	0.00	0.00	2.19	0.00	2.73	3.76	4.06	6.40	9.18	15.29	2.60	19.30	8.45	19.34	22.79	86.01
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.60	0.00	2.18	2.60	6.43	16.89	19.34	11.39	0.00
Other specified	0.00	0.00	0.00	0.00	1.74	2.73	0.00	1.35	1.60	0.00	0.00	5.21	3.22	12.67	0.00	45.58	0.00
Pancreas	0.00	0.00	0.00	0.00	0.00	0.00	1.25	0.00	0.00	0.00	4.37	2.60	9.65	4.22	12.89	11.39	0.00
Penis	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.84	2.18	5.21	0.00	4.22	0.00	0.00	0.00
Primary site unknown	0.00	0.00	0.00	0.00	1.74	1.37	0.00	4.06	1.60	7.35	6.55	20.83	25.73	38.00	58.02	34.18	103.22
Prostate	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.20	5.51	30.58	65.10	99.72	266.02	309.44	341.84	344.06
SCC of skin	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.35	0.00	3.67	2.18	2.60	6.43	21.11	12.89	34.18	51.61
Salivary gland	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.20	0.00	0.00	0.00	0.00	0.00	0.00	11.39	0.00
Skin other	0.00	0.00	0.00	0.00	0.00	2.73	0.00	0.00	0.00	0.00	0.00	5.21	0.00	4.22	0.00	0.00	0.00
Small intestine	0.00	0.00	0.00	0.00	0.00	1.37	0.00	0.00	1.60	0.00	0.00	2.60	3.22	4.22	6.45	0.00	0.00
Stomach	0.00	0.00	0.00	0.00	0.00	0.00	1.25	0.00	3.20	5.51	10.92	26.04	48.25	21.11	51.57	68.37	0.00
Testis	1.99	0.00	0.00	0.00	1.74	5.46	8.77	2.71	6.40	3.67	0.00	0.00	3.22	0.00	0.00	0.00	0.00
Thyroid	0.00	0.00	0.00	0.00	3.47	0.00	1.25	1.35	4.80	3.67	2.18	2.60	3.22	4.22	12.89	11.39	0.00
Tongue	0.00	0.00	0.00	0.00	0.00	0.00	1.25	0.00	0.00	3.67	0.00	7.81	0.00	8.45	0.00	0.00	17.20

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2018 : BLACK FEMALE

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.05	0.22	0.63	1.71	1.75	2.10	1.12	1.42	0.87	0.76	2.16	2.20	0.52
BCC	0.00	0.00	0.00	0.10	0.05	0.26	0.90	0.94	1.68	2.28	2.74	3.54	4.77	6.46	6.75	9.67	20.14
Bladder	0.00	0.04	0.00	0.00	0.00	0.09	0.09	0.61	0.56	0.88	1.12	1.54	1.73	2.28	3.51	2.64	4.65
Bone	0.04	0.12	0.49	0.52	0.10	0.17	0.27	0.28	0.14	0.18	0.20	0.12	0.14	0.19	0.81	0.44	0.00
Brain, CNS	0.46	0.25	0.04	0.16	0.14	0.13	0.22	0.39	0.28	0.70	0.61	0.47	0.58	0.19	1.35	1.32	0.00
Breast	0.00	0.00	0.00	0.10	0.91	3.50	10.16	20.28	33.24	47.84	47.95	55.62	61.83	67.30	63.96	87.46	99.66
Burkitt lymphoma	0.00	0.08	0.00	0.00	0.05	0.09	0.22	0.55	0.28	0.18	0.20	0.12	0.00	0.00	0.00	0.44	0.00
Cervix	0.04	0.00	0.13	0.16	0.82	3.76	16.88	35.82	49.19	65.63	66.20	71.80	66.60	67.30	58.29	79.11	67.13
Colorectal	0.00	0.00	0.09	0.10	0.43	0.60	1.21	2.10	3.29	6.05	7.81	11.81	8.67	12.17	13.49	21.54	14.46
Connective tissue	0.63	0.21	0.40	0.16	0.39	0.43	0.49	0.39	0.63	1.75	1.72	1.18	1.88	1.33	2.97	2.64	3.61
Endocrine	0.04	0.12	0.00	0.00	0.00	0.00	0.04	0.06	0.07	0.00	0.10	0.12	0.00	0.00	0.27	0.00	0.00
Eye	0.75	0.12	0.00	0.05	0.14	0.65	1.07	1.71	2.31	2.54	1.52	0.71	0.43	0.95	0.00	0.88	2.07
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.00	0.00	0.00	0.00	0.00	0.52
Haematology other	0.13	0.08	0.13	0.05	0.05	0.04	0.09	0.11	0.07	0.18	0.20	0.12	0.00	0.00	0.00	0.00	0.00
Hogkin lymphoma	0.04	0.08	0.40	0.52	0.72	0.69	1.07	1.77	2.66	1.75	1.22	1.42	0.72	1.14	0.27	0.44	0.52
Kaposi Sarcoma	0.04	0.00	0.09	0.57	1.83	4.27	5.24	5.03	4.55	2.89	2.74	1.30	1.88	1.33	0.54	0.44	4.65
Kidney	1.17	0.50	0.27	0.00	0.00	0.09	0.18	0.72	0.35	0.79	1.12	1.18	0.72	1.33	0.27	1.76	1.03
Larynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.07	0.26	0.41	0.59	0.43	0.57	0.81	2.20	1.55
Leukaemia	0.29	0.66	0.71	0.36	0.19	0.26	0.45	0.33	0.49	0.70	0.81	0.94	0.58	1.71	2.16	2.20	1.03
Lip	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.06	0.00	0.00	0.10	0.12	0.14	0.19	0.00	0.00	0.52
Liver & Bile duct	0.13	0.08	0.09	0.00	0.00	0.00	0.22	0.11	0.98	1.58	1.62	1.06	2.60	3.04	2.97	1.76	2.58
Lung	0.00	0.00	0.00	0.00	0.05	0.09	0.27	0.50	1.12	0.96	3.24	4.61	5.78	5.32	5.94	10.55	5.16
Melanoma	0.00	0.00	0.00	0.00	0.00	0.13	0.31	0.33	0.84	1.14	1.93	2.48	4.05	4.75	4.32	7.91	17.04
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.09	0.00	0.00	0.12	0.72	0.57	0.54	0.00	1.03
Mouth	0.00	0.00	0.04	0.00	0.14	0.09	0.00	0.17	0.21	0.09	1.22	1.06	1.16	1.52	2.97	3.52	4.13
Myeloma	0.00	0.00	0.00	0.00	0.05	0.00	0.00	0.22	0.35	0.61	1.01	3.19	3.03	2.85	1.89	2.64	2.58
Naso-Oropharynx	0.04	0.00	0.13	0.16	0.05	0.26	0.13	0.28	0.28	0.70	0.41	1.89	1.73	1.52	0.81	0.88	2.07
Non Hodgkin lymphoma	0.21	0.08	0.45	0.31	0.82	1.51	2.96	5.03	6.37	6.13	4.26	5.08	4.48	3.80	4.05	4.83	4.13
Oesophagus	0.00	0.04	0.00	0.00	0.05	0.00	0.22	0.83	1.05	3.33	5.78	7.68	14.01	16.16	17.27	26.37	39.76
Other specified	0.00	0.08	0.00	0.05	0.19	0.13	0.22	0.39	0.21	0.88	0.61	0.94	2.46	0.19	1.89	0.00	3.10
Ovary	0.00	0.08	0.13	0.52	0.19	0.43	0.27	0.72	0.91	1.66	1.52	2.60	4.48	4.18	5.67	3.52	2.58
Pancreas	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.17	0.35	0.70	1.12	1.06	1.30	2.28	0.81	0.88	0.52
Placenta	0.00	0.00	0.00	0.10	0.29	0.43	0.40	0.22	0.35	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Primary site unknown	0.29	0.08	0.27	0.21	0.58	0.78	1.61	4.15	5.60	8.59	12.67	14.29	23.40	30.04	29.42	30.33	34.08
SCC of skin	0.04	0.04	0.00	0.05	0.10	0.26	1.61	2.21	3.01	2.54	2.74	3.07	4.33	6.84	5.67	8.35	26.85
Salivary gland	0.00	0.00	0.00	0.16	0.00	0.04	0.00	0.00	0.35	0.44	0.51	1.06	0.58	0.57	0.27	1.32	2.07
Skin other	0.00	0.00	0.13	0.21	0.05	0.09	0.36	0.50	0.42	0.53	0.91	0.83	0.58	1.33	2.16	2.64	2.58
Small intestine	0.00	0.00	0.00	0.00	0.05	0.00	0.18	0.06	0.49	0.09	0.41	0.83	1.16	0.57	0.27	0.44	0.00
Stomach	0.00	0.00	0.00	0.05	0.05	0.22	0.13	0.33	0.63	2.02	2.13	3.78	5.49	6.65	5.94	6.15	7.23
Thyroid	0.00	0.00	0.09	0.00	0.19	0.52	0.72	0.94	1.75	2.80	2.53	2.24	1.73	2.47	1.89	3.96	3.10
Tongue	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.28	0.26	0.10	0.47	0.58	0.76	0.81	0.00	0.52
Uterus	0.00	0.00	0.00	0.05	0.05	0.09	0.18	0.66	1.33	2.02	3.04	11.93	22.54	36.50	42.91	36.48	38.21
Vagina	0.04	0.00	0.00	0.00	0.05	0.04	0.36	1.16	1.26	1.84	2.23	2.60	3.18	2.66	1.89	3.52	5.16
Vulva	0.00	0.00	0.00	0.10	0.14	1.08	3.04	5.42	6.65	4.64	3.14	2.72	2.17	2.47	0.81	1.76	4.65

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2018 : BLACK MALE

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.00	0.13	0.31	0.39	1.10	1.53	1.65	1.46	3.02	3.64	1.99	2.56	0.00
BCC	0.00	0.04	0.00	0.10	0.05	0.04	0.39	0.78	0.81	2.00	3.31	4.38	7.77	13.64	15.90	33.24	41.89
Bladder	0.00	0.00	0.00	0.05	0.00	0.04	0.31	0.22	0.44	0.86	1.53	4.87	5.18	5.76	13.91	16.19	14.86
Bone	0.00	0.16	0.70	0.72	0.48	0.08	0.18	0.22	0.07	0.29	0.25	0.49	0.00	0.91	0.50	0.00	0.00
Brain, CNS	0.73	0.24	0.22	0.21	0.19	0.17	0.18	0.34	0.37	0.29	0.38	1.30	1.08	1.21	0.99	0.00	1.35
Breast	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.00	0.59	0.67	1.65	2.60	3.67	3.64	4.97	8.52	13.51
Burkitt lymphoma	0.08	0.12	0.09	0.21	0.05	0.13	0.26	0.22	0.59	0.19	0.00	0.00	0.22	0.00	0.00	0.00	0.00
Colorectal	0.00	0.00	0.00	0.15	0.14	0.68	1.14	2.12	3.01	6.10	10.81	13.48	22.67	23.95	23.85	30.68	22.97
Connective tissue	0.41	0.24	0.18	0.41	0.57	0.68	0.44	0.95	0.81	1.43	2.29	2.44	3.89	3.94	5.96	4.26	2.70
Endocrine	0.12	0.12	0.00	0.00	0.05	0.00	0.00	0.00	0.00	0.10	0.00	0.16	0.00	0.00	0.50	0.00	0.00
Eye	0.81	0.12	0.04	0.05	0.10	0.25	0.83	1.68	3.15	2.48	1.91	1.14	2.16	0.30	0.99	0.00	0.00
Gum	0.00	0.00	0.00	0.00	0.05	0.00	0.00	0.00	0.07	0.00	0.25	0.32	1.08	0.61	0.50	0.85	0.00
Haematology other	0.12	0.20	0.09	0.26	0.05	0.08	0.09	0.06	0.22	0.38	0.25	0.00	0.22	0.00	0.50	0.00	0.00
Hogkin lymphoma	0.20	0.40	0.97	0.82	0.62	0.63	1.58	2.18	2.13	3.05	2.93	2.60	1.08	1.21	0.00	0.85	0.00
Ill defined	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.16	0.00	0.00	0.00	0.00	0.00
Kaposi Sarcoma	0.00	0.00	0.13	0.26	0.72	2.71	6.53	10.12	11.37	9.53	7.76	6.33	3.89	5.15	5.96	5.11	10.81
Kidney	0.69	0.28	0.04	0.15	0.00	0.04	0.00	0.28	0.88	1.53	2.67	2.44	4.97	4.55	3.98	1.70	0.00
Larynx	0.00	0.00	0.00	0.00	0.05	0.00	0.13	0.17	0.44	2.19	3.18	7.63	11.45	10.61	11.93	14.49	8.11
Leukaemia	0.32	0.65	0.39	0.31	0.29	0.38	0.22	0.45	0.37	0.57	1.65	1.79	2.16	2.73	3.48	3.41	2.70
Lip	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.06	0.00	0.10	0.25	0.00	0.43	0.30	0.50	0.00	0.00
Liver & Bile duct	0.08	0.00	0.00	0.15	0.10	0.08	0.44	0.61	0.81	1.43	2.16	4.22	3.24	4.24	7.45	5.11	2.70
Lung	0.00	0.00	0.04	0.00	0.00	0.13	0.18	0.34	2.20	5.72	12.59	24.03	28.07	26.38	22.36	23.86	25.67
Melanoma	0.00	0.00	0.00	0.05	0.00	0.04	0.09	0.00	0.66	0.67	1.40	1.62	1.51	2.43	2.98	3.41	12.16
Mesothelioma	0.00	0.00	0.00	0.05	0.00	0.00	0.00	0.11	0.00	0.19	0.25	1.30	1.30	1.52	0.99	2.56	0.00
Mouth	0.04	0.00	0.00	0.10	0.00	0.08	0.18	0.22	0.66	1.53	2.67	5.85	5.61	5.76	8.45	4.26	5.40
Myeloma	0.00	0.00	0.04	0.00	0.00	0.00	0.22	0.22	0.37	0.95	1.53	3.90	4.10	2.43	2.48	0.85	4.05
Naso-Oropharynx	0.04	0.08	0.04	0.21	0.14	0.17	0.18	0.39	0.59	1.91	4.20	5.36	4.97	6.97	5.96	4.26	2.70
Non Hodgkin lymphoma	0.12	0.32	0.48	0.72	0.91	1.06	3.24	5.25	8.80	11.53	12.59	8.93	8.21	9.70	8.94	7.67	9.46
Oesophagus	0.00	0.00	0.04	0.05	0.10	0.08	0.22	0.78	1.17	5.43	11.96	18.67	24.19	26.68	28.82	34.09	35.13
Other specified	0.08	0.08	0.00	0.00	0.10	0.08	0.18	0.17	0.59	1.24	1.53	2.76	3.89	2.12	4.47	4.26	2.70
Pancreas	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.29	0.38	1.02	1.95	2.81	3.94	0.99	3.41	4.05
Penis	0.00	0.00	0.00	0.00	0.00	0.25	0.44	1.34	2.49	3.05	4.45	1.30	3.67	1.52	4.47	2.56	8.11
Primary site unknown	0.20	0.12	0.04	0.05	0.33	0.42	1.05	2.46	3.96	8.39	17.56	28.58	33.47	34.86	30.81	23.86	45.94
Prostate	0.00	0.00	0.00	0.05	0.00	0.08	0.13	0.11	3.15	10.68	36.13	105.37	190.25	278.91	344.38	387.77	412.12
SCC of skin	0.00	0.04	0.13	0.05	0.05	0.25	0.70	1.51	2.35	4.58	5.85	6.17	11.01	14.25	22.86	26.42	56.75
Salivary gland	0.04	0.00	0.00	0.05	0.14	0.17	0.04	0.28	0.22	0.67	0.89	0.65	1.73	0.91	0.99	0.85	2.70
Skin other	0.00	0.12	0.09	0.00	0.10	0.17	0.22	0.67	0.29	1.05	0.64	1.30	1.94	1.82	0.00	2.56	1.35
Small intestine	0.08	0.00	0.00	0.00	0.00	0.00	0.04	0.06	0.51	0.57	0.64	1.46	1.94	0.30	1.49	1.70	1.35
Stomach	0.00	0.00	0.00	0.05	0.38	0.17	0.22	0.56	0.95	3.62	5.22	9.42	13.39	12.43	11.43	11.08	28.38
Testis	0.08	0.16	0.13	0.21	0.33	0.08	0.22	0.28	0.29	0.29	0.25	0.00	0.65	0.00	0.00	0.00	0.00
Thyroid	0.00	0.04	0.04	0.10	0.10	0.13	0.09	0.45	0.22	0.57	0.51	1.30	1.30	2.12	0.99	0.00	1.35
Tongue	0.00	0.04	0.00	0.00	0.00	0.04	0.00	0.22	0.07	1.43	2.04	5.03	5.83	6.06	8.45	5.97	0.00

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2018 : COLOURED FEMALE

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.00	0.46	0.48	1.11	1.26	0.00	0.63	0.74	0.00	1.24	0.00	2.96	3.26
BCC	0.00	0.00	0.00	0.00	0.47	2.75	3.38	8.29	11.31	31.65	30.16	48.86	72.83	106.82	147.44	227.60	358.88
Bladder	0.00	0.00	0.00	0.00	0.00	0.00	0.48	0.00	0.63	0.00	1.89	7.40	5.60	12.42	13.40	17.73	22.84
Bone	0.00	0.43	0.92	0.49	0.00	0.92	2.42	0.55	0.00	0.61	0.63	2.22	0.93	0.00	0.00	0.00	0.00
Brain, CNS	0.43	0.43	0.46	0.00	0.47	0.00	0.97	1.11	0.00	3.04	1.89	2.22	1.87	3.73	7.66	0.00	0.00
Breast	0.00	0.00	0.00	0.00	0.47	5.50	17.41	43.67	84.85	96.16	111.22	138.45	151.26	197.50	231.69	251.24	267.53
Burkitt lymphoma	0.43	0.00	0.00	0.49	0.00	0.00	0.00	0.00	0.63	0.61	0.00	0.00	0.00	0.00	0.00	2.96	0.00
Cervix	0.00	0.00	0.00	0.00	0.47	4.58	12.09	25.98	32.05	34.69	38.96	39.98	39.22	34.78	21.06	26.60	39.15
Colorectal	0.00	0.00	0.46	0.49	0.00	1.83	0.48	3.32	7.54	9.13	27.02	31.09	29.88	52.17	61.27	76.85	107.66
Connective tissue	1.29	0.43	0.00	0.00	0.47	0.00	0.00	0.55	1.89	2.43	2.51	0.00	2.80	2.48	11.49	2.96	0.00
Endocrine	0.00	0.00	0.00	0.49	0.00	0.00	0.00	0.55	0.63	0.00	0.00	0.74	0.00	0.00	0.00	0.00	0.00
Eye	0.00	0.00	0.00	0.00	0.00	0.92	0.00	1.11	0.00	0.00	0.63	0.74	0.00	0.00	0.00	0.00	0.00
Gum	0.00	0.00	0.00	0.00	0.00	0.46	0.00	0.55	0.00	0.00	0.00	0.74	0.93	1.24	1.91	0.00	0.00
Haematology other	0.00	0.00	0.46	0.49	0.00	0.00	0.00	0.55	0.00	0.00	0.00	0.00	1.87	0.00	1.91	0.00	0.00
Hogkin lymphoma	0.00	0.00	0.46	0.49	1.41	2.29	0.48	1.11	0.63	0.61	0.63	2.22	0.93	0.00	0.00	2.96	0.00
Kaposi Sarcoma	0.00	0.43	0.00	0.00	0.94	1.38	3.87	4.97	3.14	0.61	0.00	2.96	0.93	1.24	0.00	0.00	0.00
Kidney	2.15	0.00	0.46	0.00	0.00	0.46	0.48	0.55	0.63	2.43	3.77	5.18	3.73	2.48	11.49	5.91	9.79
Larynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.83	0.63	2.96	3.73	4.97	5.74	0.00	3.26
Leukaemia	0.86	0.00	0.00	0.00	0.00	0.00	0.48	1.11	0.63	0.00	0.00	1.48	0.93	1.24	7.66	11.82	0.00
Lip	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.48	0.00	0.00	2.96	0.00
Liver & Bile duct	0.00	0.00	0.46	0.00	0.47	0.00	0.00	0.00	0.63	0.61	2.51	2.96	2.80	1.24	5.74	5.91	6.53
Lung	0.00	0.00	0.00	0.00	0.00	0.46	0.48	0.55	1.89	5.48	16.34	28.13	43.89	49.69	65.10	29.56	32.63
Melanoma	0.00	0.00	0.00	0.49	1.41	1.38	0.97	2.21	3.77	4.87	6.91	4.44	9.34	12.42	7.66	14.78	32.63
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.63	0.61	0.00	0.00	2.48	3.83	5.91	3.26	3.26
Mouth	0.00	0.00	0.00	0.00	0.47	0.00	0.00	0.00	0.63	1.83	6.91	7.40	3.73	4.97	3.83	11.82	3.26
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.55	0.00	0.61	0.00	2.96	3.73	3.73	11.49	0.00	3.26
Naso-Oropharynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.55	0.63	3.04	1.89	3.70	4.67	2.48	0.00	5.91	0.00
Non Hodgkin lymphoma	0.00	0.00	0.00	0.49	0.00	1.83	2.42	2.76	5.03	6.69	7.54	9.62	10.27	16.15	22.98	17.73	39.15
Oesophagus	0.00	0.00	0.00	0.00	0.47	0.00	0.97	0.00	1.26	2.43	3.14	9.62	9.34	16.15	7.66	20.69	13.05
Other specified	0.43	0.00	0.00	0.00	0.00	0.46	0.00	0.00	0.63	0.61	1.26	2.96	4.67	3.73	3.83	2.96	6.53
Ovary	0.00	0.00	0.46	0.49	0.00	1.38	1.45	1.66	2.51	1.83	3.77	5.18	6.54	11.18	11.49	23.65	16.31
Pancreas	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.11	0.63	1.22	0.00	4.44	5.60	7.45	13.40	5.91	3.26
Placenta	0.00	0.00	0.00	0.49	1.41	0.00	1.93	0.55	0.00	0.61	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Primary site unknown	0.43	0.00	0.00	0.00	0.47	1.83	1.93	1.66	5.66	8.52	23.88	31.09	34.55	52.17	51.70	53.20	45.68
SCC of skin	0.00	0.00	0.00	0.00	0.47	0.00	1.93	2.21	1.26	1.83	8.17	12.59	24.28	47.20	70.85	144.83	270.79
Salivary gland	0.00	0.00	0.00	0.00	0.47	0.00	0.00	0.00	0.00	1.22	0.00	0.00	1.87	0.00	0.00	0.00	0.00
Skin other	0.00	0.00	0.00	0.49	0.47	0.00	0.00	0.00	1.26	1.22	0.00	0.74	2.80	1.24	0.00	5.91	9.79
Small intestine	0.00	0.00	0.00	0.00	0.00	0.00	0.48	0.00	0.63	0.61	1.26	1.48	0.00	0.00	3.83	0.00	3.26
Stomach	0.00	0.00	0.00	0.00	0.00	0.92	1.45	2.21	3.14	3.65	5.66	5.18	9.34	17.39	17.23	20.69	32.63
Thyroid	0.00	0.00	0.00	0.00	1.88	1.38	3.38	4.42	5.03	4.87	5.03	5.92	6.54	6.21	1.91	8.87	9.79
Tongue	0.00	0.00	0.00	0.00	0.00	0.00	0.48	0.00	1.26	3.65	0.63	3.70	5.60	2.48	9.57	2.96	3.26
Uterus	0.00	0.00	0.00	0.00	0.00	0.00	1.45	0.55	3.77	1.22	10.05	17.77	24.28	52.17	47.87	50.25	35.89
Vagina	0.00	0.00	0.00	0.00	0.00	0.00	0.48	0.00	3.77	0.61	0.63	2.22	2.80	1.24	3.83	8.87	0.00
Vulva	0.00	0.00	0.00	0.00	0.00	0.46	1.93	1.11	1.89	1.22	3.77	3.70	2.80	2.48	5.74	0.00	16.31

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2018 : COLOURED MALE

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.00	0.00	0.48	0.00	0.00	0.67	0.74	0.00	2.39	6.95	3.05	0.00	0.00
BCC	0.00	0.00	0.00	0.48	0.92	1.36	3.86	8.59	21.80	36.68	56.86	86.30	114.88	224.26	374.70	503.55	868.32
Bladder	0.00	0.00	0.00	0.00	0.00	0.45	0.48	0.00	1.92	2.00	11.08	18.99	33.51	55.63	109.67	156.66	168.61
Bone	0.00	0.00	0.00	2.90	0.00	0.90	0.00	0.00	0.00	0.00	0.74	0.00	0.00	1.74	0.00	0.00	0.00
Brain, CNS	0.42	0.00	0.45	0.00	0.00	0.00	1.45	0.57	2.57	2.00	1.48	4.31	4.79	6.95	3.05	0.00	0.00
Breast	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.57	0.64	0.00	3.69	0.00	3.59	0.00	12.19	0.00	0.00
Burkitt lymphoma	1.25	0.00	0.45	0.00	0.00	0.45	0.48	0.00	0.00	0.67	0.74	0.86	0.00	0.00	0.00	0.00	0.00
Colorectal	0.00	0.00	0.00	0.00	0.92	0.45	3.86	5.73	6.41	17.34	24.37	34.52	55.05	74.75	155.36	201.42	210.76
Connective tissue	0.42	0.00	0.00	0.00	0.92	1.81	1.45	1.15	1.92	1.33	1.48	6.90	4.79	3.48	6.09	11.19	8.43
Endocrine	0.42	0.00	0.45	0.00	0.00	0.00	0.00	0.00	0.00	0.67	0.00	0.00	1.20	0.00	3.05	0.00	0.00
Eye	1.67	0.00	0.00	0.00	0.00	0.00	0.48	0.57	0.00	1.33	0.00	0.86	3.59	0.00	0.00	5.60	0.00
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	2.22	2.59	0.00	0.00	0.00	0.00	8.43
Haematology other	0.00	0.84	0.45	0.48	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.09	5.60	0.00
Hogkin lymphoma	0.00	0.00	0.45	1.93	1.85	0.90	3.86	0.57	1.92	1.33	2.95	0.00	3.59	3.48	0.00	5.60	0.00
Kaposi Sarcoma	0.00	0.42	0.00	0.00	0.46	3.62	3.38	5.73	4.49	2.00	2.22	0.86	4.79	3.48	3.05	5.60	16.86
Kidney	2.50	0.42	0.00	0.00	0.00	0.45	0.00	1.15	1.92	4.00	8.86	12.94	10.77	27.81	12.19	16.79	8.43
Larynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.33	8.12	11.22	13.16	26.08	27.42	27.98	50.58
Leukaemia	0.42	1.25	0.00	0.00	0.46	0.45	0.00	1.72	0.00	0.67	1.48	1.73	7.18	0.00	18.28	5.60	8.43
Lip	0.00	0.00	0.00	0.00	0.00	0.00	0.96	0.00	0.00	0.00	0.00	0.86	1.20	0.00	0.00	0.00	8.43
Liver & Bile duct	0.42	0.00	0.00	0.00	0.00	0.00	0.00	1.15	0.00	2.00	2.95	2.59	4.79	8.69	9.14	0.00	0.00
Lung	0.00	0.00	0.00	0.00	0.00	0.00	0.96	4.01	10.26	14.67	36.18	50.05	69.41	71.28	112.72	162.26	134.88
Melanoma	0.00	0.00	0.00	0.00	0.46	0.45	0.48	1.15	5.13	6.67	7.38	10.36	21.54	24.34	39.60	83.93	101.16
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.59	1.20	6.95	9.14	22.38	8.43
Mouth	0.00	0.00	0.00	0.00	0.00	0.00	0.48	1.15	0.64	2.67	11.08	9.49	13.16	24.34	3.05	16.79	42.15
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.57	0.00	0.67	0.00	1.73	4.79	6.95	3.05	27.98	16.86
Naso-Oropharynx	0.42	0.00	0.45	1.45	0.00	0.90	0.48	1.72	0.00	5.34	5.91	12.08	15.56	8.69	21.32	16.79	0.00
Non Hodgkin lymphoma	0.00	0.00	0.90	2.41	0.00	0.90	4.34	3.44	6.41	8.00	5.17	17.26	19.15	15.65	30.46	44.76	50.58
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.00	0.48	0.57	1.28	6.67	11.82	12.08	25.13	24.34	33.51	16.79	42.15
Other specified	0.00	0.00	0.00	0.00	0.46	0.45	0.48	0.57	0.64	2.00	1.48	4.31	3.59	8.69	9.14	5.60	16.86
Pancreas	0.00	0.00	0.00	0.00	0.00	0.45	0.00	0.00	1.28	1.33	2.95	6.90	7.18	12.17	6.09	22.38	0.00
Penis	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.57	1.92	2.67	0.74	1.73	2.39	3.48	0.00	16.79	8.43
Primary site unknown	0.83	0.00	0.00	0.00	0.00	0.00	0.96	4.01	9.62	14.67	19.94	35.38	61.03	79.97	73.11	106.31	109.59
Prostate	0.00	0.00	0.00	0.00	0.00	0.00	0.48	0.57	3.85	14.00	42.09	124.27	251.31	462.42	642.78	677.00	716.57
SCC of skin	0.00	0.00	0.00	0.00	0.00	0.45	2.41	2.86	3.85	12.67	20.68	27.62	34.70	102.57	191.92	380.46	691.28
Salivary gland	0.00	0.00	0.45	0.00	0.46	0.00	0.48	0.00	0.00	1.33	1.48	2.59	1.20	5.22	6.09	0.00	8.43
Skin other	0.00	0.00	0.00	0.48	0.00	0.00	0.00	0.57	0.00	0.67	0.74	2.59	0.00	3.48	12.19	0.00	50.58
Small intestine	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.57	0.00	0.00	2.22	2.59	1.20	3.48	3.05	5.60	8.43
Stomach	0.00	0.00	0.00	0.00	0.00	0.00	0.48	1.72	3.21	4.00	12.55	19.85	22.74	53.89	45.70	100.71	84.30
Testis	0.42	0.00	0.00	0.48	1.85	2.26	1.93	2.86	1.28	0.00	1.48	0.86	0.00	0.00	0.00	0.00	0.00
Thyroid	0.00	0.00	0.00	0.48	0.00	0.45	0.48	0.00	1.92	0.00	0.74	0.86	3.59	1.74	9.14	0.00	16.86
Tongue	0.00	0.00	0.00	0.00	0.46	0.00	0.00	0.00	1.92	6.67	4.43	7.77	20.34	10.43	9.14	5.60	0.00

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2018 : WHITE FEMALES

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.00	0.00	1.28	0.65	1.79	1.66	2.36	0.00	1.91	3.36	4.74	4.06	4.64
BCC	0.00	0.00	0.00	1.61	8.19	19.11	46.04	87.05	143.43	187.88	260.04	319.68	407.74	470.18	584.63	586.12	599.45
Bladder	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.30	2.39	3.87	4.13	5.99	14.02	18.16	31.60	30.42	23.20
Bone	0.86	0.78	2.34	0.00	0.00	0.00	0.64	0.65	2.39	2.21	0.59	4.19	0.64	0.67	0.79	2.03	0.00
Brain, CNS	0.86	1.56	0.78	0.81	0.74	2.83	0.64	7.15	3.59	4.42	8.26	7.78	7.65	6.05	3.95	5.07	3.87
Breast	0.00	0.00	0.00	0.00	5.21	16.99	49.24	85.75	129.69	170.20	221.12	287.35	304.53	306.73	354.73	299.14	259.89
Burkitt lymphoma	0.00	0.00	0.00	0.00	0.00	0.71	0.00	0.00	0.60	1.11	1.18	0.00	0.00	0.67	0.00	0.00	0.00
Cervix	0.00	0.00	0.00	0.00	0.00	10.62	22.38	38.33	40.04	39.23	35.38	31.13	26.76	27.58	16.59	13.18	8.51
Colorectal	0.00	0.00	0.00	2.42	1.49	3.54	7.67	10.39	12.55	27.08	33.02	52.68	61.80	80.72	87.70	116.62	113.70
Connective tissue	4.32	1.56	0.78	0.00	0.00	0.71	1.92	3.90	2.39	3.32	2.36	2.99	5.10	3.36	6.32	4.06	10.83
Endocrine	0.00	0.00	0.00	0.00	0.00	0.71	0.00	0.00	0.00	0.00	0.00	0.60	0.64	1.35	0.00	1.01	0.00
Eye	0.86	0.00	0.00	0.00	0.00	0.00	0.00	2.60	0.00	0.55	0.00	0.60	0.00	0.67	0.79	0.00	1.55
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.60	0.00	0.67	0.79	0.00	0.77
Haematology other	0.00	0.78	0.00	0.00	0.00	0.71	0.00	0.65	0.60	0.55	0.59	0.00	0.00	1.35	0.00	0.00	2.32
Hogkin lymphoma	0.00	0.00	3.12	4.03	5.21	3.54	1.92	1.30	0.60	3.32	5.31	3.59	1.27	1.35	3.16	1.01	1.55
Kaposi Sarcoma	0.00	0.00	0.00	0.00	1.49	0.71	3.84	0.65	1.79	0.55	0.00	0.00	0.00	0.67	0.79	0.00	0.77
Kidney	3.46	0.78	0.00	0.00	0.00	0.00	0.64	1.30	2.39	4.97	6.49	7.18	14.65	16.82	11.06	10.14	8.51
Larynx	0.00	0.00	0.00	0.00	0.00	0.00	0.64	0.00	0.00	1.66	2.36	2.39	0.00	4.04	3.95	1.01	0.77
Leukaemia	2.59	2.33	0.78	0.00	0.00	0.00	1.28	0.00	0.60	3.32	3.54	4.79	3.82	8.07	6.32	7.10	14.70
Lip	0.00	0.00	0.00	0.00	0.00	0.71	0.00	0.00	0.00	0.55	0.00	0.00	1.27	0.67	0.79	0.00	0.77
Liver & Bile duct	0.86	0.00	0.00	0.00	0.74	0.71	0.64	0.00	1.79	1.66	3.54	5.99	9.56	10.76	6.32	6.08	11.60
Lung	0.00	0.00	0.00	0.81	0.00	0.71	0.64	3.90	5.38	10.50	14.74	32.93	47.78	64.57	80.58	77.07	51.82
Melanoma	0.00	0.00	1.56	0.81	9.67	14.16	26.22	31.18	37.05	36.47	36.56	48.49	42.05	55.16	67.94	73.01	67.29
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.55	0.59	0.60	1.91	6.73	5.53	8.11	7.73	7.73
Mouth	0.00	0.00	0.00	0.00	0.00	1.42	0.00	0.65	0.60	1.66	3.54	4.79	5.73	7.40	4.74	3.04	7.73
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.95	0.60	1.66	2.36	4.79	7.01	6.73	12.64	7.10	6.19
Naso-Oropharynx	0.00	0.00	0.78	0.00	0.00	1.42	0.00	0.65	3.59	1.66	0.00	2.39	3.82	4.71	2.37	2.03	2.32
Non Hodgkin lymphoma	0.00	0.00	0.78	1.61	0.74	3.54	3.84	9.74	7.77	12.71	13.56	20.35	27.39	28.92	38.71	49.69	31.71
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.00	1.92	0.65	1.20	2.21	3.54	6.59	7.65	6.05	7.90	13.18	5.41
Other specified	0.86	0.00	0.00	0.00	1.49	0.00	0.00	0.00	1.20	3.32	1.18	4.19	5.73	12.11	9.48	5.07	6.96
Ovary	0.00	0.78	0.00	2.42	0.74	0.71	3.20	5.20	8.37	9.95	11.79	16.76	15.93	25.56	31.60	33.46	13.15
Pancreas	0.00	0.00	0.00	0.00	0.00	0.00	0.64	0.65	2.99	3.32	3.54	5.99	7.65	11.44	14.22	16.22	7.73
Placenta	0.00	0.00	0.00	0.00	0.74	2.12	3.20	0.00	0.00	0.00	0.00	0.00	0.64	0.00	0.00	0.00	0.00
Primary site unknown	1.73	0.78	0.00	1.61	0.74	2.12	2.56	7.15	8.96	14.37	20.05	32.33	45.23	54.48	57.67	59.83	37.90
SCC of skin	0.00	0.00	0.00	0.00	0.74	2.12	2.56	10.39	14.34	27.63	54.25	75.43	116.59	184.31	270.20	317.40	463.32
Salivary gland	0.00	0.00	0.00	0.00	0.00	1.42	0.00	0.65	1.20	1.66	1.18	1.20	3.19	2.69	2.37	0.00	3.87
Skin other	0.86	0.00	0.00	0.00	0.74	0.71	0.64	3.25	0.00	1.11	1.18	2.39	5.73	4.04	3.16	4.06	11.60
Small intestine	0.00	0.00	0.00	0.00	0.00	0.00	0.64	0.00	0.60	1.11	0.59	1.80	1.27	2.02	4.74	2.03	6.19
Stomach	0.00	0.00	0.00	0.00	0.00	0.71	1.92	0.65	0.00	2.76	5.90	7.78	11.47	11.44	20.54	19.27	17.02
Thyroid	0.00	0.00	0.00	0.81	6.70	12.03	11.51	13.64	19.12	18.79	12.97	15.56	9.56	10.09	14.22	12.17	9.28
Tongue	0.00	0.00	0.00	0.00	0.00	0.00	0.64	0.00	1.79	1.11	4.13	3.59	3.82	8.07	7.11	3.04	4.64
Uterus	0.00	0.00	0.00	0.00	0.00	0.71	0.00	2.60	6.57	11.05	17.10	39.51	40.77	34.98	45.03	27.38	23.20
Vagina	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.30	0.60	1.66	0.00	1.20	2.55	2.02	3.16	0.00	2.32
Vulva	0.00	0.00	0.00	0.00	0.00	1.42	1.28	1.30	2.39	3.87	5.31	2.99	5.10	3.36	7.11	8.11	11.60

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2018 : WHITE MALES

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.00	0.00	0.64	0.00	0.63	1.72	0.00	2.62	7.65	2.30	3.63	1.26	2.47
BCC	0.00	0.76	0.00	4.75	2.23	19.73	49.30	96.66	192.47	232.87	381.63	558.52	618.70	821.91	958.06	1027.58	988.61
Bladder	0.00	0.00	0.76	0.00	0.00	1.41	0.64	0.00	0.00	8.58	20.75	34.05	53.53	64.34	106.25	101.11	138.23
Bone	0.00	0.00	0.76	2.37	1.49	0.00	1.28	1.32	1.26	1.14	2.51	1.31	2.78	2.30	1.82	0.00	1.23
Brain, CNS	3.36	0.76	3.04	0.79	3.72	4.93	3.20	3.29	3.16	7.44	5.03	5.24	4.87	6.89	9.08	12.64	2.47
Breast	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.26	1.14	3.14	2.62	3.48	6.89	9.99	7.58	8.64
Burkitt lymphoma	0.00	0.00	1.52	0.00	0.00	1.41	0.00	0.66	0.63	0.00	0.00	0.00	0.70	0.00	0.00	0.00	0.00
Colorectal	0.00	0.00	0.00	0.00	0.00	2.82	8.32	15.78	20.19	20.03	50.30	68.75	92.46	148.60	152.56	185.80	166.62
Connective tissue	1.68	2.27	3.04	2.37	0.74	0.70	1.92	2.63	5.68	2.86	5.66	6.55	11.12	13.79	7.26	10.11	13.58
Endocrine	2.52	0.00	0.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.63	0.65	0.00	2.30	0.00	2.53	0.00
Eye	4.20	0.76	0.00	0.00	0.00	0.70	0.64	1.32	0.63	0.57	1.26	2.62	2.09	1.53	0.00	3.79	2.47
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.63	0.65	0.70	1.53	0.00	0.00	2.47
Haematology other	0.00	0.00	0.00	0.79	0.74	0.70	0.64	0.00	0.00	0.57	0.00	0.65	0.70	0.77	1.82	1.26	3.70
Hogkin lymphoma	1.68	0.76	3.04	4.75	4.46	2.82	5.12	3.95	2.52	1.72	3.14	2.62	2.78	2.30	3.63	0.00	0.00
Kaposi Sarcoma	0.00	0.76	0.00	0.00	0.00	1.41	3.84	9.21	5.05	4.01	1.89	0.00	1.39	1.53	0.00	2.53	0.00
Kidney	5.04	1.51	0.00	0.00	0.00	0.00	1.92	1.32	6.31	9.73	16.98	15.71	27.11	32.94	26.34	37.92	12.34
Larynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.66	2.52	1.72	5.66	17.68	18.07	16.85	19.07	13.90	8.64
Leukaemia	4.20	0.00	0.76	3.16	1.49	0.70	0.64	1.32	3.16	3.43	6.29	8.51	11.12	6.13	15.44	27.81	17.28
Lip	0.00	0.00	0.00	0.00	0.00	0.70	0.64	0.66	3.79	2.86	1.26	1.96	2.09	3.06	5.45	6.32	2.47
Liver & Bile duct	0.84	0.00	0.00	0.00	0.00	0.00	0.00	0.66	1.89	1.72	6.92	3.27	6.26	14.55	16.35	18.96	11.11
Lung	0.00	0.00	0.00	0.00	0.00	0.70	0.00	5.92	8.20	15.45	23.89	45.18	68.13	78.90	95.35	102.38	91.33
Melanoma	0.00	0.76	0.76	0.79	3.72	7.75	14.09	18.41	24.61	29.75	40.87	51.07	82.03	85.03	121.69	123.87	149.34
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.70	0.00	0.00	0.00	0.57	1.26	4.58	7.65	10.72	16.35	15.17	23.45
Mouth	0.00	0.00	0.00	0.00	0.74	0.00	0.64	0.66	2.52	2.86	6.29	16.37	10.43	8.43	9.99	12.64	9.87
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.63	1.14	1.26	8.51	6.95	8.43	10.90	13.90	12.34
Naso-Oropharynx	0.00	0.00	0.00	0.79	0.74	0.00	0.64	1.32	3.79	2.29	7.54	9.82	11.82	9.96	5.45	15.17	1.23
Non Hodgkin lymphoma	0.00	0.76	2.28	3.16	2.23	4.23	4.48	9.86	6.94	12.59	22.63	22.92	42.41	38.30	60.84	69.52	48.13
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.70	0.64	0.66	2.52	2.86	10.06	18.99	19.46	18.38	19.07	29.07	13.58
Other specified	0.00	0.00	0.76	0.00	0.74	0.00	0.64	0.66	1.26	2.29	1.26	5.24	7.65	7.66	6.36	13.90	4.94
Pancreas	0.00	0.00	0.00	0.00	0.00	0.70	0.00	1.32	1.26	2.86	2.51	10.48	12.51	24.51	15.44	16.43	9.87
Penis	0.00	0.00	0.00	0.00	0.00	0.00	0.64	0.66	2.52	1.14	1.89	0.65	3.48	3.83	0.91	3.79	7.41
Primary site unknown	0.84	0.00	0.00	0.79	1.49	0.00	2.56	3.29	8.20	16.59	23.89	49.76	50.05	50.56	62.66	44.24	58.01
Prostate	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.32	13.88	36.05	106.25	271.73	435.18	598.24	718.32	607.95	428.27
SCC of skin	0.00	0.00	0.76	0.79	4.46	2.11	3.84	17.75	32.82	54.36	113.17	158.45	225.93	322.48	513.99	607.95	818.29
Salivary gland	0.00	0.00	0.00	0.79	0.00	0.00	0.00	1.32	0.00	0.00	2.51	3.27	6.95	11.49	5.45	15.17	12.34
Skin other	0.00	0.00	0.00	0.00	0.74	0.70	0.64	2.63	2.52	2.86	1.89	2.62	7.65	6.13	19.07	20.22	20.98
Small intestine	0.00	0.00	0.00	0.00	0.00	0.00	0.64	0.66	0.63	1.72	2.51	1.96	2.09	5.36	6.36	5.06	2.47
Stomach	0.00	0.00	0.00	0.00	0.00	1.41	1.92	1.32	3.16	6.87	16.35	31.43	27.11	33.70	38.14	27.81	46.90
Testis	0.00	0.00	0.76	4.75	9.67	16.91	17.93	11.18	10.10	3.43	3.14	2.62	2.09	2.30	1.82	1.26	0.00
Thyroid	0.00	0.00	0.00	0.00	0.00	0.70	2.56	5.26	2.52	3.43	9.43	5.89	11.12	11.49	9.08	8.85	8.64
Tongue	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.32	1.26	4.58	8.80	14.40	15.99	11.49	7.26	5.06	8.64

APPENDIX I:

Information was missing about sex, although population group information was present: 2018

POPULATION GROUP: ALL

SITE	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
BCC	0	0	0	0	1	0	0	1	0	0	2	1	2	0	7
Bladder	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
Bone	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Colorectal	0	0	0	0	0	0	0	0	0	0	0	0	0	3	3
Connective tissue	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
Hogkin lymphoma	0	0	0	1	0	0	0	0	0	0	0	0	0	2	3
Kaposi Sarcoma	0	0	1	0	0	1	0	0	0	0	0	0	0	0	2
Larynx	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
Lung	0	0	0	0	0	0	0	1	0	0	0	0	0	1	2
Melanoma	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Non Hodgkin lymphoma	0	1	0	0	0	0	0	0	1	0	0	0	0	1	3
Oesophagus	0	0	0	0	0	0	0	1	1	0	0	1	1	2	6
Other specified	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Primary site unknown	0	0	0	0	0	1	1	2	4	1	2	0	1	2	14
SCC of skin	0	0	0	0	0	0	0	0	2	1	0	1	0	0	4
Small intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Stomach	0	0	1	0	0	0	0	1	0	0	0	0	0	0	2
Total	1	1	2	1	1	3	2	6	9	2	5	3	4	14	54

Information was missing about sex, although population group information was present: 2018

POPULATION GROUP: ASIAN

SITE	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Oesophagus	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
Total	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1



Information was missing about sex, although population group information was present: 2018

POPULATION GROUP: BLACK

SITE	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
BCC	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
Bladder	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
Bone	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Colorectal	0	0	0	0	0	0	0	0	0	0	0	0	0	3	3
Connective tissue	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
Hogkin lymphoma	0	0	0	1	0	0	0	0	0	0	0	0	0	2	3
Kaposi Sarcoma	0	0	1	0	0	1	0	0	0	0	0	0	0	0	2
Larynx	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
Lung	0	0	0	0	0	0	0	1	0	0	0	0	0	1	2
Non Hodgkin lymphoma	0	1	0	0	0	0	0	0	0	0	0	0	0	1	2
Oesophagus	0	0	0	0	0	0	0	1	1	0	0	0	1	2	5
Other specified	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Primary site unknown	0	0	0	0	0	1	1	2	3	1	2	0	1	2	13
Small intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Stomach	0	0	1	0	0	0	0	1	0	0	0	0	0	0	2
Total	0	1	2	1	0	3	2	5	5	1	4	0	2	14	40

Information was missing about sex, although population group information was present: 2018

POPULATION GROUP: COLOURED

SITE	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Primary site unknown	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
SCC of skin	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
Total	0	0	0	0	0	0	0	0	1	0	0	1	0	0	2



Information was missing about sex, although population group information was present: 2018

POPULATION GROUP: WHITE

SITE	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
BCC	0	0	0	0	1	0	0	1	0	0	1	1	2	0	6
Melanoma	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Non Hodgkin lymphoma	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
SCC of skin	0	0	0	0	0	0	0	0	2	1	0	0	0	0	3
Total	1	0	0	0	1	0	0	1	3	1	1	1	2	0	11



APPENDIX II: Information was missing about population group, although information about sex was present

SEX: FEMALE 2018

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	0	0	0	0	0	0	0	3	0	1	0	1	0	5
BCC	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
Bladder	0	0	0	0	0	0	0	1	0	0	0	0	3	1	1	0	0	0	6
Bone	0	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
Brain, CNS	1	0	0	0	0	0	0	0	0	2	0	0	1	0	1	0	0	0	5
Breast	0	0	0	0	0	1	7	9	16	17	19	16	13	10	10	8	7	0	133
Burkitt lymphoma	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
Cervix	0	0	0	0	0	1	3	9	7	4	6	4	2	6	2	0	0	1	45
Colorectal	0	0	0	0	1	0	1	3	2	2	3	2	6	8	3	3	6	0	40
Connective tissue	0	0	0	0	0	1	1	0	1	0	1	0	1	0	1	0	0	0	6
Eye	0	0	0	0	0	1	0	0	1	2	0	0	0	0	0	0	0	0	4
Haematology other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
Hogkin lymphoma	0	0	1	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	3
Kidney	1	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	3
Larynx	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	1	0	0	4
Leukaemia	0	0	3	0	0	0	1	0	1	0	0	1	0	0	0	0	0	0	6
Liver & Bile duct	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0	2	0	5
Lung	0	0	0	0	0	0	0	0	1	0	2	3	3	3	1	2	0	0	15
Melanoma	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	2
Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
Mouth	0	0	0	0	0	0	0	0	1	1	1	1	1	1	0	0	0	0	6
Myeloma	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	2
Naso-Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	3
Non Hodgkin lymphoma	0	0	0	0	0	2	0	4	3	2	1	2	1	3	0	1	1	2	22
Oesophagus	0	0	0	0	0	0	1	0	0	2	0	3	5	4	1	2	1	0	19
Other specified	0	0	0	0	0	0	1	0	0	0	0	1	0	1	1	0	0	0	4
Ovary	0	0	0	1	0	1	1	0	0	2	1	4	0	1	0	0	0	0	11
Pancreas	0	0	0	0	0	0	0	0	3	0	1	0	0	0	0	0	0	0	4
Placenta	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	2
Primary site unknown	0	0	0	0	0	0	0	0	4	2	4	7	5	2	4	4	4	4	40
SCC of skin	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
Salivary gland	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	2
Skin other	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
Stomach	0	0	0	1	0	0	0	0	0	0	0	2	0	0	2	0	0	0	5
Thyroid	0	0	0	0	0	0	1	1	1	0	1	1	0	1	0	0	1	0	7
Tongue	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
Uterus	0	0	0	0	0	0	1	0	1	0	1	8	3	9	7	5	1	1	37
Vagina	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
Vulva	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	2	0	3
Total	2	0	6	3	1	8	18	30	44	42	42	58	50	55	37	28	28	8	460

APPENDIX II: Information was missing about population group, although information about sex was present

SEX: MALE 2018

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80	UNK	Total
Anus	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	2
BCC	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
Bladder	0	0	0	0	0	0	0	0	1	0	3	0	4	1	4	1	3	0	17
Bone	0	0	0	1	1	0	0	0	0	0	1	0	0	0	0	0	0	0	3
Brain, CNS	1	0	0	0	0	1	0	0	0	0	0	2	0	1	1	0	0	0	6
Colorectal	0	0	0	0	0	3	2	2	0	3	4	4	7	4	7	4	0	1	41
Connective tissue	0	0	0	0	0	1	0	0	0	1	1	2	1	0	1	0	0	0	7
Eye	1	0	0	0	0	0	0	2	1	0	0	0	0	0	0	0	0	0	4
Gum	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
Haematology other	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Hogkin lymphoma	1	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	3
Kaposi Sarcoma	0	0	0	0	0	0	1	0	2	0	0	0	0	1	0	0	0	0	4
Kidney	0	0	0	0	0	0	0	0	0	3	0	0	1	0	0	1	0	0	5
Larynx	0	0	0	0	0	0	1	0	0	2	1	2	0	3	0	2	0	0	11
Leukaemia	0	1	0	0	0	2	0	0	1	0	0	0	0	0	0	0	1	0	5
Liver & Bile duct	0	0	0	0	0	0	0	1	1	1	1	0	0	0	0	0	0	1	5
Lung	0	0	0	0	0	0	0	1	0	3	2	3	2	3	5	2	0	0	21
Melanoma	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	2
Mesothelioma	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	2
Mouth	0	0	0	0	0	0	0	0	2	0	0	1	2	0	1	2	0	0	8
Myeloma	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	2
Naso-Oropharynx	0	0	0	0	0	0	0	1	0	2	1	0	1	0	0	1	0	0	6
Non Hodgkin lymphoma	0	0	0	0	0	0	1	4	2	3	3	0	1	1	4	0	3	0	22
Oesophagus	0	0	0	0	0	0	1	2	1	1	7	1	1	3	2	2	0	1	22
Other specified	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	2	1	0	5
Pancreas	0	0	0	0	0	0	0	0	0	1	1	3	0	2	0	0	1	0	8
Primary site unknown	0	0	0	0	1	2	0	0	2	4	3	7	0	4	5	1	1	0	30
Prostate	0	0	0	0	0	0	0	0	0	3	8	19	29	36	32	16	11	0	154
SCC of skin	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	3
Salivary gland	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
Skin other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
Small intestine	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2
Stomach	0	0	0	0	0	0	1	0	1	1	2	6	3	1	2	1	0	0	18
Testis	0	0	0	1	0	0	2	0	0	0	0	0	0	0	0	0	0	1	4
Thyroid	0	0	0	0	0	0	1	0	1	0	1	0	0	0	0	1	0	0	4
Tongue	0	0	0	0	0	0	0	0	1	0	1	0	1	1	0	1	0	0	5
Total	4	1	1	3	2	9	12	15	16	29	40	51	58	63	67	37	24	4	436

**APPENDIX III: Information was missing about both sex and population group
2018**

SITE	75-79	UNK	Total
Colorectal	1	0	1
Primary site unknown	0	1	1
Total	1	1	2

