

**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2019
FEMALE - ALL POPULATION GROUPS COMBINED**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Breast	10172	10174	23.22	33.86	33.95	33.29	34.63	3.72	27
Cervix	6945	6945	15.85	23.11	22.92	22.38	23.47	2.38	42
BCC	6685	6690	15.26	22.26	21.93	21.40	22.46	2.44	41
SCC of skin	2992	2999	6.83	9.98	9.40	9.07	9.75	0.96	105
Colorectal	1952	1954	4.46	6.50	6.51	6.23	6.81	0.76	132
Primary site unknown	1618	1623	3.69	5.40	5.41	5.14	5.68	0.63	158
Uterus	1576	1576	3.60	5.24	5.36	5.10	5.63	0.71	141
Non Hodgkin lymphoma	1117	1123	2.55	3.74	3.61	3.40	3.83	0.38	265
Melanoma	1031	1032	2.35	3.43	3.38	3.17	3.59	0.38	266
Lung	960	962	2.19	3.20	3.22	3.02	3.43	0.42	241
Oesophagus	862	866	1.97	2.88	2.92	2.73	3.12	0.35	287
Vulva	747	747	1.71	2.49	2.32	2.15	2.49	0.22	450
Ovary	567	567	1.29	1.89	1.94	1.78	2.11	0.23	434
Kaposi Sarcoma	642	644	1.47	2.14	1.88	1.74	2.04	0.15	657
Thyroid	560	560	1.28	1.86	1.82	1.67	1.98	0.19	532
Stomach	520	520	1.19	1.73	1.73	1.58	1.89	0.20	493
Bladder	408	408	0.93	1.36	1.33	1.20	1.47	0.15	660
Kidney	309	309	0.71	1.03	1.07	0.95	1.20	0.11	932
Connective tissue	297	298	0.68	0.99	1.00	0.89	1.12	0.11	951
Anus	291	293	0.66	0.98	0.93	0.82	1.04	0.10	1035
Leukaemia	275	275	0.63	0.92	0.92	0.82	1.04	0.09	1127
Hodgkin lymphoma	289	289	0.66	0.96	0.91	0.81	1.02	0.08	1247
Brain, CNS	249	249	0.57	0.83	0.84	0.74	0.96	0.09	1153
Vagina	245	245	0.56	0.82	0.82	0.72	0.93	0.10	1048
Eye	240	244	0.55	0.81	0.78	0.68	0.88	0.07	1519
Other specified	230	230	0.52	0.77	0.77	0.67	0.88	0.09	1141
Liver & Bile duct	226	227	0.52	0.76	0.76	0.66	0.86	0.08	1181
Pancreas	219	219	0.50	0.73	0.73	0.64	0.84	0.09	1156
Mouth	208	210	0.47	0.70	0.71	0.61	0.81	0.08	1312
Myeloma	199	199	0.45	0.66	0.67	0.58	0.77	0.08	1224
Skin other	173	174	0.39	0.58	0.55	0.47	0.63	0.05	2045
Tongue	156	156	0.36	0.52	0.53	0.45	0.63	0.06	1593
Naso-Oropharynx	149	151	0.34	0.50	0.51	0.43	0.60	0.06	1621
Bone	109	109	0.25	0.36	0.36	0.30	0.44	0.03	3263
Salivary gland	111	111	0.25	0.37	0.36	0.30	0.44	0.03	3054
Larynx	99	99	0.23	0.33	0.34	0.28	0.42	0.04	2310
Small intestine	97	97	0.22	0.32	0.33	0.27	0.41	0.04	2529
Mesothelioma	68	68	0.16	0.23	0.23	0.18	0.29	0.03	3437
Placenta	49	49	0.11	0.16	0.15	0.11	0.20	0.01	9260
Burkitt lymphoma	46	46	0.10	0.15	0.15	0.11	0.20	0.01	8850
Endocrine	38	38	0.09	0.13	0.13	0.09	0.18	0.01	10990
Haematology other	33	33	0.08	0.11	0.11	0.07	0.15	0.01	10753
Gum	33	33	0.08	0.11	0.11	0.07	0.15	0.01	7693
Lip	18	18	0.04	0.06	0.06	0.03	0.09	0.01	18868
Ill defined	1	1	0.00	0.00	0.00	0.00	0.02	0.00	166667
Total	43811	43860	100	113.72	113.13	107.33	119.37	12.44	8

NOTES:

N(OBS)	Number of new cases with sex known
N(ADJ)	Number of new cases adjusted for those with sex unknown
%	Percentage of all cancers
CRUDE	Adjusted cases per 100 000/year
ASR	Age standardised incidence rate per 100 000 (World standard population) The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL	Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74	Cumulative lifetime incidence risk (0-74 years) (per 100 people)
LR 0-74	Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
*TOTALS	The rates calculated for the total exclude BCC and SCC of the skin

**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2019
MALE - ALL POPULATION GROUPS COMBINED**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Prostate	10495	10495	25.29	36.60	52.73	51.72	53.75	6.69	15
BCC	8581	8583	20.68	29.93	41.23	40.35	42.12	4.68	21
SCC of skin	4328	4330	10.43	15.10	21.52	20.87	22.17	2.24	45
Colorectal	2338	2342	5.63	8.17	11.03	10.58	11.49	1.30	77
Lung	1663	1664	4.01	5.80	8.06	7.68	8.46	1.02	98
Primary site unknown	1419	1423	3.42	4.96	6.59	6.25	6.95	0.79	126
Non Hodgkin lymphoma	1328	1330	3.20	4.64	5.46	5.16	5.77	0.57	176
Melanoma	1135	1135	2.74	3.96	5.29	4.98	5.61	0.60	168
Bladder	1022	1022	2.46	3.56	5.06	4.75	5.38	0.56	180
Oesophagus	1034	1034	2.49	3.61	4.92	4.62	5.23	0.63	158
Stomach	830	832	2.00	2.90	3.91	3.64	4.18	0.46	215
Kaposi Sarcoma	874	875	2.11	3.05	2.88	2.69	3.09	0.26	385
Kidney	506	506	1.22	1.76	2.33	2.13	2.55	0.28	353
Larynx	459	459	1.11	1.60	2.20	2.00	2.41	0.28	352
Mouth	380	380	0.92	1.33	1.78	1.60	1.97	0.22	456
Naso-Oropharynx	376	378	0.91	1.32	1.72	1.55	1.91	0.21	482
Tongue	348	349	0.84	1.22	1.65	1.48	1.84	0.20	488
Liver & Bile duct	352	352	0.85	1.23	1.60	1.43	1.78	0.18	543
Penis	317	317	0.76	1.11	1.36	1.21	1.52	0.14	699
Connective tissue	299	299	0.72	1.04	1.26	1.12	1.42	0.13	772
Leukaemia	299	299	0.72	1.04	1.26	1.12	1.41	0.12	869
Pancreas	228	228	0.55	0.80	1.09	0.95	1.24	0.12	825
Eye	287	287	0.69	1.00	1.08	0.95	1.22	0.10	1002
Hodgkin lymphoma	309	309	0.74	1.08	1.05	0.93	1.18	0.09	1103
Brain, CNS	249	249	0.60	0.87	1.05	0.92	1.19	0.11	942
Myeloma	215	215	0.52	0.75	1.01	0.88	1.16	0.12	857
Breast	184	184	0.44	0.64	0.88	0.75	1.02	0.11	943
Skin other	205	205	0.49	0.71	0.88	0.76	1.01	0.09	1173
Other specified	175	175	0.42	0.61	0.81	0.69	0.94	0.09	1055
Anus	181	181	0.44	0.63	0.77	0.66	0.90	0.09	1106
Testis	234	234	0.56	0.82	0.75	0.65	0.86	0.06	1578
Thyroid	168	169	0.40	0.59	0.72	0.61	0.84	0.08	1217
Salivary gland	132	132	0.32	0.46	0.60	0.50	0.71	0.06	1541
Mesothelioma	116	116	0.28	0.40	0.58	0.48	0.69	0.07	1448
Bone	112	112	0.27	0.39	0.41	0.33	0.49	0.03	2937
Small intestine	88	88	0.21	0.31	0.39	0.31	0.48	0.04	2240
Haematology other	62	62	0.15	0.22	0.26	0.20	0.34	0.02	4609
Burkitt lymphoma	74	74	0.18	0.26	0.25	0.19	0.31	0.02	5250
Lip	39	39	0.09	0.14	0.18	0.12	0.24	0.02	4988
Gum	27	27	0.07	0.09	0.13	0.08	0.19	0.02	5525
Endocrine	23	23	0.06	0.08	0.10	0.06	0.15	0.01	11905
Total	41491	41513	100	99.75	134.08	126.73	141.88	15.99	6

NOTES:

N(OBS)	Number of new cases with sex known
N(ADJ)	Number of new cases adjusted for those with sex unknown
%	Percentage of all cancers
CRUDE	Adjusted cases per 100 000/year
ASR	Age standardised incidence rate per 100 000 (World standard population) The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL	Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74	Cumulative lifetime incidence risk (0-74 years) (per 100 people)
LR 0-74	Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
<u>*TOTALS</u>	The rates calculated for the total exclude BCC and SCC of the skin



**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2019
ASIAN FEMALE**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Breast	513	528	38.63	70.90	50.63	46.34	55.24	5.61	18
Colorectal	107	108	8.06	14.50	10.32	8.44	12.53	1.24	81
Uterus	102	103	7.68	13.83	9.63	7.84	11.75	1.30	77
Cervix	80	83	6.02	11.15	8.21	6.52	10.24	0.85	118
Primary site unknown	60	64	4.52	8.59	5.90	4.53	7.61	0.71	141
Thyroid	48	48	3.61	6.45	4.80	3.53	6.42	0.48	207
Non Hodgkin lymphoma	36	38	2.71	5.10	3.48	2.44	4.87	0.50	200
BCC	37	37	2.79	4.97	3.43	2.40	4.80	0.39	256
Lung	32	34	2.41	4.57	3.03	2.08	4.31	0.41	243
Stomach	34	34	2.56	4.57	3.01	2.07	4.29	0.35	285
SCC of skin	27	27	2.03	3.63	2.34	1.52	3.50	0.20	498
Mouth	19	19	1.43	2.55	1.93	1.11	3.15	0.19	514
Kidney	17	17	1.28	2.28	1.88	1.06	3.09	0.22	462
Ovary	18	18	1.36	2.42	1.65	0.97	2.70	0.20	509
Bladder	17	18	1.28	2.42	1.64	0.96	2.68	0.20	494
Hodgkin lymphoma	13	13	0.98	1.75	1.61	0.84	2.79	0.13	769
Brain, CNS	14	14	1.05	1.88	1.45	0.78	2.51	0.13	756
Liver & Bile duct	9	12	0.68	1.61	1.22	0.60	2.22	0.13	791
Salivary gland	11	11	0.83	1.48	1.21	0.60	2.22	0.14	734
Vulva	12	13	0.90	1.75	1.18	0.62	2.11	0.11	887
Oesophagus	11	12	0.83	1.61	1.14	0.58	2.06	0.14	690
Tongue	11	11	0.83	1.48	1.05	0.52	1.97	0.08	1181
Melanoma	11	11	0.83	1.48	1.04	0.52	1.93	0.14	737
Connective tissue	10	10	0.75	1.34	1.01	0.47	1.95	0.10	1007
Leukaemia	7	7	0.53	0.94	0.94	0.33	2.06	0.09	1166
Other specified	10	10	0.75	1.34	0.87	0.41	1.69	0.09	1108
Skin other	8	8	0.60	1.07	0.75	0.31	1.57	0.08	1240
Bone	6	6	0.45	0.81	0.74	0.25	1.67	0.07	1342
Pancreas	7	7	0.53	0.94	0.64	0.25	1.42	0.08	1185
Naso-Oropharynx	6	6	0.45	0.81	0.64	0.21	1.50	0.06	1567
Vagina	8	8	0.60	1.07	0.63	0.27	1.36	0.07	1385
Kaposi Sarcoma	5	5	0.38	0.67	0.62	0.20	1.48	0.05	1999
Haematology other	3	3	0.23	0.40	0.48	0.08	1.40	0.03	2895
Myeloma	5	5	0.38	0.67	0.47	0.15	1.19	0.07	1338
Endocrine	2	2	0.15	0.27	0.34	0.04	1.17	0.02	4988
Larynx	3	3	0.23	0.40	0.31	0.06	0.98	0.04	2351
Mesothelioma	3	3	0.23	0.40	0.26	0.05	0.88	0.02	4567
Eye	2	2	0.15	0.27	0.21	0.03	0.84	0.02	4797
Small intestine	1	2	0.08	0.27	0.20	0.02	0.82	0.03	3431
Gum	2	2	0.15	0.27	0.17	0.02	0.76	0.01	7491
Anus	1	1	0.08	0.13	0.08	0.00	0.63	0.02	4820
Total	1328	1363	100	174.44	125.37	96.10	170.06	14.21	7

NOTES:

N(OBS)	Number of new cases with sex known
N(ADJ)	Number of new cases adjusted for those with sex unknown
%	Percentage of all cancers
CRUDE	Adjusted cases per 100 000/year
ASR	Age standardised incidence rate per 100 000 (World standard population) The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL	Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74	Cumulative lifetime incidence risk (0-74 years) (per 100 people)
LR 0-74	Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
<u>*TOTALS</u>	The rates calculated for the total exclude BCC and SCC of the skin

SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2019
ASIAN MALE

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Prostate	268	279	26.12	35.95	33.79	29.92	38.04	4.58	22
Colorectal	143	146	13.94	18.81	16.74	14.10	19.75	1.95	51
Lung	95	100	9.26	12.88	11.92	9.68	14.54	1.55	64
Bladder	55	55	5.36	7.09	6.55	4.92	8.56	0.79	126
Stomach	52	53	5.07	6.83	6.10	4.55	8.03	0.69	146
Primary site unknown	49	50	4.78	6.44	5.82	4.31	7.72	0.84	119
Non Hodgkin lymphoma	41	44	4.00	5.67	5.04	3.64	6.83	0.56	178
Kidney	32	33	3.12	4.25	3.72	2.55	5.26	0.54	186
BCC	28	28	2.73	3.61	3.21	2.12	4.69	0.38	264
SCC of skin	26	26	2.53	3.35	2.92	1.89	4.35	0.28	359
Tongue	20	20	1.95	2.58	2.35	1.42	3.68	0.23	430
Testis	20	20	1.95	2.58	2.27	1.33	3.61	0.15	674
Mouth	18	18	1.75	2.32	2.01	1.19	3.23	0.23	439
Oesophagus	14	16	1.36	2.06	1.76	1.00	2.91	0.27	365
Brain, CNS	13	13	1.27	1.67	1.70	0.86	2.99	0.14	718
Liver & Bile duct	14	14	1.36	1.80	1.60	0.87	2.72	0.17	574
Thyroid	14	14	1.36	1.80	1.42	0.75	2.48	0.12	801
Larynx	10	11	0.97	1.42	1.27	0.63	2.31	0.17	583
Bone	9	9	0.88	1.16	1.27	0.55	2.46	0.09	1072
Naso-Oropharynx	10	10	0.97	1.29	1.14	0.55	2.14	0.15	653
Pancreas	9	9	0.88	1.16	1.11	0.51	2.15	0.12	801
Other specified	10	10	0.97	1.29	1.11	0.53	2.09	0.15	653
Connective tissue	9	9	0.88	1.16	0.99	0.45	1.94	0.12	843
Anus	8	8	0.78	1.03	0.92	0.39	1.86	0.09	1108
Melanoma	8	8	0.78	1.03	0.87	0.37	1.79	0.06	1670
Penis	7	7	0.68	0.90	0.79	0.31	1.68	0.09	1072
Leukaemia	4	5	0.39	0.64	0.79	0.24	1.85	0.08	1238
Myeloma	6	6	0.58	0.77	0.76	0.27	1.67	0.11	889
Mesothelioma	6	6	0.58	0.77	0.71	0.26	1.60	0.10	1030
Small intestine	6	6	0.58	0.77	0.64	0.23	1.45	0.07	1511
Skin other	4	4	0.39	0.52	0.48	0.13	1.26	0.09	1165
Kaposi Sarcoma	5	5	0.49	0.64	0.44	0.14	1.14	0.04	2340
Hodgkin lymphoma	4	4	0.39	0.52	0.37	0.10	1.06	0.03	3491
Salivary gland	3	3	0.29	0.39	0.37	0.08	1.11	0.06	1639
Eye	3	3	0.29	0.39	0.30	0.06	0.97	0.03	3221
Endocrine	1	1	0.10	0.13	0.11	0.00	0.69	0.01	11300
Burkitt lymphoma	1	1	0.10	0.13	0.11	0.00	0.69	0.01	11300
Haematology other	1	1	0.10	0.13	0.11	0.00	0.69	0.01	9434
Total	1026	1055	100	128.97	117.45	86.89	162.95	14.49	7

NOTES:

N(OBS)	Number of new cases with sex known
N(ADJ)	Number of new cases adjusted for those with sex unknown
%	Percentage of all cancers
CRUDE	Adjusted cases per 100 000/year
ASR	Age standardised incidence rate per 100 000 (World standard population) The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL	Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74	Cumulative lifetime incidence risk (0-74 years) (per 100 people)
LR 0-74	Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
<u>*TOTALS</u>	The rates calculated for the total exclude BCC and SCC of the skin



**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2019
BLACK FEMALE**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Cervix	5903	5932	30.47	24.48	26.86	26.17	27.56	2.80	36
Breast	4244	4412	21.90	18.21	20.41	19.80	21.03	2.15	47
Primary site unknown	948	986	4.89	4.07	4.76	4.46	5.07	0.54	184
Uterus	865	887	4.46	3.66	4.51	4.22	4.82	0.58	172
Oesophagus	671	681	3.46	2.81	3.41	3.15	3.67	0.40	251
Colorectal	654	684	3.38	2.82	3.25	3.01	3.51	0.37	273
Non Hodgkin lymphoma	596	621	3.08	2.56	2.62	2.42	2.84	0.25	401
Vulva	604	610	3.12	2.52	2.44	2.25	2.65	0.23	443
Kaposi Sarcoma	579	588	2.99	2.43	2.15	1.98	2.34	0.17	572
SCC of skin	416	421	2.15	1.74	1.88	1.70	2.08	0.19	532
BCC	328	331	1.69	1.37	1.56	1.39	1.74	0.17	586
Lung	256	271	1.32	1.12	1.33	1.17	1.50	0.16	626
Stomach	222	233	1.15	0.96	1.13	0.99	1.29	0.13	788
Ovary	194	202	1.00	0.83	0.95	0.82	1.09	0.11	945
Thyroid	191	207	0.99	0.85	0.92	0.79	1.05	0.10	1024
Anus	217	219	1.12	0.90	0.91	0.79	1.05	0.09	1091
Eye	218	223	1.13	0.92	0.90	0.78	1.03	0.08	1305
Vagina	174	178	0.90	0.73	0.82	0.70	0.95	0.10	1028
Melanoma	170	170	0.88	0.70	0.81	0.70	0.95	0.09	1131
Leukaemia	163	175	0.84	0.72	0.78	0.66	0.90	0.07	1409
Bladder	154	161	0.79	0.66	0.75	0.64	0.88	0.07	1365
Connective tissue	158	161	0.82	0.66	0.74	0.62	0.86	0.07	1375
Hodgkin lymphoma	176	181	0.91	0.75	0.72	0.61	0.83	0.06	1613
Kidney	140	141	0.72	0.58	0.65	0.55	0.77	0.05	1929
Liver & Bile duct	118	121	0.61	0.50	0.56	0.47	0.67	0.06	1630
Other specified	111	114	0.57	0.47	0.53	0.44	0.64	0.06	1552
Myeloma	101	103	0.52	0.43	0.51	0.42	0.62	0.06	1627
Mouth	85	90	0.44	0.37	0.44	0.35	0.54	0.05	2124
Skin other	91	97	0.47	0.40	0.40	0.33	0.50	0.03	2995
Naso-Oropharynx	78	86	0.40	0.35	0.40	0.31	0.49	0.04	2260
Brain, CNS	79	79	0.41	0.33	0.36	0.28	0.44	0.03	3049
Pancreas	64	69	0.33	0.28	0.33	0.26	0.42	0.04	2578
Salivary gland	59	59	0.30	0.24	0.27	0.20	0.35	0.02	4133
Bone	61	61	0.31	0.25	0.25	0.19	0.32	0.02	5320
Small intestine	47	48	0.24	0.20	0.24	0.17	0.31	0.03	3725
Tongue	41	44	0.21	0.18	0.22	0.16	0.30	0.03	3534
Larynx	42	43	0.22	0.18	0.21	0.15	0.29	0.03	3788
Placenta	46	46	0.24	0.19	0.17	0.12	0.23	0.01	7937
Burkitt lymphoma	39	39	0.20	0.16	0.15	0.11	0.21	0.01	8164
Endocrine	22	22	0.11	0.09	0.09	0.06	0.14	0.01	16950
Mesothelioma	18	18	0.09	0.07	0.09	0.05	0.14	0.01	11495
Gum	11	13	0.06	0.05	0.06	0.03	0.11	0.01	18692
Haematology other	13	13	0.07	0.05	0.06	0.03	0.10	0.00	23810
Lip	9	9	0.05	0.04	0.04	0.02	0.08	0.00	20409
Total	19376	19849	100	78.77	87.20	81.43	93.54	9.22	11

NOTES:

N(OBS)	Number of new cases with sex known
N(ADJ)	Number of new cases adjusted for those with sex unknown
%	Percentage of all cancers
CRUDE	Adjusted cases per 100 000/year
ASR	Age standardised incidence rate per 100 000 (World standard population) The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL	Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74	Cumulative lifetime incidence risk (0-74 years) (per 100 people)
LR 0-74	Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
*TOTALS	The rates calculated for the total exclude BCC and SCC of the skin



**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2019
BLACK MALE**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Prostate	5313	5436	37.60	23.53	46.19	44.94	47.46	5.65	18
Primary site unknown	773	804	5.47	3.48	5.72	5.31	6.15	0.67	150
Oesophagus	699	710	4.95	3.07	5.35	4.95	5.77	0.67	148
Colorectal	714	752	5.05	3.25	5.23	4.84	5.64	0.61	164
Lung	612	631	4.33	2.73	4.73	4.36	5.13	0.60	166
Non Hodgkin lymphoma	735	754	5.20	3.26	3.99	3.69	4.31	0.40	249
Kaposi Sarcoma	792	797	5.61	3.45	3.48	3.23	3.76	0.32	317
SCC of skin	419	419	2.97	1.81	2.93	2.63	3.24	0.30	339
BCC	318	319	2.25	1.38	2.52	2.23	2.82	0.26	381
Stomach	323	333	2.29	1.44	2.39	2.13	2.68	0.29	351
Larynx	250	253	1.77	1.09	1.95	1.71	2.21	0.26	390
Bladder	201	206	1.42	0.89	1.61	1.39	1.85	0.19	523
Penis	240	240	1.70	1.04	1.46	1.27	1.66	0.15	681
Mouth	198	200	1.40	0.87	1.44	1.24	1.66	0.18	552
Naso-Oropharynx	185	192	1.31	0.83	1.29	1.10	1.50	0.15	686
Eye	235	237	1.66	1.03	1.16	1.01	1.33	0.11	919
Tongue	152	154	1.08	0.67	1.12	0.95	1.32	0.14	699
Liver & Bile duct	161	168	1.14	0.73	1.03	0.87	1.22	0.12	840
Leukaemia	171	174	1.21	0.75	0.99	0.83	1.16	0.09	1104
Kidney	150	153	1.06	0.66	0.94	0.79	1.11	0.11	940
Connective tissue	163	166	1.15	0.72	0.93	0.79	1.09	0.10	1037
Hodgkin lymphoma	205	212	1.45	0.92	0.90	0.78	1.04	0.08	1278
Breast	99	101	0.70	0.44	0.81	0.66	1.00	0.10	1038
Melanoma	104	105	0.74	0.45	0.74	0.60	0.91	0.09	1126
Myeloma	94	95	0.67	0.41	0.68	0.54	0.83	0.08	1305
Anus	112	112	0.79	0.48	0.66	0.54	0.80	0.08	1260
Other specified	76	80	0.54	0.35	0.56	0.44	0.70	0.06	1658
Skin other	83	86	0.59	0.37	0.46	0.36	0.58	0.04	2321
Brain, CNS	87	87	0.62	0.38	0.45	0.36	0.56	0.04	2379
Pancreas	60	61	0.42	0.26	0.43	0.33	0.56	0.05	2080
Salivary gland	56	63	0.40	0.27	0.42	0.31	0.54	0.04	2359
Mesothelioma	43	43	0.30	0.19	0.37	0.26	0.49	0.05	2182
Small intestine	41	42	0.29	0.18	0.30	0.21	0.40	0.03	3145
Bone	67	67	0.47	0.29	0.29	0.22	0.38	0.02	4377
Thyroid	43	46	0.30	0.20	0.28	0.20	0.38	0.03	3258
Testis	42	47	0.30	0.20	0.23	0.16	0.31	0.02	4505
Burkitt lymphoma	49	50	0.35	0.22	0.20	0.15	0.27	0.02	6579
Haematology other	32	33	0.23	0.14	0.15	0.10	0.22	0.01	9662
Gum	15	15	0.11	0.06	0.11	0.06	0.18	0.01	8164
Endocrine	11	11	0.08	0.05	0.05	0.03	0.10	0.00	22472
Lip	7	7	0.05	0.03	0.05	0.02	0.11	0.01	19802
Total	14130	14461	100	59.38	99.14	91.73	107.37	11.67	9

NOTES:

N(OBS)	Number of new cases with sex known
N(ADJ)	Number of new cases adjusted for those with sex unknown
%	Percentage of all cancers
CRUDE	Adjusted cases per 100 000/year
ASR	Age standardised incidence rate per 100 000 (World standard population) The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL	Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74	Cumulative lifetime incidence risk (0-74 years) (per 100 people)
LR 0-74	Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
<u>*TOTALS</u>	The rates calculated for the total exclude BCC and SCC of the skin



SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2019
COLOURED FEMALE

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Breast	1359	1398	28.43	52.59	46.53	44.11	49.05	5.09	20
BCC	693	695	14.49	26.14	22.98	21.30	24.77	2.43	41
Cervix	393	397	8.22	14.93	13.31	12.03	14.70	1.36	73
SCC of skin	330	331	6.90	12.45	10.82	9.68	12.06	1.07	93
Colorectal	280	291	5.86	10.95	9.71	8.62	10.91	1.13	89
Uterus	201	207	4.20	7.79	6.94	6.02	7.96	0.92	109
Primary site unknown	200	208	4.18	7.82	6.91	6.00	7.92	0.82	122
Lung	184	188	3.85	7.07	6.28	5.41	7.25	0.83	120
Non Hodgkin lymphoma	115	118	2.41	4.44	3.95	3.27	4.74	0.43	234
Melanoma	116	117	2.43	4.40	3.85	3.18	4.62	0.44	226
Stomach	93	96	1.95	3.61	3.17	2.57	3.88	0.35	284
Oesophagus	78	81	1.63	3.05	2.64	2.10	3.29	0.31	326
Thyroid	61	62	1.28	2.33	2.06	1.58	2.65	0.20	506
Ovary	55	59	1.15	2.22	2.05	1.56	2.65	0.26	383
Vulva	48	48	1.00	1.81	1.64	1.21	2.18	0.20	495
Bladder	42	43	0.88	1.62	1.40	1.01	1.89	0.18	556
Connective tissue	36	38	0.75	1.43	1.32	0.93	1.82	0.14	722
Hodgkin lymphoma	35	37	0.73	1.39	1.27	0.89	1.76	0.13	798
Brain, CNS	32	32	0.67	1.20	1.16	0.79	1.64	0.09	1105
Other specified	33	34	0.69	1.28	1.16	0.80	1.62	0.12	824
Kidney	33	33	0.69	1.24	1.11	0.76	1.56	0.11	928
Mouth	30	32	0.63	1.20	1.05	0.71	1.48	0.10	1031
Tongue	30	32	0.63	1.20	1.03	0.70	1.46	0.11	907
Larynx	27	27	0.56	1.02	0.92	0.61	1.35	0.13	795
Kaposi Sarcoma	28	28	0.59	1.05	0.92	0.61	1.34	0.08	1262
Liver & Bile duct	26	27	0.54	1.02	0.92	0.60	1.34	0.10	1021
Pancreas	27	27	0.56	1.02	0.91	0.60	1.33	0.11	873
Anus	26	26	0.54	0.98	0.85	0.55	1.25	0.08	1288
Naso-Oropharynx	23	23	0.48	0.87	0.80	0.51	1.20	0.12	843
Myeloma	23	24	0.48	0.90	0.78	0.50	1.17	0.09	1120
Vagina	19	19	0.40	0.71	0.64	0.38	1.01	0.07	1379
Small intestine	18	18	0.38	0.68	0.62	0.37	0.98	0.06	1607
Skin other	17	17	0.36	0.64	0.56	0.32	0.90	0.05	1961
Leukaemia	15	16	0.31	0.60	0.52	0.29	0.85	0.06	1545
Mesothelioma	14	14	0.29	0.53	0.47	0.25	0.79	0.07	1530
Bone	9	9	0.19	0.34	0.32	0.15	0.61	0.02	4141
Eye	8	8	0.17	0.30	0.31	0.13	0.62	0.03	3379
Salivary gland	8	8	0.17	0.30	0.28	0.12	0.56	0.03	3914
Endocrine	4	4	0.08	0.15	0.15	0.04	0.39	0.01	9757
Lip	3	3	0.06	0.11	0.11	0.02	0.31	0.01	10639
Burkitt lymphoma	3	3	0.06	0.11	0.10	0.02	0.29	0.01	11696
Haematology other	2	2	0.04	0.08	0.08	0.01	0.28	0.01	8772
Gum	2	2	0.04	0.08	0.07	0.01	0.26	0.01	11050
Ill defined	1	1	0.02	0.04	0.04	0.00	0.20	0.01	16807
Placenta	1	1	0.02	0.04	0.03	0.00	0.19	0.00	37736
Total	4781	4884	100	145.14	128.94	110.34	152.25	14.48	7

NOTES:

N(OBS)	Number of new cases with sex known
N(ADJ)	Number of new cases adjusted for those with sex unknown
%	Percentage of all cancers
CRUDE	Adjusted cases per 100 000/year
ASR	Age standardised incidence rate per 100 000 (World standard population) The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL	Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74	Cumulative lifetime incidence risk (0-74 years) (per 100 people)
LR 0-74	Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
*TOTALS	The rates calculated for the total exclude BCC and SCC of the skin

**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2019
COLOURED MALE**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Prostate	1111	1147	23.56	45.50	57.70	54.32	61.23	6.97	14
BCC	879	879	18.64	34.87	43.26	40.35	46.33	4.58	22
SCC of skin	451	451	9.56	17.89	24.61	22.31	27.06	2.34	43
Colorectal	311	326	6.59	12.93	15.26	13.59	17.07	1.71	59
Lung	265	270	5.62	10.71	12.20	10.75	13.79	1.38	73
Stomach	190	194	4.03	7.70	9.07	7.80	10.49	1.10	91
Primary site unknown	193	199	4.09	7.89	8.81	7.59	10.17	0.99	101
Bladder	139	141	2.95	5.59	7.18	6.01	8.51	0.74	135
Non Hodgkin lymphoma	132	138	2.80	5.47	6.09	5.08	7.24	0.67	148
Oesophagus	124	126	2.63	5.00	5.63	4.66	6.73	0.73	137
Melanoma	103	103	2.18	4.09	5.04	4.08	6.15	0.49	204
Tongue	65	65	1.38	2.58	2.87	2.21	3.68	0.34	292
Larynx	64	65	1.36	2.58	2.86	2.19	3.66	0.38	261
Naso-Oropharynx	60	60	1.27	2.38	2.59	1.96	3.34	0.32	317
Kidney	58	58	1.23	2.30	2.53	1.91	3.29	0.31	320
Mouth	53	54	1.12	2.14	2.38	1.77	3.13	0.26	380
Liver & Bile duct	40	42	0.85	1.67	1.94	1.39	2.63	0.28	358
Kaposi Sarcoma	41	42	0.87	1.67	1.58	1.14	2.16	0.16	619
Connective tissue	34	36	0.72	1.43	1.56	1.08	2.18	0.15	652
Pancreas	31	32	0.66	1.27	1.52	1.02	2.16	0.14	697
Penis	32	32	0.68	1.27	1.46	0.98	2.07	0.17	589
Leukaemia	26	28	0.55	1.11	1.36	0.89	1.98	0.15	680
Other specified	26	27	0.55	1.07	1.19	0.78	1.75	0.14	698
Testis	30	33	0.64	1.31	1.19	0.81	1.69	0.09	1153
Brain, CNS	27	27	0.57	1.07	1.14	0.75	1.66	0.12	868
Breast	24	24	0.51	0.95	1.09	0.69	1.64	0.13	753
Anus	26	26	0.55	1.03	1.08	0.70	1.61	0.11	902
Skin other	19	20	0.40	0.79	1.03	0.61	1.61	0.07	1394
Myeloma	23	24	0.49	0.95	1.03	0.64	1.55	0.14	728
Hodgkin lymphoma	25	25	0.53	0.99	0.92	0.59	1.37	0.07	1374
Eye	18	18	0.38	0.71	0.77	0.45	1.23	0.07	1453
Salivary gland	14	14	0.30	0.56	0.69	0.37	1.17	0.09	1169
Small intestine	15	15	0.32	0.60	0.64	0.36	1.07	0.07	1538
Mesothelioma	12	12	0.25	0.48	0.62	0.31	1.09	0.07	1370
Thyroid	13	13	0.28	0.52	0.60	0.31	1.03	0.07	1465
Burkitt lymphoma	11	11	0.23	0.44	0.48	0.23	0.87	0.04	2736
Lip	11	11	0.23	0.44	0.44	0.22	0.79	0.05	2005
Haematology other	6	7	0.13	0.28	0.37	0.14	0.77	0.02	5209
Bone	9	9	0.19	0.36	0.34	0.15	0.65	0.03	3825
Endocrine	3	3	0.06	0.12	0.13	0.03	0.39	0.02	6154
Gum	2	2	0.04	0.08	0.08	0.01	0.30	0.01	10102
Total	4716	4809	100	138.03	163.46	138.57	193.90	18.85	5

NOTES:

- N(OBS) Number of new cases with sex known
- N(ADJ) Number of new cases adjusted for those with sex unknown
- % Percentage of all cancers
- CRUDE Adjusted cases per 100 000/year
- ASR Age standardised incidence rate per 100 000 (World standard population)
The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
- 95% L/UCL Lower/Upper 95% confidence intervals for the ASR
- CUMRISK 0-74 Cumulative lifetime incidence risk (0-74 years) (per 100 people)
- LR 0-74 Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
- *TOTALS The rates calculated for the total exclude BCC and SCC of the skin



SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2019
WHITE FEMALE

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
BCC	5625	5627	32.32	232.64	117.37	113.98	120.86	12.52	8
Breast	3679	3836	21.14	158.60	88.05	85.05	91.15	9.50	11
SCC of skin	2219	2220	12.75	91.78	34.83	33.21	36.53	3.95	25
Melanoma	732	734	4.21	30.35	18.24	16.80	19.78	1.90	53
Colorectal	852	871	4.90	36.01	17.00	15.77	18.33	2.03	49
Cervix	520	533	2.99	22.04	16.28	14.86	17.80	1.55	64
Lung	452	469	2.60	19.39	8.74	7.91	9.66	1.16	86
Thyroid	235	243	1.35	10.05	8.21	7.12	9.43	0.74	135
Uterus	358	379	2.06	15.67	8.05	7.21	8.98	1.04	96
Primary site unknown	348	365	2.00	15.09	7.24	6.44	8.14	0.87	115
Non Hodgkin lymphoma	337	346	1.94	14.31	7.19	6.35	8.14	0.82	122
Ovary	283	288	1.63	11.91	6.77	5.93	7.70	0.79	127
Brain, CNS	123	124	0.71	5.13	3.88	3.13	4.75	0.38	261
Bladder	176	186	1.01	7.69	3.36	2.85	3.97	0.42	236
Kidney	116	118	0.67	4.88	3.16	2.50	3.94	0.34	297
Stomach	146	157	0.84	6.49	3.05	2.55	3.65	0.38	260
Hodgkin lymphoma	56	58	0.32	2.40	2.47	1.82	3.27	0.19	529
Pancreas	113	116	0.65	4.80	2.21	1.79	2.73	0.27	377
Connective tissue	87	89	0.50	3.68	2.17	1.66	2.81	0.23	427
Leukaemia	75	77	0.43	3.18	1.96	1.44	2.61	0.19	530
Vulva	72	76	0.41	3.14	1.84	1.41	2.38	0.20	512
Oesophagus	78	92	0.45	3.80	1.83	1.45	2.31	0.23	444
Tongue	69	69	0.40	2.85	1.64	1.24	2.15	0.19	530
Other specified	68	72	0.39	2.98	1.60	1.20	2.12	0.17	580
Liver & Bile duct	63	67	0.36	2.77	1.40	1.00	1.92	0.16	622
Mouth	66	69	0.38	2.85	1.38	1.05	1.81	0.16	622
Bone	33	33	0.19	1.36	1.22	0.80	1.78	0.10	961
Skin other	47	52	0.27	2.15	1.21	0.85	1.69	0.12	867
Anus	47	47	0.27	1.94	1.11	0.79	1.54	0.13	761
Myeloma	60	67	0.34	2.77	1.09	0.82	1.45	0.15	682
Vagina	35	40	0.20	1.65	0.97	0.68	1.37	0.11	899
Kaposi Sarcoma	23	23	0.13	0.95	0.91	0.56	1.40	0.07	1441
Naso-Oropharynx	36	36	0.21	1.49	0.74	0.50	1.09	0.10	1047
Salivary gland	31	33	0.18	1.36	0.71	0.44	1.09	0.06	1656
Mesothelioma	33	33	0.19	1.36	0.68	0.46	1.01	0.09	1083
Small intestine	27	29	0.16	1.20	0.67	0.43	1.02	0.08	1220
Larynx	26	26	0.15	1.07	0.58	0.36	0.91	0.07	1496
Endocrine	10	10	0.06	0.41	0.51	0.20	1.03	0.03	3111
Haematology other	14	15	0.08	0.62	0.38	0.18	0.71	0.03	3063
Gum	15	16	0.09	0.66	0.30	0.15	0.57	0.04	2348
Burkitt lymphoma	4	4	0.02	0.17	0.29	0.07	0.71	0.02	6370
Eye	9	11	0.05	0.45	0.28	0.12	0.57	0.03	3832
Lip	6	6	0.03	0.25	0.08	0.02	0.27	0.01	15625
Placenta	1	2	0.01	0.08	0.08	0.01	0.30	0.01	15625
Total	17405	17764	100	410.00	229.53	205.97	258.04	25.16	4

NOTES:

N(OBS)	Number of new cases with sex known
N(ADJ)	Number of new cases adjusted for those with sex unknown
%	Percentage of all cancers
CRUDE	Adjusted cases per 100 000/year
ASR	Age standardised incidence rate per 100 000 (World standard population) The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL	Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74	Cumulative lifetime incidence risk (0-74 years) (per 100 people)
LR 0-74	Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
<u>*TOTALS</u>	The rates calculated for the total exclude BCC and SCC of the skin

SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2019
WHITE MALE

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
BCC	7355	7357	35.46	323.62	170.08	165.96	174.31	18.22	5
Prostate	3424	3633	16.51	159.81	76.67	74.08	79.35	9.88	10
SCC of skin	3428	3434	16.53	151.05	66.62	64.25	69.07	7.57	13
Colorectal	1078	1118	5.20	49.18	24.86	23.33	26.49	2.98	34
Melanoma	919	919	4.43	40.42	22.44	20.90	24.09	2.49	40
Lung	639	663	3.08	29.16	14.38	13.25	15.61	1.85	54
Bladder	593	620	2.86	27.27	12.46	11.41	13.60	1.44	70
Non Hodgkin lymphoma	383	394	1.85	17.33	9.84	8.80	10.98	1.06	95
Primary site unknown	348	370	1.68	16.28	8.74	7.82	9.76	1.05	95
Kidney	256	262	1.23	11.52	6.64	5.77	7.61	0.78	128
Stomach	243	252	1.17	11.08	5.77	5.03	6.60	0.67	149
Testis	131	134	0.63	5.89	5.75	4.78	6.84	0.45	223
Oesophagus	163	182	0.79	8.01	4.26	3.64	4.98	0.55	182
Brain, CNS	122	122	0.59	5.37	4.06	3.26	4.98	0.38	263
Larynx	123	130	0.59	5.72	3.14	2.60	3.79	0.38	266
Naso-Oropharynx	106	116	0.51	5.10	2.99	2.44	3.65	0.36	275
Hodgkin lymphoma	64	68	0.31	2.99	2.85	2.16	3.68	0.23	441
Pancreas	125	126	0.60	5.54	2.84	2.34	3.44	0.33	301
Liver & Bile duct	124	128	0.60	5.63	2.74	2.25	3.33	0.32	311
Tongue	106	110	0.51	4.84	2.67	2.18	3.26	0.33	300
Thyroid	95	96	0.46	4.22	2.66	2.12	3.32	0.29	349
Mouth	100	108	0.48	4.75	2.61	2.12	3.19	0.33	307
Leukaemia	90	92	0.43	4.05	2.50	1.92	3.22	0.21	472
Connective tissue	86	88	0.41	3.87	2.32	1.81	2.94	0.24	423
Skin other	91	95	0.44	4.18	2.13	1.68	2.69	0.22	449
Myeloma	88	90	0.42	3.96	1.92	1.52	2.42	0.22	445
Other specified	54	58	0.26	2.55	1.51	1.09	2.05	0.17	590
Breast	52	59	0.25	2.60	1.34	1.00	1.77	0.16	629
Salivary gland	51	52	0.25	2.29	1.24	0.89	1.70	0.13	764
Kaposi Sarcoma	30	31	0.14	1.36	1.18	0.79	1.71	0.10	1019
Bone	26	27	0.13	1.19	1.08	0.68	1.62	0.09	1095
Mesothelioma	55	55	0.27	2.42	1.01	0.74	1.37	0.12	828
Anus	35	35	0.17	1.54	0.87	0.60	1.26	0.11	926
Penis	36	38	0.17	1.67	0.87	0.60	1.25	0.10	1002
Eye	29	29	0.14	1.28	0.79	0.49	1.24	0.08	1326
Small intestine	24	25	0.12	1.10	0.63	0.40	0.99	0.08	1329
Burkitt lymphoma	12	12	0.06	0.53	0.56	0.28	1.01	0.04	2376
Haematology other	21	21	0.10	0.92	0.52	0.28	0.89	0.05	1866
Lip	20	21	0.10	0.92	0.51	0.31	0.83	0.06	1680
Endocrine	8	8	0.04	0.35	0.27	0.08	0.62	0.02	4785
Gum	10	10	0.05	0.44	0.21	0.10	0.44	0.04	2809
Total	20743	21188	100	457.33	239.83	215.54	268.57	28.39	4

NOTES:

N(OBS)	Number of new cases with sex known
N(ADJ)	Number of new cases adjusted for those with sex unknown
%	Percentage of all cancers
CRUDE	Adjusted cases per 100 000/year
ASR	Age standardised incidence rate per 100 000 (World standard population) The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
95% L/UCL	Lower/Upper 95% confidence intervals for the ASR
CUMRISK 0-74	Cumulative lifetime incidence risk (0-74 years) (per 100 people)
LR 0-74	Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
*TOTALS	The rates calculated for the total exclude BCC and SCC of the skin

FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2019
ALL FEMALES

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	14	28	48	44	32	25	24	21	21	17	7	12	4	297
BCC	0	1	3	7	16	44	90	203	309	477	542	630	822	870	916	763	997	21	6711
Bladder	0	0	0	0	0	3	9	15	20	25	39	50	40	55	53	44	55	11	419
Bone	0	5	19	14	5	7	4	11	4	8	8	7	3	7	3	2	2	0	109
Brain, CNS	11	12	12	11	5	14	10	15	11	12	14	36	32	22	16	7	9	0	249
Breast	0	0	0	1	25	129	346	619	944	1111	1176	1244	1290	1068	868	711	642	58	10232
Burkitt lymphoma	3	5	3	2	1	4	8	7	3	2	2	3	3	0	0	0	0	0	46
Cervix	1	0	0	1	15	106	448	797	1023	1036	843	805	651	518	293	202	206	56	7001
Colorectal	0	0	1	2	9	17	43	67	91	151	162	255	281	281	219	175	200	3	1957
Connective tissue	16	9	7	4	14	11	11	17	14	13	12	30	41	36	25	20	18	3	301
Endocrine	8	6	3	1	1	6	1	1	2	3	0	2	2	0	1	1	0	0	38
Eye	20	5	1	0	4	19	38	37	38	25	27	7	8	6	4	1	4	2	246
Gum	0	0	0	0	0	1	1	1	1	1	1	1	6	5	6	1	8	0	33
Haematology other	1	1	2	5	0	4	2	0	1	2	3	2	0	3	2	0	5	0	33
Hodgkin lymphoma	1	5	9	15	30	35	42	30	28	24	17	15	11	14	7	3	3	2	291
Ill defined	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
Kaposi Sarcoma	0	0	3	7	40	119	126	136	84	44	27	17	16	6	3	9	7	3	647
Kidney	32	16	5	5	3	2	8	14	16	28	26	29	35	30	25	20	15	1	310
Larynx	0	0	0	0	0	1	2	2	4	8	9	18	19	18	9	4	5	2	101
Leukaemia	18	12	16	11	10	7	13	13	23	16	15	24	20	28	19	17	13	1	276
Lip	0	0	0	0	1	0	0	2	2	0	1	2	0	2	2	2	4	0	18
Liver & Bile duct	10	3	1	1	4	7	5	11	14	10	32	31	22	28	24	13	3	3	230
Lung	0	0	0	0	0	1	11	17	23	35	64	121	143	188	160	115	84	6	968
Melanoma	1	0	0	1	10	27	40	57	62	87	99	106	122	106	119	85	110	7	1039
Mesothelioma	0	0	0	0	0	0	0	0	1	1	6	8	11	15	10	9	7	0	68
Mouth	1	0	0	3	0	7	3	3	9	13	35	21	34	20	19	19	23	2	212
Myeloma	0	0	0	0	0	0	3	2	4	13	17	27	31	29	30	20	23	0	199
Naso-Oropharynx	1	0	2	3	3	6	5	8	15	9	10	16	19	25	17	3	9	2	153
Non Hodgkin lymphoma	2	7	11	20	29	34	89	98	113	100	99	104	87	87	99	74	70	9	1132
Oesophagus	0	0	0	0	0	10	8	7	24	44	83	134	142	145	95	89	85	16	882
Other specified	3	3	1	1	1	2	13	11	11	24	17	23	33	35	20	21	11	0	230
Ovary	2	4	4	12	12	7	18	16	22	49	53	71	95	83	57	29	33	1	568
Pancreas	0	0	0	1	0	1	4	3	11	17	14	25	36	32	28	27	20	1	220
Placenta	0	0	0	1	10	10	11	4	6	6	1	0	0	0	0	0	0	1	50
Primary site unknown	2	3	1	3	10	18	37	55	94	98	162	198	240	196	207	146	153	35	1658
SCC of skin	0	0	1	2	5	14	40	61	75	100	132	212	306	357	451	436	807	8	3007
Salivary gland	0	2	3	5	2	5	6	6	6	9	14	5	14	3	8	12	11	1	112
Skin other	2	0	1	1	8	8	17	17	16	13	12	15	15	11	6	10	22	2	176
Small intestine	0	0	0	0	0	0	1	4	5	15	5	12	18	15	9	6	7	2	99
Stomach	0	0	0	2	3	6	7	15	30	28	52	60	73	71	67	45	61	4	524
Thyroid	0	1	2	8	19	30	40	79	57	76	58	62	48	25	32	13	10	3	563
Tongue	0	0	0	2	0	0	2	0	8	14	14	24	29	22	15	16	10	1	157
Uterus	0	0	0	0	3	2	8	20	34	61	102	178	284	321	273	166	124	5	1581
Vagina	2	1	0	0	2	7	11	25	22	24	21	31	36	24	23	9	7	2	247
Vulva	0	0	0	0	5	23	89	161	137	95	63	43	34	35	24	16	22	3	750
Total	137	101	111	152	305	768	1698	2715	3458	3963	4092	4729	5182	4858	4285	3379	3927	281	44141

FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2019
ALL MALES

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	1	1	0	8	12	26	20	29	22	21	21	11	6	3	1	182
BCC	0	0	2	5	16	22	104	190	298	549	694	974	1108	1251	1322	1024	1024	24	8607
Bladder	2	3	0	0	1	3	5	9	13	39	69	99	153	156	157	148	165	7	1029
Bone	1	7	13	17	14	11	5	8	6	5	4	8	8	2	2	0	1	0	112
Brain, CNS	17	16	6	5	8	6	5	15	17	18	34	27	28	20	11	9	7	1	250
Breast	0	1	0	0	2	0	5	2	4	9	19	28	30	23	27	15	19	1	185
Burkitt lymphoma	3	10	4	3	3	6	12	7	11	4	6	2	1	0	1	0	1	0	74
Colorectal	0	0	0	1	9	19	39	82	99	154	205	308	364	325	305	224	208	8	2350
Connective tissue	14	5	7	7	14	12	11	12	22	28	33	27	31	26	19	20	11	2	301
Endocrine	3	3	0	0	0	1	1	0	1	2	2	3	4	1	0	1	1	0	23
Eye	24	3	0	3	4	8	19	43	58	35	28	16	16	12	7	6	5	0	287
Gum	0	0	0	0	0	0	0	0	2	1	4	6	3	1	7	1	2	0	27
Haematology other	4	6	9	6	2	1	4	0	0	1	2	2	4	6	4	3	8	1	63
Hodgkin lymphoma	1	17	12	17	19	20	41	46	46	32	21	15	7	7	4	2	2	1	310
Kaposi Sarcoma	1	1	4	6	18	81	152	187	146	106	72	34	26	14	12	6	9	6	881
Kidney	35	9	2	1	3	4	7	9	30	42	43	56	71	83	58	40	13	4	510
Larynx	0	0	0	1	0	1	2	6	13	25	58	85	89	68	59	32	20	2	461
Leukaemia	11	16	12	17	7	15	12	13	18	18	22	19	26	26	18	26	23	1	300
Lip	0	0	0	0	0	1	0	1	7	3	5	5	3	5	4	0	5	1	40
Liver & Bile duct	8	2	1	0	4	3	9	24	18	23	28	43	44	51	38	26	30	0	352
Lung	0	0	2	0	1	2	10	19	36	84	158	264	311	290	222	166	99	7	1671
Melanoma	0	1	0	2	4	20	24	39	54	82	86	125	144	140	158	140	116	6	1141
Mesothelioma	0	0	0	0	0	0	1	0	2	2	7	14	10	16	27	17	20	0	116
Mouth	1	0	0	0	2	2	6	6	11	29	53	76	68	53	35	21	17	3	383
Myeloma	0	0	0	0	0	0	5	5	7	16	24	33	35	25	25	19	21	1	216
Naso-Oropharynx	1	0	6	6	2	3	7	15	17	26	48	71	72	39	33	18	14	1	379
Non Hodgkin lymphoma	9	8	16	23	26	47	75	117	141	166	151	123	100	106	89	71	62	11	1341
Oesophagus	0	0	0	0	0	3	7	9	35	69	130	216	175	173	114	58	45	11	1045
Other specified	3	0	0	2	0	2	3	5	10	13	18	27	27	27	15	10	13	2	177
Pancreas	0	0	1	0	0	0	2	2	9	19	17	34	45	32	20	31	16	0	228
Penis	0	0	0	0	0	1	10	22	41	61	57	22	39	27	13	8	16	11	328
Primary site unknown	0	4	0	2	7	21	31	43	63	117	153	225	248	198	138	88	85	23	1446
Prostate	1	0	0	1	1	6	8	14	53	205	645	1304	1926	2205	1929	1310	887	103	10598
SCC of skin	0	1	0	6	5	8	36	43	95	145	208	337	477	642	752	689	886	9	4339
Salivary gland	1	1	3	0	3	4	6	2	6	7	15	12	14	18	14	14	12	0	132
Skin other	1	0	0	4	7	8	6	21	12	17	15	21	8	19	20	23	23	3	208
Small intestine	0	0	0	0	0	2	2	7	4	6	12	14	13	11	6	7	4	0	88
Stomach	0	1	0	0	4	5	15	23	43	55	78	121	127	126	96	71	67	4	836
Testis	4	0	1	9	22	37	38	47	28	16	10	4	7	3	4	3	1	2	236
Thyroid	0	1	1	2	0	7	13	7	13	22	13	20	23	15	15	15	2	0	169
Tongue	1	0	0	0	0	1	1	5	10	27	50	67	71	47	33	23	13	2	351
Total	146	116	102	147	209	393	747	1117	1525	2298	3326	4909	5977	6310	5824	4391	3976	259	41772

FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2019
ASIAN FEMALES

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
BCC	0	0	0	0	0	0	2	3	3	5	2	1	5	2	7	2	5	0	37
Bladder	0	0	0	0	0	1	0	0	0	0	1	2	3	5	2	0	4	0	18
Bone	0	0	1	0	1	0	0	1	0	0	0	1	1	0	1	0	0	0	6
Brain, CNS	0	0	0	0	1	1	1	0	1	3	0	2	1	2	0	1	1	0	14
Breast	0	0	0	0	1	4	12	24	48	53	66	59	79	58	56	45	23	2	530
Cervix	0	0	0	0	1	2	7	9	12	9	4	15	7	7	4	3	3	0	83
Colorectal	0	0	0	0	0	0	1	1	5	10	10	14	26	17	10	10	4	0	108
Connective tissue	0	0	0	0	1	1	0	0	1	0	1	1	1	1	1	2	0	0	10
Endocrine	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	2
Eye	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	2
Gum	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	2
Haematology other	1	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	3
Hodgkin lymphoma	0	0	1	0	2	1	1	0	4	1	2	0	0	1	0	0	0	0	13
Kaposi Sarcoma	0	0	0	0	1	1	0	0	2	0	0	0	1	0	0	0	0	0	5
Kidney	1	0	0	0	0	0	0	0	2	1	2	2	5	3	1	0	0	0	17
Larynx	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0	0	3
Leukaemia	2	0	0	0	0	0	1	2	0	0	0	0	0	0	2	0	0	0	7
Liver & Bile duct	0	0	1	0	0	0	0	1	0	0	1	2	4	0	1	1	1	0	12
Lung	0	0	0	0	0	1	0	0	1	1	0	5	5	6	8	4	3	1	35
Melanoma	0	0	0	0	0	0	2	1	0	1	0	3	0	3	1	0	0	0	11
Mesothelioma	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	0	0	3
Mouth	0	0	0	2	0	0	0	0	0	1	1	1	5	2	2	3	2	0	19
Myeloma	0	0	0	0	0	0	0	0	0	0	0	1	0	4	0	0	0	0	5
Naso-Oropharynx	0	0	0	1	0	0	1	1	0	0	0	0	0	1	1	0	1	1	7
Non Hodgkin lymphoma	0	0	1	0	0	0	0	1	1	0	1	8	4	7	10	1	4	0	38
Oesophagus	0	0	0	0	0	0	1	0	2	1	0	2	1	2	2	0	1	0	12
Other specified	0	0	0	0	0	0	1	0	0	1	0	2	1	1	1	2	1	0	10
Ovary	0	0	0	0	0	1	0	0	2	1	2	1	1	2	4	1	3	0	18
Pancreas	0	0	0	0	0	0	0	0	2	0	0	1	1	0	2	1	0	0	7
Primary site unknown	0	0	0	0	0	0	3	0	3	3	6	8	10	14	6	7	4	1	65
SCC of skin	0	0	0	0	0	0	0	1	0	2	2	2	7	1	1	7	4	1	28
Salivary gland	0	0	0	0	0	3	0	0	0	3	0	1	1	1	2	0	0	0	11
Skin other	0	0	0	0	0	1	0	0	0	0	0	1	1	3	0	0	2	1	9
Small intestine	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	2
Stomach	0	0	0	0	0	0	1	1	1	0	5	10	3	1	5	3	4	0	34
Thyroid	0	0	0	0	0	1	3	17	6	7	2	2	4	1	4	1	0	0	48
Tongue	0	0	0	0	0	0	0	0	4	2	0	0	1	1	0	3	0	0	11
Uterus	0	0	0	0	0	0	0	1	5	2	10	12	22	23	16	8	4	0	103
Vagina	0	0	0	0	0	0	1	0	0	0	0	2	0	0	2	2	1	1	9
Vulva	0	0	0	0	0	0	1	2	2	1	0	1	1	1	1	1	2	0	13
Total	4	0	4	4	8	20	39	66	107	108	121	163	205	173	154	109	78	8	1371

FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2019
ASIAN MALES

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	0	0	0	1	0	2	2	1	1	0	0	1	0	8
BCC	0	0	0	0	0	0	0	1	3	2	4	3	5	4	3	1	2	0	28
Bladder	0	0	0	0	0	0	0	0	1	3	5	8	16	7	7	4	4	0	55
Bone	0	0	3	1	0	0	1	0	1	0	2	0	1	0	0	0	0	0	9
Brain, CNS	1	2	0	0	0	0	0	2	0	2	3	0	3	0	0	0	0	0	13
Burkitt lymphoma	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
Colorectal	0	0	0	0	0	0	2	6	7	10	12	24	19	26	17	12	11	0	146
Connective tissue	0	0	0	0	0	0	0	0	1	0	2	1	1	0	2	2	0	0	9
Endocrine	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
Eye	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	0	0	0	3
Haematology other	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
Hodgkin lymphoma	0	0	0	0	0	1	1	0	2	0	0	0	0	0	0	0	0	0	4
Kaposi Sarcoma	0	0	0	0	0	0	0	3	0	0	1	1	0	0	0	0	0	0	5
Kidney	0	0	0	0	0	1	0	0	2	7	3	4	3	4	8	1	0	0	33
Larynx	0	0	0	0	0	0	0	0	1	0	0	2	3	3	1	1	0	0	11
Leukaemia	1	0	0	1	0	0	0	0	0	1	0	0	0	1	1	0	0	0	5
Liver & Bile duct	0	0	0	0	0	0	0	0	1	0	1	1	2	4	1	4	0	0	14
Lung	0	0	0	0	0	0	1	0	1	4	4	11	18	29	15	11	6	0	100
Melanoma	0	0	0	0	0	0	0	1	1	0	0	2	0	1	0	2	1	0	8
Mesothelioma	0	0	0	0	0	0	0	0	0	0	1	2	0	0	2	0	1	0	6
Mouth	0	0	0	0	0	0	0	1	0	2	4	3	2	0	3	2	1	0	18
Myeloma	0	0	0	0	0	0	0	0	0	0	1	0	0	2	2	0	1	0	6
Naso-Oropharynx	0	0	0	0	0	0	0	0	0	1	2	2	3	1	1	0	0	0	10
Non Hodgkin lymphoma	0	0	0	1	1	3	0	2	5	3	3	6	4	9	3	2	2	0	44
Oesophagus	0	0	0	0	0	0	1	0	0	2	2	4	1	2	4	0	0	0	16
Other specified	0	0	0	0	0	1	1	0	1	1	1	0	2	1	2	0	0	0	10
Pancreas	0	0	0	0	0	0	0	0	0	1	0	1	4	2	0	0	1	0	9
Penis	0	0	0	0	0	0	0	1	0	1	1	0	3	1	0	0	0	1	8
Primary site unknown	0	0	0	0	0	0	1	1	1	3	2	9	11	9	10	1	2	2	52
Prostate	0	0	0	0	0	0	0	1	0	6	12	28	50	63	68	29	22	1	280
SCC of skin	0	0	0	0	0	0	3	1	1	1	1	5	0	2	4	4	4	0	26
Salivary gland	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	3
Skin other	0	0	0	0	0	0	0	0	0	1	0	0	1	0	2	0	0	1	5
Small intestine	0	0	0	0	0	1	0	0	1	0	1	2	1	0	0	0	0	0	6
Stomach	0	0	0	0	0	0	2	2	3	4	6	4	4	12	6	5	5	0	53
Testis	1	0	0	1	3	7	5	2	0	1	0	0	0	0	0	0	0	0	20
Thyroid	0	0	0	1	0	1	5	1	1	2	0	1	2	0	0	0	0	0	14
Tongue	0	0	0	0	0	0	0	1	1	3	1	3	2	4	1	1	3	0	20
Total	3	2	3	5	4	15	23	26	37	63	79	130	162	191	163	82	67	5	1060

FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2019
BLACK FEMALES

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	11	24	42	41	25	18	15	13	11	9	6	4	4	223
BCC	0	1	0	2	0	7	16	22	22	25	31	41	40	24	40	24	36	3	334
Bladder	0	0	0	0	0	2	7	13	15	19	23	23	10	18	5	11	15	10	171
Bone	0	3	15	12	3	5	2	7	1	3	3	2	0	1	2	1	1	0	61
Brain, CNS	8	6	7	6	2	6	6	0	2	3	6	12	8	4	2	0	1	0	79
Breast	0	0	0	0	22	85	208	407	529	593	550	539	455	374	244	192	214	45	4457
Burkitt lymphoma	2	5	2	1	1	3	7	6	3	2	2	2	3	0	0	0	0	0	39
Cervix	1	0	0	1	12	78	384	684	880	885	709	676	563	450	255	175	179	49	5981
Colorectal	0	0	1	1	5	10	28	43	51	64	83	110	111	74	39	41	23	3	687
Connective tissue	14	6	6	4	8	9	8	12	7	5	7	18	20	16	8	3	10	1	162
Endocrine	5	4	3	0	0	5	1	0	1	1	0	1	1	0	0	0	0	0	22
Eye	18	5	0	0	4	18	37	35	36	25	23	6	8	4	2	0	2	2	225
Gum	0	0	0	0	0	0	1	1	1	0	0	1	3	2	0	1	3	0	13
Haematology other	0	1	1	4	0	2	1	0	1	1	1	0	0	1	0	0	0	0	13
Hodgkin lymphoma	1	5	5	9	17	20	30	22	21	12	12	8	8	6	2	1	2	1	182
Kaposi Sarcoma	0	0	3	7	39	110	114	130	70	43	22	15	14	5	3	7	6	3	591
Kidney	28	12	4	5	2	1	4	8	8	12	13	11	13	3	4	9	4	1	142
Larynx	0	0	0	0	0	0	1	2	0	4	3	10	7	10	2	2	2	1	44
Leukaemia	14	10	16	10	10	6	8	10	17	11	11	16	8	16	5	4	3	1	176
Lip	0	0	0	0	1	0	0	2	0	0	0	1	0	1	2	0	2	0	9
Liver & Bile duct	6	3	0	1	4	6	5	7	9	12	5	13	19	9	11	9	2	3	124
Lung	0	0	0	0	0	0	8	12	13	14	22	47	38	49	27	18	23	4	275
Melanoma	1	0	0	1	1	5	4	8	8	13	15	20	20	15	22	18	19	2	172
Mesothelioma	0	0	0	0	0	0	0	0	0	0	3	1	1	5	1	2	5	0	18
Mouth	1	0	0	1	0	7	2	2	6	5	11	10	18	9	6	4	8	1	91
Myeloma	0	0	0	0	0	0	3	2	3	13	13	15	19	12	11	7	5	0	103
Naso-Oropharynx	1	0	1	2	3	6	4	5	13	4	6	10	11	11	5	0	4	1	87
Non Hodgkin lymphoma	2	4	9	17	20	29	76	78	92	79	62	56	32	29	13	11	12	9	630
Oesophagus	0	0	0	0	0	10	7	6	19	30	67	91	112	123	75	76	65	14	695
Other specified	1	3	1	1	1	2	10	6	8	12	11	10	18	14	11	3	2	0	114
Ovary	1	4	3	9	5	4	13	11	12	17	22	24	33	21	12	6	5	1	203
Pancreas	0	0	0	1	0	1	3	3	1	7	8	11	12	9	5	6	2	1	70
Placenta	0	0	0	1	10	10	10	3	5	6	1	0	0	0	0	0	0	1	47
Primary site unknown	2	3	1	3	6	13	29	42	75	74	107	133	145	108	103	68	74	29	1015
SCC of skin	0	0	1	0	5	14	32	53	49	45	30	27	33	39	29	22	42	2	423
Salivary gland	0	1	3	4	1	2	5	3	4	4	8	1	9	2	3	3	6	1	60
Skin other	2	0	1	1	6	5	13	12	13	9	10	9	8	0	0	4	4	1	98
Small intestine	0	0	0	0	0	0	0	3	2	9	4	9	7	6	3	3	2	1	49
Stomach	0	0	0	2	2	5	3	12	21	17	29	17	34	34	21	17	19	3	236
Thyroid	0	1	1	0	3	9	13	31	22	34	21	24	20	10	11	5	2	3	210
Tongue	0	0	0	0	0	0	2	0	2	5	2	3	12	8	5	4	1	0	44
Uterus	0	0	0	0	3	2	6	10	15	24	41	79	176	185	156	109	81	5	892
Vagina	2	0	0	0	2	7	8	22	18	24	14	19	22	17	17	3	3	1	179
Vulva	0	0	0	0	5	22	80	150	121	80	56	30	20	20	8	10	8	2	612
Total	110	77	84	106	203	537	1223	1927	2237	2270	2085	2166	2104	1755	1179	885	901	209	20058

FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2019
BLACK MALES

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	1	1	0	8	9	20	13	20	11	12	11	5	1	0	1	113
BCC	0	0	1	1	3	1	8	10	15	23	35	29	35	44	40	40	34	0	319
Bladder	0	3	0	0	1	2	3	3	8	14	22	20	35	30	29	25	11	5	211
Bone	1	5	8	15	10	8	2	5	3	2	0	5	2	0	1	0	0	0	67
Brain, CNS	12	10	4	1	3	3	1	6	7	7	14	12	4	2	1	0	0	1	88
Breast	0	1	0	0	2	0	3	1	4	7	7	14	13	14	17	6	12	1	102
Burkitt lymphoma	3	8	2	1	2	2	9	6	9	3	4	1	0	0	0	0	0	0	50
Colorectal	0	0	0	0	7	14	24	53	53	54	90	118	125	98	50	34	32	7	759
Connective tissue	12	4	7	7	10	9	9	8	11	20	17	16	18	10	5	2	1	2	168
Endocrine	2	3	0	0	0	0	1	0	1	1	1	1	1	0	0	0	0	0	11
Eye	21	3	0	3	4	7	16	41	50	33	22	13	12	7	3	1	1	0	237
Gum	0	0	0	0	0	0	0	0	2	1	3	3	2	0	2	1	1	0	15
Haematology other	4	3	8	5	2	1	4	0	0	1	0	0	1	2	0	2	0	0	33
Hodgkin lymphoma	1	15	10	9	13	11	28	37	36	24	13	8	2	3	2	0	0	1	213
Kaposi Sarcoma	1	1	4	5	15	77	144	168	137	92	67	29	22	10	11	6	8	6	803
Kidney	31	7	1	1	2	2	3	6	9	13	13	17	17	22	6	3	0	2	155
Larynx	0	0	0	1	0	0	1	3	6	14	38	48	48	40	32	13	9	2	255
Leukaemia	7	13	11	15	7	11	10	8	16	13	9	9	18	10	6	4	7	1	175
Lip	0	0	0	0	0	1	0	0	1	0	0	2	0	2	0	0	1	1	8
Liver & Bile duct	6	2	1	0	3	3	8	21	13	16	18	26	16	15	11	5	4	0	168
Lung	0	0	2	0	1	0	8	12	23	38	84	117	138	105	55	31	17	7	638
Melanoma	0	1	0	0	1	3	4	4	6	9	7	18	15	13	11	10	3	0	105
Mesothelioma	0	0	0	0	0	0	0	0	1	1	3	7	7	6	9	5	4	0	43
Mouth	1	0	0	0	1	2	5	5	7	18	27	40	35	30	16	7	6	2	202
Myeloma	0	0	0	0	0	0	3	3	6	12	15	13	20	7	7	5	4	1	96
Naso-Oropharynx	1	0	4	5	2	2	7	14	10	14	21	34	30	22	10	10	6	0	192
Non Hodgkin lymphoma	7	8	14	22	20	33	54	94	114	111	97	66	41	30	22	12	9	8	762
Oesophagus	0	0	0	0	0	3	5	5	27	54	96	154	120	116	68	34	28	10	720
Other specified	1	0	0	2	0	1	0	4	8	10	8	14	8	10	5	4	5	1	81
Pancreas	0	0	1	0	0	0	1	2	4	7	4	12	14	6	3	6	1	0	61
Penis	0	0	0	0	0	0	9	18	39	53	46	19	26	15	4	4	7	10	250
Primary site unknown	0	4	0	2	7	16	22	30	41	79	96	137	129	119	51	34	37	18	822
Prostate	1	0	0	1	1	6	8	9	35	111	395	742	1037	1131	908	640	411	79	5515
SCC of skin	0	1	0	6	2	5	24	20	40	38	53	49	41	52	25	30	33	4	423
Salivary gland	1	1	2	0	2	3	6	1	4	5	9	5	7	6	4	2	5	0	63
Skin other	1	0	0	4	5	4	3	18	8	13	5	10	2	7	1	2	3	1	87
Small intestine	0	0	0	0	0	1	0	3	2	2	6	8	7	8	0	4	1	0	42
Stomach	0	1	0	0	4	3	11	13	25	30	33	48	48	48	32	22	15	3	336
Testis	3	0	1	4	3	4	3	10	5	5	3	0	1	1	3	0	1	1	48
Thyroid	0	1	0	1	0	2	2	2	5	7	9	5	5	3	2	2	0	0	46
Tongue	0	0	0	0	0	1	1	3	4	10	29	32	28	22	13	10	1	2	156
Total	117	95	81	112	134	241	458	655	815	978	1439	1912	2142	2077	1470	1017	718	177	14638

FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2019
COLOURED FEMALES

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	2	2	1	3	3	6	5	1	1	0	0	2	0	26
BCC	0	0	0	0	2	4	4	24	37	44	57	75	93	97	76	88	94	2	697
Bladder	0	0	0	0	0	0	0	1	1	1	5	8	3	4	10	5	5	1	44
Bone	0	0	1	1	1	0	1	1	0	2	0	0	0	1	0	1	0	0	9
Brain, CNS	2	2	3	2	1	2	0	3	0	0	3	2	4	2	1	2	3	0	32
Breast	0	0	0	1	0	16	53	63	119	140	186	200	196	152	112	91	69	1	1399
Burkitt lymphoma	0	0	0	0	0	1	0	1	0	0	0	1	0	0	0	0	0	0	3
Cervix	0	0	0	0	1	12	19	42	49	63	61	54	36	28	14	8	10	2	399
Colorectal	0	0	0	1	3	2	4	7	12	29	25	45	34	50	31	19	29	0	291
Connective tissue	1	1	1	0	2	1	1	3	2	3	3	3	5	5	3	2	2	1	39
Endocrine	0	2	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	4
Eye	2	0	1	0	0	0	1	1	1	0	0	0	0	1	1	0	0	0	8
Gum	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	2
Haematology other	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2
Hodgkin lymphoma	0	0	1	0	4	6	6	4	1	4	1	2	3	3	2	0	0	0	37
Ill defined	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
Kaposi Sarcoma	0	0	0	0	0	2	6	5	7	1	4	1	0	1	0	1	0	0	28
Kidney	0	1	0	0	0	0	1	1	3	7	3	6	2	2	2	1	4	0	33
Larynx	0	0	0	0	0	1	1	0	2	1	3	4	7	5	3	0	0	0	27
Leukaemia	0	0	0	0	0	0	0	0	1	1	2	5	1	2	2	2	0	0	16
Lip	0	0	0	0	0	0	0	0	2	0	1	0	0	0	0	0	0	0	3
Liver & Bile duct	2	0	0	0	0	0	0	1	2	1	3	6	2	4	2	3	1	0	27
Lung	0	0	0	0	0	0	0	2	3	8	17	24	30	47	27	24	6	0	188
Melanoma	0	0	0	0	0	2	5	7	7	5	17	14	13	14	14	10	9	0	117
Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	2	3	3	3	3	0	0	14
Mouth	0	0	0	0	0	0	1	0	2	5	9	3	3	2	1	3	3	1	33
Myeloma	0	0	0	0	0	0	0	0	1	0	1	4	4	4	3	4	3	0	24
Naso-Oropharynx	0	0	1	0	0	0	0	1	0	3	3	2	3	5	5	0	0	0	23
Non Hodgkin lymphoma	0	1	1	2	5	3	8	8	8	6	12	12	10	11	14	9	8	0	118
Oesophagus	0	0	0	0	0	0	0	0	2	7	12	22	17	4	7	4	6	0	81
Other specified	1	0	0	0	0	0	1	0	2	5	4	4	4	7	1	2	3	0	34
Ovary	1	0	1	1	1	1	0	2	1	6	3	8	12	10	8	2	2	0	59
Pancreas	0	0	0	0	0	0	0	0	4	2	2	5	4	3	4	2	1	0	27
Placenta	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
Primary site unknown	0	0	0	0	1	4	3	4	6	7	26	18	34	25	34	20	26	0	208
SCC of skin	0	0	0	0	0	0	1	1	7	6	9	20	35	45	57	50	100	0	331
Salivary gland	0	0	0	1	1	0	1	1	1	0	0	1	2	0	0	0	0	0	8
Skin other	0	0	0	0	0	0	1	2	2	0	0	2	2	2	1	1	4	0	17
Small intestine	0	0	0	0	0	0	0	0	1	2	1	1	5	4	0	0	4	0	18
Stomach	0	0	0	0	1	0	0	1	4	3	12	13	18	12	10	7	15	0	96
Thyroid	0	0	1	0	2	4	3	11	6	7	10	11	5	2	0	0	0	0	62
Tongue	0	0	0	0	0	0	0	0	0	2	1	9	6	4	2	4	4	0	32
Uterus	0	0	0	0	0	0	2	3	5	8	19	28	38	40	34	12	18	0	207
Vagina	0	1	0	0	0	0	1	0	2	0	2	3	4	3	1	1	1	0	19
Vulva	0	0	0	0	0	0	4	4	8	5	3	4	5	7	6	1	1	0	48
Total	9	8	11	10	26	63	130	206	314	388	526	628	644	614	492	382	433	8	4892

FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2019
COLOURED MALES

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	0	0	0	3	6	5	5	2	2	1	1	1	0	26
BCC	0	0	0	0	2	0	15	19	28	52	76	102	134	116	133	106	96	2	881
Bladder	0	0	0	0	0	1	1	1	0	7	11	16	23	23	20	19	19	0	141
Bone	0	1	2	0	0	1	0	1	1	0	2	1	0	0	0	0	0	0	9
Brain, CNS	0	1	1	1	2	1	0	2	2	1	4	1	5	3	1	2	0	0	27
Breast	0	0	0	0	0	0	2	1	0	1	3	3	5	5	2	0	2	0	24
Burkitt lymphoma	0	2	2	0	0	2	1	0	1	0	1	0	0	0	1	0	1	0	11
Colorectal	0	0	0	1	1	2	6	9	16	23	30	50	47	47	40	28	26	0	326
Connective tissue	2	1	0	0	1	1	1	1	2	1	7	5	2	5	2	4	1	0	36
Endocrine	0	0	0	0	0	1	0	0	0	0	0	0	1	1	0	0	0	0	3
Eye	2	0	0	0	0	0	2	1	5	1	2	0	1	3	0	0	1	0	18
Gum	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	2
Haematology other	0	1	1	1	0	0	0	0	0	0	0	1	0	1	0	0	2	0	7
Hodgkin lymphoma	0	1	1	1	1	0	4	5	3	4	1	2	1	0	0	1	0	0	25
Kaposi Sarcoma	0	0	0	0	2	2	5	7	7	8	3	2	1	4	1	0	0	0	42
Kidney	1	1	0	0	0	1	1	2	6	6	8	5	8	6	8	5	0	1	59
Larynx	0	0	0	0	0	0	0	1	2	5	8	15	11	9	9	4	1	0	65
Leukaemia	1	0	0	1	0	0	0	0	0	2	4	4	4	3	4	2	3	0	28
Lip	0	0	0	0	0	0	0	1	5	1	1	1	1	0	1	0	0	0	11
Liver & Bile duct	2	0	0	0	0	0	0	3	1	3	2	5	5	10	8	3	0	0	42
Lung	0	0	0	0	0	0	1	3	6	21	32	59	47	31	28	29	13	0	270
Melanoma	0	0	0	1	0	0	3	5	5	7	7	8	15	12	13	16	11	0	103
Mesothelioma	0	0	0	0	0	0	0	0	0	0	1	3	1	1	3	1	2	0	12
Mouth	0	0	0	0	1	0	0	0	1	6	12	10	8	6	4	3	3	0	54
Myeloma	0	0	0	0	0	0	2	0	0	1	3	8	2	2	4	1	1	0	24
Naso-Oropharynx	0	0	1	0	0	0	0	0	5	5	9	10	16	7	4	2	1	0	60
Non Hodgkin lymphoma	1	0	0	0	3	5	8	6	8	23	15	12	15	12	16	6	8	2	140
Oesophagus	0	0	0	0	0	0	1	1	3	9	17	28	23	16	17	6	5	0	126
Other specified	0	0	0	0	0	0	1	0	1	0	5	5	5	5	2	2	1	0	27
Pancreas	0	0	0	0	0	0	0	0	1	5	1	7	8	2	2	2	4	0	32
Penis	0	0	0	0	0	1	1	2	1	3	5	1	7	5	3	1	2	0	32
Primary site unknown	0	0	0	0	0	3	2	6	10	12	27	41	34	25	16	12	11	0	199
Prostate	0	0	0	0	0	0	0	1	5	24	55	151	218	256	205	131	101	4	1151
SCC of skin	0	0	0	0	1	0	3	4	9	17	23	29	58	69	81	66	91	0	451
Salivary gland	0	0	0	0	0	0	0	0	0	1	2	1	2	2	3	2	1	0	14
Skin other	0	0	0	0	1	1	0	1	2	1	2	0	0	4	1	3	4	0	20
Small intestine	0	0	0	0	0	0	1	1	0	3	2	0	5	0	1	2	0	0	15
Stomach	0	0	0	0	0	0	2	3	7	12	20	34	35	26	28	13	14	0	194
Testis	0	0	0	1	5	5	5	8	1	2	1	2	1	0	0	2	0	0	33
Thyroid	0	0	0	0	0	1	0	0	0	2	2	1	3	2	1	0	1	0	13
Tongue	1	0	0	0	0	0	0	1	4	6	11	7	18	4	7	5	1	0	65
Total	10	8	8	7	20	28	68	96	151	281	420	636	773	725	670	480	428	9	4818

FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2019
WHITE FEMALES

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	1	2	5	0	4	1	4	7	9	7	1	6	0	47
BCC	0	0	3	5	14	33	68	154	247	403	452	513	684	747	793	649	862	16	5643
Bladder	0	0	0	0	0	0	2	1	4	5	10	17	24	28	36	28	31	0	186
Bone	0	2	2	1	0	2	1	2	3	3	5	4	2	5	0	0	1	0	33
Brain, CNS	1	4	2	3	1	5	3	12	8	6	5	20	19	14	13	4	4	0	124
Breast	0	0	0	0	2	24	73	125	248	325	374	446	560	484	456	383	336	5	3841
Burkitt lymphoma	1	0	1	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	4
Cervix	0	0	0	0	1	14	38	62	82	79	69	60	45	33	20	16	14	5	538
Colorectal	0	0	0	0	1	5	10	16	23	48	44	86	110	140	139	105	144	0	871
Connective tissue	1	2	0	0	3	0	2	2	4	5	1	8	15	14	13	13	6	1	90
Endocrine	3	0	0	0	0	0	0	1	1	2	0	0	1	0	1	1	0	0	10
Eye	0	0	0	0	0	1	0	1	1	0	2	1	0	1	1	1	2	0	11
Gum	0	0	0	0	0	1	0	0	0	0	1	0	2	2	6	0	4	0	16
Haematology other	0	0	1	0	0	1	1	0	0	1	2	2	0	1	1	0	5	0	15
Hodgkin lymphoma	0	0	2	6	7	8	5	4	2	7	2	5	0	4	3	2	1	0	58
Kaposi Sarcoma	0	0	0	0	0	6	6	1	5	0	1	1	1	0	0	1	1	0	23
Kidney	3	3	1	0	1	1	3	5	3	8	8	10	15	22	18	10	7	0	118
Larynx	0	0	0	0	0	0	0	0	2	3	3	4	3	2	4	2	3	1	27
Leukaemia	2	2	0	1	0	1	4	1	5	4	2	3	11	10	10	11	10	0	77
Lip	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	2	2	0	6
Liver & Bile duct	2	0	0	0	0	1	0	2	0	1	1	11	6	9	14	11	9	0	67
Lung	0	0	0	0	0	0	3	3	6	12	25	45	70	86	98	69	52	0	469
Melanoma	0	0	0	0	9	20	29	41	47	68	67	69	89	74	82	57	82	5	739
Mesothelioma	0	0	0	0	0	0	0	0	1	1	2	4	7	7	6	3	2	0	33
Mouth	0	0	0	0	0	0	0	1	1	2	14	7	8	7	10	9	10	0	69
Myeloma	0	0	0	0	0	0	0	0	0	3	7	8	9	9	16	9	15	0	67
Naso-Oropharynx	0	0	0	0	0	0	0	1	2	2	1	4	5	8	6	3	4	0	36
Non Hodgkin lymphoma	0	2	0	1	4	2	5	11	12	15	24	28	41	40	62	53	46	0	346
Oesophagus	0	0	0	0	0	0	0	1	1	6	4	19	12	16	11	9	13	1	93
Other specified	1	0	0	0	0	0	1	5	1	6	2	7	10	13	7	14	5	0	72
Ovary	0	0	0	2	6	1	5	3	7	25	26	38	49	50	33	20	23	0	288
Pancreas	0	0	0	0	0	0	1	0	4	8	4	8	19	20	17	18	17	0	116
Placenta	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	2
Primary site unknown	0	0	0	0	3	1	2	9	10	14	23	39	51	49	64	51	49	1	366
SCC of skin	0	0	0	2	0	0	7	6	19	47	91	163	231	272	364	357	661	5	2225
Salivary gland	0	1	0	0	0	0	0	2	1	2	6	2	2	0	3	9	5	0	33
Skin other	0	0	0	0	2	2	3	3	1	4	2	3	4	6	5	5	12	0	52
Small intestine	0	0	0	0	0	0	1	1	2	4	0	2	5	4	6	3	1	0	29
Stomach	0	0	0	0	0	1	3	1	4	8	6	20	18	24	31	18	23	0	157
Thyroid	0	0	0	8	14	16	21	20	23	28	25	25	19	12	17	7	8	0	243
Tongue	0	0	0	2	0	0	0	0	2	5	11	12	10	9	8	5	5	1	70
Uterus	0	0	0	0	0	0	0	6	9	27	32	59	48	73	67	37	21	0	379
Vagina	0	0	0	0	0	0	1	3	2	0	5	7	10	4	3	3	2	0	40
Vulva	0	0	0	0	0	1	4	5	6	9	4	8	8	7	9	4	11	1	77
Total	14	16	12	32	68	148	306	516	800	1197	1360	1772	2229	2316	2460	2003	2515	42	17806

FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2019
WHITE MALES

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	0	0	3	2	1	2	4	6	7	5	4	1	0	35
BCC	0	0	1	4	11	21	81	160	252	472	579	840	934	1087	1146	877	892	22	7379
Bladder	2	0	0	0	0	0	1	5	4	15	31	55	79	96	101	100	131	1	621
Bone	0	1	0	1	4	2	2	2	1	3	0	2	5	2	1	0	1	0	27
Brain, CNS	4	3	1	3	3	2	4	5	8	8	13	14	16	15	9	7	7	0	122
Breast	0	0	0	0	0	0	0	0	0	1	9	11	12	4	8	9	5	0	59
Burkitt lymphoma	0	0	0	2	1	2	2	1	1	0	1	1	1	0	0	0	0	0	12
Colorectal	0	0	0	0	1	3	7	14	23	67	73	116	173	154	198	150	139	0	1118
Connective tissue	0	0	0	0	3	2	1	3	8	7	7	5	10	11	10	12	9	0	88
Endocrine	1	0	0	0	0	0	0	0	0	0	1	2	2	0	0	1	1	0	8
Eye	1	0	0	0	0	1	1	1	2	1	3	2	3	2	4	5	3	0	29
Gum	0	0	0	0	0	0	0	0	0	0	1	2	0	1	5	0	1	0	10
Haematology other	0	2	0	0	0	0	0	0	0	0	1	1	3	3	4	1	6	0	21
Hodgkin lymphoma	0	1	1	7	5	8	8	4	5	4	7	5	4	4	2	1	2	0	68
Kaposi Sarcoma	0	0	0	1	1	2	3	9	2	6	1	2	3	0	0	0	1	0	31
Kidney	3	1	1	0	1	0	3	1	13	16	19	30	43	51	36	31	13	0	262
Larynx	0	0	0	0	0	1	1	2	4	6	12	20	27	16	17	14	10	0	130
Leukaemia	2	3	1	0	0	4	2	5	2	2	9	6	4	12	7	20	13	0	92
Lip	0	0	0	0	0	0	0	0	1	2	4	2	2	3	3	0	4	0	21
Liver & Bile duct	0	0	0	0	1	0	1	0	3	4	7	11	21	22	18	14	26	0	128
Lung	0	0	0	0	0	2	0	4	6	21	38	77	108	125	124	95	63	0	663
Melanoma	0	0	0	1	3	17	17	29	42	66	72	97	114	114	134	112	101	6	925
Mesothelioma	0	0	0	0	0	0	1	0	1	1	2	2	2	9	13	11	13	0	55
Mouth	0	0	0	0	0	0	1	0	3	3	10	23	23	17	12	9	7	1	109
Myeloma	0	0	0	0	0	0	0	2	1	3	5	12	13	14	12	13	15	0	90
Naso-Oropharynx	0	0	1	1	0	1	0	1	2	6	16	25	23	9	18	6	7	1	117
Non Hodgkin lymphoma	1	0	2	0	2	6	13	15	14	29	36	39	40	55	48	51	43	1	395
Oesophagus	0	0	0	0	0	0	0	3	5	4	15	30	31	39	25	18	12	1	183
Other specified	2	0	0	0	0	0	1	1	0	2	4	8	12	11	6	4	7	0	58
Pancreas	0	0	0	0	0	0	1	0	4	6	12	14	19	22	15	23	10	0	126
Penis	0	0	0	0	0	0	0	1	1	4	5	2	3	6	6	3	7	0	38
Primary site unknown	0	0	0	0	0	2	6	6	11	23	28	38	74	45	61	41	35	2	372
Prostate	0	0	0	0	0	0	0	3	13	64	183	383	621	755	748	510	353	6	3639
SCC of skin	0	0	0	0	2	3	6	18	45	89	131	254	378	519	642	589	758	5	3439
Salivary gland	0	0	1	0	1	1	0	1	2	1	4	6	5	7	7	10	6	0	52
Skin other	0	0	0	0	1	3	3	2	2	2	8	11	5	8	16	18	16	0	95
Small intestine	0	0	0	0	0	0	1	3	1	1	3	4	0	3	5	1	3	0	25
Stomach	0	0	0	0	0	2	0	5	8	9	19	35	40	40	30	31	33	0	252
Testis	0	0	0	3	11	21	25	27	22	8	6	2	5	2	1	1	0	1	135
Thyroid	0	0	1	0	0	3	6	4	7	11	2	13	13	10	12	13	1	0	96
Tongue	0	0	0	0	0	0	0	0	1	8	9	25	23	17	12	7	8	0	110
Total	16	11	10	23	51	109	198	340	522	976	1388	2231	2900	3317	3521	2812	2763	47	21235

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2018 : ALL FEMALES

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.00	0.52	1.03	2.09	2.38	2.02	1.81	1.97	2.07	2.59	2.85	1.80	3.16
BCC	0.00	0.04	0.11	0.30	0.66	1.62	3.30	8.82	16.72	30.18	39.34	51.83	80.95	107.18	153.79	196.63	262.68
Bladder	0.00	0.00	0.00	0.00	0.00	0.11	0.33	0.65	1.08	1.58	2.83	4.11	3.94	6.78	8.90	11.34	14.49
Bone	0.00	0.18	0.70	0.60	0.21	0.26	0.15	0.48	0.22	0.51	0.58	0.58	0.30	0.86	0.50	0.52	0.53
Brain, CNS	0.39	0.42	0.44	0.47	0.21	0.52	0.37	0.65	0.60	0.76	1.02	2.96	3.15	2.71	2.69	1.80	2.37
Breast	0.00	0.00	0.00	0.04	1.03	4.76	12.67	26.89	51.09	70.30	85.36	102.34	127.04	131.58	145.73	183.23	169.15
Burkitt lymphoma	0.11	0.18	0.11	0.09	0.04	0.15	0.29	0.30	0.16	0.13	0.15	0.25	0.30	0.00	0.00	0.00	0.00
Cervix	0.04	0.00	0.00	0.04	0.62	3.91	16.40	34.62	55.36	65.56	61.19	66.23	64.11	63.82	49.19	52.06	54.28
Colorectal	0.00	0.00	0.04	0.09	0.37	0.63	1.57	2.91	4.92	9.56	11.76	20.98	27.67	34.62	36.77	45.10	52.69
Connective tissue	0.57	0.32	0.26	0.17	0.57	0.41	0.40	0.74	0.76	0.82	0.87	2.47	4.04	4.44	4.20	5.15	4.74
Endocrine	0.29	0.21	0.11	0.04	0.04	0.22	0.04	0.04	0.11	0.19	0.00	0.16	0.20	0.00	0.17	0.26	0.00
Eye	0.71	0.18	0.04	0.00	0.16	0.70	1.39	1.61	2.06	1.58	1.96	0.58	0.79	0.74	0.67	0.26	1.05
Gum	0.00	0.00	0.00	0.00	0.00	0.04	0.04	0.04	0.05	0.06	0.07	0.08	0.59	0.62	1.01	0.26	2.11
Haematology other	0.04	0.04	0.07	0.22	0.00	0.15	0.07	0.00	0.05	0.13	0.22	0.16	0.00	0.37	0.34	0.00	1.32
Hodgkin lymphoma	0.04	0.18	0.33	0.65	1.23	1.29	1.54	1.30	1.52	1.52	1.23	1.23	1.08	1.72	1.18	0.77	0.79
Ill defined	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.12	0.00	0.00	0.00
Kaposi Sarcoma	0.00	0.00	0.11	0.30	1.64	4.39	4.61	5.91	4.55	2.78	1.96	1.40	1.58	0.74	0.50	2.32	1.84
Kidney	1.14	0.57	0.18	0.22	0.12	0.07	0.29	0.61	0.87	1.77	1.89	2.39	3.45	3.70	4.20	5.15	3.95
Larynx	0.00	0.00	0.00	0.00	0.00	0.04	0.07	0.09	0.22	0.51	0.65	1.48	1.87	2.22	1.51	1.03	1.32
Leukaemia	0.64	0.42	0.59	0.47	0.41	0.26	0.48	0.56	1.24	1.01	1.09	1.97	1.97	3.45	3.19	4.38	3.43
Lip	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.09	0.11	0.00	0.07	0.16	0.00	0.25	0.34	0.52	1.05
Liver & Bile duct	0.36	0.11	0.04	0.04	0.16	0.26	0.18	0.48	0.60	0.89	0.73	2.63	3.05	2.71	4.70	6.18	3.43
Lung	0.00	0.00	0.00	0.00	0.00	0.04	0.40	0.74	1.24	2.21	4.65	9.95	14.08	23.16	26.86	29.64	22.13
Melanoma	0.04	0.00	0.00	0.04	0.41	1.00	1.46	2.48	3.36	5.51	7.19	8.72	12.01	13.06	19.98	21.91	28.98
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.06	0.44	0.66	1.08	1.85	1.68	2.32	1.84
Mouth	0.04	0.00	0.00	0.13	0.00	0.26	0.11	0.13	0.49	0.82	2.54	1.73	3.35	2.46	3.19	4.90	6.06
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.09	0.22	0.82	1.23	2.22	3.05	3.57	5.04	5.15	6.06
Naso-Oropharynx	0.04	0.00	0.07	0.13	0.12	0.22	0.18	0.35	0.81	0.57	0.73	1.32	1.87	3.08	2.85	0.77	2.37
Non Hodgkin lymphoma	0.07	0.25	0.41	0.86	1.19	1.25	3.26	4.26	6.12	6.33	7.19	8.56	8.57	10.72	16.62	19.07	18.44
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.37	0.29	0.30	1.30	2.78	6.02	11.02	13.98	17.86	15.95	22.94	22.40
Other specified	0.11	0.11	0.04	0.04	0.04	0.07	0.48	0.48	0.60	1.52	1.23	1.89	3.25	4.31	3.36	5.41	2.90
Ovary	0.07	0.14	0.15	0.52	0.49	0.26	0.66	0.70	1.19	3.10	3.85	5.84	9.36	10.23	9.57	7.47	8.69
Pancreas	0.00	0.00	0.00	0.04	0.00	0.04	0.15	0.13	0.60	1.08	1.02	2.06	3.55	3.94	4.70	6.96	5.27
Placenta	0.00	0.00	0.00	0.04	0.41	0.37	0.40	0.17	0.32	0.38	0.07	0.00	0.00	0.00	0.00	0.00	0.00
Primary site unknown	0.07	0.11	0.04	0.13	0.41	0.66	1.35	2.39	5.09	6.20	11.76	16.29	23.63	24.15	34.75	37.63	40.31
SCC of skin	0.00	0.00	0.04	0.09	0.21	0.52	1.46	2.65	4.06	6.33	9.58	17.44	30.13	43.98	75.72	112.36	212.62
Salivary gland	0.00	0.07	0.11	0.22	0.08	0.18	0.22	0.26	0.32	0.57	1.02	0.41	1.38	0.37	1.34	3.09	2.90
Skin other	0.07	0.00	0.04	0.04	0.33	0.30	0.62	0.74	0.87	0.82	0.87	1.23	1.48	1.36	1.01	2.58	5.80
Small intestine	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.17	0.27	0.95	0.36	0.99	1.77	1.85	1.51	1.55	1.84
Stomach	0.00	0.00	0.00	0.09	0.12	0.22	0.26	0.65	1.62	1.77	3.77	4.94	7.19	8.75	11.25	11.60	16.07
Thyroid	0.00	0.04	0.07	0.34	0.78	1.11	1.46	3.43	3.08	4.81	4.21	5.10	4.73	3.08	5.37	3.35	2.63
Tongue	0.00	0.00	0.00	0.09	0.00	0.00	0.07	0.00	0.43	0.89	1.02	1.97	2.86	2.71	2.52	4.12	2.63
Uterus	0.00	0.00	0.00	0.00	0.12	0.07	0.29	0.87	1.84	3.86	7.40	14.64	27.97	39.55	45.83	42.78	32.67
Vagina	0.07	0.04	0.00	0.00	0.08	0.26	0.40	1.09	1.19	1.52	1.52	2.55	3.55	2.96	3.86	2.32	1.84
Vulva	0.00	0.00	0.00	0.00	0.21	0.85	3.26	6.99	7.41	6.01	4.57	3.54	3.35	4.31	4.03	4.12	5.80

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2019 : ALL MALES

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.04	0.04	0.00	0.29	0.52	1.46	1.34	2.52	2.32	2.84	3.77	2.95	2.63	1.67
BCC	0.00	0.00	0.07	0.21	0.65	0.79	3.71	8.25	16.72	36.89	60.35	102.83	149.98	224.67	353.96	449.69	570.41
Bladder	0.07	0.10	0.00	0.00	0.04	0.11	0.18	0.39	0.73	2.62	6.00	10.45	20.71	28.02	42.04	64.99	91.91
Bone	0.03	0.24	0.47	0.72	0.57	0.40	0.18	0.35	0.34	0.34	0.35	0.84	1.08	0.36	0.54	0.00	0.56
Brain, CNS	0.59	0.55	0.22	0.21	0.32	0.22	0.18	0.65	0.95	1.21	2.96	2.85	3.79	3.59	2.95	3.95	3.90
Breast	0.00	0.03	0.00	0.00	0.08	0.00	0.18	0.09	0.22	0.60	1.65	2.96	4.06	4.13	7.23	6.59	10.58
Burkitt lymphoma	0.10	0.34	0.14	0.13	0.12	0.22	0.43	0.30	0.62	0.27	0.52	0.21	0.14	0.00	0.27	0.00	0.56
Colorectal	0.00	0.00	0.00	0.04	0.37	0.68	1.39	3.56	5.56	10.35	17.83	32.52	49.27	58.37	81.66	98.37	115.86
Connective tissue	0.49	0.17	0.25	0.30	0.57	0.43	0.39	0.52	1.23	1.88	2.87	2.85	4.20	4.67	5.09	8.78	6.13
Endocrine	0.10	0.10	0.00	0.00	0.00	0.04	0.04	0.00	0.06	0.13	0.17	0.32	0.54	0.18	0.00	0.44	0.56
Eye	0.83	0.10	0.00	0.13	0.16	0.29	0.68	1.87	3.25	2.35	2.43	1.69	2.17	2.16	1.87	2.63	2.79
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.07	0.35	0.63	0.41	0.18	1.87	0.44	1.11
Haematology other	0.14	0.21	0.33	0.26	0.08	0.04	0.14	0.00	0.00	0.07	0.17	0.21	0.54	1.08	1.07	1.32	4.46
Hodgkin lymphoma	0.03	0.59	0.43	0.72	0.77	0.72	1.46	2.00	2.58	2.15	1.83	1.58	0.95	1.26	1.07	0.88	1.11
Kaposi Sarcoma	0.03	0.03	0.14	0.26	0.73	2.92	5.42	8.12	8.19	7.12	6.26	3.59	3.52	2.51	3.21	2.63	5.01
Kidney	1.22	0.31	0.07	0.04	0.12	0.14	0.25	0.39	1.68	2.82	3.74	5.91	9.61	14.91	15.53	17.57	7.24
Larynx	0.00	0.00	0.00	0.04	0.00	0.04	0.07	0.26	0.73	1.68	5.04	8.97	12.05	12.21	15.80	14.05	11.14
Leukaemia	0.38	0.55	0.43	0.72	0.28	0.54	0.43	0.56	1.01	1.21	1.91	2.01	3.52	4.67	4.82	11.42	12.81
Lip	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.04	0.39	0.20	0.43	0.53	0.41	0.90	1.07	0.00	2.79
Liver & Bile duct	0.28	0.07	0.04	0.00	0.16	0.11	0.32	1.04	1.01	1.55	2.43	4.54	5.96	9.16	10.17	11.42	16.71
Lung	0.00	0.00	0.07	0.00	0.04	0.07	0.36	0.83	2.02	5.64	13.74	27.87	42.10	52.08	59.44	72.90	55.15
Melanoma	0.00	0.03	0.00	0.09	0.16	0.72	0.86	1.69	3.03	5.51	7.48	13.20	19.49	25.14	42.30	61.48	64.62
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.11	0.13	0.61	1.48	1.35	2.87	7.23	7.47	11.14
Mouth	0.03	0.00	0.00	0.00	0.08	0.07	0.21	0.26	0.62	1.95	4.61	8.02	9.20	9.52	9.37	9.22	9.47
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.22	0.39	1.08	2.09	3.48	4.74	4.49	6.69	8.34	11.70
Naso-Oropharynx	0.03	0.00	0.22	0.26	0.08	0.11	0.25	0.65	0.95	1.75	4.17	7.50	9.75	7.00	8.84	7.90	7.80
Non Hodgkin lymphoma	0.31	0.28	0.58	0.98	1.05	1.69	2.68	5.08	7.91	11.15	13.13	12.99	13.54	19.04	23.83	31.18	34.54
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.11	0.25	0.39	1.96	4.64	11.30	22.80	23.69	31.07	30.52	25.47	25.07
Other specified	0.10	0.00	0.00	0.09	0.00	0.07	0.11	0.22	0.56	0.87	1.57	2.85	3.65	4.85	4.02	4.39	7.24
Pancreas	0.00	0.00	0.04	0.00	0.00	0.00	0.07	0.09	0.51	1.28	1.48	3.59	6.09	5.75	5.35	13.61	8.91
Penis	0.00	0.00	0.00	0.00	0.00	0.04	0.36	0.96	2.30	4.10	4.96	2.32	5.28	4.85	3.48	3.51	8.91
Primary site unknown	0.00	0.14	0.00	0.09	0.28	0.76	1.11	1.87	3.54	7.86	13.30	23.75	33.57	35.56	36.95	38.64	47.35
Prostate	0.03	0.00	0.00	0.04	0.04	0.22	0.29	0.61	2.97	13.77	56.09	137.67	260.70	396.01	516.48	575.28	494.09
SCC of skin	0.00	0.03	0.00	0.26	0.20	0.29	1.28	1.87	5.33	9.74	18.09	35.58	64.57	115.30	201.34	302.57	493.54
Salivary gland	0.03	0.03	0.11	0.00	0.12	0.14	0.21	0.09	0.34	0.47	1.30	1.27	1.89	3.23	3.75	6.15	6.68
Skin other	0.03	0.00	0.00	0.17	0.28	0.29	0.21	0.91	0.67	1.14	1.30	2.22	1.08	3.41	5.35	10.10	12.81
Small intestine	0.00	0.00	0.00	0.00	0.00	0.07	0.07	0.30	0.22	0.40	1.04	1.48	1.76	1.98	1.61	3.07	2.23
Stomach	0.00	0.03	0.00	0.00	0.16	0.18	0.54	1.00	2.41	3.70	6.78	12.77	17.19	22.63	25.70	31.18	37.32
Testis	0.14	0.00	0.04	0.38	0.89	1.33	1.36	2.04	1.57	1.08	0.87	0.42	0.95	0.54	1.07	1.32	0.56
Thyroid	0.00	0.03	0.04	0.09	0.00	0.25	0.46	0.30	0.73	1.48	1.13	2.11	3.11	2.69	4.02	6.59	1.11
Tongue	0.03	0.00	0.00	0.00	0.00	0.04	0.04	0.22	0.56	1.81	4.35	7.07	9.61	8.44	8.84	10.10	7.24

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2019 : ASIAN FEMALE

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.15	0.00	0.00
BCC	0.00	0.00	0.00	0.00	0.00	0.00	3.11	4.75	5.44	9.65	4.17	2.29	13.36	6.33	29.06	12.40	32.17
Bladder	0.00	0.00	0.00	0.00	0.00	1.69	0.00	0.00	0.00	0.00	2.09	4.59	8.02	15.82	8.30	0.00	25.73
Bone	0.00	0.00	2.20	0.00	2.02	0.00	0.00	1.58	0.00	0.00	0.00	2.29	2.67	0.00	4.15	0.00	0.00
Brain, CNS	0.00	0.00	0.00	0.00	2.02	1.69	1.56	0.00	1.81	5.79	0.00	4.59	2.67	6.33	0.00	6.20	6.43
Breast	0.00	0.00	0.00	0.00	2.02	6.76	18.66	37.98	87.06	102.26	137.74	135.36	211.15	183.50	232.44	278.91	147.97
Cervix	0.00	0.00	0.00	0.00	2.02	3.38	10.89	14.24	21.76	17.36	8.35	34.41	18.71	22.15	16.60	18.59	19.30
Colorectal	0.00	0.00	0.00	0.00	0.00	0.00	1.56	1.58	9.07	19.29	20.87	32.12	69.49	53.78	41.51	61.98	25.73
Connective tissue	0.00	0.00	0.00	0.00	2.02	1.69	0.00	0.00	1.81	0.00	2.09	2.29	2.67	3.16	4.15	12.40	0.00
Endocrine	0.00	0.00	0.00	2.32	0.00	1.69	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Eye	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.17	0.00	0.00	0.00	0.00	0.00	0.00
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.67	0.00	0.00	0.00	6.43
Haematology other	2.06	0.00	0.00	0.00	0.00	1.69	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.16	0.00	0.00	0.00
Hodgkin lymphoma	0.00	0.00	2.20	0.00	4.05	1.69	1.56	0.00	7.25	1.93	4.17	0.00	0.00	3.16	0.00	0.00	0.00
Kaposi Sarcoma	0.00	0.00	0.00	0.00	2.02	1.69	0.00	0.00	3.63	0.00	0.00	0.00	2.67	0.00	0.00	0.00	0.00
Kidney	2.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.63	1.93	4.17	4.59	13.36	9.49	4.15	0.00	0.00
Larynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.35	3.16	0.00	0.00	0.00
Leukaemia	4.13	0.00	0.00	0.00	0.00	0.00	1.56	3.17	0.00	0.00	0.00	0.00	0.00	0.00	8.30	0.00	0.00
Liver & Bile duct	0.00	0.00	2.20	0.00	0.00	0.00	0.00	1.58	0.00	0.00	2.09	4.59	10.69	0.00	4.15	6.20	6.43
Lung	0.00	0.00	0.00	0.00	0.00	1.69	0.00	0.00	1.81	1.93	0.00	11.47	13.36	18.98	33.21	24.79	19.30
Melanoma	0.00	0.00	0.00	0.00	0.00	0.00	3.11	1.58	0.00	1.93	0.00	6.88	0.00	9.49	4.15	0.00	0.00
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.09	2.29	0.00	0.00	0.00	6.20	0.00
Mouth	0.00	0.00	0.00	4.64	0.00	0.00	0.00	0.00	0.00	1.93	2.09	2.29	13.36	6.33	8.30	18.59	12.87
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.29	0.00	12.66	0.00	0.00	0.00
Naso-Oropharynx	0.00	0.00	0.00	2.32	0.00	0.00	1.56	1.58	0.00	0.00	0.00	0.00	0.00	3.16	4.15	0.00	6.43
Non Hodgkin lymphoma	0.00	0.00	2.20	0.00	0.00	0.00	0.00	1.58	1.81	0.00	2.09	18.35	10.69	22.15	41.51	6.20	25.73
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.00	1.56	0.00	3.63	1.93	0.00	4.59	2.67	6.33	8.30	0.00	6.43
Other specified	0.00	0.00	0.00	0.00	0.00	0.00	1.56	0.00	0.00	1.93	0.00	4.59	2.67	3.16	4.15	12.40	6.43
Ovary	0.00	0.00	0.00	0.00	0.00	1.69	0.00	0.00	3.63	1.93	4.17	2.29	2.67	6.33	16.60	6.20	19.30
Pancreas	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.63	0.00	0.00	2.29	2.67	0.00	8.30	6.20	0.00
Primary site unknown	0.00	0.00	0.00	0.00	0.00	0.00	4.67	0.00	5.44	5.79	12.52	18.35	26.73	44.29	24.90	43.39	25.73
SCC of skin	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.58	0.00	3.86	4.17	4.59	18.71	3.16	4.15	43.39	25.73
Salivary gland	0.00	0.00	0.00	0.00	0.00	5.07	0.00	0.00	0.00	5.79	0.00	2.29	2.67	3.16	8.30	0.00	0.00
Skin other	0.00	0.00	0.00	0.00	0.00	1.69	0.00	0.00	0.00	0.00	0.00	2.29	2.67	9.49	0.00	0.00	12.87
Small intestine	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.67	3.16	0.00	0.00	0.00
Stomach	0.00	0.00	0.00	0.00	0.00	0.00	1.56	1.58	1.81	0.00	10.43	22.94	8.02	3.16	20.75	18.59	25.73
Thyroid	0.00	0.00	0.00	0.00	0.00	1.69	4.67	26.90	10.88	13.51	4.17	4.59	10.69	3.16	16.60	6.20	0.00
Tongue	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	7.25	3.86	0.00	0.00	2.67	3.16	0.00	18.59	0.00
Uterus	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.58	9.07	3.86	20.87	27.53	58.80	72.77	66.41	49.58	25.73
Vagina	0.00	0.00	0.00	0.00	0.00	0.00	1.56	0.00	0.00	0.00	0.00	4.59	0.00	0.00	8.30	12.40	6.43
Vulva	0.00	0.00	0.00	0.00	0.00	0.00	1.56	3.17	3.63	1.93	0.00	2.29	2.67	3.16	4.15	6.20	12.87

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2019 : ASIAN MALE

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.56	0.00	4.24	5.05	3.14	4.07	0.00	0.00	16.06
BCC	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.30	4.68	3.54	8.48	7.58	15.68	16.29	18.39	10.81	32.12
Bladder	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.56	5.32	10.60	20.22	50.18	28.50	42.91	43.23	64.25
Bone	0.00	0.00	6.28	2.20	0.00	0.00	1.24	0.00	1.56	0.00	4.24	0.00	3.14	0.00	0.00	0.00	0.00
Brain, CNS	1.99	3.96	0.00	0.00	0.00	0.00	0.00	2.60	0.00	3.54	6.36	0.00	9.41	0.00	0.00	0.00	0.00
Burkitt lymphoma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Colorectal	0.00	0.00	0.00	0.00	0.00	0.00	2.49	7.79	10.92	17.72	25.44	60.65	59.59	105.86	104.20	129.70	176.68
Connective tissue	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.56	0.00	4.24	2.53	3.14	0.00	12.26	21.62	0.00
Endocrine	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Eye	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.56	0.00	2.12	2.53	0.00	0.00	0.00	0.00	0.00
Haematology other	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.12	0.00	0.00	0.00	0.00	0.00	0.00
Hodgkin lymphoma	0.00	0.00	0.00	0.00	0.00	1.37	1.24	0.00	3.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Kaposi Sarcoma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.90	0.00	0.00	2.12	2.53	0.00	0.00	0.00	0.00	0.00
Kidney	0.00	0.00	0.00	0.00	0.00	1.37	0.00	0.00	3.12	12.41	6.36	10.11	9.41	16.29	49.03	10.81	0.00
Larynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.56	0.00	0.00	5.05	9.41	12.21	6.13	10.81	0.00
Leukaemia	1.99	0.00	0.00	2.20	0.00	0.00	0.00	0.00	0.00	1.77	0.00	0.00	0.00	4.07	6.13	0.00	0.00
Liver & Bile duct	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.56	0.00	2.12	2.53	6.27	16.29	6.13	43.23	0.00
Lung	0.00	0.00	0.00	0.00	0.00	0.00	1.24	0.00	1.56	7.09	8.48	27.80	56.45	118.08	91.94	118.89	96.37
Melanoma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.30	1.56	0.00	0.00	5.05	0.00	4.07	0.00	21.62	16.06
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.12	5.05	0.00	0.00	12.26	0.00	16.06
Mouth	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.30	0.00	3.54	8.48	7.58	6.27	0.00	18.39	21.62	16.06
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.12	0.00	0.00	8.14	12.26	0.00	16.06
Naso-Oropharynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.77	4.24	5.05	9.41	4.07	6.13	0.00	0.00
Non Hodgkin lymphoma	0.00	0.00	0.00	2.20	1.78	4.11	0.00	2.60	7.80	5.32	6.36	15.16	12.55	36.64	18.39	21.62	32.12
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.00	1.24	0.00	0.00	3.54	4.24	10.11	3.14	8.14	24.52	0.00	0.00
Other specified	0.00	0.00	0.00	0.00	0.00	1.37	1.24	0.00	1.56	1.77	2.12	0.00	6.27	4.07	12.26	0.00	0.00
Pancreas	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.77	0.00	2.53	12.55	8.14	0.00	0.00	16.06
Penis	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.30	0.00	1.77	2.12	0.00	9.41	4.07	0.00	0.00	0.00
Primary site unknown	0.00	0.00	0.00	0.00	0.00	0.00	1.24	1.30	1.56	5.32	4.24	22.74	34.50	36.64	61.29	10.81	32.12
Prostate	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.30	0.00	10.63	25.44	70.76	156.82	256.51	416.79	313.45	353.36
SCC of skin	0.00	0.00	0.00	0.00	0.00	0.00	3.73	1.30	1.56	1.77	2.12	12.64	0.00	8.14	24.52	43.23	64.25
Salivary gland	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12.21	0.00	0.00	0.00
Skin other	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.77	0.00	0.00	3.14	0.00	12.26	0.00	0.00
Small intestine	0.00	0.00	0.00	0.00	0.00	1.37	0.00	0.00	1.56	0.00	2.12	5.05	3.14	0.00	0.00	0.00	0.00
Stomach	0.00	0.00	0.00	0.00	0.00	0.00	2.49	2.60	4.68	7.09	12.72	10.11	12.55	48.86	36.78	54.04	80.31
Testis	1.99	0.00	0.00	2.20	5.34	9.58	6.21	2.60	0.00	1.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Thyroid	0.00	0.00	0.00	2.20	0.00	1.37	6.21	1.30	1.56	3.54	0.00	2.53	6.27	0.00	0.00	0.00	0.00
Tongue	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.30	1.56	5.32	2.12	7.58	6.27	16.29	6.13	10.81	48.19

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2019 : BLACK FEMALE

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.00	0.48	1.04	2.21	2.78	2.11	1.81	1.73	1.84	2.01	2.33	2.55	2.03
BCC	0.00	0.04	0.00	0.10	0.00	0.30	0.69	1.16	1.49	2.11	3.11	4.72	5.65	4.39	10.37	10.18	18.29
Bladder	0.00	0.00	0.00	0.00	0.00	0.09	0.30	0.69	1.02	1.60	2.31	2.65	1.41	3.29	1.30	4.67	7.62
Bone	0.00	0.12	0.65	0.61	0.15	0.22	0.09	0.37	0.07	0.25	0.30	0.23	0.00	0.18	0.52	0.42	0.51
Brain, CNS	0.33	0.25	0.30	0.31	0.10	0.26	0.26	0.00	0.14	0.25	0.60	1.38	1.13	0.73	0.52	0.00	0.51
Breast	0.00	0.00	0.00	0.00	1.08	3.70	9.03	21.46	35.92	50.07	55.19	62.09	64.27	68.44	63.28	81.45	108.74
Burkitt lymphoma	0.08	0.21	0.09	0.05	0.05	0.13	0.30	0.32	0.20	0.17	0.20	0.23	0.42	0.00	0.00	0.00	0.00
Cervix	0.04	0.00	0.00	0.05	0.59	3.40	16.67	36.06	59.76	74.73	71.14	77.88	79.52	82.35	66.13	74.24	90.96
Colorectal	0.00	0.00	0.04	0.05	0.24	0.44	1.22	2.27	3.46	5.40	8.33	12.67	15.68	13.54	10.11	17.39	11.69
Connective tissue	0.58	0.25	0.26	0.20	0.39	0.39	0.35	0.63	0.48	0.42	0.70	2.07	2.83	2.93	2.07	1.27	5.08
Endocrine	0.21	0.17	0.13	0.00	0.00	0.22	0.04	0.00	0.07	0.08	0.00	0.12	0.14	0.00	0.00	0.00	0.00
Eye	0.75	0.21	0.00	0.00	0.20	0.78	1.61	1.85	2.44	2.11	2.31	0.69	1.13	0.73	0.52	0.00	1.02
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.05	0.07	0.00	0.00	0.12	0.42	0.37	0.00	0.42	1.52
Haematology other	0.00	0.04	0.04	0.20	0.00	0.09	0.04	0.00	0.07	0.08	0.10	0.00	0.00	0.18	0.00	0.00	0.00
Hodgkin lymphoma	0.04	0.21	0.22	0.46	0.83	0.87	1.30	1.16	1.43	1.01	1.20	0.92	1.13	1.10	0.52	0.42	1.02
Kaposi Sarcoma	0.00	0.00	0.13	0.36	1.91	4.79	4.95	6.85	4.75	3.63	2.21	1.73	1.98	0.92	0.78	2.97	3.05
Kidney	1.16	0.50	0.17	0.26	0.10	0.04	0.17	0.42	0.54	1.01	1.30	1.27	1.84	0.55	1.04	3.82	2.03
Larynx	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.11	0.00	0.34	0.30	1.15	0.99	1.83	0.52	0.85	1.02
Leukaemia	0.58	0.41	0.69	0.51	0.49	0.26	0.35	0.53	1.15	0.93	1.10	1.84	1.13	2.93	1.30	1.70	1.52
Lip	0.00	0.00	0.00	0.00	0.05	0.00	0.00	0.11	0.00	0.00	0.00	0.12	0.00	0.18	0.52	0.00	1.02
Liver & Bile duct	0.25	0.12	0.00	0.05	0.20	0.26	0.22	0.37	0.61	1.01	0.50	1.50	2.68	1.65	2.85	3.82	1.02
Lung	0.00	0.00	0.00	0.00	0.00	0.00	0.35	0.63	0.88	1.18	2.21	5.41	5.37	8.97	7.00	7.64	11.69
Melanoma	0.04	0.00	0.00	0.05	0.05	0.22	0.17	0.42	0.54	1.10	1.51	2.30	2.83	2.75	5.71	7.64	9.65
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.30	0.12	0.14	0.92	0.26	0.85	2.54
Mouth	0.04	0.00	0.00	0.05	0.00	0.30	0.09	0.11	0.41	0.42	1.10	1.15	2.54	1.65	1.56	1.70	4.07
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.11	0.20	1.10	1.30	1.73	2.68	2.20	2.85	2.97	2.54
Naso-Oropharynx	0.04	0.00	0.04	0.10	0.15	0.26	0.17	0.26	0.88	0.34	0.60	1.15	1.55	2.01	1.30	0.00	2.03
Non Hodgkin lymphoma	0.08	0.17	0.39	0.87	0.98	1.26	3.30	4.11	6.25	6.67	6.22	6.45	4.52	5.31	3.37	4.67	6.10
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.44	0.30	0.32	1.29	2.53	6.72	10.48	15.82	22.51	19.45	32.24	33.03
Other specified	0.04	0.12	0.04	0.05	0.05	0.09	0.43	0.32	0.54	1.01	1.10	1.15	2.54	2.56	2.85	1.27	1.02
Ovary	0.04	0.17	0.13	0.46	0.24	0.17	0.56	0.58	0.81	1.44	2.21	2.76	4.66	3.84	3.11	2.55	2.54
Pancreas	0.00	0.00	0.00	0.05	0.00	0.04	0.13	0.16	0.07	0.59	0.80	1.27	1.70	1.65	1.30	2.55	1.02
Placenta	0.00	0.00	0.00	0.05	0.49	0.44	0.43	0.16	0.34	0.51	0.10	0.00	0.00	0.00	0.00	0.00	0.00
Primary site unknown	0.08	0.12	0.04	0.15	0.29	0.57	1.26	2.21	5.09	6.25	10.74	15.32	20.48	19.76	26.71	28.85	37.60
SCC of skin	0.00	0.00	0.04	0.00	0.24	0.61	1.39	2.79	3.33	3.80	3.01	3.11	4.66	7.14	7.52	9.33	21.34
Salivary gland	0.00	0.04	0.13	0.20	0.05	0.09	0.22	0.16	0.27	0.34	0.80	0.12	1.27	0.37	0.78	1.27	3.05
Skin other	0.08	0.00	0.04	0.05	0.29	0.22	0.56	0.63	0.88	0.76	1.00	1.04	1.13	0.00	0.00	1.70	2.03
Small intestine	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.16	0.14	0.76	0.40	1.04	0.99	1.10	0.78	1.27	1.02
Stomach	0.00	0.00	0.00	0.10	0.10	0.22	0.13	0.63	1.43	1.44	2.91	1.96	4.80	6.22	5.45	7.21	9.65
Thyroid	0.00	0.04	0.04	0.00	0.15	0.39	0.56	1.63	1.49	2.87	2.11	2.76	2.83	1.83	2.85	2.12	1.02
Tongue	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.00	0.14	0.42	0.20	0.35	1.70	1.46	1.30	1.70	0.51
Uterus	0.00	0.00	0.00	0.00	0.15	0.09	0.26	0.53	1.02	2.03	4.11	9.10	24.86	33.86	40.46	46.24	41.16
Vagina	0.08	0.00	0.00	0.00	0.10	0.30	0.35	1.16	1.22	2.03	1.40	2.19	3.11	3.11	4.41	1.27	1.52
Vulva	0.00	0.00	0.00	0.00	0.24	0.96	3.47	7.91	8.22	6.75	5.62	3.46	2.83	3.66	2.07	4.24	4.07

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2019 : BLACK MALE

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.05	0.05	0.00	0.34	0.48	1.42	1.18	2.49	1.73	2.53	3.22	2.39	0.85	0.00
BCC	0.00	0.00	0.04	0.05	0.15	0.04	0.34	0.53	1.06	2.08	4.36	4.55	7.38	12.90	19.13	33.93	44.95
Bladder	0.00	0.12	0.00	0.00	0.05	0.09	0.13	0.16	0.57	1.27	2.74	3.14	7.38	8.79	13.87	21.21	14.54
Bone	0.04	0.20	0.34	0.76	0.48	0.34	0.08	0.26	0.21	0.18	0.00	0.78	0.42	0.00	0.48	0.00	0.00
Brain, CNS	0.49	0.40	0.17	0.05	0.15	0.13	0.04	0.32	0.50	0.63	1.74	1.88	0.84	0.59	0.48	0.00	0.00
Breast	0.00	0.04	0.00	0.00	0.10	0.00	0.13	0.05	0.28	0.63	0.87	2.20	2.74	4.10	8.13	5.09	15.87
Burkitt lymphoma	0.12	0.32	0.09	0.05	0.10	0.09	0.38	0.32	0.64	0.27	0.50	0.16	0.00	0.00	0.00	0.00	0.00
Colorectal	0.00	0.00	0.00	0.00	0.34	0.60	1.02	2.80	3.76	4.88	11.20	18.52	26.35	28.73	23.91	28.84	42.31
Connective tissue	0.49	0.16	0.30	0.35	0.48	0.38	0.38	0.42	0.78	1.81	2.12	2.51	3.79	2.93	2.39	1.70	1.32
Endocrine	0.08	0.12	0.00	0.00	0.00	0.00	0.04	0.00	0.07	0.09	0.12	0.16	0.21	0.00	0.00	0.00	0.00
Eye	0.85	0.12	0.00	0.15	0.19	0.30	0.68	2.17	3.55	2.98	2.74	2.04	2.53	2.05	1.43	0.85	1.32
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.14	0.09	0.37	0.47	0.42	0.00	0.96	0.85	1.32
Haematology other	0.16	0.12	0.34	0.25	0.10	0.04	0.17	0.00	0.00	0.09	0.00	0.00	0.21	0.59	0.00	1.70	0.00
Hodgkin lymphoma	0.04	0.60	0.43	0.46	0.63	0.47	1.19	1.96	2.56	2.17	1.62	1.26	0.42	0.88	0.96	0.00	0.00
Kaposi Sarcoma	0.04	0.04	0.17	0.25	0.73	3.28	6.11	8.88	9.73	8.32	8.34	4.55	4.64	2.93	5.26	5.09	10.58
Kidney	1.26	0.28	0.04	0.05	0.10	0.09	0.13	0.32	0.64	1.18	1.62	2.67	3.58	6.45	2.87	2.54	0.00
Larynx	0.00	0.00	0.00	0.05	0.00	0.00	0.04	0.16	0.43	1.27	4.73	7.54	10.12	11.73	15.30	11.03	11.90
Leukaemia	0.28	0.52	0.47	0.76	0.34	0.47	0.42	0.42	1.14	1.18	1.12	1.41	3.79	2.93	2.87	3.39	9.25
Lip	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.07	0.00	0.00	0.31	0.00	0.59	0.00	0.00	1.32
Liver & Bile duct	0.24	0.08	0.04	0.00	0.15	0.13	0.34	1.11	0.92	1.45	2.24	4.08	3.37	4.40	5.26	4.24	5.29
Lung	0.00	0.00	0.09	0.00	0.05	0.00	0.34	0.63	1.63	3.44	10.45	18.37	29.09	30.78	26.30	26.30	22.48
Melanoma	0.00	0.04	0.00	0.00	0.05	0.13	0.17	0.21	0.43	0.81	0.87	2.83	3.16	3.81	5.26	8.48	3.97
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.09	0.37	1.10	1.48	1.76	4.30	4.24	5.29
Mouth	0.04	0.00	0.00	0.00	0.05	0.09	0.21	0.26	0.50	1.63	3.36	6.28	7.38	8.79	7.65	5.94	7.93
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.16	0.43	1.08	1.87	2.04	4.22	2.05	3.35	4.24	5.29
Naso-Oropharynx	0.04	0.00	0.17	0.25	0.10	0.09	0.30	0.74	0.71	1.27	2.61	5.34	6.32	6.45	4.78	8.48	7.93
Non Hodgkin lymphoma	0.28	0.32	0.60	1.11	0.97	1.41	2.29	4.97	8.09	10.03	12.07	10.36	8.64	8.79	10.52	10.18	11.90
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.13	0.21	0.26	1.92	4.88	11.95	24.18	25.30	34.01	32.52	28.84	37.02
Other specified	0.04	0.00	0.00	0.10	0.00	0.04	0.00	0.21	0.57	0.90	1.00	2.20	1.69	2.93	2.39	3.39	6.61
Pancreas	0.00	0.00	0.04	0.00	0.00	0.00	0.04	0.11	0.28	0.63	0.50	1.88	2.95	1.76	1.43	5.09	1.32
Penis	0.00	0.00	0.00	0.00	0.00	0.00	0.38	0.95	2.77	4.79	5.72	2.98	5.48	4.40	1.91	3.39	9.25
Primary site unknown	0.00	0.16	0.00	0.10	0.34	0.68	0.93	1.59	2.91	7.14	11.95	21.51	27.19	34.89	24.39	28.84	48.92
Prostate	0.04	0.00	0.00	0.05	0.05	0.26	0.34	0.48	2.48	10.03	49.15	116.49	218.60	331.55	434.24	542.93	543.38
SCC of skin	0.00	0.04	0.00	0.30	0.10	0.21	1.02	1.06	2.84	3.44	6.59	7.69	8.64	15.24	11.96	25.45	43.63
Salivary gland	0.04	0.04	0.09	0.00	0.10	0.13	0.25	0.05	0.28	0.45	1.12	0.78	1.48	1.76	1.91	1.70	6.61
Skin other	0.04	0.00	0.00	0.20	0.24	0.17	0.13	0.95	0.57	1.18	0.62	1.57	0.42	2.05	0.48	1.70	3.97
Small intestine	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.16	0.14	0.18	0.75	1.26	1.48	2.35	0.00	3.39	1.32
Stomach	0.00	0.04	0.00	0.00	0.19	0.13	0.47	0.69	1.77	2.71	4.11	7.54	10.12	14.07	15.30	18.66	19.83
Testis	0.12	0.00	0.04	0.20	0.15	0.17	0.13	0.53	0.35	0.45	0.37	0.00	0.21	0.29	1.43	0.00	1.32
Thyroid	0.00	0.04	0.00	0.05	0.00	0.09	0.08	0.11	0.35	0.63	1.12	0.78	1.05	0.88	0.96	1.70	0.00
Tongue	0.00	0.00	0.00	0.00	0.00	0.04	0.04	0.16	0.28	0.90	3.61	5.02	5.90	6.45	6.22	8.48	1.32

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2019 : COLOURED FEMALE

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.00	0.92	0.95	0.53	1.89	1.85	3.71	3.60	0.90	1.19	0.00	0.00	6.19
BCC	0.00	0.00	0.00	0.00	0.95	1.84	1.90	12.79	23.30	27.07	35.26	53.95	83.65	115.08	136.28	249.85	291.09
Bladder	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.53	0.63	0.62	3.09	5.76	2.70	4.75	17.93	14.20	15.48
Bone	0.00	0.00	0.45	0.49	0.47	0.00	0.47	0.53	0.00	1.23	0.00	0.00	0.00	1.19	0.00	2.84	0.00
Brain, CNS	0.86	0.86	1.35	0.99	0.47	0.92	0.00	1.60	0.00	0.00	1.86	1.44	3.60	2.37	1.79	5.68	9.29
Breast	0.00	0.00	0.00	0.49	0.00	7.35	25.16	33.59	74.94	86.13	115.06	143.88	176.29	180.33	200.84	258.37	213.68
Burkitt lymphoma	0.00	0.00	0.00	0.00	0.00	0.46	0.00	0.53	0.00	0.00	0.00	0.72	0.00	0.00	0.00	0.00	0.00
Cervix	0.00	0.00	0.00	0.00	0.47	5.51	9.02	22.39	30.86	38.76	37.74	38.85	32.38	33.22	25.10	22.71	30.97
Colorectal	0.00	0.00	0.00	0.49	1.42	0.92	1.90	3.73	7.56	17.84	15.47	32.37	30.58	59.32	55.59	53.95	89.81
Connective tissue	0.43	0.43	0.45	0.00	0.95	0.46	0.47	1.60	1.26	1.85	1.86	2.16	4.50	5.93	5.38	5.68	6.19
Endocrine	0.00	0.86	0.00	0.00	0.47	0.00	0.00	0.00	0.00	0.00	0.00	0.72	0.00	0.00	0.00	0.00	0.00
Eye	0.86	0.00	0.45	0.00	0.00	0.00	0.47	0.53	0.63	0.00	0.00	0.00	0.00	1.19	1.79	0.00	0.00
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.62	0.00	0.00	0.00	1.19	0.00	0.00	0.00
Haematology other	0.00	0.00	0.00	0.49	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.79	0.00	0.00
Hodgkin lymphoma	0.00	0.00	0.45	0.00	1.89	2.76	2.85	2.13	0.63	2.46	0.62	1.44	2.70	3.56	3.59	0.00	0.00
Ill defined	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.19	0.00	0.00	0.00
Kaposi Sarcoma	0.00	0.00	0.00	0.00	0.00	0.92	2.85	2.67	4.41	0.62	2.47	0.72	0.00	1.19	0.00	2.84	0.00
Kidney	0.00	0.43	0.00	0.00	0.00	0.00	0.47	0.53	1.89	4.31	1.86	4.32	1.80	2.37	3.59	2.84	12.39
Larynx	0.00	0.00	0.00	0.00	0.00	0.46	0.47	0.00	1.26	0.62	1.86	2.88	6.30	5.93	5.38	0.00	0.00
Leukaemia	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.63	0.62	1.24	3.60	0.90	2.37	3.59	5.68	0.00
Lip	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.26	0.00	0.62	0.00	0.00	0.00	0.00	0.00	0.00
Liver & Bile duct	0.86	0.00	0.00	0.00	0.00	0.00	0.00	0.53	1.26	0.62	1.86	4.32	1.80	4.75	3.59	8.52	3.10
Lung	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.07	1.89	4.92	10.52	17.27	26.98	55.76	48.42	68.14	18.58
Melanoma	0.00	0.00	0.00	0.00	0.00	0.92	2.37	3.73	4.41	3.08	10.52	10.07	11.69	16.61	25.10	28.39	27.87
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.44	2.70	3.56	5.38	8.52	0.00
Mouth	0.00	0.00	0.00	0.00	0.00	0.00	0.47	0.00	1.26	3.08	5.57	2.16	2.70	2.37	1.79	8.52	9.29
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.63	0.00	0.62	2.88	3.60	4.75	5.38	11.36	9.29
Naso-Oropharynx	0.00	0.00	0.45	0.00	0.00	0.00	0.00	0.53	0.00	1.85	1.86	1.44	2.70	5.93	8.97	0.00	0.00
Non Hodgkin lymphoma	0.00	0.43	0.45	0.99	2.36	1.38	3.80	4.26	5.04	3.69	7.42	8.63	8.99	13.05	25.10	25.55	24.77
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.26	4.31	7.42	15.83	15.29	4.75	12.55	11.36	18.58
Other specified	0.43	0.00	0.00	0.00	0.00	0.00	0.47	0.00	1.26	3.08	2.47	2.88	3.60	8.30	1.79	5.68	9.29
Ovary	0.43	0.00	0.45	0.49	0.47	0.46	0.00	1.07	0.63	3.69	1.86	5.76	10.79	11.86	14.35	5.68	6.19
Pancreas	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.52	1.23	1.24	3.60	3.60	3.56	7.17	5.68	3.10
Placenta	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.53	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Primary site unknown	0.00	0.00	0.00	0.00	0.47	1.84	1.42	2.13	3.78	4.31	16.08	12.95	30.58	29.66	60.97	56.78	80.52
SCC of skin	0.00	0.00	0.00	0.00	0.00	0.00	0.47	0.53	4.41	3.69	5.57	14.39	31.48	53.39	102.21	141.96	309.67
Salivary gland	0.00	0.00	0.00	0.49	0.47	0.00	0.47	0.53	0.63	0.00	0.00	0.72	1.80	0.00	0.00	0.00	0.00
Skin other	0.00	0.00	0.00	0.00	0.00	0.00	0.47	1.07	1.26	0.00	0.00	1.44	1.80	2.37	1.79	2.84	12.39
Small intestine	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.63	1.23	0.62	0.72	4.50	4.75	0.00	0.00	12.39
Stomach	0.00	0.00	0.00	0.00	0.47	0.00	0.00	0.53	2.52	1.85	7.42	9.35	16.19	14.24	17.93	19.87	46.45
Thyroid	0.00	0.00	0.45	0.00	0.95	1.84	1.42	5.86	3.78	4.31	6.19	7.91	4.50	2.37	0.00	0.00	0.00
Tongue	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.23	0.62	6.47	5.40	4.75	3.59	11.36	12.39
Uterus	0.00	0.00	0.00	0.00	0.00	0.00	0.95	1.60	3.15	4.92	11.75	20.14	34.18	47.46	60.97	34.07	55.74
Vagina	0.00	0.43	0.00	0.00	0.00	0.00	0.47	0.00	1.26	0.00	1.24	2.16	3.60	3.56	1.79	2.84	3.10
Vulva	0.00	0.00	0.00	0.00	0.00	0.00	1.90	2.13	5.04	3.08	1.86	2.88	4.50	8.30	10.76	2.84	3.10

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2019 : COLOURED MALE

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.92	3.97	3.64	4.20	2.28	3.33	2.85	5.27	8.06
BCC	0.00	0.00	0.00	0.00	0.93	0.00	7.07	10.47	17.95	34.40	55.29	85.58	152.90	192.87	379.18	558.19	774.19
Bladder	0.00	0.00	0.00	0.00	0.00	0.45	0.47	0.55	0.00	4.63	8.00	13.42	26.24	38.24	57.02	100.05	153.23
Bone	0.00	0.42	0.88	0.00	0.00	0.45	0.00	0.55	0.64	0.00	1.45	0.84	0.00	0.00	0.00	0.00	0.00
Brain, CNS	0.00	0.42	0.44	0.48	0.93	0.45	0.00	1.10	1.28	0.66	2.91	0.84	5.71	4.99	2.85	10.53	0.00
Breast	0.00	0.00	0.00	0.00	0.00	0.00	0.94	0.55	0.00	0.66	2.18	2.52	5.71	8.31	5.70	0.00	16.13
Burkitt lymphoma	0.00	0.83	0.88	0.00	0.00	0.91	0.47	0.00	0.64	0.00	0.73	0.00	0.00	0.00	2.85	0.00	8.06
Colorectal	0.00	0.00	0.00	0.48	0.46	0.91	2.83	4.96	10.26	15.21	21.82	41.95	53.63	78.14	114.04	147.45	209.68
Connective tissue	0.83	0.42	0.00	0.00	0.46	0.45	0.47	0.55	1.28	0.66	5.09	4.20	2.28	8.31	5.70	21.06	8.06
Endocrine	0.00	0.00	0.00	0.00	0.00	0.45	0.00	0.00	0.00	0.00	0.00	0.00	1.14	1.66	0.00	0.00	0.00
Eye	0.83	0.00	0.00	0.00	0.00	0.00	0.94	0.55	3.21	0.66	1.45	0.00	1.14	4.99	0.00	0.00	8.06
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.84	1.14	0.00	0.00	0.00	0.00
Haematology other	0.00	0.42	0.44	0.48	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.84	0.00	1.66	0.00	0.00	16.13
Hodgkin lymphoma	0.00	0.42	0.44	0.48	0.46	0.00	1.88	2.76	1.92	2.65	0.73	1.68	1.14	0.00	0.00	5.27	0.00
Kaposi Sarcoma	0.00	0.00	0.00	0.00	0.93	0.91	2.36	3.86	4.49	5.29	2.18	1.68	1.14	6.65	2.85	0.00	0.00
Kidney	0.42	0.42	0.00	0.00	0.00	0.45	0.47	1.10	3.85	3.97	5.82	4.20	9.13	9.98	22.81	26.33	0.00
Larynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.55	1.28	3.31	5.82	12.59	12.55	14.96	25.66	21.06	8.06
Leukaemia	0.42	0.00	0.00	0.48	0.00	0.00	0.00	0.00	0.00	1.32	2.91	3.36	4.56	4.99	11.40	10.53	24.19
Lip	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.55	3.21	0.66	0.73	0.84	1.14	0.00	2.85	0.00	0.00
Liver & Bile duct	0.83	0.00	0.00	0.00	0.00	0.00	0.00	1.65	0.64	1.98	1.45	4.20	5.71	16.63	22.81	15.80	0.00
Lung	0.00	0.00	0.00	0.00	0.00	0.00	0.47	1.65	3.85	13.89	23.28	49.50	53.63	51.54	79.83	152.71	104.84
Melanoma	0.00	0.00	0.00	0.48	0.00	0.00	1.41	2.76	3.21	4.63	5.09	6.71	17.12	19.95	37.06	84.25	88.71
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.73	2.52	1.14	1.66	8.55	5.27	16.13	0.00
Mouth	0.00	0.00	0.00	0.00	0.46	0.00	0.00	0.00	0.64	3.97	8.73	8.39	9.13	9.98	11.40	15.80	24.19
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.94	0.00	0.00	0.66	2.18	6.71	2.28	3.33	11.40	5.27	8.06
Naso-Oropharynx	0.00	0.00	0.44	0.00	0.00	0.00	0.00	0.00	3.21	3.31	6.55	8.39	18.26	11.64	11.40	10.53	8.06
Non Hodgkin lymphoma	0.42	0.00	0.00	0.00	1.39	2.27	3.77	3.31	5.13	15.21	10.91	10.07	17.12	19.95	45.62	31.60	64.52
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.00	0.47	0.55	1.92	5.95	12.37	23.49	26.24	26.60	48.47	31.60	40.32
Other specified	0.00	0.00	0.00	0.00	0.00	0.00	0.47	0.00	0.64	0.00	3.64	4.20	5.71	8.31	5.70	10.53	8.06
Pancreas	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.64	3.31	0.73	5.87	9.13	3.33	5.70	10.53	32.26
Penis	0.00	0.00	0.00	0.00	0.00	0.45	0.47	1.10	0.64	1.98	3.64	0.84	7.99	8.31	8.55	5.27	16.13
Primary site unknown	0.00	0.00	0.00	0.00	0.00	1.36	0.94	3.31	6.41	7.94	19.64	34.40	38.80	41.57	45.62	63.19	88.71
Prostate	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.55	3.21	15.87	40.01	126.70	248.75	425.64	584.45	689.84	814.52
SCC of skin	0.00	0.00	0.00	0.00	0.46	0.00	1.41	2.20	5.77	11.24	16.73	24.33	66.18	114.72	230.93	347.55	733.87
Salivary gland	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.66	1.45	0.84	2.28	3.33	8.55	10.53	8.06
Skin other	0.00	0.00	0.00	0.00	0.46	0.45	0.00	0.55	1.28	0.66	1.45	0.00	0.00	6.65	2.85	15.80	32.26
Small intestine	0.00	0.00	0.00	0.00	0.00	0.00	0.47	0.55	0.00	1.98	1.45	0.00	5.71	0.00	2.85	10.53	0.00
Stomach	0.00	0.00	0.00	0.00	0.00	0.00	0.94	1.65	4.49	7.94	14.55	28.53	39.94	43.23	79.83	68.46	112.90
Testis	0.00	0.00	0.00	0.48	2.32	2.27	2.36	4.41	0.64	1.32	0.73	1.68	1.14	0.00	0.00	10.53	0.00
Thyroid	0.00	0.00	0.00	0.00	0.00	0.45	0.00	0.00	0.00	1.32	1.45	0.84	3.42	3.33	2.85	0.00	8.06
Tongue	0.42	0.00	0.00	0.00	0.00	0.00	0.00	0.55	2.56	3.97	8.00	5.87	20.54	6.65	19.96	26.33	8.06

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2019 : WHITE FEMALES

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.00	0.73	1.31	3.24	0.00	2.20	0.58	2.43	4.41	6.03	5.38	0.99	4.45
BCC	0.00	0.00	2.30	4.10	10.73	24.04	44.68	99.75	153.17	221.92	263.44	311.11	430.48	500.20	609.13	642.85	638.93
Bladder	0.00	0.00	0.00	0.00	0.00	0.00	1.31	0.65	2.48	2.75	5.83	10.31	15.10	18.75	27.65	27.73	22.98
Bone	0.00	1.59	1.54	0.82	0.00	1.46	0.66	1.30	1.86	1.65	2.91	2.43	1.26	3.35	0.00	0.00	0.74
Brain, CNS	0.89	3.18	1.54	2.46	0.77	3.64	1.97	7.77	4.96	3.30	2.91	12.13	11.96	9.37	9.99	3.96	2.96
Breast	0.00	0.00	0.00	0.00	1.53	17.49	47.96	80.97	153.79	178.97	217.98	270.48	352.44	324.09	350.27	379.37	249.05
Burkitt lymphoma	0.89	0.00	0.77	0.82	0.00	0.00	0.66	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Cervix	0.00	0.00	0.00	0.00	0.77	10.20	24.97	40.16	50.85	43.50	40.21	36.39	28.32	22.10	15.36	15.85	10.38
Colorectal	0.00	0.00	0.00	0.00	0.77	3.64	6.57	10.36	14.26	26.43	25.64	52.16	69.23	93.75	106.77	104.01	106.74
Connective tissue	0.89	1.59	0.00	0.00	2.30	0.00	1.31	1.30	2.48	2.75	0.58	4.85	9.44	9.37	9.99	12.88	4.45
Endocrine	2.66	0.00	0.00	0.00	0.00	0.00	0.00	0.65	0.62	1.10	0.00	0.00	0.63	0.00	0.77	0.99	0.00
Eye	0.00	0.00	0.00	0.00	0.00	0.73	0.00	0.65	0.62	0.00	1.17	0.61	0.00	0.67	0.77	0.99	1.48
Gum	0.00	0.00	0.00	0.00	0.00	0.73	0.00	0.00	0.00	0.00	0.58	0.00	1.26	1.34	4.61	0.00	2.96
Haematology other	0.00	0.00	0.77	0.00	0.00	0.73	0.66	0.00	0.00	0.55	1.17	1.21	0.00	0.67	0.77	0.00	3.71
Hodgkin lymphoma	0.00	0.00	1.54	4.92	5.37	5.83	3.29	2.59	1.24	3.85	1.17	3.03	0.00	2.68	2.30	1.98	0.74
Kaposi Sarcoma	0.00	0.00	0.00	0.00	0.00	4.37	3.94	0.65	3.10	0.00	0.58	0.61	0.63	0.00	0.00	0.99	0.74
Kidney	2.66	2.38	0.77	0.00	0.77	0.73	1.97	3.24	1.86	4.41	4.66	6.06	9.44	14.73	13.83	9.91	5.19
Larynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.24	1.65	1.75	2.43	1.89	1.34	3.07	1.98	2.22
Leukaemia	1.77	1.59	0.00	0.82	0.00	0.73	2.63	0.65	3.10	2.20	1.17	1.82	6.92	6.70	7.68	10.90	7.41
Lip	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.61	0.00	0.67	0.00	1.98	1.48
Liver & Bile duct	1.77	0.00	0.00	0.00	0.00	0.73	0.00	1.30	0.00	0.55	0.58	6.67	3.78	6.03	10.75	10.90	6.67
Lung	0.00	0.00	0.00	0.00	0.00	0.00	1.97	1.94	3.72	6.61	14.57	27.29	44.06	57.59	75.28	68.35	38.54
Melanoma	0.00	0.00	0.00	0.00	6.90	14.57	19.05	26.56	29.15	37.45	39.05	41.85	56.01	49.55	62.99	56.46	60.78
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.62	0.55	1.17	2.43	4.41	4.69	4.61	2.97	1.48
Mouth	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	0.62	1.10	8.16	4.25	5.03	4.69	7.68	8.91	7.41
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.75	4.25	5.03	6.03	12.29	8.91	11.12
Naso-Oropharynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	1.24	1.10	0.58	2.43	3.15	5.36	4.61	2.97	2.96
Non Hodgkin lymphom	0.00	1.59	0.00	0.82	3.07	1.46	3.29	7.12	7.44	8.26	13.99	16.98	25.80	26.78	47.62	52.50	34.10
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	0.62	3.30	2.33	11.52	7.55	10.71	8.45	8.91	9.64
Other specified	0.89	0.00	0.00	0.00	0.00	0.00	0.66	3.24	0.62	3.30	1.17	4.25	6.29	8.71	5.38	13.87	3.71
Ovary	0.00	0.00	0.00	1.64	4.60	0.73	3.29	1.94	4.34	13.77	15.15	23.05	30.84	33.48	25.35	19.81	17.05
Pancreas	0.00	0.00	0.00	0.00	0.00	0.00	0.66	0.00	2.48	4.41	2.33	4.85	11.96	13.39	13.06	17.83	12.60
Placenta	0.00	0.00	0.00	0.00	0.00	0.00	0.66	0.00	0.62	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Primary site unknown	0.00	0.00	0.00	0.00	2.30	0.73	1.31	5.83	6.20	7.71	13.40	23.65	32.10	32.81	49.16	50.52	36.32
SCC of skin	0.00	0.00	0.00	1.64	0.00	0.00	4.60	3.89	11.78	25.88	53.04	98.85	145.38	182.14	279.60	353.62	489.95
Salivary gland	0.00	0.79	0.00	0.00	0.00	0.00	0.00	1.30	0.62	1.10	3.50	1.21	1.26	0.00	2.30	8.91	3.71
Skin other	0.00	0.00	0.00	0.00	1.53	1.46	1.97	1.94	0.62	2.20	1.17	1.82	2.52	4.02	3.84	4.95	8.89
Small intestine	0.00	0.00	0.00	0.00	0.00	0.00	0.66	0.65	1.24	2.20	0.00	1.21	3.15	2.68	4.61	2.97	0.74
Stomach	0.00	0.00	0.00	0.00	0.00	0.73	1.97	0.65	2.48	4.41	3.50	12.13	11.33	16.07	23.81	17.83	17.05
Thyroid	0.00	0.00	0.00	6.57	10.73	11.66	13.80	12.95	14.26	15.42	14.57	15.16	11.96	8.04	13.06	6.93	5.93
Tongue	0.00	0.00	0.00	1.64	0.00	0.00	0.00	0.00	1.24	2.75	6.41	7.28	6.29	6.03	6.15	4.95	3.71
Uterus	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.89	5.58	14.87	18.65	35.78	30.21	48.88	51.47	36.65	15.57
Vagina	0.00	0.00	0.00	0.00	0.00	0.00	0.66	1.94	1.24	0.00	2.91	4.25	6.29	2.68	2.30	2.97	1.48
Vulva	0.00	0.00	0.00	0.00	0.00	0.73	2.63	3.24	3.72	4.96	2.33	4.85	5.03	4.69	6.91	3.96	8.15

AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2019 : WHITE MALES

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.97	1.30	0.57	1.24	2.64	4.14	5.34	4.42	4.90	1.17
BCC	0.00	0.00	0.75	3.22	8.44	15.28	52.98	104.87	164.30	270.49	358.15	554.67	644.64	829.89	1014.17	1074.85	1046.24
Bladder	1.72	0.00	0.00	0.00	0.00	0.00	0.65	3.28	2.61	8.60	19.18	36.32	54.52	73.29	89.38	122.56	153.65
Bone	0.00	0.77	0.00	0.81	3.07	1.45	1.31	1.31	0.65	1.72	0.00	1.32	3.45	1.53	0.88	0.00	1.17
Brain, CNS	3.44	2.32	0.75	2.42	2.30	1.45	2.62	3.28	5.22	4.58	8.04	9.24	11.04	11.45	7.96	8.58	8.21
Breast	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.57	5.57	7.26	8.28	3.05	7.08	11.03	5.86
Burkitt lymphoma	0.00	0.00	0.00	1.61	0.77	1.45	1.31	0.66	0.65	0.00	0.62	0.66	0.69	0.00	0.00	0.00	0.00
Colorectal	0.00	0.00	0.00	0.00	0.77	2.18	4.58	9.18	15.00	38.40	45.15	76.60	119.40	117.57	175.22	183.84	163.03
Connective tissue	0.00	0.00	0.00	0.00	2.30	1.45	0.65	1.97	5.22	4.01	4.33	3.30	6.90	8.40	8.85	14.71	10.56
Endocrine	0.86	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.62	1.32	1.38	1.38	0.00	0.00	1.23	1.17
Eye	0.86	0.00	0.00	0.00	0.00	0.73	0.65	0.66	1.30	0.57	1.86	1.32	2.07	1.53	3.54	6.13	3.52
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.62	1.32	0.00	0.76	4.42	0.00	1.17
Haematology other	0.00	1.54	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.62	0.66	2.07	2.29	3.54	1.23	7.04
Hodgkin lymphoma	0.00	0.77	0.75	5.64	3.84	5.82	5.23	2.62	3.26	2.29	4.33	3.30	2.76	3.05	1.77	1.23	2.35
Kaposi Sarcoma	0.00	0.00	0.00	0.81	0.77	1.45	1.96	5.90	1.30	3.44	0.62	1.32	2.07	0.00	0.00	0.00	1.17
Kidney	2.58	0.77	0.75	0.00	0.77	0.00	1.96	0.66	8.48	9.17	11.75	19.81	29.68	38.94	31.86	37.99	15.25
Larynx	0.00	0.00	0.00	0.00	0.00	0.73	0.65	1.31	2.61	3.44	7.42	13.21	18.64	12.22	15.04	17.16	11.73
Leukaemia	1.72	2.32	0.75	0.00	0.00	2.91	1.31	3.28	1.30	1.15	5.57	3.96	2.76	9.16	6.19	24.51	15.25
Lip	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	1.15	2.47	1.32	1.38	2.29	2.65	0.00	4.69
Liver & Bile duct	0.00	0.00	0.00	0.00	0.77	0.00	0.65	0.00	1.96	2.29	4.33	7.26	14.49	16.80	15.93	17.16	30.50
Lung	0.00	0.00	0.00	0.00	0.00	1.45	0.00	2.62	3.91	12.03	23.51	50.84	74.54	95.43	109.74	116.43	73.89
Melanoma	0.00	0.00	0.00	0.81	2.30	12.37	11.12	19.01	27.38	37.82	44.54	64.05	78.68	87.03	118.59	137.27	118.46
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.65	0.57	1.24	1.32	1.38	6.87	11.50	13.48	15.25
Mouth	0.00	0.00	0.00	0.00	0.00	0.00	0.65	0.00	1.96	1.72	6.19	15.19	15.87	12.98	10.62	11.03	8.21
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.31	0.65	1.72	3.09	7.92	8.97	10.69	10.62	15.93	17.59
Naso-Oropharynx	0.00	0.00	0.75	0.81	0.00	0.73	0.00	0.66	1.30	3.44	9.90	16.51	15.87	6.87	15.93	7.35	8.21
Non Hodgkin lymphoma	0.86	0.00	1.50	0.00	1.53	4.36	8.50	9.83	9.13	16.62	22.27	25.75	27.61	41.99	42.48	62.51	50.44
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.97	3.26	2.29	9.28	19.81	21.40	29.78	22.12	22.06	14.07
Other specified	1.72	0.00	0.00	0.00	0.00	0.00	0.65	0.66	0.00	1.15	2.47	5.28	8.28	8.40	5.31	4.90	8.21
Pancreas	0.00	0.00	0.00	0.00	0.00	0.00	0.65	0.00	2.61	3.44	7.42	9.24	13.11	16.80	13.27	28.19	11.73
Penis	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.66	0.65	2.29	3.09	1.32	2.07	4.58	5.31	3.68	8.21
Primary site unknown	0.00	0.00	0.00	0.00	0.00	1.45	3.92	3.93	7.17	13.18	17.32	25.09	51.07	34.36	53.98	50.25	41.05
Prostate	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.97	8.48	36.68	113.20	252.90	428.61	576.42	661.95	625.05	414.04
SCC of skin	0.00	0.00	0.00	0.00	1.53	2.18	3.92	11.80	29.34	51.00	81.03	167.72	260.89	396.24	568.15	721.88	889.07
Salivary gland	0.00	0.00	0.75	0.00	0.77	0.73	0.00	0.66	1.30	0.57	2.47	3.96	3.45	5.34	6.19	12.26	7.04
Skin other	0.00	0.00	0.00	0.00	0.77	2.18	1.96	1.31	1.30	1.15	4.95	7.26	3.45	6.11	14.16	22.06	18.77
Small intestine	0.00	0.00	0.00	0.00	0.00	0.00	0.65	1.97	0.65	0.57	1.86	2.64	0.00	2.29	4.42	1.23	3.52
Stomach	0.00	0.00	0.00	0.00	0.00	1.45	0.00	3.28	5.22	5.16	11.75	23.11	27.61	30.54	26.55	37.99	38.71
Testis	0.00	0.00	0.00	2.42	8.44	15.28	16.35	17.70	14.34	4.58	3.71	1.32	3.45	1.53	0.88	1.23	0.00
Thyroid	0.00	0.00	0.75	0.00	0.00	2.18	3.92	2.62	4.56	6.30	1.24	8.58	8.97	7.63	10.62	15.93	1.17
Tongue	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	4.58	5.57	16.51	15.87	12.98	10.62	8.58	9.38

APPENDIX I:

Information was missing about sex, although population group information was present: 2019

POPULATION GROUP: ALL

SITE	5-9	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	2
BCC	0	0	0	0	1	0	0	0	1	1	2	0	0	0	0	2	7
Breast	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	2
Colorectal	0	0	0	0	0	1	0	0	0	0	2	0	0	1	0	1	5
Connective tissue	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Eye	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	1	4
Kaposi Sarcoma	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	2
Liver & Bile duct	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
Lung	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	3
Melanoma	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
Mouth	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	2
Naso-Oropharynx	0	0	0	0	0	1	0	0	0	1	0	0	1	0	0	1	4
Non Hodgkin lymphoma	0	0	0	0	1	3	0	0	0	0	0	2	1	0	0	1	8
Oesophagus	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	2	4
Primary site unknown	1	0	1	0	2	0	0	1	0	1	0	1	0	1	1	0	9
SCC of skin	0	0	0	0	0	1	1	1	1	0	0	0	0	1	1	3	9
Skin other	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
Stomach	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	2
Thyroid	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Tongue	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
Total	1	1	1	1	7	8	4	5	3	3	5	5	5	4	2	14	69

Information was missing about sex, although population group information was present: 2019

POPULATION GROUP: ASIAN

SITE	5-9	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80	UNK	Total
Lung	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	2
Primary site unknown	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
Total	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1	3



Information was missing about sex, although population group information was present: 2019

POPULATION GROUP: BLACK

SITE	5-9	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80	UNK	Total
Anus	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	2
BCC	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
Breast	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
Colorectal	0	0	0	0	0	1	0	0	0	0	1	0	0	1	0	1	4
Connective tissue	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Eye	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	3
Kaposi Sarcoma	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	2
Liver & Bile duct	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
Lung	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
Mouth	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
Naso-Oropharynx	0	0	0	0	0	1	0	0	0	1	0	0	1	0	0	0	3
Non Hodgkin lymphoma	0	0	0	0	1	2	0	0	0	0	0	2	1	0	0	1	7
Oesophagus	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	2	4
Primary site unknown	1	0	1	0	2	0	0	1	0	0	0	1	0	1	1	0	8
SCC of skin	0	0	0	0	0	1	0	1	1	0	0	0	0	0	0	2	5
Skin other	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
Stomach	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	2
Thyroid	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Tongue	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
Total	1	1	1	1	5	7	3	4	2	1	3	5	4	2	1	8	49



Information was missing about sex, although population group information was present: 2019

POPULATION GROUP: COLOURED

SITE	5-9	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80	UNK	Total
BCC	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	2
Colorectal	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
Mouth	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
Non Hodgkin lymphoma	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
SCC of skin	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
Total	0	0	0	0	0	1	1	0	1	0	1	0	0	1	0	1	6



Information was missing about sex, although population group information was present: 2019

POPULATION GROUP: WHITE

SITE	5-9	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80	UNK	Total
BCC	0	0	0	0	1	0	0	0	0	1	1	0	0	0	0	1	4
Breast	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
Eye	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Melanoma	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
Naso-Oropharynx	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
SCC of skin	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	3
Total	0	0	0	0	2	0	0	1	0	1	1	0	0	1	1	4	11



APPENDIX II: Information was missing about population group, although information about sex was present

SEX: FEMALE 2019

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80	UNK	Total
BCC	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	2
Bladder	0	0	0	0	0	0	0	1	1	1	2	2	1	2	4	2	3	0	19
Brain, CNS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
Breast	0	0	0	0	1	4	18	28	38	47	44	34	49	33	23	26	27	5	377
Cervix	0	0	0	0	1	0	2	5	9	9	5	7	6	2	2	0	1	0	49
Colorectal	0	0	0	0	0	0	3	1	2	4	0	7	5	13	9	6	9	0	59
Connective tissue	0	0	0	0	0	0	0	2	0	0	0	1	1	1	0	0	1	0	6
Eye	0	0	0	0	0	1	0	2	0	0	0	0	0	0	0	0	0	0	3
Gum	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	0	3
Haematology other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
Hodgkin lymphoma	0	0	1	0	1	0	2	2	1	0	0	1	0	0	0	0	0	1	9
Kaposi Sarcoma	0	0	0	0	0	2	3	2	0	0	0	0	0	0	0	0	0	0	7
Kidney	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	3
Larynx	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
Leukaemia	1	0	1	1	2	1	1	1	3	1	1	1	0	0	0	1	0	0	15
Liver & Bile duct	0	0	0	0	0	0	0	0	0	0	1	2	2	1	2	1	1	0	10
Lung	0	0	0	0	0	0	0	1	1	0	1	8	8	7	4	3	2	1	36
Melanoma	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	2
Mouth	0	0	0	0	0	2	0	1	1	0	2	1	0	0	0	1	0	0	8
Myeloma	0	0	0	0	0	0	0	0	0	0	1	2	2	0	2	1	2	0	10
Naso-Oropharynx	0	0	0	0	0	1	0	0	1	0	1	1	0	1	1	0	0	0	6
Non Hodgkin lymphoma	0	0	0	0	0	2	5	3	3	1	4	3	1	2	3	4	2	0	33
Oesophagus	0	0	0	0	0	0	0	0	1	2	1	4	3	5	2	1	4	1	24
Other specified	0	0	0	0	0	0	0	2	0	0	0	1	1	0	2	0	2	0	8
Ovary	0	0	0	0	0	1	1	0	2	3	2	1	2	1	3	1	0	0	17
Pancreas	0	0	0	0	0	0	0	0	0	2	2	1	0	1	1	1	0	0	8
Placenta	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
Primary site unknown	1	0	0	0	2	1	1	2	2	3	8	10	11	3	7	2	5	4	62
Salivary gland	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	2
Skin other	0	0	0	0	1	1	1	4	0	1	1	0	0	0	0	0	1	0	10
Small intestine	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	1	4
Stomach	0	0	0	0	0	1	1	1	4	1	0	2	1	6	3	2	2	1	25
Thyroid	0	0	0	0	0	1	0	6	2	4	4	2	3	2	1	0	0	0	25
Tongue	0	0	0	0	0	0	1	0	0	1	2	0	0	0	0	1	0	0	5
Uterus	0	0	0	0	0	0	1	0	2	0	4	5	10	15	2	8	3	0	50
Vagina	0	0	0	0	0	0	0	1	1	0	1	0	2	1	2	1	0	0	9
Vulva	0	0	0	0	1	0	1	5	3	1	0	0	0	0	0	0	0	0	11
Total	4	0	2	1	9	18	41	72	79	81	89	96	112	96	75	63	69	14	921

APPENDIX II: Information was missing about population group, although information about sex was present

SEX: MALE 2019

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80	UNK	Total
BCC	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
Bladder	0	0	0	0	0	0	0	1	0	1	3	0	1	5	7	10	5	1	34
Bone	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
Breast	0	0	0	0	1	0	0	0	0	0	0	3	4	0	1	0	0	0	9
Burkitt lymphoma	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
Colorectal	0	0	0	0	0	1	3	4	5	6	10	9	19	8	14	7	5	1	92
Connective tissue	1	0	0	0	0	0	0	1	2	1	0	1	0	0	0	0	1	0	7
Eye	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	2
Haematology other	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	2
Hodgkin lymphoma	0	1	1	0	3	0	1	0	1	2	2	0	0	0	0	0	0	0	11
Kaposi Sarcoma	0	0	0	1	0	0	2	0	1	2	0	0	0	0	0	0	0	0	6
Kidney	1	0	0	0	0	0	0	0	2	0	0	3	0	2	0	1	0	1	10
Larynx	0	0	0	0	0	0	0	0	1	1	2	3	1	1	2	1	0	0	12
Leukaemia	0	0	0	0	0	1	0	1	1	1	1	1	0	1	0	1	0	0	8
Lip	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
Liver & Bile duct	0	1	0	0	0	0	0	1	4	2	1	1	0	1	0	0	2	0	13
Lung	0	0	0	0	0	1	0	0	2	6	5	6	8	8	7	7	2	0	52
Melanoma	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
Mouth	0	0	0	0	0	0	0	0	1	1	0	2	4	2	1	0	0	0	11
Myeloma	0	0	0	0	0	0	0	0	0	0	0	2	1	1	0	0	0	0	4
Naso-Oropharynx	0	0	0	2	0	0	0	2	2	0	1	2	3	0	1	2	0	0	15
Non Hodgkin lymphoma	0	0	0	1	0	1	4	5	4	8	6	1	1	5	0	0	1	0	37
Oesophagus	0	0	0	0	0	0	0	0	2	0	6	5	7	4	8	1	1	0	34
Other specified	0	0	0	0	0	0	0	0	1	2	2	0	1	0	1	0	1	1	9
Pancreas	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	0	0	3
Penis	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	2
Primary site unknown	0	0	0	0	0	3	1	1	1	4	7	10	10	6	6	3	3	1	56
Prostate	0	0	0	0	0	0	0	0	1	9	31	45	61	79	63	47	30	13	379
SCC of skin	0	0	0	0	0	0	0	0	0	0	1	1	1	0	1	0	0	0	4
Salivary gland	0	0	1	0	0	0	2	0	1	0	1	0	0	1	2	0	0	0	8
Skin other	0	0	0	0	0	0	0	1	1	0	0	1	0	3	0	1	0	1	8
Small intestine	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	2
Stomach	0	0	0	0	1	0	0	1	2	2	1	2	6	5	0	0	1	1	22
Testis	1	0	0	1	1	1	2	1	2	1	0	0	0	0	0	0	1	0	11
Thyroid	0	0	0	0	0	0	1	0	0	0	0	0	1	0	1	0	0	0	3
Tongue	0	0	0	0	0	0	0	0	1	0	1	0	0	1	2	0	0	0	5
Total	3	2	2	5	7	9	16	20	38	50	81	100	134	135	118	81	54	21	876

APPENDIX III: Information was missing about both sex and population group

2019

SITE	35-39	70-74	Total
Colorectal	0	1	1
Kaposi Sarcoma	1	0	1
Total	1	1	2

