

**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2020**  
**FEMALE - ALL POPULATION GROUPS COMBINED**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Breast	9259	9259	23.25	30.40	30.14	29.52	30.76	3.34	30
Cervix	6426	6426	16.13	21.10	20.70	20.19	21.22	2.16	46
BCC	5636	5638	14.15	18.51	18.00	17.53	18.49	2.04	49
SCC of skin	3071	3072	7.71	10.09	9.28	8.95	9.62	0.90	111
Colorectal	1798	1803	4.51	5.92	5.85	5.58	6.13	0.71	142
Uterus	1574	1574	3.95	5.17	5.22	4.96	5.49	0.69	144
Primary site unknown	1546	1552	3.88	5.10	5.05	4.80	5.32	0.59	169
Non Hodgkin lymphoma	1051	1054	2.64	3.46	3.31	3.11	3.52	0.35	288
Melanoma	953	953	2.39	3.13	3.05	2.86	3.26	0.34	292
Lung	837	837	2.10	2.75	2.72	2.54	2.91	0.35	288
Oesophagus	720	729	1.81	2.39	2.39	2.22	2.58	0.29	350
Vulva	671	671	1.68	2.20	2.03	1.87	2.19	0.20	511
Ovary	547	547	1.37	1.80	1.80	1.65	1.96	0.21	471
Thyroid	458	458	1.15	1.50	1.46	1.32	1.60	0.15	674
Kaposi Sarcoma	477	480	1.20	1.58	1.38	1.26	1.52	0.11	886
Stomach	418	419	1.05	1.38	1.35	1.22	1.48	0.15	647
Bladder	319	319	0.80	1.05	1.00	0.89	1.11	0.11	903
Kidney	278	278	0.70	0.91	0.97	0.85	1.09	0.09	1079
Connective tissue	272	274	0.68	0.90	0.90	0.79	1.01	0.09	1122
Hodgkin lymphoma	272	273	0.68	0.90	0.84	0.74	0.95	0.07	1414
Pancreas	248	248	0.62	0.81	0.82	0.72	0.93	0.10	1001
Liver & Bile duct	245	245	0.62	0.80	0.81	0.71	0.92	0.09	1157
Other specified	241	241	0.61	0.79	0.79	0.69	0.89	0.09	1118
Brain, CNS	219	221	0.55	0.73	0.74	0.65	0.85	0.07	1407
Myeloma	213	213	0.53	0.70	0.70	0.61	0.80	0.08	1216
Anus	230	230	0.58	0.76	0.70	0.61	0.80	0.07	1439
Leukaemia	208	209	0.52	0.69	0.69	0.60	0.79	0.06	1670
Vagina	196	196	0.49	0.64	0.63	0.55	0.73	0.07	1451
Eye	194	196	0.49	0.64	0.63	0.54	0.72	0.05	1903
Tongue	166	167	0.42	0.55	0.56	0.48	0.65	0.07	1410
Mouth	165	167	0.41	0.55	0.54	0.46	0.63	0.06	1547
Skin other	167	168	0.42	0.55	0.50	0.43	0.59	0.05	2126
Naso-Oropharynx	144	145	0.36	0.48	0.48	0.40	0.57	0.06	1815
Bone	108	108	0.27	0.35	0.35	0.29	0.43	0.03	3922
Small intestine	92	93	0.23	0.31	0.30	0.25	0.37	0.04	2829
Salivary gland	92	92	0.23	0.30	0.30	0.24	0.37	0.03	3180
Larynx	85	86	0.21	0.28	0.29	0.24	0.36	0.04	2568
Mesothelioma	58	58	0.15	0.19	0.18	0.13	0.23	0.02	5103
Haematology other	38	38	0.10	0.12	0.13	0.09	0.18	0.01	10583
Burkitt lymphoma	35	35	0.09	0.11	0.10	0.07	0.14	0.01	11835
Endocrine	29	29	0.07	0.10	0.10	0.07	0.14	0.01	10696
Gum	29	30	0.07	0.10	0.10	0.06	0.14	0.01	10472
Placenta	31	31	0.08	0.10	0.09	0.06	0.13	0.01	14185
Lip	15	15	0.04	0.05	0.05	0.03	0.08	0.00	27398
Total	39831	39877	100	102.34	100.74	95.35	106.54	11.13	9

**NOTES:**  
 N(OBS) Number of new cases with sex known  
 N(ADJ) Number of new cases adjusted for those with sex unknown  
 % Percentage of all cancers  
 CRUDE Adjusted cases per 100 000/year  
 ASR Age standardised incidence rate per 100 000 (World standard population)  
 The ASR calculation incorporates an adjustment for the proportion of cases with age unknown  
 95% L/UCL Lower/Upper 95% confidence intervals for the ASR  
 CUMRISK 0 Cumulative lifetime incidence risk (0-74 years) (per 100 people)  
 LR 0-74 Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people  
 \*TOTALS The rates calculated for the total exclude BCC and SCC of the skin

**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2020**  
**MALE - ALL POPULATION GROUPS COMBINED**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	UMRISK 0-7	LR 0-74
Prostate	8070	8070	22.04	27.75	39.46	38.60	40.33	5.06	20
BCC	7285	7286	19.89	25.05	33.88	33.10	34.68	3.78	26
SCC of skin	4260	4261	11.63	14.65	20.49	19.87	21.12	2.15	46
Colorectal	2130	2135	5.82	7.34	9.67	9.26	10.10	1.16	86
Lung	1334	1335	3.64	4.59	6.27	5.94	6.62	0.81	124
Primary site unknown	1331	1336	3.63	4.59	6.04	5.71	6.37	0.72	139
Non Hodgkin lymphoma	1362	1365	3.72	4.69	5.48	5.18	5.78	0.58	174
Melanoma	1112	1112	3.04	3.82	5.07	4.77	5.38	0.56	180
Bladder	1013	1015	2.77	3.49	4.85	4.56	5.16	0.54	187
Oesophagus	942	948	2.57	3.26	4.41	4.13	4.70	0.53	188
Stomach	768	769	2.10	2.64	3.50	3.26	3.76	0.41	243
Kaposi Sarcoma	762	765	2.08	2.63	2.40	2.23	2.59	0.22	464
Larynx	452	452	1.23	1.55	2.11	1.92	2.32	0.28	355
Kidney	446	446	1.22	1.53	1.98	1.80	2.18	0.22	445
Naso-Oropharynx	367	368	1.00	1.27	1.62	1.45	1.79	0.20	511
Leukaemia	357	358	0.97	1.23	1.50	1.35	1.67	0.14	713
Liver & Bile duct	335	335	0.91	1.15	1.46	1.31	1.63	0.17	576
Mouth	312	312	0.85	1.07	1.42	1.27	1.59	0.18	545
Tongue	300	300	0.82	1.03	1.39	1.23	1.55	0.17	577
Penis	304	304	0.83	1.05	1.24	1.10	1.39	0.14	729
Hodgkin lymphoma	348	348	0.95	1.20	1.22	1.09	1.36	0.10	964
Pancreas	254	254	0.69	0.87	1.18	1.04	1.34	0.15	678
Brain, CNS	282	282	0.77	0.97	1.13	1.00	1.28	0.12	823
Myeloma	230	230	0.63	0.79	1.03	0.90	1.17	0.12	868
Connective tissue	259	259	0.71	0.89	1.03	0.90	1.16	0.10	1037
Eye	238	238	0.65	0.82	0.86	0.75	0.98	0.08	1251
Other specified	180	180	0.49	0.62	0.78	0.67	0.90	0.10	1034
Breast	169	169	0.46	0.58	0.78	0.66	0.90	0.09	1059
Skin other	182	182	0.50	0.63	0.74	0.63	0.86	0.08	1321
Anus	181	182	0.49	0.63	0.73	0.62	0.84	0.09	1168
Testis	219	219	0.60	0.75	0.69	0.60	0.79	0.06	1652
Mesothelioma	130	130	0.36	0.45	0.63	0.53	0.75	0.08	1242
Thyroid	144	145	0.39	0.50	0.59	0.50	0.70	0.06	1582
Salivary gland	131	131	0.36	0.45	0.58	0.48	0.69	0.06	1608
Bone	134	134	0.37	0.46	0.47	0.39	0.56	0.04	2681
Small intestine	96	96	0.26	0.33	0.42	0.34	0.51	0.05	1973
Haematology other	50	50	0.14	0.17	0.20	0.15	0.27	0.02	4988
Burkitt lymphoma	55	55	0.15	0.19	0.18	0.14	0.24	0.01	7408
Lip	40	40	0.11	0.14	0.18	0.13	0.24	0.02	5603
Gum	31	31	0.08	0.11	0.14	0.10	0.20	0.02	5510
Endocrine	23	23	0.06	0.08	0.09	0.06	0.14	0.01	16261
Total	36618	36650	100	86.31	113.52	106.75	120.79	13.55	7

**NOTES:**  
**N(OBS)** Number of new cases with sex known  
**N(ADJ)** Number of new cases adjusted for those with sex unknown  
**%** Percentage of all cancers  
**CRUDE** Adjusted cases per 100 000/year  
**ASR** Age standardised incidence rate per 100 000 (World standard population)  
The ASR calculation incorporates an adjustment for the proportion of cases with age unknown  
**95% L/UCL** Lower/Upper 95% confidence intervals for the ASR  
**CUMRISK 0** Cumulative lifetime incidence risk (0-74 years) (per 100 people)  
**LR 0-74** Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people  
**\*TOTALS** The rates calculated for the total exclude BCC and SCC of the skin

**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2020**  
**ASIAN FEMALE**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Breast	525	531	41.77	70.56	49.82	45.61	54.35	5.47	18
Uterus	118	120	9.39	15.95	10.78	8.91	12.97	1.48	67
Colorectal	99	104	7.88	13.82	9.61	7.83	11.71	1.29	78
Cervix	69	72	5.49	9.57	6.92	5.39	8.79	0.71	140
Primary site unknown	53	54	4.22	7.18	5.02	3.74	6.64	0.60	168
Thyroid	38	40	3.02	5.32	4.31	3.05	5.94	0.39	254
Ovary	31	31	2.47	4.12	3.18	2.13	4.59	0.35	286
Lung	32	36	2.55	4.78	3.14	2.19	4.43	0.46	216
BCC	29	29	2.31	3.85	2.49	1.65	3.67	0.30	332
Stomach	28	28	2.23	3.72	2.45	1.61	3.65	0.20	493
Non Hodgkin lymphoma	20	20	1.59	2.66	1.93	1.16	3.08	0.20	503
Kidney	15	15	1.19	1.99	1.57	0.84	2.70	0.22	456
Other specified	15	15	1.19	1.99	1.40	0.77	2.38	0.16	642
Hodgkin lymphoma	11	11	0.88	1.46	1.37	0.65	2.53	0.11	932
Brain, CNS	11	11	0.88	1.46	1.35	0.64	2.48	0.13	780
SCC of skin	16	16	1.27	2.13	1.34	0.75	2.29	0.12	849
Oesophagus	12	13	0.95	1.73	1.23	0.64	2.17	0.12	814
Mouth	14	15	1.11	1.99	1.22	0.67	2.12	0.14	703
Pancreas	11	11	0.88	1.46	1.06	0.52	1.97	0.12	867
Melanoma	10	11	0.80	1.46	1.05	0.52	1.96	0.12	835
Vulva	12	12	0.95	1.59	1.04	0.53	1.90	0.11	889
Bladder	12	12	0.95	1.59	0.97	0.49	1.79	0.15	675
Connective tissue	8	8	0.64	1.06	0.88	0.36	1.83	0.07	1451
Leukaemia	6	6	0.48	0.80	0.82	0.28	1.84	0.07	1390
Liver & Bile duct	7	7	0.56	0.93	0.80	0.28	1.77	0.07	1501
Bone	6	6	0.48	0.80	0.77	0.27	1.72	0.06	1598
Tongue	8	8	0.64	1.06	0.65	0.27	1.38	0.10	1028
Anus	5	5	0.40	0.66	0.46	0.15	1.18	0.05	2218
Naso-Oropharynx	5	5	0.40	0.66	0.45	0.14	1.15	0.05	1963
Skin other	5	5	0.40	0.66	0.43	0.13	1.12	0.03	3637
Myeloma	4	4	0.32	0.53	0.39	0.11	1.09	0.05	2052
Salivary gland	3	3	0.24	0.40	0.32	0.07	1.00	0.03	2907
Gum	3	3	0.24	0.40	0.30	0.06	0.96	0.04	2519
Small intestine	3	3	0.24	0.40	0.27	0.05	0.90	0.02	4265
Kaposi Sarcoma	2	2	0.16	0.27	0.26	0.03	0.97	0.02	5480
Larynx	3	3	0.24	0.40	0.24	0.05	0.85	0.03	3031
Haematology other	2	2	0.16	0.27	0.23	0.03	0.89	0.02	4167
Vagina	3	3	0.24	0.40	0.23	0.05	0.82	0.03	3211
Mesothelioma	2	2	0.16	0.27	0.15	0.02	0.71	0.01	8889
Placenta	1	1	0.08	0.13	0.11	0.00	0.68	0.01	11174
Total	1257	1283	100	164.50	117.18	90.24	159.01	13.29	8

**NOTES:**

**N(OBS)** Number of new cases with sex known  
**N(ADJ)** Number of new cases adjusted for those with sex unknown  
**%** Percentage of all cancers  
**CRUDE** Adjusted cases per 100 000/year  
**ASR** Age standardised incidence rate per 100 000 (World standard population)  
The ASR calculation incorporates an adjustment for the proportion of cases with age unknown  
**95% L/UCL** Lower/Upper 95% confidence intervals for the ASR  
**CUMRISK 0** Cumulative lifetime incidence risk (0-74 years) (per 100 people)  
**LR 0-74** Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people  
**\*TOTALS** The rates calculated for the total exclude BCC and SCC of the skin



Division of the National Health Laboratory Service

**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2020**  
**ASIAN MALE**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	VIRISK 0-74	LR 0-74
Prostate	176	179	19.75	22.75	20.59	17.67	23.88	2.79	36
Colorectal	132	133	14.81	16.91	14.76	12.34	17.55	1.91	52
Lung	76	77	8.53	9.79	8.81	6.94	11.05	1.20	84
Bladder	56	58	6.29	7.37	6.52	4.93	8.47	0.66	151
Stomach	48	49	5.39	6.23	5.42	4.00	7.22	0.61	165
Primary site unknown	43	44	4.83	5.59	4.88	3.53	6.60	0.57	176
Non Hodgkin lymphoma	41	43	4.60	5.47	4.84	3.47	6.60	0.43	233
SCC of skin	33	33	3.70	4.19	3.72	2.55	5.28	0.39	258
Testis	29	29	3.25	3.69	3.08	2.00	4.54	0.24	420
BCC	23	23	2.58	2.92	2.64	1.66	4.00	0.28	360
Kidney	21	21	2.36	2.67	2.32	1.43	3.60	0.26	389
Brain, CNS	18	18	2.02	2.29	2.06	1.18	3.35	0.19	527
Larynx	15	16	1.68	2.03	1.76	1.00	2.91	0.18	541
Leukaemia	12	12	1.35	1.53	1.47	0.72	2.64	0.12	800
Naso-Oropharynx	11	11	1.23	1.40	1.33	0.66	2.42	0.18	563
Liver & Bile duct	12	12	1.35	1.53	1.33	0.68	2.37	0.14	736
Hodgkin lymphoma	11	11	1.23	1.40	1.29	0.62	2.38	0.12	835
Tongue	11	11	1.23	1.40	1.18	0.59	2.17	0.16	610
Mouth	11	11	1.23	1.40	1.17	0.58	2.16	0.17	590
Other specified	10	10	1.12	1.27	1.15	0.55	2.15	0.15	647
Thyroid	11	11	1.23	1.40	1.07	0.52	1.99	0.11	928
Oesophagus	10	10	1.12	1.27	1.05	0.50	1.99	0.15	682
Breast	9	9	1.01	1.14	0.98	0.45	1.91	0.12	865
Pancreas	9	9	1.01	1.14	0.97	0.43	1.90	0.09	1139
Penis	8	8	0.90	1.02	0.92	0.39	1.85	0.10	1049
Haematology other	6	6	0.67	0.76	0.90	0.31	1.97	0.07	1417
Kaposi Sarcoma	7	8	0.79	1.02	0.79	0.33	1.64	0.07	1350
Melanoma	7	7	0.79	0.89	0.72	0.29	1.56	0.07	1350
Connective tissue	7	7	0.79	0.89	0.68	0.27	1.49	0.08	1314
Small intestine	6	6	0.67	0.76	0.65	0.24	1.48	0.08	1244
Myeloma	5	5	0.56	0.64	0.54	0.18	1.33	0.07	1475
Bone	4	4	0.45	0.51	0.53	0.13	1.39	0.04	2445
Eye	2	2	0.22	0.25	0.36	0.04	1.23	0.03	3373
Anus	3	3	0.34	0.38	0.33	0.07	1.04	0.05	1933
Endocrine	2	2	0.22	0.25	0.30	0.03	1.08	0.02	4963
Salivary gland	2	2	0.22	0.25	0.22	0.03	0.87	0.03	3334
Burkitt lymphoma	1	1	0.11	0.13	0.20	0.01	0.94	0.01	9091
Skin other	2	2	0.22	0.25	0.17	0.02	0.76	0.02	5377
Mesothelioma	1	1	0.11	0.13	0.12	0.00	0.71	0.03	3425
Total	891	904	100	107.80	95.46	67.13	139.19	11.32	9

NOTES:

N(OBS) Number of new cases with sex known  
 N(ADJ) Number of new cases adjusted for those with sex unknown  
 % Percentage of all cancers  
 CRUDE Adjusted cases per 100 000/year  
 ASR Age standardised incidence rate per 100 000 (World standard population)  
 The ASR calculation incorporates an adjustment for the proportion of cases with age unknown  
 95% L/UCL Lower/Upper 95% confidence intervals for the ASR  
 CUMRISK 0 Cumulative lifetime incidence risk (0-74 years) (per 100 people)  
 LR 0-74 Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people  
 \*TOTALS The rates calculated for the total exclude BCC and SCC of the skin



Division of the National Health Laboratory Service

Page 9 of 10

SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2020

BLACK FEMALE

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	VIRISK 0-74	LR 0-74
Cervix	5370	5427	29.87	22.06	23.81	23.17	24.46	2.47	40
Breast	3975	4066	22.11	16.53	18.18	17.62	18.76	1.96	51
Primary site unknown	958	979	5.33	3.98	4.59	4.30	4.89	0.53	190
Uterus	892	903	4.96	3.67	4.46	4.17	4.76	0.58	171
Colorectal	650	669	3.62	2.72	3.09	2.86	3.34	0.37	272
Oesophagus	568	578	3.16	2.35	2.82	2.59	3.06	0.32	314
Non Hodgkin lymphoma	605	615	3.37	2.50	2.51	2.31	2.72	0.25	397
Vulva	544	548	3.03	2.23	2.12	1.95	2.32	0.20	503
SCC of skin	450	453	2.50	1.84	1.95	1.77	2.14	0.18	564
Kaposi Sarcoma	414	422	2.30	1.72	1.52	1.37	1.67	0.13	793
BCC	285	288	1.59	1.17	1.33	1.18	1.50	0.14	722
Lung	202	212	1.12	0.86	1.02	0.89	1.17	0.12	837
Stomach	205	209	1.14	0.85	0.98	0.85	1.13	0.11	897
Ovary	201	208	1.12	0.85	0.95	0.82	1.09	0.10	958
Melanoma	162	164	0.90	0.67	0.78	0.66	0.91	0.09	1133
Connective tissue	168	172	0.93	0.70	0.75	0.64	0.87	0.07	1356
Anus	178	179	0.99	0.73	0.71	0.61	0.83	0.07	1517
Eye	173	175	0.96	0.71	0.71	0.61	0.83	0.06	1627
Hodgkin lymphoma	178	182	0.99	0.74	0.70	0.60	0.81	0.06	1737
Vagina	149	151	0.83	0.61	0.66	0.56	0.78	0.07	1482
Thyroid	147	152	0.82	0.62	0.66	0.56	0.78	0.07	1436
Kidney	139	142	0.77	0.58	0.65	0.54	0.76	0.05	1952
Bladder	130	131	0.72	0.53	0.59	0.49	0.71	0.07	1524
Other specified	127	130	0.71	0.53	0.58	0.48	0.69	0.07	1491
Myeloma	118	118	0.66	0.48	0.57	0.47	0.69	0.07	1435
Leukaemia	119	123	0.66	0.50	0.54	0.44	0.64	0.04	2443
Liver & Bile duct	114	117	0.63	0.48	0.53	0.44	0.64	0.06	1799
Brain, CNS	95	101	0.53	0.41	0.43	0.35	0.52	0.03	2862
Skin other	89	90	0.50	0.37	0.37	0.29	0.45	0.03	2920
Pancreas	71	75	0.39	0.30	0.36	0.28	0.45	0.04	2390
Naso-Oropharynx	77	80	0.43	0.33	0.36	0.28	0.45	0.04	2643
Mouth	66	68	0.37	0.28	0.31	0.24	0.39	0.03	2986
Bone	63	65	0.35	0.26	0.25	0.19	0.33	0.02	5814
Tongue	47	50	0.26	0.20	0.24	0.18	0.31	0.03	3402
Small intestine	45	47	0.25	0.19	0.22	0.16	0.29	0.03	3969
Salivary gland	40	44	0.22	0.18	0.20	0.14	0.27	0.02	4256
Larynx	35	36	0.19	0.15	0.17	0.12	0.24	0.02	4220
Burkitt lymphoma	31	31	0.17	0.13	0.11	0.07	0.16	0.01	11364
Placenta	27	27	0.15	0.11	0.10	0.06	0.14	0.01	13072
Mesothelioma	16	17	0.09	0.07	0.08	0.05	0.13	0.01	10001
Endocrine	18	19	0.10	0.08	0.08	0.05	0.13	0.01	12196
Haematology other	17	18	0.09	0.07	0.08	0.05	0.12	0.00	20619
Gum	12	13	0.07	0.05	0.06	0.03	0.10	0.00	21277
Lip	9	9	0.05	0.04	0.04	0.02	0.07	0	44445
Total	17979	18303	100	71.42	77.94	72.56	83.86	8.32	12

NOTES:

- N(OBS) Number of new cases with sex known
- N(ADJ) Number of new cases adjusted for those with sex unknown
- % Percentage of all cancers
- CRUDE Adjusted cases per 100 000/year
- ASR Age standardised incidence rate per 100 000 (World standard population)
- The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
- 95% L/UCL Lower/Upper 95% confidence intervals for the ASR
- CUMRISK 0 Cumulative lifetime incidence risk (0-74 years) (per 100 people)
- LR 0-74 Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
- \*TOTALS The rates calculated for the total exclude BCC and SCC of the skin

SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2020

BLACK MALE

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Prostate	4254	4293	33.55	18.28	35.46	34.38	36.56	4.42	23
Primary site unknown	741	754	5.84	3.21	5.20	4.81	5.60	0.62	161
Oesophagus	663	676	5.23	2.88	5.07	4.68	5.48	0.61	164
Colorectal	710	740	5.60	3.15	4.90	4.53	5.29	0.59	170
Non Hodgkin lymphoma	754	775	5.95	3.30	3.95	3.65	4.26	0.39	256
Lung	512	521	4.04	2.22	3.77	3.45	4.12	0.50	201
SCC of skin	413	417	3.26	1.78	2.88	2.59	3.18	0.31	319
Kaposi Sarcoma	674	685	5.32	2.92	2.84	2.62	3.09	0.26	386
Stomach	295	302	2.33	1.29	2.16	1.91	2.44	0.25	398
BCC	275	276	2.17	1.18	2.16	1.90	2.45	0.20	512
Larynx	241	242	1.90	1.03	1.79	1.56	2.04	0.24	420
Bladder	184	191	1.45	0.81	1.42	1.22	1.64	0.17	600
Penis	232	233	1.83	0.99	1.34	1.16	1.53	0.15	677
Naso-Oropharynx	191	194	1.51	0.83	1.26	1.08	1.46	0.15	678
Mouth	175	176	1.38	0.75	1.23	1.05	1.43	0.15	663
Hodgkin lymphoma	245	250	1.93	1.06	1.12	0.98	1.28	0.10	1032
Eye	212	213	1.67	0.91	1.01	0.87	1.17	0.09	1092
Liver & Bile duct	160	165	1.26	0.70	0.97	0.82	1.15	0.10	965
Kidney	153	158	1.21	0.67	0.94	0.79	1.11	0.09	1069
Leukaemia	171	174	1.35	0.74	0.93	0.79	1.09	0.09	1128
Tongue	118	118	0.93	0.50	0.84	0.69	1.01	0.10	958
Breast	108	109	0.85	0.46	0.82	0.67	1.00	0.10	1046
Melanoma	104	107	0.82	0.46	0.79	0.64	0.96	0.08	1224
Myeloma	118	120	0.93	0.51	0.77	0.63	0.93	0.08	1258
Anus	130	131	1.03	0.56	0.72	0.59	0.86	0.08	1208
Connective tissue	128	134	1.01	0.57	0.70	0.58	0.84	0.07	1456
Pancreas	80	80	0.63	0.34	0.54	0.43	0.68	0.06	1556
Other specified	82	82	0.65	0.35	0.49	0.39	0.62	0.06	1676
Brain, CNS	94	97	0.74	0.41	0.48	0.39	0.60	0.04	2266
Skin other	89	92	0.70	0.39	0.46	0.37	0.58	0.05	1913
Mesothelioma	45	45	0.35	0.19	0.35	0.25	0.47	0.05	2142
Bone	77	80	0.61	0.34	0.35	0.27	0.45	0.02	4311
Salivary gland	53	53	0.42	0.23	0.33	0.24	0.43	0.03	2977
Small intestine	37	38	0.29	0.16	0.24	0.17	0.33	0.03	3135
Thyroid	27	31	0.21	0.13	0.19	0.12	0.27	0.02	5116
Burkitt lymphoma	43	43	0.34	0.18	0.17	0.12	0.23	0.01	8369
Testis	30	34	0.24	0.14	0.15	0.10	0.22	0.01	6850
Haematology other	25	25	0.20	0.11	0.12	0.08	0.19	0.01	10051
Gum	16	16	0.13	0.07	0.12	0.07	0.19	0.01	6667
Lip	12	12	0.09	0.05	0.06	0.03	0.11	0.01	15152
Endocrine	9	9	0.07	0.04	0.04	0.02	0.08	0.00	30770
Total	12680	12891	100	51.93	84.09	77.20	91.79	9.89	10

NOTES:

N(OBS) Number of new cases with sex known

N(ADJ) Number of new cases adjusted for those with sex unknown

% Percentage of all cancers

CRUDE Adjusted cases per 100 000/year

ASR Age standardised incidence rate per 100 000 (World standard population)

The ASR calculation incorporates an adjustment for the proportion of cases with age unknown

95% L/UCL Lower/Upper 95% confidence intervals for the ASR

CUMRISK 0 Cumulative lifetime incidence risk (0-74 years) (per 100 people)

LR 0-74 Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people

\*TOTALS The rates calculated for the total exclude BCC and SCC of the skin



Division of the National Health Laboratory Service

**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2020**  
**COLOURED FEMALE**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Breast	1260	1282	28.99	47.67	41.65	39.39	44.01	4.52	22
BCC	581	581	13.37	21.61	18.55	17.07	20.14	2.05	49
Cervix	421	430	9.68	15.99	14.12	12.81	15.53	1.54	65
SCC of skin	301	301	6.92	11.19	9.44	8.40	10.57	0.97	103
Colorectal	237	243	5.45	9.04	7.84	6.88	8.90	0.91	110
Uterus	207	209	4.76	7.77	6.78	5.89	7.77	0.91	110
Primary site unknown	162	164	3.73	6.10	5.30	4.52	6.19	0.64	157
Lung	136	136	3.13	5.06	4.35	3.65	5.16	0.58	172
Non Hodgkin lymphoma	93	97	2.14	3.61	3.20	2.59	3.91	0.36	276
Melanoma	94	94	2.16	3.50	3.02	2.44	3.71	0.34	294
Stomach	78	78	1.79	2.90	2.50	1.97	3.12	0.29	351
Ovary	71	71	1.63	2.64	2.33	1.82	2.95	0.29	347
Oesophagus	65	67	1.50	2.49	2.17	1.68	2.76	0.30	331
Thyroid	46	46	1.06	1.71	1.54	1.12	2.06	0.15	661
Liver & Bile duct	42	42	0.97	1.56	1.40	1.01	1.91	0.16	624
Bladder	42	43	0.97	1.60	1.38	1.00	1.87	0.15	656
Vulva	40	41	0.92	1.52	1.31	0.94	1.78	0.14	708
Kaposi Sarcoma	36	37	0.83	1.38	1.26	0.88	1.75	0.10	1051
Kidney	34	34	0.78	1.26	1.22	0.84	1.71	0.13	766
Tongue	37	37	0.85	1.38	1.21	0.85	1.68	0.16	629
Pancreas	31	31	0.71	1.15	1.03	0.70	1.47	0.13	742
Hodgkin lymphoma	27	28	0.62	1.04	0.97	0.64	1.40	0.08	1244
Vagina	25	25	0.58	0.93	0.83	0.54	1.23	0.11	951
Naso-Oropharynx	24	25	0.55	0.93	0.82	0.53	1.21	0.09	1136
Mouth	24	24	0.55	0.89	0.76	0.49	1.14	0.10	1009
Myeloma	24	24	0.55	0.89	0.75	0.48	1.13	0.07	1401
Brain, CNS	22	22	0.51	0.82	0.74	0.46	1.14	0.08	1294
Connective tissue	22	22	0.51	0.82	0.74	0.46	1.12	0.08	1247
Other specified	22	22	0.51	0.82	0.73	0.46	1.11	0.08	1249
Leukaemia	20	20	0.46	0.74	0.68	0.41	1.05	0.07	1505
Salivary gland	19	19	0.44	0.71	0.64	0.38	1.00	0.07	1472
Larynx	18	18	0.41	0.67	0.59	0.35	0.93	0.07	1356
Anus	16	16	0.37	0.59	0.52	0.30	0.86	0.06	1758
Skin other	16	16	0.37	0.59	0.49	0.28	0.81	0.04	2362
Bone	12	12	0.28	0.45	0.44	0.22	0.77	0.04	2476
Small intestine	10	11	0.23	0.41	0.35	0.18	0.64	0.05	2151
Eye	8	8	0.18	0.30	0.32	0.13	0.62	0.02	6231
Haematology other	5	5	0.12	0.19	0.19	0.06	0.44	0.02	6098
Gum	5	5	0.12	0.19	0.16	0.05	0.37	0.01	8231
Burkitt lymphoma	4	4	0.09	0.15	0.12	0.03	0.32	0.01	7247
Endocrine	3	3	0.07	0.11	0.11	0.02	0.32	0.01	9303
Mesothelioma	3	3	0.07	0.11	0.09	0.02	0.28	0.01	11905
Lip	2	2	0.05	0.07	0.07	0.01	0.26	0.01	11300
Placenta	2	2	0.05	0.07	0.07	0.01	0.25	0.00	20001
Total	4347	4400	100	130.82	114.79	97.49	136.64	12.98	8

NOTES:

**N(OBS)** Number of new cases with sex known  
**N(ADJ)** Number of new cases adjusted for those with sex unknown  
**%** Percentage of all cancers  
**CRUDE** Adjusted cases per 100 000/year  
**ASR** Age standardised incidence rate per 100 000 (World standard population)  
The ASR calculation incorporates an adjustment for the proportion of cases with age unknown  
**95% L/UCL** Lower/Upper 95% confidence intervals for the ASR  
**CUMRISK 0** Cumulative lifetime incidence risk (0-74 years) (per 100 people)  
**LR 0-74** Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people  
**\*TOTALS** The rates calculated for the total exclude BCC and SCC of the skin

**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2020**  
**COLOURED MALE**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
Prostate	838	853	20.52	33.43	41.26	38.47	44.19	5.01	20
BCC	742	742	18.17	29.08	35.44	32.85	38.17	3.71	27
SCC of skin	436	438	10.68	17.16	22.46	20.33	24.73	2.01	50
Colorectal	270	272	6.61	10.66	12.33	10.87	13.94	1.36	74
Lung	212	218	5.19	8.54	9.84	8.55	11.27	1.12	89
Primary site unknown	185	190	4.53	7.45	8.23	7.07	9.52	0.93	108
Bladder	152	155	3.72	6.07	7.35	6.21	8.63	0.92	109
Stomach	145	145	3.55	5.68	6.65	5.58	7.87	0.70	143
Melanoma	118	119	2.89	4.66	5.54	4.56	6.66	0.58	172
Non Hodgkin lymphoma	123	126	3.01	4.94	5.48	4.53	6.57	0.57	175
Oesophagus	92	92	2.25	3.61	3.93	3.15	4.84	0.48	208
Larynx	76	77	1.86	3.02	3.25	2.56	4.08	0.42	236
Kidney	56	56	1.37	2.19	2.52	1.88	3.29	0.28	351
Naso-Oropharynx	62	63	1.52	2.47	2.50	1.91	3.21	0.28	358
Tongue	54	55	1.32	2.16	2.36	1.77	3.09	0.28	353
Liver & Bile duct	38	40	0.93	1.57	1.82	1.29	2.50	0.21	474
Mouth	43	43	1.05	1.69	1.74	1.25	2.35	0.22	456
Brain, CNS	35	37	0.86	1.45	1.51	1.06	2.09	0.18	566
Pancreas	32	32	0.78	1.25	1.45	0.98	2.06	0.19	534
Connective tissue	29	31	0.71	1.21	1.41	0.94	2.03	0.13	793
Myeloma	30	30	0.73	1.18	1.33	0.89	1.90	0.14	703
Leukaemia	27	27	0.66	1.06	1.21	0.79	1.78	0.10	996
Testis	32	32	0.78	1.25	1.10	0.75	1.57	0.09	1145
Hodgkin lymphoma	28	28	0.69	1.10	1.04	0.69	1.52	0.09	1071
Penis	24	25	0.59	0.98	1.01	0.64	1.51	0.12	856
Kaposi Sarcoma	28	28	0.69	1.10	0.98	0.65	1.43	0.08	1234
Other specified	22	23	0.54	0.90	0.95	0.59	1.43	0.10	967
Breast	21	21	0.51	0.82	0.91	0.56	1.41	0.12	848
Skin other	16	16	0.39	0.63	0.74	0.41	1.23	0.05	1929
Salivary gland	17	17	0.42	0.67	0.71	0.41	1.15	0.08	1283
Thyroid	14	15	0.34	0.59	0.68	0.38	1.13	0.08	1201
Mesothelioma	14	14	0.34	0.55	0.68	0.37	1.14	0.10	1011
Bone	17	17	0.42	0.67	0.68	0.39	1.10	0.04	2253
Anus	13	14	0.32	0.55	0.55	0.30	0.93	0.07	1451
Small intestine	10	12	0.24	0.47	0.54	0.27	0.96	0.07	1438
Lip	9	9	0.22	0.35	0.46	0.20	0.88	0.04	2284
Eye	10	10	0.24	0.39	0.42	0.20	0.78	0.04	2431
Haematology other	5	5	0.12	0.20	0.22	0.07	0.51	0.02	4265
Gum	3	3	0.07	0.12	0.14	0.03	0.39	0.02	4546
Endocrine	2	3	0.05	0.12	0.12	0.02	0.37	0.01	13514
Burkitt lymphoma	3	3	0.07	0.12	0.12	0.02	0.36	0	8098
Total	4083	4136	100	115.87	133.76	111.26	161.67	15.33	7

NOTES:

**N(OBS)** Number of new cases with sex known  
**N(ADJ)** Number of new cases adjusted for those with sex unknown  
**%** Percentage of all cancers  
**CRUDE** Adjusted cases per 100 000/year  
**ASR** Age standardised incidence rate per 100 000 (World standard population)  
The ASR calculation incorporates an adjustment for the proportion of cases with age unknown  
**95% L/UCL** Lower/Upper 95% confidence intervals for the ASR  
**CUMRISK 0** Cumulative lifetime incidence risk (0-74 years) (per 100 people)  
**LR 0-74** Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people  
**\*TOTALS** The rates calculated for the total exclude BCC and SCC of the skin

**SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2020**  
**WHITE FEMALE**

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
BCC	4740	4740	30.27	196.54	98.52	95.41	101.72	10.71	9
Breast	3297	3380	21.05	140.15	78.20	75.35	81.14	8.50	12
SCC of skin	2299	2302	14.68	95.45	34.60	33.01	36.28	3.81	26
Melanoma	683	684	4.36	28.36	16.91	15.53	18.39	1.78	56
Colorectal	769	787	4.91	32.63	15.70	14.50	17.00	1.88	53
Cervix	453	497	2.89	20.61	14.75	13.41	16.19	1.47	68
Lung	445	453	2.84	18.78	8.24	7.42	9.14	1.08	93
Uterus	333	342	2.13	14.18	7.18	6.39	8.08	0.91	110
Primary site unknown	347	355	2.22	14.72	7.09	6.29	7.99	0.84	119
Thyroid	214	220	1.37	9.12	7.04	6.06	8.13	0.65	154
Non Hodgkin lymphoma	319	322	2.04	13.35	6.31	5.55	7.17	0.73	136
Ovary	231	237	1.48	9.83	5.31	4.58	6.13	0.63	159
Brain, CNS	87	87	0.56	3.61	2.87	2.18	3.69	0.26	382
Pancreas	128	131	0.82	5.43	2.42	1.98	2.95	0.31	323
Kidney	82	87	0.52	3.61	2.34	1.80	3.01	0.24	416
Bladder	129	133	0.82	5.51	2.25	1.83	2.78	0.26	388
Stomach	104	104	0.66	4.31	2.21	1.75	2.78	0.26	384
Hodgkin lymphoma	51	52	0.33	2.16	2.10	1.51	2.83	0.17	605
Connective tissue	70	72	0.45	2.99	2.02	1.47	2.71	0.19	527
Other specified	73	74	0.47	3.07	1.87	1.37	2.50	0.20	508
Liver & Bile duct	78	79	0.50	3.28	1.74	1.31	2.29	0.18	541
Tongue	72	72	0.46	2.99	1.71	1.32	2.22	0.20	493
Leukaemia	60	60	0.38	2.49	1.71	1.17	2.40	0.15	675
Vulva	67	70	0.43	2.90	1.54	1.17	2.02	0.17	571
Oesophagus	63	71	0.40	2.94	1.40	1.07	1.82	0.18	553
Mouth	59	60	0.38	2.49	1.35	1.00	1.81	0.16	617
Myeloma	66	67	0.42	2.78	1.26	0.95	1.67	0.15	671
Bone	24	25	0.15	1.04	1.17	0.71	1.80	0.08	1294
Skin other	57	57	0.36	2.36	0.97	0.69	1.35	0.10	976
Naso-Oropharynx	35	35	0.22	1.45	0.87	0.59	1.27	0.11	906
Kaposi Sarcoma	17	19	0.11	0.79	0.75	0.44	1.20	0.06	1704
Larynx	28	29	0.18	1.20	0.70	0.46	1.05	0.09	1129
Small intestine	31	32	0.20	1.33	0.66	0.44	1.00	0.08	1295
Anus	27	30	0.17	1.24	0.60	0.39	0.92	0.08	1322
Mesothelioma	35	36	0.22	1.49	0.55	0.36	0.85	0.07	1533
Salivary gland	26	26	0.17	1.08	0.54	0.32	0.88	0.05	1973
Eye	13	13	0.08	0.54	0.46	0.18	0.93	0.03	2959
Vagina	15	17	0.10	0.70	0.42	0.23	0.73	0.05	1907
Endocrine	7	7	0.04	0.29	0.41	0.13	0.90	0.03	3892
Haematology other	13	13	0.08	0.54	0.37	0.16	0.73	0.03	3408
Gum	9	9	0.06	0.37	0.17	0.07	0.39	0.02	5103
Lip	4	4	0.03	0.17	0.10	0.02	0.33	0.01	11050
Placenta	1	1	0.01	0.04	0.06	0.00	0.30	0.00	26667
Total	15661	15891	100	366.92	204.32	182.15	231.47	22.44	4

**NOTES:**  
**N(OBS)** Number of new cases with sex known  
**N(ADJ)** Number of new cases adjusted for those with sex unknown  
**%** Percentage of all cancers  
**CRUDE** Adjusted cases per 100 000/year  
**ASR** Age standardised incidence rate per 100 000 (World standard population)  
The ASR calculation incorporates an adjustment for the proportion of cases with age unknown  
**95% L/UCL** Lower/Upper 95% confidence intervals for the ASR  
**CUMRISK 0** Cumulative lifetime incidence risk (0-74 years) (per 100 people)  
**LR 0-74** Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people  
**\*TOTALS** The rates calculated for the total exclude BCC and SCC of the skin

SUMMARY STATISTICS OF CANCER DIAGNOSED HISTOLOGICALLY IN 2020

WHITE MALE

SITE	N(OBS)	N(ADJ)	%	CRUDE	ASR	95% LCL	95% UCL	CUMRISK 0-74	LR 0-74
BCC	6243	6245	33.78	275.70	144.29	140.46	148.21	15	6
SCC of skin	3363	3373	18.20	148.91	64.68	62.35	67.10	7	13
Prostate	2663	2745	14.41	121.18	56.05	53.87	58.32	7	14
Colorectal	977	990	5.29	43.71	22.10	20.64	23.65	3	38
Melanoma	878	879	4.75	38.81	20.96	19.47	22.56	2	43
Bladder	596	611	3.22	26.97	11.80	10.81	12.87	1	73
Lung	499	519	2.70	22.91	11.30	10.30	12.41	1	68
Non Hodgkin lymphoma	412	421	2.23	18.59	10.46	9.36	11.66	1	86
Primary site unknown	338	348	1.83	15.36	8.06	7.18	9.04	1	104
Stomach	268	273	1.45	12.05	6.16	5.40	7.02	1	136
Kidney	205	211	1.11	9.32	5.81	4.94	6.79	1	155
Testis	121	124	0.65	5.47	5.16	4.25	6.21	0	242
Brain, CNS	126	130	0.68	5.74	4.30	3.47	5.26	0	243
Leukaemia	141	145	0.76	6.40	4.02	3.23	4.94	0	278
Oesophagus	163	170	0.88	7.51	3.86	3.26	4.56	0	228
Pancreas	129	133	0.70	5.87	3.02	2.49	3.66	0	261
Tongue	114	116	0.62	5.12	2.84	2.32	3.47	0	288
Larynx	111	117	0.60	5.17	2.69	2.20	3.28	0	279
Liver & Bile duct	116	118	0.63	5.21	2.67	2.16	3.29	0	289
Naso-Oropharynx	97	100	0.52	4.41	2.66	2.11	3.32	0	313
Thyroid	87	88	0.47	3.88	2.65	2.09	3.32	0	385
Hodgkin lymphoma	58	59	0.31	2.60	2.63	1.94	3.48	0	522
Connective tissue	83	87	0.45	3.84	2.41	1.84	3.10	0	466
Mouth	79	82	0.43	3.62	1.98	1.56	2.50	0	379
Other specified	62	65	0.34	2.87	1.88	1.38	2.52	0	473
Kaposi Sarcoma	38	44	0.21	1.94	1.74	1.25	2.36	0	683
Skin other	72	72	0.39	3.18	1.52	1.16	1.98	0	600
Myeloma	74	75	0.40	3.31	1.47	1.14	1.90	0	530
Bone	31	33	0.17	1.46	1.35	0.89	1.96	0	900
Salivary gland	59	59	0.32	2.60	1.33	0.98	1.78	0	665
Mesothelioma	70	70	0.38	3.09	1.18	0.91	1.55	0	643
Small intestine	38	40	0.21	1.77	0.95	0.66	1.36	0	976
Anus	33	34	0.18	1.50	0.90	0.61	1.32	0	948
Penis	36	38	0.19	1.68	0.89	0.61	1.27	0	942
Breast	29	30	0.16	1.32	0.69	0.46	1.04	0	1168
Endocrine	9	9	0.05	0.40	0.57	0.23	1.13	0	3268
Lip	19	19	0.10	0.84	0.46	0.27	0.77	0	2151
Burkitt lymphoma	8	8	0.04	0.35	0.43	0.16	0.87	0	3604
Haematology other	14	14	0.08	0.62	0.36	0.17	0.68	0	2416
Eye	12	13	0.06	0.57	0.34	0.17	0.64	0	2482
Gum	11	12	0.06	0.53	0.25	0.12	0.50	0	3408
Total	18482	18719	100	401.77	209.90	186.06	238.34	24.73	4

NOTES:

- N(OBS) Number of new cases with sex known
- N(ADJ) Number of new cases adjusted for those with sex unknown
- % Percentage of all cancers
- CRUDE Adjusted cases per 100 000/year
- ASR Age standardised incidence rate per 100 000 (World standard population)
- The ASR calculation incorporates an adjustment for the proportion of cases with age unknown
- 95% L/UCL Lower/Upper 95% confidence intervals for the ASR
- CUMRISK 0 Cumulative lifetime incidence risk (0-74 years) (per 100 people)
- LR 0-74 Lifetime (0-74) risk of developing a cancer expressed as 1 in X number of people
- \*TOTALS The rates calculated for the total exclude BCC and SCC of the skin

FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2020

ALL FEMALES

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	1	0	2	5	22	42	39	31	16	10	9	18	13	13	9	0	230
BCC	0	0	2	4	13	41	81	160	229	411	441	563	714	709	815	685	770	7	5645
Bladder	1	2	0	0	0	5	11	11	13	20	26	32	25	40	46	36	51	2	321
Bone	1	5	22	16	8	8	10	4	4	9	6	3	4	1	2	4	1	1	109
Brain, CNS	19	15	10	8	5	13	14	11	10	17	13	22	17	26	10	6	5	1	222
Breast	0	0	0	3	23	108	340	607	840	1081	1085	1139	1061	1035	802	560	575	29	9288
Burkitt lym <small>c</small>	1	0	1	0	1	6	9	6	1	4	3	0	1	0	1	1	0	0	35
Cervix	0	0	0	1	16	116	413	746	942	942	847	716	579	459	297	159	193	23	6449
Colorectal	0	1	1	3	11	27	40	69	75	137	173	240	219	247	252	155	153	3	1806
Connective	15	7	4	8	11	15	14	22	11	19	21	29	32	20	19	11	16	1	275
Endocrine	2	5	0	3	0	0	2	3	2	0	5	1	1	4	1	0	0	0	29
Eye	21	5	1	1	1	13	20	29	38	24	12	5	8	6	5	3	4	1	197
Gum	0	0	0	0	0	1	0	0	0	3	5	4	3	2	3	4	5	0	30
Haematolo	4	2	6	2	2	1	0	2	1	2	2	3	4	2	0	2	3	0	38
Hodgkin ly <small>i</small>	0	9	7	15	33	27	38	31	35	24	15	14	7	6	6	3	3	1	274
Kaposi Sar	2	1	0	5	30	81	116	78	65	45	25	18	3	3	3	3	2	0	480
Kidney	42	23	8	2	1	4	4	12	17	20	16	33	31	28	17	11	9	1	279
Larynx	1	0	0	0	0	1	1	1	4	5	8	17	17	16	10	3	2	1	87
Leukaemia	12	18	15	10	12	5	2	10	13	14	10	12	12	15	16	15	18	0	209
Lip	0	0	0	0	0	1	0	2	2	1	2	1	1	1	0	1	3	0	15
Liver & Bile	7	3	2	1	1	6	6	8	15	23	26	40	28	30	15	21	13	1	246
Lung	0	0	2	0	0	4	6	8	29	37	55	98	121	145	150	106	76	1	838
Melanoma	0	1	0	2	7	19	34	57	56	84	83	106	115	112	104	78	95	6	959
Mesothelio	0	0	0	0	0	1	1	0	1	2	1	10	3	6	11	11	11	0	58
Mouth	0	1	1	0	2	3	3	6	4	12	16	26	19	20	24	12	18	0	167
Myeloma	0	0	0	0	0	1	0	2	5	15	24	35	38	23	26	28	16	0	213
Naso-Orop	0	0	1	4	2	3	5	6	13	15	18	26	14	16	12	6	4	0	145
Non Hodgk	2	3	6	9	29	47	80	105	100	107	93	85	81	84	95	64	64	3	1057
Oesophagi	0	0	0	0	0	3	2	10	20	38	63	113	117	131	78	74	80	6	735
Other spec	5	2	0	0	1	8	9	24	14	12	25	29	39	27	21	11	14	1	242
Ovary	2	2	7	11	13	9	18	20	31	39	49	69	74	70	66	40	27	2	549
Pancreas	1	0	0	0	2	1	5	3	9	20	31	26	35	32	39	25	19	1	249
Placenta	0	0	0	0	4	9	4	5	4	3	0	2	0	0	0	0	0	0	31
Primary site	4	3	1	4	12	20	40	70	76	106	147	187	218	234	170	129	131	22	1574
SCC of skin	0	0	1	1	6	17	42	67	85	109	122	207	288	366	416	488	857	8	3080
Salivary glk	0	2	3	0	1	4	4	5	4	16	8	3	10	11	8	5	8	0	92
Skin other	1	0	0	1	4	6	12	25	8	11	9	9	15	12	13	11	31	1	169
Small intes	0	0	0	0	0	2	4	4	7	9	6	12	15	15	7	4	8	0	93
Stomach	0	0	0	0	3	7	10	12	21	27	44	49	49	56	52	48	41	3	422
Thyroid	0	0	0	3	15	33	36	46	51	61	36	50	44	29	23	20	11	1	459
Tongue	0	0	0	0	1	1	3	3	7	13	18	34	25	28	18	8	8	0	167
Uterus	0	0	2	0	2	9	10	19	28	50	103	177	314	304	278	152	126	6	1580
Vagina	2	0	0	0	0	6	9	21	15	30	20	21	22	14	11	8	1	197	
Vulva	0	0	0	0	5	18	76	151	126	88	40	46	33	30	24	18	16	1	672
<b>Total</b>	<b>145</b>	<b>110</b>	<b>104</b>	<b>117</b>	<b>279</b>	<b>715</b>	<b>1556</b>	<b>2523</b>	<b>3070</b>	<b>3736</b>	<b>3768</b>	<b>4322</b>	<b>4460</b>	<b>4441</b>	<b>3982</b>	<b>3045</b>	<b>3504</b>	<b>135</b>	<b>40012</b>

FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2020

ALL MALES

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	1	14	15	27	30	25	14	23	12	15	4	2	1	183
BCC	0	0	0	3	10	29	81	169	295	462	581	792	977	1028	1058	935	866	12	7298
Bladder	2	0	0	0	2	2	6	12	19	32	58	113	144	150	161	160	154	3	1018
Bone	2	5	24	15	16	10	12	8	6	4	5	7	3	9	1	4	3	0	134
Brain, CNS	17	11	10	8	4	11	19	17	12	29	26	28	26	26	20	14	4	0	282
Breast	0	0	0	0	1	0	2	4	7	14	18	27	27	20	23	12	14	1	170
Burkitt lymphoma	5	6	3	4	0	4	7	4	11	5	5	0	1	0	0	0	0	0	55
Colorectal	0	0	5	4	5	30	50	74	114	136	197	246	297	307	301	199	170	5	2140
Connective tissue	11	4	9	10	9	11	20	23	15	20	15	17	15	19	20	21	20	0	259
Endocrine	6	4	0	0	1	0	0	0	2	2	1	5	0	0	0	1	1	0	23
Eye	22	2	0	1	3	7	18	38	42	34	24	16	10	10	5	3	3	2	240
Gum	0	0	0	0	0	0	0	0	1	4	2	4	3	6	5	5	1	0	31
Haematology other	4	6	5	1	2	3	1	1	3	2	3	4	3	3	5	1	3	0	50
Hodgkin lymphoma	3	29	12	20	35	25	23	38	37	44	36	14	7	12	5	5	3	1	349
Kaposi Sarcoma	4	1	3	6	19	69	159	149	138	69	61	45	11	13	8	4	6	2	767
Kidney	35	14	2	6	1	3	5	12	24	38	49	53	65	58	39	19	23	2	448
Larynx	0	0	1	0	1	0	2	3	11	23	56	95	75	79	61	26	19	1	453
Leukaemia	23	29	20	13	12	8	8	14	14	20	20	22	31	27	33	38	26	1	359
Lip	0	0	0	0	0	0	0	3	0	8	4	6	7	3	2	2	5	0	40
Liver & Bile duct	9	1	0	1	3	5	13	17	21	28	31	38	50	34	42	26	16	2	337
Lung	0	0	0	1	1	3	11	22	36	57	135	192	227	236	205	133	76	2	1337
Melanoma	0	1	1	2	5	11	29	45	46	58	105	110	128	142	154	125	150	5	1117
Mesothelioma	0	0	0	0	0	0	0	0	2	1	5	14	15	19	34	27	13	0	130
Mouth	0	0	1	0	1	1	4	7	11	31	29	60	62	53	29	15	8	3	315
Myeloma	0	0	0	0	0	1	3	6	18	14	21	41	35	24	23	31	13	0	230
Naso-Oropharynx	2	2	6	9	9	8	5	16	18	27	36	59	64	48	32	14	13	0	368
Non Hodgkin lymphoma	8	8	14	21	34	43	67	124	151	171	140	124	107	109	101	78	65	4	1369
Oesophagus	0	0	0	1	1	0	5	15	25	67	112	179	188	137	91	62	65	10	958
Other specified	5	1	0	0	2	4	5	10	5	13	31	34	27	12	21	6	4	0	180
Pancreas	0	1	0	1	0	2	1	5	9	11	27	36	40	48	32	25	16	1	255
Penis	0	0	0	0	2	0	11	23	42	58	47	34	25	23	20	9	10	5	309
Primary site unknown	4	3	2	2	4	9	31	49	46	110	158	194	234	191	128	89	82	16	1352
Prostate	0	0	0	1	2	3	5	13	42	183	453	955	1493	1686	1529	1015	690	66	8136
SCC of skin	0	2	0	3	4	7	20	55	92	149	211	382	457	577	769	679	854	3	4264
Salivary gland	1	0	0	3	0	3	0	8	10	12	16	12	14	17	12	10	13	0	131
Skin other	1	1	3	2	6	6	11	17	18	16	10	14	14	13	19	17	14	0	182
Small intestine	0	0	0	0	0	2	2	3	6	11	12	13	9	14	11	11	2	0	96
Stomach	0	0	0	0	3	5	14	31	35	40	65	111	110	105	101	78	71	3	772
Testis	2	6	2	6	22	25	39	39	26	18	15	5	2	3	6	3	0	1	220
Thyroid	1	1	1	0	3	3	12	11	15	11	12	16	18	16	8	10	7	1	146
Tongue	0	1	0	0	1	2	2	3	20	21	31	44	73	42	30	18	12	2	302
<b>Total</b>	<b>167</b>	<b>139</b>	<b>124</b>	<b>144</b>	<b>224</b>	<b>356</b>	<b>717</b>	<b>1103</b>	<b>1472</b>	<b>2083</b>	<b>2888</b>	<b>4175</b>	<b>5117</b>	<b>5331</b>	<b>5159</b>	<b>3934</b>	<b>3517</b>	<b>155</b>	<b>36805</b>

**FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2020**  
**ASIAN FEMALES**

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	0	0	0	1	1	0	1	0	1	0	1	0	0	5
BCC	0	0	0	0	0	0	0	2	1	4	3	2	0	3	7	1	6	0	29
Bladder	0	0	0	0	0	0	0	0	0	0	0	2	2	0	5	2	1	0	12
Bone	0	0	1	0	1	0	0	0	0	1	2	1	0	0	0	0	0	0	6
Brain, CNS	0	0	1	1	0	2	0	1	0	0	1	1	1	3	0	0	0	0	11
Breast	0	0	0	0	0	2	7	26	35	79	54	72	71	70	46	40	29	1	532
Cervix	0	0	0	0	0	2	2	10	6	14	5	6	6	8	5	4	4	0	72
Colorectal	0	0	0	0	1	0	2	4	0	8	12	14	14	22	18	4	5	0	104
Connective tissue	0	1	0	0	0	0	1	0	0	2	2	1	0	0	0	1	0	0	8
Gum	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	0	0	3
Haematology other	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	2
Hodgkin lymphoma	0	0	0	2	1	0	2	2	1	1	0	1	1	0	0	0	0	0	11
Kaposi Sarcoma	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	2
Kidney	1	0	0	0	0	0	0	0	0	0	3	0	4	3	4	0	0	0	15
Larynx	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	3
Leukaemia	0	1	0	1	0	1	0	0	0	0	1	1	0	0	1	0	0	0	6
Liver & Bile duct	1	0	0	0	0	0	0	0	1	1	1	0	2	0	1	0	0	1	7
Lung	0	0	0	0	0	0	0	1	1	1	1	3	2	3	9	10	2	3	36
Melanoma	0	0	0	0	0	1	1	1	0	0	2	1	1	2	1	0	1	0	11
Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	2
Mouth	0	0	0	0	0	0	0	0	0	0	2	2	2	1	3	2	5	0	15
Myeloma	0	0	0	0	0	0	0	0	0	1	0	0	1	1	1	0	0	0	4
Naso-Oropharynx	0	0	0	0	0	0	0	0	0	1	1	1	0	0	1	1	0	0	5
Non Hodgkin lymphoma	0	0	1	0	0	0	0	2	0	1	7	2	1	1	2	1	2	0	20
Oesophagus	0	0	0	0	0	0	0	1	4	1	1	1	1	1	1	1	1	0	13
Other specified	0	0	0	0	0	0	1	0	3	0	0	2	1	2	3	1	2	0	15
Ovary	0	0	0	0	3	0	2	1	1	2	4	3	7	4	2	2	0	0	31
Pancreas	0	0	0	0	0	0	0	2	0	0	3	2	0	0	2	1	0	1	11
Placenta	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
Primary site unknown	0	0	0	0	2	0	1	1	3	2	8	7	5	11	6	6	2	1	55
SCC of skin	0	0	0	0	0	1	0	0	0	0	1	1	4	1	1	3	4	0	16
Salivary gland	0	0	0	0	0	0	0	0	0	2	0	0	0	1	0	0	0	0	3
Skin other	0	0	0	0	0	0	0	1	0	1	1	0	0	0	0	1	1	0	5
Small intestine	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1	0	3
Stomach	0	0	0	0	0	2	1	3	1	1	1	5	3	2	0	6	3	0	28
Thyroid	0	0	0	1	3	0	7	6	8	4	5	1	3	0	2	0	0	0	40
Tongue	0	0	0	0	0	0	0	0	0	0	0	1	0	3	2	2	0	0	8
Uterus	0	0	0	0	0	0	2	4	3	9	6	16	19	20	27	11	3	0	120
Vagina	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0	3
Vulva	0	0	0	0	0	0	1	1	1	0	0	1	2	2	1	2	1	0	12
<b>Total</b>	<b>2</b>	<b>2</b>	<b>3</b>	<b>5</b>	<b>12</b>	<b>13</b>	<b>33</b>	<b>70</b>	<b>69</b>	<b>140</b>	<b>131</b>	<b>152</b>	<b>154</b>	<b>178</b>	<b>149</b>	<b>100</b>	<b>70</b>	<b>2</b>	<b>1285</b>

**FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2020**  
**ASIAN MALES**

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0	0	3
BCC	0	0	0	0	0	0	1	1	0	1	1	3	4	4	5	3	0	23	
Bladder	0	0	0	0	0	1	2	1	1	1	3	11	8	8	6	9	7	0	58
Bone	0	0	1	0	1	0	1	0	0	0	0	0	1	0	0	0	0	0	4
Brain, CNS	1	1	0	0	0	0	1	2	1	2	0	3	2	3	0	2	0	0	18
Breast	0	0	0	0	0	0	0	0	1	3	0	1	2	2	0	0	0	0	9
Burkitt lymphoma	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Colorectal	0	0	1	0	1	1	3	3	9	5	13	19	22	25	19	7	5	0	133
Connective tissue	0	0	0	0	0	0	1	0	1	1	0	2	0	0	1	1	0	0	7
Endocrine	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	2
Eye	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	3
Haematology other	0	2	1	0	0	0	0	0	0	1	0	1	0	1	0	0	0	0	6
Hodgkin lymphoma	0	0	0	1	2	1	0	2	1	1	1	0	1	0	1	0	0	0	11
Kaposi Sarcoma	0	0	0	0	1	0	2	1	1	1	1	0	0	1	0	0	0	0	8
Kidney	0	0	0	0	0	1	0	1	3	0	3	2	7	3	0	0	1	0	21
Larynx	0	0	0	0	0	0	0	0	0	0	4	4	3	1	1	2	1	0	16
Leukaemia	1	0	1	0	0	1	0	1	1	0	1	0	1	0	2	3	0	0	12
Liver & Bile duct	0	0	0	0	1	0	0	0	1	2	1	1	2	1	1	2	0	0	12
Lung	0	0	0	0	0	1	1	1	4	1	3	9	19	14	15	4	5	0	77
Melanoma	0	0	0	0	0	0	0	1	0	0	2	1	1	1	0	1	0	0	7
Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
Mouth	0	0	0	0	0	0	0	1	0	3	0	2	1	2	2	0	0	0	11
Myeloma	0	0	0	0	0	0	0	0	0	0	2	1	1	1	0	0	0	0	5
Naso-Oropharynx	0	0	0	0	0	0	0	0	0	0	0	2	3	1	3	0	2	0	11
Non Hodgkin lymphoma	1	0	0	0	1	2	3	1	3	4	3	3	4	5	3	6	4	0	43
Oesophagus	0	0	0	0	0	0	0	1	0	1	0	2	0	1	3	2	0	0	10
Other specified	0	0	0	0	0	0	0	0	0	0	2	0	3	3	1	1	0	0	10
Pancreas	0	0	0	0	0	0	0	0	2	0	0	2	0	1	2	0	1	1	9
Penis	0	0	0	0	0	0	0	0	0	0	2	2	2	2	1	0	0	1	9
Primary site unknown	0	0	0	0	0	0	2	2	0	2	5	5	4	9	6	5	4	0	44
Prostate	0	0	0	0	0	0	1	0	0	3	8	18	40	42	36	23	8	1	180
SCC of skin	0	0	0	0	0	0	0	2	2	0	0	4	3	9	3	6	4	0	33
Salivary gland	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	2
Skin other	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	2
Small intestine	0	0	0	0	0	0	0	0	0	1	0	1	1	2	1	0	0	0	6
Stomach	0	0	0	0	0	0	2	0	3	4	3	9	3	9	6	5	5	0	49
Testis	1	0	0	1	3	4	2	8	5	2	0	0	1	0	1	1	0	0	29
Thyroid	0	0	0	0	0	1	3	1	1	1	0	0	2	0	1	1	0	0	11
Tongue	0	0	0	0	0	0	1	0	0	1	2	2	3	0	2	0	0	1	12
<b>Total</b>	<b>5</b>	<b>4</b>	<b>4</b>	<b>3</b>	<b>10</b>	<b>13</b>	<b>25</b>	<b>33</b>	<b>40</b>	<b>39</b>	<b>65</b>	<b>108</b>	<b>145</b>	<b>154</b>	<b>118</b>	<b>87</b>	<b>51</b>	<b>4</b>	<b>908</b>

**FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2020**  
**BLACK FEMALES**

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	1	0	2	5	21	39	34	26	10	8	7	10	4	7	5	0	179
BCC	0	0	2	1	1	7	15	12	20	21	27	30	39	20	32	23	38	1	289
Bladder	1	1	0	0	0	4	9	7	13	13	12	15	8	17	13	5	13	2	133
Bone	1	2	17	10	6	7	8	3	1	3	3	1	2	0	0	1	0	1	66
Brain, CNS	15	11	6	5	4	5	10	7	4	10	6	8	5	4	1	0	0	1	102
Breast	0	0	0	1	16	79	219	389	507	523	509	498	386	370	243	160	166	22	4088
Burkitt lymphoma	1	0	1	0	1	6	8	6	1	4	2	0	1	0	0	0	0	0	31
Cervix	0	0	0	1	14	97	350	626	825	820	720	592	459	374	244	133	172	22	5449
Colorectal	0	0	1	2	9	15	28	42	42	54	77	118	97	73	59	27	25	3	672
Connective tissue	12	6	3	6	11	12	11	15	9	10	11	18	16	13	9	6	4	0	172
Endocrine	0	4	0	2	0	0	2	1	2	0	4	1	0	2	1	0	0	0	19
Eye	17	3	1	1	0	12	19	27	37	24	12	5	8	4	3	2	0	1	176
Gum	0	0	0	0	0	1	0	0	0	1	3	3	0	1	0	1	3	0	13
Haematology other	3	1	5	1	2	0	0	1	0	2	1	0	1	0	0	1	0	0	18
Hodgkin lymphoma	0	7	3	10	22	17	27	22	30	18	12	7	3	1	2	1	0	1	183
Kaposi Sarcoma	0	0	0	4	27	74	101	65	62	36	23	17	3	3	3	2	2	0	422
Kidney	36	21	5	2	0	3	3	8	9	5	7	13	16	6	2	5	1	1	143
Larynx	1	0	0	0	0	1	1	1	1	2	3	7	5	6	6	1	1	1	37
Leukaemia	9	15	10	7	9	3	1	9	11	10	7	7	5	8	1	5	6	0	123
Lip	0	0	0	0	0	1	0	2	0	0	2	1	0	0	0	1	2	0	9
Liver & Bile duct	2	2	2	1	1	4	6	6	10	15	17	17	13	10	4	4	3	1	118
Lung	0	0	1	0	0	3	2	5	16	18	28	29	30	38	16	14	12	1	213
Melanoma	0	1	0	1	1	4	4	8	3	12	15	24	21	27	15	9	19	2	166
Mesothelioma	0	0	0	0	0	1	0	0	0	2	0	5	2	4	1	1	0	17	
Mouth	0	1	1	0	1	2	3	4	4	4	7	11	6	6	7	3	8	0	68
Myeloma	0	0	0	0	0	1	0	1	3	10	16	28	20	9	15	9	6	0	118
Naso-Oropharynx	0	0	1	3	2	2	5	5	7	11	12	10	6	7	4	2	3	0	80
Non Hodgkin lymphoma	1	3	5	8	27	43	68	93	79	81	58	54	27	24	29	8	7	3	618
Oesophagus	0	0	0	0	0	2	2	9	13	31	53	91	93	99	56	62	67	4	582
Other specified	2	2	0	0	0	6	7	18	9	5	11	15	22	14	10	6	3	1	131
Ovary	2	2	6	8	8	8	9	12	11	17	17	25	31	21	15	8	8	2	210
Pancreas	1	0	0	0	2	1	3	1	4	10	12	10	14	11	3	2	1	0	75
Placenta	0	0	0	0	3	8	4	4	3	3	0	2	0	0	0	0	0	0	27
Primary site unknown	3	2	1	4	8	16	30	61	59	78	92	120	146	136	91	63	69	20	999
SCC of skin	0	0	1	1	6	15	38	55	50	50	25	40	29	31	25	33	54	3	456
Salivary gland	0	2	2	0	1	2	3	3	1	8	5	1	6	4	5	1	0	0	44
Skin other	1	0	0	1	4	5	11	20	6	8	5	7	6	2	1	6	1	1	91
Small intestine	0	0	0	0	0	2	3	2	5	6	4	7	6	5	4	0	3	0	47
Stomach	0	0	0	0	1	4	7	6	10	15	25	28	23	30	22	19	19	2	211
Thyroid	0	0	0	0	6	11	9	15	15	21	10	17	13	12	10	10	3	1	153
Tongue	0	0	0	0	1	1	1	1	3	2	5	12	6	8	5	2	3	0	50
Uterus	0	0	2	0	2	5	4	10	19	22	44	89	181	183	166	100	76	6	909
Vagina	2	0	0	0	0	5	9	18	15	25	16	11	9	16	8	10	7	1	152
Vulva	0	0	0	0	5	17	69	139	117	78	31	31	24	11	12	7	7	1	549
<b>Total</b>	<b>110</b>	<b>86</b>	<b>77</b>	<b>80</b>	<b>203</b>	<b>517</b>	<b>1130</b>	<b>1778</b>	<b>2070</b>	<b>2114</b>	<b>1959</b>	<b>2033</b>	<b>1796</b>	<b>1624</b>	<b>1148</b>	<b>755</b>	<b>823</b>	<b>105</b>	<b>18408</b>

FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2020  
BLACK MALES

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	12	13	24	26	17	10	14	5	8	1	1	1	1	132
BCC	0	0	0	0	0	4	4	12	12	15	32	32	28	37	24	36	40	0	276
Bladder	0	0	0	0	2	1	3	3	10	17	17	28	36	23	23	17	11	2	193
Bone	2	3	14	11	12	8	10	6	2	1	3	2	1	2	0	0	3	0	80
Brain, CNS	9	8	7	7	3	5	6	7	5	11	10	7	4	6	1	0	1	0	97
Breast	0	0	0	0	1	0	1	4	4	10	11	17	18	8	17	9	9	1	110
Burkitt lymphoma	4	5	2	3	0	4	6	4	10	3	2	0	0	0	0	0	0	0	43
Colorectal	0	0	1	1	4	24	33	35	65	65	93	101	95	96	65	38	24	4	744
Connective tissue	9	3	9	7	5	9	12	17	8	12	6	8	6	9	7	3	4	0	134
Endocrine	3	1	0	0	1	0	0	0	2	0	0	2	0	0	0	0	0	0	9
Eye	20	1	0	1	3	5	18	38	39	32	23	14	7	6	2	2	2	1	214
Gum	0	0	0	0	0	0	0	0	0	2	2	4	1	3	2	2	0	0	16
Haematology other	3	2	4	1	2	2	1	1	2	1	2	1	1	0	1	0	1	0	25
Hodgkin lymphoma	2	27	9	12	22	14	18	27	31	38	29	8	3	1	1	0	1	1	251
Kaposi Sarcoma	4	1	3	6	18	61	143	132	124	60	57	38	10	11	8	3	6	2	687
Kidney	29	13	2	4	1	1	3	5	8	14	13	21	20	15	3	4	2	2	160
Larynx	0	0	0	0	1	0	1	3	10	11	28	61	32	45	30	10	10	1	243
Leukaemia	17	16	12	12	10	5	6	12	12	13	11	10	11	9	9	7	2	1	175
Lip	0	0	0	0	0	0	0	3	0	3	2	3	1	0	0	0	0	0	12
Liver & Bile duct	6	1	0	1	2	3	11	15	18	18	19	21	25	5	9	8	3	2	167
Lung	0	0	0	1	0	2	8	11	19	34	62	102	92	91	58	30	11	2	523
Melanoma	0	0	0	0	0	1	6	3	7	4	7	19	13	16	9	12	10	1	108
Mesothelioma	0	0	0	0	0	0	0	0	1	1	4	7	11	6	8	7	0	0	45
Mouth	0	0	1	0	1	1	3	6	9	19	14	37	32	28	12	7	6	0	176
Myeloma	0	0	0	0	0	0	1	3	6	15	13	12	28	15	11	3	0	0	120
Naso-Oropharynx	1	2	5	8	6	4	4	12	14	18	15	23	29	29	12	5	7	0	194
Non Hodgkin lymphoma	5	6	13	16	27	27	54	104	124	129	97	61	51	24	19	7	11	4	779
Oesophagus	0	0	0	1	0	0	5	12	17	44	89	134	140	95	65	33	41	7	683
Other specified	2	0	0	0	1	2	4	7	3	9	16	18	10	1	7	1	1	0	82
Pancreas	0	1	0	0	0	0	0	1	2	3	7	15	17	9	4	6	0	0	80
Penis	0	0	0	0	2	0	11	17	39	55	35	20	19	16	11	5	3	4	237
Primary site unknown	4	2	2	2	3	6	26	33	35	79	88	124	138	82	66	33	31	13	767
Prostate	0	0	0	1	2	3	4	9	29	117	288	573	853	896	738	462	318	58	4351
SCC of skin	0	2	0	2	4	4	14	26	36	49	40	49	50	43	41	26	31	0	417
Salivary gland	1	0	0	2	0	2	0	5	7	9	5	4	7	5	2	2	0	0	53
Skin other	1	1	3	1	5	6	9	11	14	11	6	8	5	4	6	0	1	0	92
Small intestine	0	0	0	0	0	1	1	2	4	5	4	8	4	4	4	1	0	0	38
Stomach	0	0	0	0	2	1	7	21	21	15	37	42	46	39	32	18	21	1	303
Testis	0	5	2	2	4	6	2	2	3	3	2	0	0	1	2	0	0	0	34
Thyroid	1	1	0	0	2	1	3	2	3	1	2	5	2	3	2	1	2	1	32
Tongue	0	1	0	0	1	1	0	2	10	7	12	19	35	13	9	6	2	1	119
Total	123	102	89	102	147	215	453	630	799	981	1227	1686	1880	1704	1320	813	620	110	13001

**FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2020**  
**COLOURED FEMALES**

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	0	1	3	2	2	0	0	2	2	1	1	0	16	
BCC	0	0	0	1	3	3	11	13	24	35	42	63	84	64	87	71	80	0	581
Bladder	0	0	0	0	0	1	1	2	0	6	2	5	3	5	7	3	8	0	43
Bone	0	0	0	4	0	0	1	0	1	1	0	1	1	1	1	1	0	0	12
Brain, CNS	1	2	0	0	1	0	3	0	1	1	0	4	3	2	2	0	2	0	22
Breast	0	0	0	1	4	6	47	84	100	144	172	162	168	139	107	70	78	2	1284
Burkitt lymphoma	0	0	0	0	0	0	0	1	0	0	1	0	0	0	1	1	0	0	4
Cervix	0	0	0	0	1	9	25	50	52	49	51	61	61	34	24	9	4	0	430
Colorectal	0	1	0	0	0	6	6	7	10	21	30	30	23	40	29	20	20	0	243
Connective tissue	0	0	0	1	0	0	0	3	1	2	3	2	7	1	1	0	1	0	22
Endocrine	0	0	0	1	0	0	0	1	0	0	0	0	0	1	0	0	0	0	3
Eye	2	2	0	0	0	0	1	0	2	0	0	0	0	0	0	0	0	1	8
Gum	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	2	0
Haematology other	1	0	0	1	0	0	0	1	0	0	0	0	1	0	1	0	0	0	5
Hodgkin lymphoma	0	0	0	2	4	6	4	1	3	1	1	3	0	1	1	1	0	0	28
Kaposi Sarcoma	2	1	0	1	1	5	10	8	1	6	1	1	0	0	0	0	0	0	37
Kidney	4	1	0	0	0	0	1	1	1	4	3	1	4	2	7	3	1	1	34
Larynx	0	0	0	0	0	0	0	0	0	1	2	3	4	3	2	2	0	1	18
Leukaemia	0	2	1	1	1	0	1	0	0	1	1	2	2	1	3	2	2	0	20
Lip	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2
Liver & Bile duct	3	1	0	0	0	0	0	0	1	0	4	4	10	3	9	3	1	0	42
Lung	0	0	0	0	0	0	0	1	1	3	7	7	24	22	21	27	15	8	0
Melanoma	0	0	0	0	0	1	0	3	7	2	13	8	9	11	8	14	13	5	0
Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	3
Mouth	0	0	0	0	0	0	0	0	0	0	1	2	5	5	3	4	1	3	0
Myeloma	0	0	0	0	0	0	0	0	0	0	2	2	3	6	1	2	5	3	24
Naso-Oropharynx	0	0	0	0	1	0	0	0	0	3	2	3	6	2	4	1	2	1	25
Non Hodgkin lymphoma	1	0	0	0	1	1	1	9	3	7	11	7	8	13	11	12	6	6	0
Oesophagus	0	0	0	0	0	1	0	0	2	3	7	11	9	12	14	4	4	1	68
Other specified	0	0	0	0	0	1	1	2	2	2	3	2	2	2	2	1	0	0	22
Ovary	0	0	0	1	2	0	0	1	4	4	5	8	12	9	12	8	3	2	71
Pancreas	0	0	0	0	0	0	0	0	1	2	3	5	1	7	3	6	3	0	31
Placenta	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	2
Primary site unknown	1	0	0	0	0	1	3	3	2	6	7	19	23	26	32	17	14	10	0
SCC of skin	0	0	0	0	0	0	0	3	4	7	6	12	25	37	44	45	44	74	0
Salivary gland	0	0	0	1	0	0	1	1	1	2	2	3	0	2	2	1	1	0	19
Skin other	0	0	0	0	0	0	0	1	2	1	0	0	1	0	2	2	5	0	16
Small intestine	0	0	0	0	0	0	0	1	1	0	1	1	2	2	2	1	0	0	11
Stomach	0	0	0	0	0	0	0	0	3	3	6	11	7	11	9	11	12	5	0
Thyroid	0	0	0	0	0	1	6	3	5	5	7	3	7	3	4	1	1	0	46
Tongue	0	0	0	0	0	0	0	0	0	0	4	7	6	11	4	4	1	0	37
Uterus	0	0	0	0	0	0	1	1	2	2	4	21	23	49	48	30	15	13	0
Vagina	0	0	0	0	0	0	0	0	2	0	5	3	4	5	4	2	0	0	25
Vulva	0	0	0	0	0	1	4	7	3	4	6	7	1	6	1	0	1	0	41
<b>Total</b>	<b>15</b>	<b>10</b>	<b>3</b>	<b>17</b>	<b>21</b>	<b>53</b>	<b>145</b>	<b>225</b>	<b>255</b>	<b>374</b>	<b>451</b>	<b>540</b>	<b>595</b>	<b>545</b>	<b>480</b>	<b>326</b>	<b>345</b>	<b>3</b>	<b>4403</b>

**FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2020**  
**COLOURED MALES**

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total	
Anus	0	0	0	0	0	0	1	2	1	1	1	2	4	1	1	0	0	0	14	
BCC	0	0	0	0	1	3	9	18	23	46	59	79	101	108	115	93	87	1	743	
Bladder	2	0	0	0	0	0	0	2	1	7	11	20	21	25	34	21	11	0	155	
Bone	0	1	3	3	1	1	1	1	0	1	1	1	0	1	0	2	0	0	17	
Brain, CNS	1	0	1	1	0	2	2	0	4	3	8	2	4	5	3	1	0	0	37	
Breast	0	0	0	0	0	0	0	1	0	1	4	3	4	3	3	1	1	0	21	
Burkitt lymphoma	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	0	3	
Colorectal	0	0	2	2	0	1	5	8	14	20	26	33	40	44	31	24	22	1	273	
Connective tissue	1	0	0	0	2	1	1	3	2	3	4	1	2	1	4	2	4	0	31	
Endocrine	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	3	
Eye	1	1	0	0	0	0	1	0	0	2	1	1	0	1	2	0	0	0	10	
Gum	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	3	
Haematology other	1	1	0	0	0	0	1	0	0	0	0	1	0	0	0	1	0	0	5	
Hodgkin lymphoma	0	1	1	0	5	2	3	6	1	3	1	1	0	2	1	1	0	0	28	
Kaposi Sarcoma	0	0	0	0	0	3	5	6	4	4	2	2	1	0	0	1	0	0	28	
Kidney	1	1	0	0	0	0	0	0	1	4	4	9	8	7	7	7	2	5	56	
Larynx	0	0	0	0	0	0	0	1	0	1	6	14	11	21	12	7	3	1	77	
Leukaemia	3	1	5	0	1	0	1	1	0	1	1	2	3	2	2	2	2	0	27	
Lip	0	0	0	0	0	0	0	0	0	0	0	1	0	3	3	0	0	2	9	
Liver & Bile duct	2	0	0	0	0	0	1	0	0	1	4	6	3	7	8	4	1	3	40	
Lung	0	0	0	0	0	0	0	0	3	5	12	30	30	31	35	29	32	11	0	218
Melanoma	0	0	0	0	1	1	5	5	5	4	11	9	19	15	17	15	12	0	119	
Mesothelioma	0	0	0	0	0	0	0	0	0	0	0	2	2	5	3	1	1	0	14	
Mouth	0	0	0	0	0	0	0	1	0	1	5	5	11	10	5	3	2	0	43	
Myeloma	0	0	0	0	0	0	0	0	1	1	6	3	7	3	3	5	1	0	30	
Naso-Oropharynx	0	0	1	0	2	3	1	3	1	6	11	13	11	5	3	2	1	0	63	
Non Hodgkin lymphoma	1	1	0	0	2	6	4	9	7	14	10	17	10	16	12	7	10	0	126	
Oesophagus	0	0	0	0	0	0	0	0	4	12	11	16	20	17	6	3	3	1	93	
Other specified	0	1	0	0	0	2	1	1	1	2	3	3	4	3	1	0	1	0	23	
Pancreas	0	0	0	0	0	0	0	1	0	2	1	6	8	5	5	2	2	1	33	
Penis	0	0	0	0	0	0	0	5	1	2	4	5	2	1	3	1	1	0	25	
Primary site unknown	0	0	0	0	0	2	2	7	5	13	28	27	41	30	13	12	10	0	190	
Prostate	0	0	0	0	0	0	0	1	6	19	44	98	148	187	165	111	74	2	855	
SCC of skin	0	0	0	1	0	0	1	1	5	28	23	47	47	56	70	75	84	1	439	
Salivary gland	0	0	0	1	0	0	0	1	1	1	2	2	4	2	1	2	0	0	17	
Skin other	0	0	0	1	1	0	1	1	3	0	2	1	0	1	1	1	3	0	16	
Small intestine	0	0	0	0	0	0	0	0	0	2	3	1	1	2	2	0	1	0	12	
Stomach	0	0	0	0	1	2	2	5	2	8	11	25	23	14	20	18	14	0	145	
Testis	0	0	0	1	7	3	7	6	3	1	2	1	1	0	0	0	0	0	32	
Thyroid	0	0	0	0	0	0	1	0	0	1	0	2	3	5	1	1	1	0	15	
Tongue	0	0	0	0	0	0	0	0	5	6	7	8	12	9	4	2	2	0	55	
<b>Total</b>	<b>13</b>	<b>8</b>	<b>13</b>	<b>10</b>	<b>24</b>	<b>35</b>	<b>56</b>	<b>98</b>	<b>114</b>	<b>246</b>	<b>365</b>	<b>496</b>	<b>625</b>	<b>640</b>	<b>576</b>	<b>447</b>	<b>370</b>	<b>7</b>	<b>4143</b>	

FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2020  
WHITE FEMALES

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total	
Anus	0	0	0	0	0	0	0	0	2	2	4	1	2	5	7	4	3	0	30	
BCC	0	0	0	2	9	31	55	133	184	351	369	468	591	622	689	590	646	6	4746	
Bladder	0	1	0	0	0	0	1	2	0	1	12	10	12	18	21	26	29	0	133	
Bone	0	3	4	2	1	1	1	1	2	4	1	0	1	0	1	2	1	0	25	
Brain, CNS	3	2	3	2	0	6	1	3	5	6	6	9	8	17	7	6	3	0	87	
Breast	0	0	0	1	3	21	67	108	198	335	350	407	436	456	406	290	302	4	3384	
Cervix	0	0	0	0	1	8	36	60	59	59	71	57	53	43	24	13	1	1	498	
Colorectal	0	0	0	1	1	6	4	16	23	54	54	78	85	112	146	104	103	0	787	
Connective tissue	3	0	1	1	0	3	2	4	1	5	5	8	9	6	9	4	11	1	73	
Endocrine	2	1	0	0	0	0	0	1	0	0	0	1	0	1	0	0	0	0	7	
Eye	2	0	0	0	1	0	1	0	1	0	0	0	0	2	2	1	3	0	13	
Gum	0	0	0	0	0	0	0	0	0	1	1	0	1	1	2	3	0	0	9	
Haematology other	0	1	1	0	0	0	0	0	0	1	0	1	2	3	0	0	1	3	0	13
Hodgkin lymphoma	0	2	4	1	6	4	5	6	1	4	2	3	3	4	3	1	3	0	52	
Kaposi Sarcoma	0	0	0	0	1	2	4	5	2	3	1	0	0	0	0	1	0	0	19	
Kidney	1	1	3	0	1	0	0	3	4	12	5	16	9	12	8	5	7	0	87	
Larynx	0	0	0	0	0	0	0	0	2	1	2	6	8	8	1	1	0	0	29	
Leukaemia	3	0	4	1	2	1	0	1	2	3	1	2	5	6	11	8	10	0	60	
Lip	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	1	0	4	
Liver & Bile duct	1	0	0	0	0	2	0	1	4	3	5	11	12	10	8	14	8	0	79	
Lung	0	0	1	0	0	1	2	1	9	11	17	43	66	77	97	75	53	0	453	
Melanoma	0	0	0	1	5	14	26	41	51	59	58	72	82	75	74	56	70	4	688	
Mesothelioma	0	0	0	0	0	0	1	0	1	0	1	4	1	2	9	10	7	0	36	
Mouth	0	0	0	0	0	1	1	0	2	0	7	5	8	7	8	11	3	7	60	
Myeloma	0	0	0	0	0	0	0	1	1	3	6	3	11	12	9	14	7	0	67	
Naso-Oropharynx	0	0	0	0	0	0	1	0	1	3	1	2	9	6	5	6	1	0	35	
Non Hodgkin lymphoma	0	0	0	0	1	3	3	7	14	14	21	21	40	48	52	49	49	0	322	
Oesophagus	0	0	0	0	0	0	0	0	1	3	2	10	14	19	7	7	8	1	72	
Other specified	3	0	0	0	0	0	0	0	1	3	4	10	11	13	8	8	2	11	0	74
Ovary	0	0	0	0	1	2	1	6	3	15	15	20	29	27	33	41	27	17	0	237
Pancreas	0	0	0	0	0	0	0	1	3	4	12	15	14	16	29	20	17	1	132	
Placenta	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	
Primary site unknown	0	1	0	0	0	1	1	6	6	8	19	28	37	41	55	56	46	50	0	355
SCC of skin	0	0	0	0	0	0	1	1	8	28	53	84	141	218	290	345	408	725	5	2307
Salivary gland	0	0	0	0	0	0	1	0	1	1	4	0	2	2	4	1	3	7	0	26
Skin other	0	0	0	0	0	0	1	0	2	1	2	3	1	8	4	9	7	19	0	57
Small intestine	0	0	0	0	0	0	0	0	1	2	2	0	3	6	8	2	4	4	0	32
Stomach	0	0	0	0	0	2	1	2	0	7	5	7	9	12	15	19	11	14	0	104
Thyroid	0	0	0	2	5	16	17	20	23	29	18	25	25	13	10	9	8	0	220	
Tongue	0	0	0	0	0	0	0	2	2	4	7	6	15	8	13	7	3	5	0	72
Uterus	0	0	0	0	0	3	3	3	4	15	32	49	65	53	55	26	34	0	342	
Vagina	0	0	0	0	0	1	0	1	0	0	1	5	3	2	3	0	1	0	17	
Vulva	0	0	0	0	0	0	2	4	5	6	3	7	6	11	10	9	7	0	70	
Total	18	12	21	15	43	132	248	450	676	1108	1227	1597	1915	2094	2205	1864	2266	23	15914	

**FREQUENCY OF HISTOLOGICALLY DIAGNOSED CANCER IN SOUTH AFRICA, 2020**  
**WHITE MALES**

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+	UNK	Total
Anus	0	0	0	0	0	1	1	0	2	3	7	1	5	4	6	3	1	0	34
BCC	0	0	0	3	9	22	68	138	259	401	489	680	845	879	915	801	736	11	6256
Bladder	0	0	0	0	0	0	1	6	7	7	27	54	79	94	98	113	125	1	612
Bone	0	1	6	1	2	1	0	1	4	2	1	4	1	6	1	2	0	0	33
Brain, CNS	6	2	2	0	1	4	10	8	2	13	8	16	16	12	16	11	3	0	130
Breast	0	0	0	0	0	0	0	0	2	0	3	6	3	7	3	2	4	0	30
Burkitt lymphoma	1	1	1	0	0	0	0	1	0	1	1	2	0	0	0	0	0	0	8
Colorectal	0	0	1	1	0	4	9	28	26	46	65	93	140	142	186	130	119	0	990
Connective tissue	1	1	0	3	2	1	6	3	4	4	5	6	7	9	8	15	12	0	87
Endocrine	3	2	0	0	0	0	0	0	0	1	0	2	0	0	0	0	1	0	9
Eye	0	0	0	0	0	1	0	0	1	1	0	2	2	1	3	1	1	0	13
Gum	0	0	0	0	0	0	0	0	0	2	0	0	1	3	2	3	1	0	12
Haematology other	0	1	0	0	0	0	0	0	0	1	0	0	2	2	3	1	2	0	14
Hodgkin lymphoma	1	1	2	7	6	8	2	3	4	2	5	5	3	2	2	3	3	0	59
Kaposi Sarcoma	0	0	0	0	0	5	9	10	9	4	1	5	0	1	0	0	0	0	44
Kidney	5	0	0	2	0	1	2	5	9	20	24	22	31	33	29	13	15	0	211
Larynx	0	0	1	0	0	0	0	0	0	6	10	19	19	21	23	11	7	0	117
Leukaemia	2	12	2	1	1	2	1	0	1	6	7	10	16	16	20	26	22	0	145
Lip	0	0	0	0	0	0	0	0	0	5	1	3	3	0	2	2	3	0	19
Liver & Bile duct	1	0	0	0	0	1	2	1	2	4	5	13	16	20	28	15	10	0	118
Lung	0	0	0	0	1	0	2	7	8	10	40	51	85	96	103	67	49	0	519
Melanoma	0	1	1	2	4	9	18	36	34	50	85	81	95	110	128	97	128	4	883
Mesothelioma	0	0	0	0	0	0	0	0	1	0	1	5	2	8	22	19	12	0	70
Mouth	0	0	0	0	0	0	0	0	0	1	4	10	10	19	18	12	2	2	84
Myeloma	0	0	0	0	0	0	0	0	0	2	0	1	9	12	9	17	16	9	0
Naso-Oropharynx	1	0	0	1	1	1	0	1	3	3	10	21	21	13	14	7	3	0	100
Non Hodgkin lymphoma	1	1	1	5	4	8	6	10	17	24	30	43	42	64	67	58	40	0	421
Oesophagus	0	0	0	0	1	0	0	2	4	10	12	27	28	24	17	24	21	1	171
Other specified	3	0	0	0	1	0	0	2	1	2	10	13	10	5	12	4	2	0	65
Pancreas	0	0	0	1	0	2	0	0	6	2	9	13	16	32	23	16	13	0	133
Penis	0	0	0	0	0	0	0	1	2	1	6	7	2	5	6	3	5	0	38
Primary site unknown	0	1	0	0	1	1	1	7	6	16	37	38	51	70	43	39	37	3	351
Prostate	0	0	0	0	0	0	0	3	7	44	113	266	452	561	590	419	290	1	2746
SCC of skin	0	0	0	0	0	0	3	5	26	49	72	148	282	357	469	655	572	2	3375
Salivary gland	0	0	0	0	0	0	1	0	2	2	8	6	3	9	9	6	11	0	59
Skin other	0	0	0	0	0	0	1	4	1	5	2	4	9	8	12	16	10	0	72
Small intestine	0	0	0	0	0	1	1	1	1	4	4	3	2	7	5	10	1	0	40
Stomach	0	0	0	0	0	2	3	5	9	13	14	35	38	43	43	37	31	0	273
Testis	1	1	0	2	8	12	28	23	15	12	11	4	0	2	3	2	0	1	125
Thyroid	0	0	1	0	1	1	5	8	11	8	10	9	11	8	4	7	4	0	88
Tongue	0	0	0	0	0	1	1	1	5	7	10	15	23	20	15	10	8	0	116
<b>Total</b>	<b>26</b>	<b>25</b>	<b>18</b>	<b>29</b>	<b>43</b>	<b>93</b>	<b>183</b>	<b>342</b>	<b>519</b>	<b>817</b>	<b>1231</b>	<b>1885</b>	<b>2467</b>	<b>2833</b>	<b>3145</b>	<b>2587</b>	<b>2476</b>	<b>26</b>	<b>18745</b>

**AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2020 : ALL FEMALES**

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.04	0.00	0.08	0.19	0.79	1.76	2.05	1.91	1.15	0.81	0.87	2.15	2.10	3.22	2.30
BCC	0.00	0.00	0.07	0.17	0.54	1.53	2.91	6.69	12.06	25.30	31.66	45.40	68.81	84.79	131.73	169.93	196.85
Bladder	0.04	0.07	0.00	0.00	0.00	0.19	0.40	0.46	0.68	1.23	1.87	2.58	2.41	4.78	7.44	8.93	13.04
Bone	0.04	0.18	0.79	0.67	0.33	0.30	0.36	0.17	0.21	0.55	0.43	0.24	0.39	0.12	0.32	0.99	0.26
Brain, CNS	0.68	0.53	0.36	0.34	0.21	0.49	0.50	0.46	0.53	1.05	0.93	1.77	1.64	3.11	1.62	1.49	1.28
Breast	0.00	0.00	0.00	0.13	0.96	4.03	12.23	25.36	44.25	66.53	77.89	91.85	102.25	123.78	129.63	138.92	147.00
Burkitt lymphoma	0.04	0.00	0.04	0.00	0.04	0.22	0.32	0.25	0.05	0.25	0.22	0.00	0.10	0.00	0.16	0.25	0.00
Cervix	0.00	0.00	0.00	0.04	0.67	4.33	14.85	31.17	49.63	57.98	60.81	57.74	55.80	54.90	48.01	39.44	49.34
Colorectal	0.00	0.04	0.04	0.13	0.46	1.01	1.44	2.88	3.95	8.43	12.42	19.35	21.11	29.54	40.73	38.45	39.11
Connective tissue	0.53	0.25	0.14	0.34	0.46	0.56	0.50	0.92	0.58	1.17	1.51	2.34	3.08	2.39	3.07	2.73	4.09
Endocrine	0.07	0.18	0.00	0.13	0.00	0.00	0.07	0.13	0.11	0.00	0.36	0.08	0.10	0.48	0.16	0.00	0.00
Eye	0.75	0.18	0.04	0.04	0.49	0.72	1.21	2.00	1.48	0.86	0.40	0.77	0.72	0.81	0.74	1.02	
Gum	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.18	0.36	0.32	0.29	0.24	0.48	0.99	1.28
Haematology other	0.14	0.07	0.22	0.08	0.08	0.04	0.00	0.08	0.05	0.12	0.14	0.24	0.39	0.24	0.00	0.50	0.77
Hodgkin lymphoma	0.00	0.32	0.25	0.63	1.38	1.01	1.37	1.30	1.84	1.48	1.08	1.13	0.67	0.72	0.97	0.74	0.77
Kaposi Sarcoma	0.07	0.04	0.00	0.21	1.25	3.03	4.17	3.26	3.42	2.77	1.79	1.45	0.29	0.36	0.48	0.74	0.51
Kidney	1.50	0.82	0.29	0.08	0.04	0.15	0.14	0.50	0.90	1.23	1.15	2.66	2.99	3.35	2.75	2.73	2.30
Larynx	0.04	0.00	0.00	0.00	0.00	0.04	0.04	0.04	0.21	0.31	0.57	1.37	1.64	1.91	1.62	0.74	0.51
Leukaemia	0.43	0.64	0.54	0.42	0.50	0.19	0.07	0.42	0.68	0.86	0.72	0.97	1.16	1.79	2.59	3.72	4.60
Lip	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.08	0.11	0.06	0.14	0.08	0.10	0.12	0.00	0.25	0.77
Liver & Bile duct	0.25	0.11	0.07	0.04	0.04	0.22	0.22	0.33	0.79	1.42	1.87	3.23	2.70	3.59	2.42	5.21	3.32
Lung	0.00	0.00	0.07	0.00	0.00	0.15	0.22	0.33	1.53	2.28	3.95	7.90	11.66	17.34	24.25	26.30	19.43
Melanoma	0.00	0.04	0.00	0.08	0.29	0.71	1.22	2.38	2.95	5.17	5.96	8.55	11.08	13.39	16.81	19.35	24.29
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.04	0.04	0.00	0.05	0.12	0.07	0.81	0.29	0.72	1.78	2.73	2.81
Mouth	0.00	0.04	0.04	0.00	0.08	0.11	0.11	0.25	0.21	0.74	1.15	2.10	1.83	2.39	3.88	2.98	4.60
Myeloma	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.08	0.26	0.92	1.72	2.82	3.66	2.75	4.20	6.95	4.09
Naso-Oropharynx	0.00	0.00	0.04	0.17	0.08	0.11	0.18	0.25	0.68	0.92	1.29	2.10	1.35	1.91	1.94	1.49	1.02
Non Hodgkin lymphoma	0.07	0.11	0.22	0.38	1.21	1.76	2.88	4.39	5.27	6.59	6.68	6.85	7.81	10.05	15.36	15.88	16.36
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.11	0.07	0.42	1.05	2.34	4.52	9.11	11.28	15.67	12.61	18.36	20.45
Other specified	0.18	0.07	0.00	0.00	0.04	0.30	0.32	1.00	0.74	0.74	1.79	2.34	3.76	3.23	3.39	2.73	3.58
Ovary	0.07	0.07	0.25	0.46	0.54	0.34	0.65	0.84	1.63	2.40	3.52	5.56	7.13	8.37	10.67	9.92	6.90
Pancreas	0.04	0.00	0.00	0.00	0.08	0.04	0.18	0.13	0.47	1.23	2.23	2.10	3.37	3.83	6.30	6.20	4.86
Placenta	0.00	0.00	0.00	0.00	0.17	0.34	0.14	0.21	0.21	0.18	0.00	0.16	0.00	0.00	0.00	0.00	0.00
Primary site unknown	0.14	0.11	0.04	0.17	0.50	0.75	1.44	2.93	4.00	6.52	10.55	15.08	21.01	27.99	27.48	32.00	33.49
SCC of skin	0.00	0.00	0.04	0.04	0.25	0.63	1.51	2.80	4.48	6.71	8.76	16.69	27.76	43.77	67.24	121.06	219.09
Salivary gland	0.00	0.07	0.11	0.00	0.04	0.15	0.14	0.21	0.21	0.98	0.57	0.24	0.96	1.32	1.29	1.24	2.05
Skin other	0.04	0.00	0.00	0.04	0.17	0.22	0.43	1.04	0.42	0.68	0.65	0.73	1.45	1.44	2.10	2.73	7.93
Small intestine	0.00	0.00	0.00	0.00	0.00	0.07	0.14	0.17	0.37	0.55	0.43	0.97	1.45	1.79	1.13	0.99	2.05
Stomach	0.00	0.00	0.00	0.00	0.13	0.26	0.36	0.50	1.11	1.66	3.16	3.95	4.72	6.70	8.40	11.91	10.48
Thyroid	0.00	0.00	0.00	0.13	0.63	1.23	1.29	1.92	2.69	3.75	2.58	4.03	4.24	3.47	3.72	4.96	2.81
Tongue	0.00	0.00	0.00	0.00	0.04	0.04	0.11	0.13	0.37	0.80	1.29	2.74	2.41	3.35	2.91	1.98	2.05
Uterus	0.00	0.00	0.07	0.00	0.08	0.34	0.36	0.79	1.48	3.08	7.39	14.27	30.26	36.36	44.93	37.71	32.21
Vagina	0.07	0.00	0.00	0.00	0.00	0.22	0.32	0.88	0.79	1.85	1.44	1.69	1.64	2.63	2.26	2.73	2.05
Vulva	0.00	0.00	0.00	0.00	0.21	0.67	2.73	6.31	6.64	5.42	2.87	3.71	3.18	3.59	3.88	4.47	4.09

**AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2020 : ALL MALES**

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.04	0.49	0.62	1.47	1.94	2.12	1.44	3.04	2.10	3.87	1.71	1.07	
BCC	0.00	0.00	0.00	0.12	0.41	1.06	2.84	7.03	16.05	29.87	49.25	81.58	129.06	179.98	273.05	400.85	464.95
Bladder	0.07	0.00	0.00	0.00	0.08	0.07	0.21	0.50	1.03	2.07	4.92	11.64	19.02	26.26	41.55	68.60	82.68
Bone	0.07	0.17	0.85	0.62	0.66	0.37	0.42	0.33	0.33	0.26	0.42	0.72	0.40	1.58	0.26	1.71	1.61
Brain, CNS	0.59	0.38	0.35	0.33	0.16	0.40	0.67	0.71	0.65	1.87	2.20	2.88	3.43	4.55	5.16	6.00	2.15
Breast	0.00	0.00	0.00	0.00	0.04	0.00	0.07	0.17	0.38	0.91	1.53	2.78	3.57	3.50	5.94	5.14	7.52
Burkitt lymphoma	0.17	0.21	0.11	0.17	0.00	0.15	0.25	0.17	0.60	0.32	0.42	0.00	0.13	0.00	0.00	0.00	0.00
Colorectal	0.00	0.00	0.18	0.17	0.21	1.10	1.75	3.08	6.20	8.79	16.70	25.34	39.23	53.75	77.68	85.32	91.27
Connective tissue	0.38	0.14	0.32	0.42	0.37	0.40	0.70	0.96	0.82	1.29	1.27	1.75	1.98	3.33	5.16	9.00	10.74
Endocrine	0.21	0.14	0.00	0.00	0.04	0.00	0.00	0.00	0.11	0.13	0.08	0.52	0.00	0.00	0.00	0.43	0.54
Eye	0.76	0.07	0.00	0.04	0.12	0.26	0.63	1.58	2.29	2.20	2.03	1.65	1.32	1.75	1.29	1.29	1.61
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.26	0.17	0.41	0.40	1.05	1.29	2.14	0.54
Haematology other	0.14	0.21	0.18	0.04	0.08	0.11	0.04	0.04	0.16	0.13	0.25	0.41	0.40	0.53	1.29	0.43	1.61
Hodgkin lymphoma	0.10	1.00	0.43	0.83	1.44	0.91	0.81	1.58	2.01	2.84	3.05	1.44	0.92	2.10	1.29	2.14	1.61
Kaposi Sarcoma	0.14	0.03	0.11	0.25	0.78	2.52	5.57	6.20	7.51	4.46	5.17	4.64	1.45	2.28	2.06	1.71	3.22
Kidney	1.22	0.48	0.07	0.25	0.04	0.11	0.18	0.50	1.31	2.46	4.15	5.46	8.59	10.15	10.07	8.15	12.35
Larynx	0.00	0.00	0.04	0.00	0.04	0.00	0.07	0.12	0.60	1.49	4.75	9.79	9.91	13.83	15.74	11.15	10.20
Leukaemia	0.80	1.00	0.71	0.54	0.49	0.29	0.28	0.58	0.76	1.29	1.70	2.27	4.10	4.73	8.52	16.29	13.96
Lip	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.12	0.00	0.52	0.34	0.62	0.92	0.53	0.52	0.86	2.68
Liver & Bile duct	0.31	0.03	0.00	0.04	0.12	0.18	0.46	0.71	1.14	1.81	2.63	3.91	6.60	5.95	10.84	11.15	8.59
Lung	0.00	0.00	0.00	0.04	0.04	0.11	0.39	0.92	1.96	3.68	11.44	19.78	29.99	41.32	52.91	57.02	40.80
Melanoma	0.00	0.03	0.04	0.08	0.21	0.40	1.02	1.87	2.50	3.75	8.90	11.33	16.91	24.86	39.75	53.59	80.53
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.06	0.42	1.44	1.98	3.33	8.77	11.58	6.98
Mouth	0.00	0.00	0.04	0.00	0.04	0.04	0.14	0.29	0.60	2.00	2.46	6.18	8.19	9.28	7.48	6.43	4.30
Myeloma	0.00	0.00	0.00	0.00	0.00	0.04	0.11	0.25	0.98	0.91	1.78	4.22	4.62	4.20	5.94	13.29	6.98
Naso-Oropharynx	0.07	0.07	0.21	0.37	0.37	0.29	0.18	0.67	0.98	1.75	3.05	6.08	8.45	8.40	8.26	6.00	6.98
Non Hodgkin lymphoma	0.28	0.28	0.50	0.87	1.40	1.57	2.35	5.16	8.22	11.05	11.87	12.77	14.13	19.08	26.07	33.44	34.90
Oesophagus	0.00	0.00	0.00	0.04	0.04	0.00	0.18	0.62	1.36	4.33	9.49	18.44	24.83	23.99	23.49	26.58	34.90
Other specified	0.17	0.03	0.00	0.00	0.08	0.15	0.18	0.42	0.27	0.84	2.63	3.50	3.57	2.10	5.42	2.57	2.15
Pancreas	0.00	0.03	0.00	0.04	0.00	0.07	0.04	0.21	0.49	0.71	2.29	3.71	5.28	8.40	8.26	10.72	8.59
Penis	0.00	0.00	0.00	0.00	0.08	0.00	0.39	0.96	2.29	3.75	3.98	3.50	3.30	4.03	5.16	3.86	5.37
Primary site unknown	0.14	0.10	0.07	0.08	0.16	0.33	1.09	2.04	2.50	7.11	13.39	19.98	30.91	33.44	33.03	38.16	44.03
Prostate	0.00	0.00	0.00	0.04	0.08	0.11	0.18	0.54	2.29	11.83	38.40	98.37	197.22	295.18	394.61	435.15	370.46
SCC of skin	0.00	0.07	0.00	0.12	0.16	0.26	0.70	2.29	5.01	9.63	17.88	39.35	60.37	101.02	198.47	291.10	458.51
Salivary gland	0.03	0.00	0.00	0.12	0.00	0.11	0.00	0.33	0.54	0.78	1.36	1.24	1.85	2.98	3.10	4.29	6.98
Skin other	0.03	0.03	0.11	0.08	0.25	0.22	0.39	0.71	0.98	1.03	0.85	1.44	1.85	2.28	4.90	7.29	7.52
Small intestine	0.00	0.00	0.00	0.00	0.00	0.07	0.07	0.12	0.33	0.71	1.02	1.34	1.19	2.45	2.84	4.72	1.07
Stomach	0.00	0.00	0.00	0.00	0.12	0.18	0.49	1.29	1.90	2.59	5.51	11.43	14.53	18.38	26.07	33.44	38.12
Testis	0.07	0.21	0.07	0.25	0.91	0.91	1.37	1.62	1.41	1.16	1.27	0.52	0.26	0.53	1.55	1.29	0.00
Thyroid	0.03	0.03	0.04	0.00	0.12	0.11	0.42	0.46	0.82	0.71	1.02	1.65	2.38	2.80	2.06	4.29	3.76
Tongue	0.00	0.03	0.00	0.00	0.04	0.07	0.07	0.12	1.09	1.36	2.63	4.53	9.64	7.35	7.74	7.72	6.44

**AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2020 : ASIAN FEMALES**

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.79	1.89	0.00	2.25	0.00	3.09	0.00	5.91	0.00
BCC	0.00	0.00	0.00	0.00	0.00	0.00	3.08	1.79	7.58	6.20	4.50	0.00	9.26	27.86	5.91	36.38	
Bladder	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.50	5.23	0.00	19.90	11.83	6.06	
Bone	0.00	0.00	2.16	0.00	2.09	0.00	0.00	0.00	1.89	4.13	2.25	0.00	0.00	0.00	0.00	0.00	0.00
Brain, CNS	0.00	0.00	2.16	2.32	0.00	3.43	0.00	1.54	0.00	2.07	2.25	2.62	9.26	0.00	0.00	0.00	0.00
Breast	0.00	0.00	0.00	0.00	0.00	3.43	10.89	39.99	62.60	149.69	111.64	161.84	185.76	216.09	183.08	236.53	175.84
Cervix	0.00	0.00	0.00	0.00	0.00	3.43	3.11	15.38	10.73	26.53	10.34	13.49	15.70	24.70	19.90	23.65	24.25
Colorectal	0.00	0.00	0.00	0.00	2.09	0.00	3.11	6.15	0.00	15.16	24.81	31.47	36.63	67.91	71.64	23.65	30.32
Connective tissue	0.00	2.06	0.00	0.00	0.00	0.00	1.56	0.00	0.00	3.79	4.13	2.25	0.00	0.00	0.00	5.91	0.00
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.89	2.07	0.00	0.00	0.00	3.98	0.00	0.00
Haematology other	0.00	0.00	0.00	0.00	0.00	1.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.09	0.00	0.00	0.00
Hodgkin lymphoma	0.00	0.00	0.00	4.65	2.09	0.00	3.11	3.08	1.79	1.89	0.00	2.25	2.62	0.00	0.00	0.00	0.00
Kaposi Sarcoma	0.00	0.00	0.00	0.00	2.09	0.00	1.56	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Kidney	2.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.20	0.00	10.47	9.26	15.92	0.00	0.00
Larynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.62	0.00	3.98	5.91	0.00
Leukaemia	0.00	2.06	0.00	2.32	0.00	1.71	0.00	0.00	0.00	0.00	2.07	2.25	0.00	0.00	3.98	0.00	0.00
Liver & Bile duct	2.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.79	1.89	0.00	4.50	0.00	3.09	0.00	0.00	6.06
Lung	0.00	0.00	0.00	0.00	0.00	0.00	1.56	1.54	1.79	1.89	6.20	4.50	7.85	27.78	39.80	11.83	18.19
Melanoma	0.00	0.00	0.00	0.00	0.00	1.71	1.56	1.54	0.00	0.00	4.13	2.25	2.62	6.17	3.98	0.00	6.06
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.25	0.00	0.00	0.00	0.00	6.06
Mouth	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.13	4.50	2.62	9.26	7.96	29.57	0.00
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.79	0.00	0.00	2.25	2.62	3.09	0.00	0.00	0.00
Naso-Oropharynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.89	2.07	2.25	0.00	0.00	3.98	5.91	0.00
Non Hodgkin lymphoma	0.00	0.00	2.16	0.00	0.00	0.00	3.08	0.00	1.89	14.47	4.50	2.62	3.09	7.96	5.91	12.13	
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.54	7.15	1.89	2.07	2.25	2.62	3.09	3.98	5.91	6.06
Other specified	0.00	0.00	0.00	0.00	0.00	1.71	0.00	4.61	0.00	0.00	4.13	2.25	5.23	9.26	3.98	11.83	0.00
Ovary	0.00	0.00	0.00	0.00	6.27	0.00	3.11	1.54	1.79	3.79	8.27	6.74	18.31	12.35	7.96	11.83	0.00
Pancreas	0.00	0.00	0.00	0.00	0.00	0.00	3.11	0.00	0.00	5.68	4.13	0.00	0.00	6.17	3.98	0.00	6.06
Placenta	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.79	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Primary site unknown	0.00	0.00	0.00	4.18	0.00	1.56	1.54	5.37	3.79	16.54	15.73	13.08	33.96	23.88	35.48	12.13	
SCC of skin	0.00	0.00	0.00	0.00	0.00	1.71	0.00	0.00	0.00	2.07	2.25	10.47	3.09	3.98	17.74	24.25	
Salivary gland	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.79	0.00	0.00	0.00	3.09	0.00	0.00	0.00
Skin other	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.54	0.00	1.89	2.07	0.00	0.00	0.00	0.00	5.91	6.06
Small intestine	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.07	0.00	2.62	0.00	0.00	0.00	0.00	6.06
Stomach	0.00	0.00	0.00	0.00	0.00	3.43	1.56	4.61	1.79	1.89	2.07	11.24	7.85	6.17	0.00	35.48	18.19
Thyroid	0.00	0.00	0.00	2.32	6.27	0.00	10.89	9.23	14.31	7.58	10.34	2.25	7.85	0.00	7.96	0.00	0.00
Tongue	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.25	0.00	9.26	7.96	11.83	0.00
Uterus	0.00	0.00	0.00	0.00	0.00	0.00	3.11	6.15	5.37	17.05	12.40	35.96	49.71	61.74	107.46	65.05	18.19
Vagina	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.25	0.00	0.00	0.00	3.98	5.91	0.00
Vulva	0.00	0.00	0.00	0.00	0.00	0.00	1.56	1.54	1.79	0.00	0.00	2.25	5.23	6.17	3.98	11.83	6.06

**AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2020 : ASIAN MALES**

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	7.9	0.0	0.0	0.0
BCC	0.00	0.00	0.00	0.00	0.00	0.00	1.26	1.52	0.00	2.06	2.46	9.16	15.77	23.38	51.15	45.07	
Bladder	0.00	0.00	0.00	0.00	0.00	1.39	2.48	1.26	1.52	1.72	6.17	27.01	24.44	31.54	35.07	92.06	105.15
Bone	0.00	0.00	2.05	0.00	1.84	0.00	1.24	0.00	0.00	0.00	0.00	3.05	0.00	0.00	0.00	0.00	0.00
Brain, CNS	1.99	1.97	0.00	0.00	0.00	0.00	1.24	2.51	1.52	3.44	0.00	7.37	6.11	11.83	0.00	20.46	0.00
Breast	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.52	5.15	0.00	2.46	6.11	7.89	0.00	0.00	0.00
Burkitt lymphoma	0.00	0.00	0.00	2.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Colorectal	0.00	0.00	2.05	0.00	1.84	1.39	3.73	3.77	13.64	8.59	26.74	46.66	67.20	98.57	111.05	71.60	75.11
Connective tissue	0.00	0.00	0.00	0.00	0.00	0.00	1.24	0.00	1.52	1.72	0.00	4.91	0.00	0.00	5.84	10.23	0.00
Endocrine	0.00	1.97	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.06	0.00	0.00	0.00	0.00	0.00	0.00
Eye	1.99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.94	0.00	0.00	0.00
Haematology other	0.00	3.95	2.05	0.00	0.00	0.00	0.00	0.00	0.00	1.72	0.00	2.46	0.00	3.94	0.00	0.00	0.00
Hodgkin lymphoma	0.00	0.00	0.00	2.20	3.68	1.39	0.00	2.51	1.52	1.72	2.06	0.00	3.05	0.00	5.84	0.00	0.00
Kaposi Sarcoma	0.00	0.00	0.00	0.00	1.84	0.00	2.48	1.26	1.52	1.72	2.06	0.00	3.94	0.00	0.00	0.00	0.00
Kidney	0.00	0.00	0.00	0.00	1.39	0.00	1.26	4.55	0.00	6.17	4.91	21.38	11.83	0.00	0.00	15.02	
Larynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.23	9.82	9.16	3.94	5.84	20.46	15.02
Leukaemia	1.99	0.00	2.05	0.00	0.00	1.39	0.00	1.26	1.52	0.00	2.06	0.00	3.05	0.00	11.69	30.69	0.00
Liver & Bile duct	0.00	0.00	0.00	0.00	1.84	0.00	0.00	0.00	1.52	3.44	2.06	2.46	6.11	3.94	5.84	20.46	0.00
Lung	0.00	0.00	0.00	0.00	1.39	1.24	1.26	6.06	1.72	6.17	22.10	58.04	55.20	87.67	40.92	75.11	
Melanoma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.26	0.00	0.00	4.11	2.46	3.05	3.94	0.00	10.23	0.00
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.84	0.00	0.00	0.00
Mouth	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.26	0.00	5.15	0.00	4.91	3.05	7.89	11.69	0.00	0.00
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.11	2.46	3.05	3.94	0.00	0.00	0.00	0.00
Naso-Oropharynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.91	9.16	3.94	17.53	0.00	30.04
Non Hodgkin lymphoma	1.99	0.00	0.00	0.00	1.84	2.78	3.73	1.26	4.55	6.87	6.17	7.37	12.22	19.71	17.53	61.37	60.09
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.26	0.00	1.72	0.00	4.91	0.00	3.94	17.53	20.46	0.00
Other specified	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.11	0.00	9.16	11.83	5.84	10.23	0.00
Pancreas	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.51	0.00	0.00	4.11	0.00	3.05	7.89	0.00	10.23	15.02
Penis	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.11	4.91	6.11	3.94	0.00	0.00	15.02
Primary site unknown	0.00	0.00	0.00	0.00	0.00	0.00	2.48	2.51	0.00	3.44	10.29	12.28	12.22	35.48	35.07	51.15	60.09
Prostate	0.00	0.00	0.00	0.00	0.00	0.00	1.24	0.00	0.00	5.15	16.46	44.20	122.19	165.60	210.42	235.27	120.17
SCC of skin	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.51	3.03	0.00	0.00	9.82	9.16	35.48	17.53	61.37	60.09
Salivary gland	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.06	0.00	0.00	3.94	0.00	0.00	0.00
Skin other	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.26	0.00	0.00	2.46	0.00	0.00	0.00	0.00	0.00	0.00
Small intestine	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.52	0.00	2.06	2.46	6.11	3.94	0.00	0.00	0.00
Stomach	0.00	0.00	0.00	0.00	0.00	0.00	2.48	0.00	4.55	6.87	6.17	22.10	9.16	35.48	35.07	51.15	75.11
Testis	1.99	0.00	0.00	2.20	5.52	5.55	2.48	10.05	7.58	3.44	0.00	0.00	3.05	0.00	5.84	10.23	0.00
Thyroid	0.00	0.00	0.00	0.00	0.00	1.39	3.73	1.26	1.52	1.72	0.00	0.00	6.11	0.00	5.84	10.23	0.00
Tongue	0.00	0.00	0.00	0.00	0.00	0.00	1.24	0.00	0.00	1.72	4.11	4.91	9.16	0.00	11.69	0.00	0.00

**AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2020 : BLACK FEMALES**

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.04	0.00	0.10	0.22	0.89	1.97	2.23	2.11	0.99	0.90	0.97	1.77	1.00	2.85	2.50
BCC	0.00	0.00	0.08	0.05	0.05	0.31	0.64	0.61	1.31	1.71	2.68	3.37	5.39	3.53	7.99	9.36	19.01
Bladder	0.04	0.04	0.00	0.00	0.00	0.18	0.38	0.35	0.85	1.06	1.19	1.69	1.11	3.00	3.24	2.04	6.50
Bone	0.04	0.08	0.72	0.50	0.30	0.31	0.34	0.15	0.07	0.24	0.30	0.11	0.28	0.00	0.00	0.41	0.00
Brain, CNS	0.62	0.46	0.25	0.25	0.20	0.22	0.42	0.35	0.26	0.81	0.60	0.90	0.69	0.71	0.25	0.00	0.00
Breast	0.00	0.00	0.00	0.05	0.80	3.48	9.30	19.66	33.22	42.49	50.48	56.02	53.38	65.35	60.65	65.12	83.03
Burkitt lymphoma	0.04	0.00	0.04	0.00	0.05	0.26	0.34	0.30	0.07	0.32	0.20	0.00	0.14	0.00	0.00	0.00	0.00
Cervix	0.00	0.00	0.00	0.05	0.70	4.28	14.87	31.63	54.06	66.62	71.41	66.59	63.47	66.06	60.90	54.13	86.03
Colorectal	0.00	0.00	0.04	0.10	0.45	0.66	1.19	2.12	2.75	4.39	7.64	13.27	13.41	12.89	14.73	10.99	12.50
Connective tissue	0.50	0.25	0.13	0.30	0.55	0.53	0.47	0.76	0.59	0.81	1.09	2.02	2.21	2.30	2.25	2.44	2.00
Endocrine	0.00	0.17	0.00	0.10	0.00	0.00	0.08	0.05	0.13	0.00	0.40	0.11	0.00	0.35	0.25	0.00	0.00
Eye	0.70	0.12	0.04	0.05	0.00	0.53	0.81	1.36	2.42	1.95	1.19	0.56	1.11	0.71	0.75	0.81	0.00
Gum	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.08	0.30	0.34	0.00	0.18	0.00	0.41	1.50
Haematology other	0.12	0.04	0.21	0.05	0.10	0.00	0.00	0.05	0.00	0.16	0.10	0.00	0.14	0.00	0.00	0.41	0.00
Hodgkin lymphoma	0.00	0.29	0.13	0.50	1.09	0.75	1.15	1.11	1.97	1.46	1.19	0.79	0.41	0.18	0.50	0.41	0.00
Kaposi Sarcoma	0.00	0.00	0.00	0.20	1.34	3.26	4.29	3.28	4.06	2.92	2.28	1.91	0.41	0.53	0.75	0.81	1.00
Kidney	1.49	0.87	0.21	0.10	0.00	0.13	0.13	0.40	0.59	0.41	0.69	1.46	2.21	1.06	0.50	2.04	0.50
Larynx	0.04	0.00	0.00	0.00	0.00	0.04	0.04	0.05	0.07	0.16	0.30	0.79	0.69	1.06	1.50	0.41	0.50
Leukaemia	0.37	0.62	0.42	0.35	0.45	0.13	0.04	0.45	0.72	0.81	0.69	0.79	0.69	1.41	0.25	2.04	3.00
Lip	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.10	0.00	0.00	0.20	0.11	0.00	0.00	0.00	0.41	1.00
Liver & Bile duct	0.08	0.08	0.08	0.05	0.05	0.18	0.25	0.30	0.66	1.22	1.69	1.91	1.80	1.77	1.00	1.63	1.50
Lung	0.00	0.00	0.04	0.00	0.00	0.13	0.08	0.25	1.05	1.46	2.78	3.26	4.15	6.71	3.99	5.70	6.00
Melanoma	0.00	0.04	0.00	0.05	0.05	0.18	0.17	0.40	0.20	0.97	1.49	2.70	2.90	4.77	3.74	3.66	9.50
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.16	0.00	0.56	0.28	0.71	0.25	0.41	0.50
Mouth	0.00	0.04	0.04	0.00	0.05	0.09	0.13	0.20	0.26	0.32	0.69	1.24	0.83	1.06	1.75	1.22	4.00
Myeloma	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.05	0.20	0.81	1.59	3.15	2.77	1.59	3.74	3.66	3.00
Naso-Oropharynx	0.00	0.00	0.04	0.15	0.10	0.09	0.21	0.25	0.46	0.89	1.19	1.12	0.83	1.24	1.00	0.81	1.50
Non Hodgkin lymphoma	0.04	0.12	0.21	0.40	1.34	1.90	2.89	4.70	5.18	6.58	5.75	6.07	3.73	4.24	7.24	3.26	3.50
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.09	0.08	0.45	0.85	2.52	5.26	10.24	12.86	17.49	13.98	25.24	33.51
Other specified	0.08	0.08	0.00	0.00	0.00	0.26	0.30	0.91	0.59	0.41	1.09	1.69	3.04	2.47	2.50	2.44	1.50
Ovary	0.08	0.08	0.25	0.40	0.40	0.35	0.38	0.61	0.72	1.38	1.69	2.81	4.29	3.71	3.74	3.26	4.00
Pancreas	0.04	0.00	0.00	0.00	0.10	0.04	0.13	0.05	0.26	0.81	1.19	1.12	1.94	1.94	0.75	0.81	0.50
Placenta	0.00	0.00	0.00	0.00	0.15	0.35	0.17	0.20	0.20	0.24	0.00	0.22	0.00	0.00	0.00	0.00	0.00
Primary site unknown	0.12	0.08	0.04	0.20	0.40	0.71	1.27	3.08	3.87	6.34	9.12	13.50	20.19	24.02	22.71	25.64	34.51
SCC of skin	0.00	0.00	0.04	0.05	0.30	0.66	1.61	2.78	3.28	4.06	2.48	4.50	4.01	5.48	6.24	13.43	27.01
Salivary gland	0.00	0.08	0.08	0.00	0.05	0.09	0.13	0.15	0.07	0.65	0.50	0.11	0.83	0.71	1.25	0.41	0.00
Skin other	0.04	0.00	0.00	0.05	0.20	0.22	0.47	1.01	0.39	0.65	0.50	0.79	0.97	1.06	0.50	0.41	3.00
Small intestine	0.00	0.00	0.00	0.00	0.00	0.09	0.13	0.10	0.33	0.49	0.40	0.79	0.83	0.88	1.00	0.00	1.50
Stomach	0.00	0.00	0.00	0.00	0.05	0.18	0.30	0.30	0.66	1.22	2.48	3.15	3.18	5.30	5.49	7.73	9.50
Thyroid	0.00	0.00	0.00	0.00	0.30	0.48	0.38	0.76	0.98	1.71	0.99	1.91	1.80	2.12	2.50	4.07	1.50
Tongue	0.00	0.00	0.00	0.00	0.05	0.04	0.04	0.05	0.20	0.16	0.50	1.35	0.83	1.41	1.25	0.81	1.50
Uterus	0.00	0.00	0.08	0.00	0.10	0.22	0.17	0.51	1.25	1.79	4.36	10.01	25.03	32.32	41.43	40.70	38.01
Vagina	0.08	0.00	0.00	0.00	0.00	0.22	0.38	0.91	0.98	2.03	1.59	1.24	1.24	2.83	2.00	4.07	3.50
Vulva	0.00	0.00	0.00	0.00	0.25	0.75	2.93	7.02	7.67	6.34	3.07	3.49	3.32	1.94	3.00	2.85	3.50

**AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2020 : BLACK MALES**

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.00	0.50	0.66	1.64	2.23	2.05	1.52	2.88	1.42	3.67	0.84	1.30	
BCC	0.00	0.00	0.00	0.00	0.17	0.17	0.61	0.82	1.29	3.87	4.87	5.76	10.53	11.02	30.21	51.93	
Bladder	0.00	0.00	0.00	0.00	0.10	0.04	0.12	0.15	0.68	1.46	2.05	4.26	7.40	6.54	10.57	14.26	14.28
Bone	0.08	0.12	0.58	0.54	0.59	0.35	0.41	0.30	0.14	0.09	0.36	0.30	0.21	0.57	0.00	0.00	3.89
Brain, CNS	0.36	0.32	0.29	0.35	0.15	0.22	0.25	0.35	0.34	0.94	1.21	1.06	0.82	1.71	0.46	0.00	1.30
Breast	0.00	0.00	0.00	0.05	0.00	0.04	0.20	0.27	0.86	1.33	2.59	3.70	2.28	7.81	7.55	11.68	
Burkitt lymphoma	0.16	0.20	0.08	0.15	0.00	0.17	0.25	0.20	0.68	0.26	0.24	0.00	0.00	0.00	0.00	0.00	
Colorectal	0.00	0.00	0.04	0.05	0.20	1.04	1.37	1.77	4.44	5.58	11.24	15.36	19.53	27.31	29.86	31.88	31.16
Connective tissue	0.36	0.12	0.37	0.35	0.25	0.39	0.50	0.86	0.55	1.03	0.73	1.22	1.23	2.56	3.22	2.52	5.19
Endocrine	0.12	0.04	0.00	0.00	0.05	0.00	0.00	0.00	0.14	0.00	0.00	0.30	0.00	0.00	0.00	0.00	
Eye	0.81	0.04	0.00	0.05	0.15	0.22	0.75	1.92	2.66	2.75	2.78	2.13	1.44	1.71	0.92	1.68	2.60
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.24	0.61	0.21	0.85	0.92	1.68	0.00
Haematology other	0.12	0.08	0.17	0.05	0.10	0.09	0.04	0.05	0.14	0.09	0.24	0.15	0.21	0.00	0.46	0.00	1.30
Hodgkin lymphoma	0.08	1.09	0.37	0.59	1.08	0.61	0.75	1.36	2.12	3.26	3.50	1.22	0.62	2.28	0.46	0.84	0.00
Kaposi Sarcoma	0.16	0.04	0.12	0.30	0.89	2.64	5.93	6.66	8.46	5.15	6.89	5.78	2.06	3.13	3.67	2.52	7.79
Kidney	1.17	0.53	0.08	0.20	0.05	0.04	0.12	0.25	0.55	1.20	1.57	3.19	4.11	4.27	1.38	3.36	2.60
Larynx	0.00	0.00	0.00	0.00	0.05	0.00	0.04	0.15	0.68	0.94	3.38	9.28	6.58	12.80	13.78	8.39	12.98
Leukaemia	0.69	0.65	0.50	0.59	0.49	0.22	0.25	0.61	0.82	1.12	1.33	1.52	2.26	2.56	4.13	5.87	2.60
Lip	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.00	0.26	0.24	0.46	0.21	0.00	0.00	0.00	
Liver & Bile duct	0.24	0.04	0.00	0.05	0.10	0.13	0.46	0.76	1.23	1.55	2.30	3.19	5.14	1.42	4.13	6.71	3.89
Lung	0.00	0.00	0.00	0.05	0.00	0.09	0.33	0.55	1.30	2.92	7.49	15.51	18.91	25.89	26.64	25.17	14.28
Melanoma	0.00	0.00	0.00	0.00	0.00	0.04	0.25	0.15	0.48	0.34	0.85	2.89	2.67	4.55	4.13	10.07	12.98
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.09	0.48	1.06	2.26	1.71	3.67	5.87	0.00	
Mouth	0.00	0.00	0.04	0.00	0.05	0.04	0.12	0.30	0.61	1.63	1.69	5.63	6.58	7.97	5.51	5.87	7.79
Myeloma	0.00	0.00	0.00	0.00	0.00	0.04	0.12	0.30	1.02	1.12	1.45	4.26	3.08	3.13	1.38	8.39	3.89
Naso-Oropharynx	0.04	0.08	0.21	0.39	0.30	0.17	0.17	0.61	0.96	1.55	1.81	3.50	5.96	8.25	5.51	4.20	9.09
Non Hodgkin lymphoma	0.20	0.24	0.54	0.79	1.33	1.17	2.24	5.25	8.46	11.08	11.72	9.28	10.48	6.83	8.73	5.87	14.28
Oesophagus	0.00	0.00	0.00	0.05	0.00	0.00	0.21	0.61	1.16	3.78	10.76	20.38	28.78	27.03	29.86	27.69	53.23
Other specified	0.08	0.00	0.00	0.00	0.05	0.09	0.17	0.35	0.20	0.77	1.93	2.74	2.06	0.28	3.22	0.84	1.30
Pancreas	0.00	0.04	0.00	0.00	0.00	0.00	0.04	0.10	0.20	0.60	1.81	2.59	3.08	2.56	1.84	5.03	0.00
Penis	0.00	0.00	0.00	0.00	0.10	0.00	0.46	0.86	2.66	4.72	4.23	3.04	3.91	4.55	5.05	4.20	3.89
Primary site unknown	0.16	0.08	0.08	0.10	0.15	0.26	1.08	1.66	2.39	6.78	10.63	18.86	28.37	23.33	30.32	27.69	40.25
Prostate	0.00	0.00	0.00	0.05	0.10	0.13	0.17	0.45	1.98	10.05	34.80	87.15	175.37	254.94	339.00	387.65	412.84
SCC of skin	0.00	0.08	0.00	0.10	0.20	0.17	0.58	1.31	2.46	4.21	4.83	7.45	10.28	12.23	18.83	21.82	40.25
Salivary gland	0.04	0.00	0.00	0.10	0.00	0.09	0.00	0.25	0.48	0.77	0.60	0.61	1.44	1.42	0.92	1.68	2.60
Skin other	0.04	0.04	0.12	0.05	0.25	0.26	0.37	0.55	0.96	0.94	0.73	1.22	1.03	1.14	2.76	0.00	1.30
Small intestine	0.00	0.00	0.00	0.00	0.00	0.04	0.04	0.10	0.27	0.43	0.48	1.22	0.82	1.14	1.84	0.84	0.00
Stomach	0.00	0.00	0.00	0.00	0.10	0.04	0.29	1.06	1.43	1.29	4.47	6.39	9.46	11.10	14.70	15.10	27.26
Testis	0.00	0.20	0.08	0.10	0.20	0.26	0.08	0.10	0.20	0.26	0.24	0.00	0.00	0.28	0.92	0.00	0.00
Thyroid	0.04	0.04	0.00	0.00	0.10	0.04	0.12	0.10	0.20	0.09	0.24	0.76	0.41	0.85	0.92	0.84	2.60
Tongue	0.00	0.04	0.00	0.00	0.05	0.04	0.00	0.10	0.68	0.60	1.45	2.89	7.20	3.70	4.13	5.03	2.60

**AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2020 : COLOURED FEMALES**

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.00	0.47	1.55	1.25	1.24	1.23	0.00	0.00	2.27	3.37	2.72	2.94	
BCC	0.00	0.00	0.00	0.49	1.43	1.39	5.13	6.70	15.03	21.78	25.80	44.06	72.83	72.80	146.40	193.46	235.17
Bladder	0.00	0.00	0.00	0.00	0.46	0.47	1.03	0.00	3.73	1.23	3.50	2.60	5.69	11.78	8.17	23.52	
Bone	0.00	0.00	0.00	1.97	0.00	0.00	0.47	0.00	0.63	0.62	0.00	0.70	0.87	1.14	1.68	2.72	0.00
Brain, CNS	0.43	0.86	0.00	0.00	0.48	0.00	1.40	0.00	0.63	0.62	0.00	2.80	2.60	2.27	3.37	0.00	5.88
Breast	0.00	0.00	0.00	0.49	1.91	2.77	21.93	43.30	62.63	89.62	105.66	113.30	145.66	158.10	180.05	190.74	229.29
Burkitt lymphoma	0.00	0.00	0.00	0.00	0.00	0.47	0.00	0.00	0.00	0.61	0.00	0.00	0.00	0.00	1.68	2.72	0.00
Cervix	0.00	0.00	0.00	0.00	0.48	4.16	11.66	25.77	32.57	30.49	31.33	42.66	52.89	38.67	40.39	24.52	11.76
Colorectal	0.00	0.43	0.00	0.00	0.00	2.77	2.80	3.61	6.26	13.07	18.43	20.98	19.94	45.50	48.80	54.50	58.79
Connective tissue	0.00	0.00	0.00	0.49	0.00	0.00	0.00	1.55	0.63	1.24	1.84	1.40	6.07	1.14	1.68	0.00	2.94
Endocrine	0.00	0.00	0.00	0.49	0.00	0.00	0.00	0.52	0.00	0.00	0.00	0.00	0.00	1.14	0.00	0.00	0.00
Eye	0.86	0.86	0.00	0.00	0.46	0.00	1.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.94
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.70	1.73	0.00	0.00	0.00	5.88
Haematology other	0.43	0.00	0.00	0.49	0.00	0.00	0.00	0.52	0.00	0.00	0.00	0.70	0.00	1.14	0.00	0.00	0.00
Hodgkin lymphoma	0.00	0.00	0.00	0.98	1.91	2.77	1.87	0.52	1.88	0.62	0.61	2.10	0.00	1.14	1.68	2.72	0.00
Kaposi Sarcoma	0.86	0.43	0.00	0.49	0.48	2.31	4.67	4.12	0.63	3.73	0.61	0.70	0.00	0.00	0.00	0.00	0.00
Kidney	1.72	0.43	0.00	0.00	0.46	0.47	0.52	2.51	1.87	0.61	2.80	1.73	7.96	5.05	2.72	2.94	
Larynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.63	1.24	1.84	2.80	2.60	2.27	3.37	0.00	2.94	
Leukaemia	0.00	0.86	0.44	0.49	0.48	0.00	0.47	0.00	0.00	0.62	0.61	1.40	1.73	1.14	5.05	5.45	5.88
Lip	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.63	0.00	0.00	0.00	0.00	1.14	0.00	0.00	0.00
Liver & Bile duct	1.29	0.43	0.00	0.00	0.00	0.00	0.00	0.52	0.00	2.49	2.46	6.99	2.60	10.24	5.05	8.17	2.94
Lung	0.00	0.00	0.00	0.00	0.00	0.00	0.47	0.52	1.88	4.36	4.30	16.79	19.07	23.89	45.43	40.87	23.52
Melanoma	0.00	0.00	0.00	0.00	0.48	0.00	1.40	3.61	1.25	8.09	4.91	6.29	9.54	9.10	23.56	35.42	14.70
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.68	0.00	5.88	
Mouth	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.62	1.23	3.50	4.34	3.41	6.73	2.72	8.82
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.24	1.23	2.10	5.20	1.14	3.37	13.62	8.82
Naso-Oropharynx	0.00	0.00	0.00	0.49	0.00	0.00	0.00	0.00	1.88	1.24	1.84	4.20	1.73	4.55	1.68	5.45	2.94
Non Hodgkin lymphoma	0.43	0.00	0.00	0.49	0.48	0.46	4.20	1.55	4.38	6.85	4.30	5.60	11.27	12.51	20.19	16.35	17.64
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.46	0.00	0.00	1.25	1.87	4.30	7.69	7.80	13.65	23.56	10.90	11.76
Other specified	0.00	0.00	0.00	0.00	0.48	0.46	0.93	1.03	1.25	1.87	1.23	1.40	1.73	2.27	3.37	2.72	0.00
Ovary	0.00	0.00	0.44	0.98	0.00	0.00	0.47	2.06	2.51	3.11	4.91	8.39	7.80	13.65	13.46	8.17	5.88
Pancreas	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.52	1.25	1.87	3.07	0.70	6.07	3.41	10.10	8.17	0.00
Placenta	0.00	0.00	0.00	0.00	0.48	0.00	0.00	0.52	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Primary site unknown	0.43	0.00	0.00	0.48	1.39	1.40	1.03	3.76	4.36	11.67	16.09	22.54	36.40	28.61	38.15	29.40	
SCC of skin	0.00	0.00	0.00	0.00	0.00	0.00	1.40	2.06	4.38	3.73	7.37	17.49	32.08	50.05	75.72	119.89	217.53
Salivary gland	0.00	0.00	0.44	0.00	0.00	0.46	0.47	0.52	1.25	1.24	1.84	0.00	1.73	2.27	3.37	2.72	2.94
Skin other	0.00	0.00	0.00	0.00	0.00	0.00	0.47	1.03	0.63	0.00	0.00	0.70	0.00	2.27	3.37	5.45	14.70
Small intestine	0.00	0.00	0.00	0.00	0.00	0.00	0.47	0.52	0.00	0.62	0.61	1.40	1.73	2.27	1.68	0.00	0.00
Stomach	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.55	1.88	3.73	6.76	4.90	9.54	10.24	18.51	32.70	14.70
Thyroid	0.00	0.00	0.00	0.00	0.48	2.77	1.40	2.58	3.13	4.36	1.84	4.90	2.60	4.55	1.68	2.72	0.00
Tongue	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.49	4.30	4.20	9.54	4.55	6.73	2.72	0.00
Uterus	0.00	0.00	0.00	0.00	0.00	0.46	0.47	1.03	1.25	2.49	12.90	16.09	42.48	54.60	50.48	40.87	38.22
Vagina	0.00	0.00	0.00	0.00	0.00	0.00	1.03	0.00	3.11	1.84	2.80	4.34	4.55	3.37	0.00	0.00	
Vulva	0.00	0.00	0.00	0.00	0.00	0.46	1.87	3.61	1.88	2.49	3.69	4.90	0.87	6.82	1.68	0.00	2.94

**AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2020 : COLOURED MALES**

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.00	0.46	1.06	0.64	0.66	0.72	1.64	4.35	1.59	2.67	0.00	0.00	
BCC	0.00	0.00	0.00	0.00	0.47	1.37	4.15	9.58	14.65	30.28	42.34	64.88	109.76	172.19	307.06	466.28	669.69
Bladder	0.83	0.00	0.00	0.00	0.00	0.00	1.06	0.64	4.61	7.89	16.42	22.82	39.86	90.78	105.29	84.67	
Bone	0.00	0.42	1.30	1.45	0.47	0.46	0.46	0.53	0.00	0.66	0.72	0.82	0.00	1.59	0.00	10.03	0.00
Brain, CNS	0.42	0.00	0.43	0.48	0.00	0.91	0.92	0.00	2.55	1.97	5.74	1.64	4.35	7.97	8.01	5.01	0.00
Breast	0.00	0.00	0.00	0.00	0.00	0.00	0.46	0.00	0.00	0.66	2.87	2.46	4.35	4.78	8.01	5.01	7.70
Burkitt lymphoma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.66	0.72	0.00	1.09	0.00	0.00	0.00	0.00
Colorectal	0.00	0.00	0.87	0.96	0.00	0.46	2.30	4.26	8.92	13.16	18.66	27.10	43.47	70.15	82.77	120.33	169.35
Connective tissue	0.42	0.00	0.00	0.00	0.94	0.46	0.46	1.60	1.27	1.97	2.87	0.82	2.17	1.59	10.68	10.03	30.79
Endocrine	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.66	0.00	0.82	0.00	0.00	0.00	5.01	0.00
Eye	0.42	0.42	0.00	0.00	0.00	0.46	0.00	0.00	1.27	0.66	0.72	0.00	1.09	3.19	0.00	0.00	0.00
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.64	0.00	0.00	0.00	1.09	0.00	2.67	0.00	0.00
Haematology other	0.42	0.42	0.00	0.00	0.00	0.46	0.00	0.00	0.00	0.72	0.00	0.00	0.00	0.00	2.67	0.00	0.00
Hodgkin lymphoma	0.00	0.42	0.43	0.00	2.34	0.91	1.38	3.19	0.64	1.97	0.72	0.82	0.00	3.19	2.67	5.01	0.00
Kaposi Sarcoma	0.00	0.00	0.00	0.00	0.00	1.37	2.30	3.19	2.55	2.63	1.44	1.64	1.09	0.00	0.00	5.01	0.00
Kidney	0.42	0.42	0.00	0.00	0.00	0.00	0.00	0.53	2.55	2.63	6.46	6.57	7.61	11.16	18.69	10.03	38.49
Larynx	0.00	0.00	0.00	0.00	0.00	0.00	0.46	0.00	0.64	3.95	10.05	9.03	22.82	19.13	18.69	15.04	7.70
Leukaemia	1.25	0.42	2.16	0.00	0.47	0.00	0.46	0.53	0.00	0.66	0.72	1.64	3.26	3.19	5.34	10.03	15.40
Lip	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.72	0.00	3.26	4.78	0.00	0.00	15.40	
Liver & Bile duct	0.83	0.00	0.00	0.00	0.00	0.46	0.00	0.53	0.00	2.63	4.31	2.46	7.61	12.75	10.68	5.01	23.09
Lung	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.60	3.19	7.90	21.53	24.64	33.69	55.80	77.43	160.44	84.67
Melanoma	0.00	0.00	0.00	0.00	0.47	0.46	2.30	2.66	3.19	2.63	7.89	7.39	20.65	23.92	45.39	75.21	92.37
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.64	2.17	7.97	8.01	5.01	7.70	
Mouth	0.00	0.00	0.00	0.00	0.00	0.00	0.46	0.00	0.64	3.29	3.59	9.03	10.87	7.97	8.01	10.03	0.00
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.64	0.66	4.31	2.46	7.61	4.78	8.01	25.07	7.70
Naso-Oropharynx	0.00	0.00	0.43	0.00	0.94	1.37	0.46	1.60	0.64	3.95	7.89	10.68	11.95	7.97	8.01	10.03	7.70
Non Hodgkin lymphoma	0.42	0.42	0.00	0.00	0.94	2.73	1.84	4.79	4.46	9.22	7.18	13.96	10.87	25.51	32.04	35.10	76.98
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.55	7.90	7.89	13.14	21.73	27.10	16.02	15.04	23.09
Other specified	0.00	0.42	0.00	0.00	0.00	0.91	0.46	0.53	0.64	1.32	2.15	2.46	4.35	4.78	2.67	0.00	7.70
Pancreas	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.53	0.00	1.32	0.72	4.93	8.69	7.97	13.35	10.03	15.40
Penis	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.66	0.64	1.32	2.87	4.11	2.17	1.59	8.01	5.01	7.70
Primary site unknown	0.00	0.00	0.00	0.00	0.00	0.91	0.92	3.73	3.19	8.56	20.10	22.17	44.55	47.83	34.71	60.17	76.98
Prostate	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.53	3.82	12.51	31.58	80.48	160.83	298.14	440.56	556.53	569.63
SCC of skin	0.00	0.00	0.00	0.48	0.00	0.00	0.46	0.53	3.19	18.43	16.51	38.60	51.07	89.28	186.91	376.03	646.60
Salivary gland	0.00	0.00	0.00	0.48	0.00	0.00	0.00	0.53	0.64	0.66	1.44	1.64	4.35	3.19	2.67	10.03	0.00
Skin other	0.00	0.00	0.00	0.48	0.47	0.00	0.46	0.53	1.91	0.00	1.44	0.82	0.00	1.59	2.67	5.01	23.09
Small intestine	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.32	2.15	0.82	1.09	3.19	5.34	0.00	7.70
Stomach	0.00	0.00	0.00	0.00	0.47	0.91	0.92	2.66	1.27	5.27	7.89	20.53	24.99	22.32	53.40	90.25	107.77
Testis	0.00	0.00	0.00	0.48	3.28	1.37	3.23	3.19	1.91	0.66	1.44	0.82	1.09	0.00	0.00	0.00	0.00
Thyroid	0.00	0.00	0.00	0.00	0.00	0.46	0.00	0.00	0.66	0.00	1.64	3.26	7.97	2.67	5.01	7.70	
Tongue	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.19	3.95	5.02	6.57	13.04	14.35	10.68	10.03	15.40

**AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2018 : WHITE FEMALES**

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.28	1.11	2.31	0.61	1.24	3.34	5.24	3.85	2.13	
BCC	0.00	0.00	0.00	1.66	7.07	23.14	37.26	85.82	117.45	194.61	212.69	286.17	367.34	415.65	516.25	568.36	459.10
Bladder	0.00	0.81	0.00	0.00	0.00	0.68	1.29	0.00	0.55	6.92	6.11	7.46	12.03	15.73	25.05	20.61	
Bone	0.00	2.44	3.04	1.66	0.79	0.75	0.68	0.65	1.28	2.22	0.58	0.00	0.62	0.00	0.75	1.93	0.71
Brain, CNS	2.72	1.63	2.28	1.66	0.00	4.48	0.68	1.94	3.19	3.33	3.46	5.50	4.97	11.36	5.24	5.78	2.13
Breast	0.00	0.00	0.00	0.83	2.36	15.67	45.39	69.69	126.39	185.74	201.74	248.87	271.00	304.72	304.21	279.36	214.63
Cervix	0.00	0.00	0.00	0.00	0.79	5.97	24.39	38.71	37.66	32.71	40.92	34.85	32.94	28.73	17.98	12.52	9.24
Colorectal	0.00	0.00	0.00	0.83	0.79	4.48	2.71	10.32	14.68	29.94	31.13	47.70	52.83	74.84	109.39	100.19	73.20
Connective tissue	2.72	0.00	0.76	0.83	0.00	2.24	1.35	2.58	0.64	2.77	2.88	4.89	5.59	4.01	6.74	3.85	7.82
Endocrine	1.81	0.81	0.00	0.00	0.00	0.00	0.65	0.00	0.00	0.58	0.00	0.62	0.67	0.00	0.00	0.00	0.00
Eye	1.81	0.00	0.00	0.00	0.79	0.00	0.68	0.00	0.64	0.00	0.00	0.00	0.00	1.34	1.50	0.96	2.13
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.55	0.58	0.00	0.62	0.67	1.50	2.89	0.00
Haematology other	0.00	0.81	0.76	0.00	0.00	0.00	0.00	0.00	0.64	0.00	0.58	1.22	1.86	0.00	0.00	0.96	2.13
Hodgkin lymphoma	0.00	1.63	3.04	0.83	4.71	2.99	3.39	3.87	0.64	2.22	1.15	1.83	1.86	2.67	2.25	0.96	2.13
Kaposi Sarcoma	0.00	0.00	0.00	0.00	0.79	1.49	2.71	3.23	1.28	1.66	0.58	0.00	0.00	0.00	0.00	0.96	0.00
Kidney	0.91	0.81	2.28	0.00	0.79	0.00	0.00	1.94	2.55	6.65	2.88	9.78	5.59	8.02	5.99	4.82	4.97
Larynx	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.28	0.55	1.15	3.67	4.97	5.35	0.75	0.96	0.00
Leukaemia	2.72	0.00	3.04	0.83	1.57	0.75	0.00	0.65	1.28	1.66	0.58	1.22	3.11	4.01	8.24	7.71	7.11
Lip	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.64	0.55	0.00	0.00	0.62	0.00	0.00	0.00	0.71
Liver & Bile duct	0.91	0.00	0.00	0.00	0.00	1.49	0.00	0.65	2.55	1.66	2.88	6.73	7.46	6.68	5.99	13.49	5.69
Lung	0.00	0.00	0.76	0.00	0.00	0.75	1.35	0.65	5.74	6.10	9.80	26.29	41.02	51.45	72.68	72.25	37.67
Melanoma	0.00	0.00	0.00	0.83	3.93	10.45	17.61	26.46	32.55	32.71	33.43	44.03	50.97	50.12	55.45	53.95	49.75
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.68	0.00	0.64	0.00	0.58	2.45	0.62	1.34	6.74	9.63	4.97
Mouth	0.00	0.00	0.00	0.00	0.79	0.75	0.00	1.29	0.00	3.88	2.88	4.89	4.35	5.35	8.24	2.89	4.97
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	0.64	1.66	3.46	1.83	6.84	8.02	6.74	13.49	4.97
Naso-Oropharynx	0.00	0.00	0.00	0.00	0.00	0.75	0.00	0.65	1.91	0.55	1.15	5.50	3.73	3.34	4.50	0.96	0.00
Non Hodgkin lymphoma	0.00	0.00	0.00	0.00	0.79	2.24	2.03	4.52	8.94	7.76	12.10	12.84	24.86	32.08	38.96	47.20	34.82
Oesophagus	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.64	1.66	1.15	6.11	8.70	12.70	5.24	6.74	5.69
Other specified	2.72	0.00	0.00	0.00	0.00	0.00	0.00	0.65	1.91	2.22	5.76	6.73	8.08	5.35	5.99	1.93	7.82
Ovary	0.00	0.00	0.00	0.83	1.57	0.75	4.06	1.94	9.57	8.32	11.53	17.73	16.78	22.05	30.72	26.01	12.08
Pancreas	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	1.91	2.22	6.92	9.17	8.70	10.69	21.73	19.27	12.08
Placenta	0.00	0.00	0.00	0.00	0.00	0.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Primary site unknown	0.00	0.81	0.00	0.00	0.79	0.75	4.06	3.87	5.11	10.53	16.14	22.62	25.48	36.75	41.96	44.31	35.53
SCC of skin	0.00	0.00	0.00	0.00	0.00	0.75	0.68	5.16	17.87	29.39	48.42	86.22	135.50	193.79	258.50	393.04	515.25
Salivary gland	0.00	0.00	0.00	0.00	0.00	0.75	0.00	0.65	0.64	2.22	0.00	1.22	1.24	2.67	0.75	2.89	4.97
Skin other	0.00	0.00	0.00	0.00	0.00	0.75	0.00	1.29	0.64	1.11	1.73	0.61	4.97	2.67	6.74	6.74	13.50
Small intestine	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	1.28	1.11	0.00	1.83	3.73	5.35	1.50	3.85	2.84
Stomach	0.00	0.00	0.00	0.00	1.57	0.75	1.35	0.00	4.47	2.77	4.03	5.50	7.46	10.02	14.24	10.60	9.95
Thyroid	0.00	0.00	0.00	1.66	3.93	11.94	11.52	12.90	14.68	16.08	10.38	15.29	15.54	8.69	7.49	8.67	5.69
Tongue	0.00	0.00	0.00	0.00	0.00	0.00	1.35	1.29	2.55	3.88	3.46	9.17	4.97	8.69	5.24	2.89	3.55
Uterus	0.00	0.00	0.00	0.00	0.00	2.24	2.03	1.94	2.55	8.32	18.44	29.96	40.40	35.42	41.21	25.05	24.16
Vagina	0.00	0.00	0.00	0.00	0.00	0.75	0.00	0.65	0.00	0.00	0.58	3.06	1.86	1.34	2.25	0.00	0.71
Vulva	0.00	0.00	0.00	0.00	0.00	1.35	2.58	3.19	3.33	1.73	4.28	3.73	7.35	7.49	8.67	4.97	

**AGE-SPECIFIC INCIDENCE RATES PER 100 000, 2020 : WHITE MALES**

(Calculations performed using the number of tumours for each age sex group at each site, after adjusting for tumours with missing information about age, sex and/or population group)

SITE	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+
Anus	0.00	0.00	0.00	0.00	0.75	0.67	0.00	1.34	1.74	4.26	0.66	3.43	3.04	5.21	3.56	1.12	
BCC	0.00	0.00	0.00	2.44	7.07	16.45	45.77	89.62	172.98	232.80	297.58	450.78	579.39	667.81	794.20	949.60	821.60
Bladder	0.00	0.00	0.00	0.00	0.00	0.67	3.90	4.68	4.06	16.43	35.80	54.17	71.42	85.06	133.96	139.54	
Bone	0.00	0.79	4.45	0.81	1.57	0.75	0.00	0.65	2.67	1.16	0.61	2.65	0.69	4.56	0.87	2.37	0.00
Brain, CNS	5.27	1.58	1.48	0.00	0.79	2.99	6.73	5.20	1.34	7.55	4.87	10.61	10.97	9.12	13.89	13.04	3.35
Breast	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.34	0.00	1.83	3.98	2.06	5.32	2.60	2.37	4.47
Burkitt lymphoma	0.88	0.79	0.74	0.00	0.00	0.00	0.67	0.00	0.67	0.58	1.22	0.00	0.00	0.00	0.00	0.00	0.00
Colorectal	0.00	0.00	0.74	0.81	0.00	2.99	6.06	18.18	17.37	26.70	39.56	61.65	95.99	107.88	161.44	154.12	132.84
Connective tissue	0.88	0.79	0.00	2.44	1.57	0.75	4.04	1.95	2.67	2.32	3.04	3.98	4.80	6.84	6.94	17.78	13.40
Endocrine	2.63	1.58	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.58	0.00	1.33	0.00	0.00	0.00	0.00	1.12
Eye	0.00	0.00	0.00	0.00	0.00	0.75	0.00	0.00	0.67	0.58	0.00	1.33	1.37	0.76	2.60	1.19	1.12
Gum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.16	0.00	0.00	0.69	2.28	1.74	3.56	1.12
Haematology other	0.00	0.79	0.00	0.00	0.00	0.00	0.00	0.00	0.67	0.00	0.00	1.33	1.37	1.52	2.60	1.19	2.23
Hodgkin lymphoma	0.88	0.79	1.48	5.70	4.72	5.98	1.35	1.95	2.67	1.16	3.04	3.31	2.06	1.52	1.74	3.56	3.35
Kaposi Sarcoma	0.00	0.00	0.00	0.00	0.00	3.74	6.06	6.49	6.01	2.32	0.61	3.31	0.00	0.76	0.00	0.00	0.00
Kidney	4.39	0.00	0.00	1.63	0.00	0.75	1.35	3.25	6.01	11.61	14.61	14.58	21.26	25.07	25.17	15.41	16.74
Larynx	0.00	0.00	0.74	0.00	0.00	0.00	0.00	0.00	0.00	3.48	6.09	12.60	13.03	15.95	19.96	13.04	7.81
Leukaemia	1.76	9.49	1.48	0.81	0.79	1.50	0.67	0.00	0.67	3.48	4.26	6.63	10.97	12.16	17.36	30.82	24.56
Lip	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.90	0.61	1.99	2.06	0.00	1.74	2.37	3.35
Liver & Bile duct	0.88	0.00	0.00	0.00	0.00	0.75	1.35	0.65	1.34	2.32	3.04	8.62	10.97	15.19	24.30	17.78	11.16
Lung	0.00	0.00	0.00	0.00	0.79	0.00	1.35	4.55	5.34	5.81	24.34	33.81	58.28	72.93	89.40	79.43	54.70
Melanoma	0.00	0.79	0.74	1.63	3.14	6.73	12.12	23.38	22.71	29.03	51.73	53.70	65.14	83.57	111.10	115.00	142.89
Mesothelioma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	0.00	0.61	3.31	1.37	6.08	19.10	22.52	13.40
Mouth	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	2.32	6.09	6.63	13.03	13.68	10.42	7.11	2.23
Myeloma	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.34	0.00	0.61	5.97	8.23	6.84	14.76	18.97	10.05
Naso-Oropharynx	0.88	0.00	0.00	0.81	0.79	0.75	0.00	0.65	2.00	1.74	6.09	13.92	14.40	9.88	12.15	8.30	3.35
Non Hodgkin lymphoma	0.88	0.79	0.74	4.07	3.14	5.98	4.04	6.49	11.35	13.93	18.26	28.51	28.80	48.62	58.15	68.76	44.65
Oesophagus	0.00	0.00	0.00	0.00	0.79	0.00	0.00	1.30	2.67	5.81	7.30	17.90	19.20	18.23	14.76	28.45	23.44
Other specified	2.63	0.00	0.00	0.00	0.79	0.00	0.00	1.30	0.67	1.16	6.09	8.62	6.86	3.80	10.42	4.74	2.23
Pancreas	0.00	0.00	0.00	0.81	0.00	1.50	0.00	0.00	4.01	1.16	5.48	8.62	10.97	24.31	19.96	18.97	14.51
Penis	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	1.34	0.58	3.65	4.64	1.37	3.80	5.21	3.56	5.58
Primary site unknown	0.00	0.79	0.00	0.00	0.79	0.75	0.67	4.55	4.01	9.29	22.52	25.19	34.97	53.18	37.32	46.24	41.30
Prostate	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.95	4.68	25.54	68.77	176.34	309.92	426.21	512.11	496.73	323.73
SCC of skin	0.00	0.00	0.00	0.00	0.00	2.24	3.37	16.88	32.73	41.80	90.07	186.94	244.78	356.32	568.53	678.12	820.49
Salivary gland	0.00	0.00	0.00	0.00	0.00	0.75	0.00	1.30	1.34	1.16	4.87	3.98	2.06	6.84	7.81	7.11	12.28
Skin other	0.00	0.00	0.00	0.00	0.00	0.00	0.67	2.60	0.67	2.90	1.22	2.65	6.17	6.08	10.42	18.97	11.16
Small intestine	0.00	0.00	0.00	0.00	0.00	0.75	0.67	0.65	0.67	2.32	2.43	1.99	1.37	5.32	4.34	11.86	1.12
Stomach	0.00	0.00	0.00	0.00	0.00	1.50	2.02	3.25	6.01	7.55	8.52	23.20	26.06	32.67	37.32	43.86	34.61
Testis	0.88	0.79	0.00	1.63	6.29	8.97	18.85	14.94	10.02	6.97	6.69	2.65	0.00	1.52	2.60	2.37	0.00
Thyroid	0.00	0.00	0.74	0.00	0.79	0.75	3.37	5.20	7.35	4.64	6.09	5.97	7.54	6.08	3.47	8.30	4.47
Tongue	0.00	0.00	0.00	0.00	0.00	0.75	0.67	0.65	3.34	4.06	6.09	9.94	15.77	15.19	13.02	11.86	8.93

**APPENDIX I:**

Information was missing about sex, although population group information was present: 2020

**POPULATION GROUP: ALL**

SITE	0-4	5-9	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80	UNK	Total
Anus	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
BCC	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	3
Bladder	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	2
Brain, CNS	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
Colorectal	0	0	0	0	0	0	1	0	0	2	0	2	3	2	0	0	0	10
Connective tissue	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	2
Eye	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	2
Gum	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
Hodgkin lymphoma	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
Kaposi Sarcoma	0	0	0	0	1	0	1	3	1	0	0	0	0	0	0	0	0	6
Larynx	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
Leukaemia	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2
Lung	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Mouth	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	2
Naso-Oropharynx	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	2
Non Hodgkin lymphoma	0	0	0	1	1	2	0	1	0	1	0	0	0	0	0	0	0	6
Oesophagus	0	0	0	0	0	0	0	0	1	1	0	1	1	0	1	1	9	15
Skin other	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
Small intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Stomach	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2
Tongue	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
Total	1	2	1	1	3	2	2	6	3	7	1	4	8	4	2	4	13	64



**APPENDIX I:**

Information was missing about sex, although population group information was present: 2020

**POPULATION GROUP: ASIAN**

SITE	0-4	5-9	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80	UNK	Total
Bladder	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	2
Colorectal	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
Mouth	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
Non Hodgkin lymphoma	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
Total	0	0	0	0	0	0	0	0	0	2	0	0	2	1	0	0	0	5



**APPENDIX I:**

Information was missing about sex, although population group information was present: 2020

**POPULATION GROUP: BLACK**

SITE	0-4	5-9	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80	UNK	Total
Anus	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
BCC	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	1	3
Brain, CNS	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
Colorectal	0	0	0	0	0	0	1	0	0	1	0	2	3	2	0	0	0	9
Connective tissue	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	2
Eye	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	2
Gum	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
Hodgkin lymphoma	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
Kaposi Sarcoma	0	0	0	0	1	0	1	3	1	0	0	0	0	0	0	0	0	6
Larynx	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
Leukaemia	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2
Lung	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Mouth	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
Naso-Oropharynx	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	2
Non Hodgkin lymphoma	0	0	0	1	1	2	0	0	1	0	0	0	0	0	0	0	0	5
Oesophagus	0	0	0	0	0	0	0	0	1	1	0	1	1	1	0	1	1	14
Primary site unknown	0	0	0	0	1	0	1	0	2	0	1	1	0	0	0	0	3	9
SCC of skin	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
Skin other	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
Stomach	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2
Thyroid	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
Tongue	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
<b>Total</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>4</b>	<b>2</b>	<b>3</b>	<b>6</b>	<b>5</b>	<b>5</b>	<b>3</b>	<b>5</b>	<b>6</b>	<b>4</b>	<b>2</b>	<b>4</b>	<b>14</b>	<b>68</b>



**APPENDIX I:**

Information was missing about sex, although population group information was present: 2020

**POPULATION GROUP: COLOURED**

SITE	0-4	5-9	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80	UNK	Total
Oesophagus	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Small intestine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Total	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2



**APPENDIX I:**

Information was missing about sex, although population group information was present: 2020

**POPULATION GROUP: WHITE**

SITE	0-4	5-9	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80	UNK	Total
Primary site unknown	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	2	
SCC of skin	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	
Total	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1	3	



**APPENDIX II:**

Information was missing about population group, although information about sex was present

**SEX: FEMALE 2020**

SITE	0-4	5-9	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80	UNK	Total
Anus	0	0	0	0	0	0	0	0	1	0	0	2	1	0	0	0	0	4
BCC	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1
Bladder	0	0	0	0	0	0	0	0	1	0	1	1	1	0	1	0	0	6
Bone	1	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	3
Brain, CNS	1	0	0	0	0	2	0	1	0	0	0	0	0	0	0	0	0	4
Breast	0	0	0	2	1	13	21	18	27	27	21	11	13	24	12	12	0	202
Cervix	0	0	0	1	2	6	15	18	15	15	8	10	13	3	2	5	0	113
Colorectal	0	0	0	0	2	0	2	0	3	4	6	5	5	6	4	6	0	43
Connective tissue	0	0	0	1	0	0	1	1	0	1	0	0	0	0	0	0	0	4
Endocrine	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
Haematology other	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
Hodgkin lymphoma	0	0	0	1	1	0	0	1	0	1	0	0	1	0	0	0	0	5
Kaposi Sarcoma	0	0	0	2	1	3	1	1	0	0	0	0	0	0	0	0	0	8
Kidney	1	1	0	0	0	0	1	0	0	0	1	1	1	0	0	2	0	8
Larynx	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
Leukaemia	0	1	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	3
Liver & Bile duct	0	0	0	0	0	0	0	0	0	0	2	1	1	0	0	0	0	4
Lung	0	0	0	0	0	0	0	3	0	2	3	2	4	5	3	0	0	22
Melanoma	0	0	0	0	0	1	0	0	0	0	0	0	0	2	0	1	0	4
Mesothelioma	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	2
Mouth	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	2
Myeloma	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
Naso-Oropharynx	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	0	0	3
Non Hodgkin lymphoma	0	0	0	0	2	0	1	2	2	0	1	1	2	1	2	0	0	14
Oesophagus	0	0	0	0	0	0	0	0	0	0	1	6	2	1	2	0	0	12
Other specified	0	0	0	0	0	0	1	0	0	0	0	0	1	0	2	0	0	4
Ovary	0	0	0	0	0	0	1	1	0	2	2	1	2	1	1	1	0	13
Pancreas	0	0	0	0	0	0	1	0	0	1	1	2	1	1	0	0	0	7
Primary site unknown	0	0	0	1	0	1	3	2	0	3	3	2	0	4	2	4	1	26
SCC of skin	0	0	0	0	0	0	0	0	0	0	1	0	0	2	1	1	0	5
Salivary gland	0	0	0	0	0	1	0	0	0	0	0	2	0	1	0	0	0	4
Small intestine	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0	0	0	3
Stomach	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	1	3
Thyroid	0	0	0	0	1	1	3	2	2	0	1	3	0	0	0	0	0	13
Tongue	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	2
Uterus	0	0	0	0	0	0	0	1	4	1	6	3	1	6	0	2	0	24
Vagina	0	0	0	0	0	0	0	1	0	0	0	0	2	1	0	0	0	4
Vulva	0	0	0	0	1	0	0	1	0	1	1	0	3	0	1	0	0	8
<b>Total</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>8</b>	<b>11</b>	<b>31</b>	<b>52</b>	<b>57</b>	<b>57</b>	<b>63</b>	<b>62</b>	<b>53</b>	<b>56</b>	<b>60</b>	<b>33</b>	<b>36</b>	<b>2</b>	<b>587</b>

**APPENDIX II:**

Information was missing about population group, although information about sex was present

**SEX: MALE 2020**

SITE	0-4	5-9	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80	UNK	Total
Anus	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	2
BCC	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	2
Bladder	1	0	0	0	0	0	1	0	2	0	4	3	5	2	3	4	0	25
Bone	0	0	0	0	0	3	0	1	0	0	0	0	0	1	0	0	0	5
Brain, CNS	1	1	0	0	0	0	0	0	0	0	1	2	0	3	1	0	0	9
Breast	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	2
Colorectal	0	0	1	0	3	2	1	5	3	7	5	2	2	6	3	1	0	41
Connective tissue	1	0	1	0	2	0	2	0	1	0	1	0	1	1	0	2	0	12
Endocrine	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
Eye	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	2
Gum	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
Hodgkin lymphoma	0	0	0	2	1	0	2	0	1	0	0	0	0	0	0	0	0	6
Kaposi Sarcoma	0	0	0	2	1	3	4	3	0	0	2	0	0	0	0	0	0	15
Kidney	2	1	0	0	0	0	0	0	1	2	0	1	1	3	0	0	0	11
Larynx	0	0	0	0	0	0	0	0	2	1	1	1	1	1	1	1	0	9
Leukaemia	1	1	0	0	0	0	0	0	1	0	0	0	0	2	0	1	0	6
Liver & Bile duct	0	0	0	1	0	0	2	0	2	0	0	2	1	1	0	0	0	9
Lung	0	0	0	0	0	0	3	1	1	2	2	7	9	6	4	0	0	35
Melanoma	0	0	0	0	1	1	0	1	0	0	2	0	0	0	0	0	0	5
Mouth	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	0	1	4
Myeloma	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	3
Naso-Oropharynx	0	0	0	1	2	0	1	0	0	0	0	1	0	1	0	0	0	6
Non Hodgkin lymphoma	0	1	0	1	1	2	3	6	5	2	1	3	0	2	4	1	0	32
Oesophagus	0	0	0	0	0	0	0	2	0	1	3	3	2	0	1	1	1	14
Other specified	0	0	0	0	0	0	0	0	2	0	0	1	0	1	0	0	0	4
Pancreas	0	0	0	0	0	0	0	0	1	1	1	0	1	0	0	0	0	4
Penis	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	1	0	4
Primary site unknown	0	0	0	1	0	0	1	1	4	5	3	2	2	3	2	0	0	24
Prostate	0	0	0	0	0	0	0	0	4	8	19	20	31	20	17	16	4	139
SCC of skin	0	0	0	0	0	0	1	1	2	0	2	4	1	1	2	1	0	15
Skin other	0	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0	0	3
Small intestine	0	0	0	0	0	0	0	0	1	0	2	0	0	2	0	0	0	5
Stomach	0	0	0	0	0	0	0	0	0	2	3	1	1	2	1	0	2	12
Testis	0	0	0	0	0	2	1	1	1	2	0	0	0	0	0	0	0	7
Thyroid	1	0	0	1	0	0	0	0	1	0	0	0	0	0	1	1	0	5
Tongue	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	3
Total	7	4	2	9	12	14	24	24	38	34	53	58	59	62	43	31	8	482

**APPENDIX II: Information was missing about both sex and population group**

2020

There were no records with missing information on both sex and population group